CS 751: Assignment 3

Bharath Kongara

Spring 2015

Contents

1	Questi	on $1\ldots\ldots\ldots$
	1.1	Solution
	1.2	Code Listing
	1.3	Comparing total words, unique words and byte sizes
2	Questi	on 2
	2.1	Solution
	2.2	Find terms which are common in stop words list:

1 Question 1

- For the text you saved for the 10000 URIs from A1, Q2:
 - Use the boilerpipe software to remove the HTML templates from all HTML pages (document how many pages link from the tweets were non-HTML and had to be skipped)
 - https://code.google.com/p/boilerpipe/
 - WSDM 2010 paper: http://www.l3s.de/ kohlschuetter/boilerplate/
- For how many of the 10000 URIs was boilerpipe successful?
 - Compare the total words, unique words, and byte sizes before and after use of boilerpipe.
- For what classes of pages was it successful?
- For what classes of pages was it unsuccessful?
- Provide examples of both successful and unsuccessful removals and discuss at length.

1.1 Solution

- Installed jusText[1] to remove templates from HTML files of 10000 URIs.
- jusText is a tool for removing boilerplate content such as navigation links, headers and footers from HTML pages.

1.2 Code Listing

Below is the python code that is used to remove HTML templates from all HTML pages of 10000 URIs.

```
import urllib2
   import json
2
 3
   import justext
    f = open('statusoutputs10', 'r+')
4
5
    i = 9000
    for line in f:
6
7
        try:
8
            data = json.loads(line)
9
            page = urllib2.urlopen(data['finalurl']).read()
            paragraphs = justext.justext(page, justext.get_stoplist('English'))
10
11
12
13
            for paragraph in paragraphs:
                 if not paragraph.is_boilerplate:
14
15
                     filename = 'textfromhtml'+str(i)
                     outputfile = open(filename, 'w')
16
17
                     outputfile.write(paragraph.text.encode('utf-8') + '\n')
18
        except Exception as e:
19
            print data['finalurl']
20
            continue
```

Listing 1: Python program to remove HTML templates

Here is the python code that is used to count total words, unique words and frequency. Basic parsing of the text files is referred from wordcount python library[2].

```
1
   import sys
3
   def sort_by_value(item):
4
        return item [-1]
5
    def build_dict (filename):
6
        f = open(filename, 'rU')
8
        words = f.read().split()
9
        count = \{\}
10
11
        for word in words:
             word = word.lower()
```

```
13
              if word not in count:
14
                  count[word] = 1
15
              else:
16
                   count[word] += 1
17
18
         f.close()
19
         return count
20
21
    def print_words(filename):
22
         dict = build_dict(filename)
23
24
         for word in sorted(dict.keys()):
25
              print word, dict[word]
26
27
    def print_top(filename):
28
         count = build_dict(filename)
29
         i = 0
30
         items = sorted(count.items(), key=sort_by_value, reverse=True)
31
         for item in items[:20]:
    print item[0] + ': ' + str(item[1]) + ' times'
32
33
34
              i += 1
35
36
    \mathbf{def} \ \mathrm{main}():
37
         if len(sys.argv) != 3:
              print 'usage: ./wordcount.py {--count | --topcount} file'
38
39
              sys.exit(1)
40
41
         {\rm option} \, = \, {\rm sys.argv} \, [\, 1\, ]
         filename = sys.argv[2]
if option == '--count':
42
43
44
           print_words(filename)
         elif option == '--topcount':
45
           print_top(filename)
46
47
         else:
           print 'unknown option: ' + option
48
49
         sys.exit(1)
50
    if -name_{--} = '-main_{--}':
51
52
         main()
```

Listing 2: Python program for finding unique words and total words

Table 1: Original and After jusText

	Before jusText	After jusText
Total Bytes	813,340,810	650,600
Total Words	305,559 and	105,559
Unique Words	40,011 and	20,611
		,

1.3 Comparing total words, unique words and byte sizes


- Comparison of total words, unique words and total bytes before use of jusText is shown in table 1.
- Out of my 10000 URIs, 6200 were unique URIs. In this list of URIs 4643 was jusText successful.
- Remaining 1566 were skipped due to errors like '404', could not resolve host, etc. as shown below.

```
$ curl -I http://waniko.info/u70xbs/
curl: (6) Could not resolve host: waniko.info
$ curl -I http://truffle.upper.jp/44p3z
HTTP/1.1 302 Found
Date: Sat, 04 Apr 2015 04:23:10 GMT
Server: Apache/2.0.58 (Unix) mod_bwshare/0.2.0 PHP/5.3.8
Location: http://err.lolipop.jp/404.html
```


• Few of them are non-HTML and they were skipped due to errors as shown below.

```
8 URIs pointing to Images of Instagram
3 URIS from facebook site
2 URIs which are pointing to sites with no content.
```


- Examples of URIs for which jusText was successful are listed below. Pages which are properly structured with HTML 5 tags like section, caption, footer, header are successful.
 - http://appleinsider.com/articles/15/02/09/rumor-apple-to-again-stay-out-of-megapixel-race
 - http://www.aztecanoticias.com.mx/notas/finanzas/212592/bolsas-de-europa-en




Other Bookmarks



- Classes of pages for which jusText was not successful are given below.
 - http://news.uvs.jp/1D4
 - http://gharedly.com/
- Pages which are cluttered with HTML elements and have not followed guidelines for HTML page design are not successful.





運営元 | お問い合わせ

♦

Other Bookmarks

2 Question 2

- Collection 1: Extract all the unique terms and their frequency from the 10000 files
- Collection 2: Extract all the unique terms and their frequency of the 10000 files after running boilerpipe.
- Construct a table with the top 50 terms from each collection. Find a common stop word list. How many of the 50 terms are on that stop word list?
- For both collections, construct a graph with the x-axis as word rank, and y-axis as word frequency. Do either follow a Zipf distribution? Support your answer.

2.1 Solution

Each line of text file are parsed by splitting words on space and constructed dictionary to get the unique word list. Here is the Python program which calculates top 50 unique word frequencies.

```
import os, sys
 2
    page =
 3
    wordFrequencyDict = {}
 4
    \mathbf{try}:
             inputFile = open('total.txt', 'r')
 5
             page = inputFile.read()
 6
             inputFile.close()
8
    except:
             exc_type, exc_obj, exc_tb = sys.exc_info()
9
10
            fname = os.path.split(exc_tb.tb_frame.f_code.co_filename)[1]
11
            print(fname, exc_tb.tb_lineno, sys.exc_info())
12
13
    tokens = page.split(',')
14
    for t in tokens:
             wordFrequencyDict.setdefault(t, 0)
15
16
             wordFrequencyDict[t] = wordFrequencyDict[t] + 1
17
    wordFrequencyDict = sorted(wordFrequencyDict.items()), \ key = lambda \ x:x[1], \ reverse = True)
18
    totalWords = 0
19
20
    for tup in wordFrequencyDict:
21
            totalWords = tup[1] + totalWords
22
23
    print 'totalWords:', totalWords
    print 'totalUniqueWords:', len(wordFrequencyDict)
```

Listing 3: Python program for calculating unique words frequency

2.2 Find terms which are common in stop words list:

- 16 terms from Table 2 are common with the stop words list that I retrieved from http://www.ranks.nl/stopwords.
- 38 terms from Table 3 are common with the stop words list.
- Stop words are listed in the file stop-words.txt.
- Both collections before and after running boilerpipe are plotted on a single graph. Below is the R code which is used to plot the data.

```
1
     2
     3
                         htmlF <- read.table('graphhtml.txt', header=T)
     4
                        htmlData <- rep(htmlF[,1])
     5
     6
     7
                         textF{<\!\!-} \ read.\,table\,(\ 'graphtext.\,txt\ ',\ header{=}T)
     8
                          textData <- rep(textF[,1])
    9
                         xlimit < -c(0,50)
                        ylimit < c(400,4000)
10
11
                         plot (htmlData, type='l', col='blue', xlim=xlimit, ylim=ylimit, xlab='Word Rank', ylab='Word Frequency', main='Distribution of terms before boilerplate \nremoval (blue) and after the property of the prope
12
                                                    boilerplate removal (red)')
13
                         lines (textData, type='o', col='red')
14
```

Listing 4: R program to plot both collections

- As shown in the figure below, both plots follow Zipfian Distribution[3].
- The frequency of each word is close to inversely proportional to its rank in the frequency table. This is known as the power law.
- As shown in the figure below, most frequent word occurs approximately twice as the second most frequency word.

Table 2: Rank, term and frequency from jusText file

RANK	TERM	FREQUENCY
1	the	1164
2	and	925
3	to	809
4	of	899
5	a	771
6	you	625
7	I	500
8	is	423
9	that	304
10	you	289
11	for	280
12	it	253
13	with	249
14	or	245
15	on	229
16	this	222
17	we	221
18	s	218
19	your	201
20	as	176
21	from	170
22	domain	150
23	will	146
24	are	140
25	not	137
26	by	131
27	be	120
28	at	117
29	have	114
30	all	110
31	can	108
32	my	108
33	t	99
34	my	98
35	about	94
36	when	92
$\frac{30}{37}$	like	86
38	use	85
$\frac{30}{39}$	so	84
$\frac{-33}{40}$	more	83
41	but	80
42	do	79
$\frac{42}{43}$	any	79
$\frac{40}{44}$	about	77
$\frac{44}{45}$	her	77
$\frac{46}{46}$	just	76
$\frac{40}{47}$	one	70
48	who	68
49	has	67
$\frac{49}{50}$	if	67
	11	01

Table 3: Top 50 terms extracted from HTML files

RANK	TERM	FREQUENCY
1	div	5921
2	=	3933
3	the	3711
4	ja	3511
5	to	3408
6	and	3390
7	a	3270
8	of	3110
9	{	3032
10	<a< td=""><td>2913</td></a<>	2913
11	<span< td=""><td>2878</td></span<>	2878
12		2773
13	in	2683
14	{.	2583
15	for	2480
16	=	2310
17	<li< td=""><td>2237</td></li<>	2237
18	at	2137
19	var	2031
20	point:false,	1997
21	on	1896
22	+	1793
23		1633
24	is	1489
25	target='self'	1211
26	?	1031
27	position:'left'},	937
28	yous	820
29	your	708
30		681
31	class="user-in"	608
32	with	585
33	I	565
34	user	550
35	target="	520
36	&	482
37	2014	472
38		460
39	December	452
40	0	400
41	rel='fll'	368
42	<img< td=""><td>355</td></img<>	355
43	onclick="return	352
44	if	350
45	follow:false,	348
46	class="hight"	337
47	type="hidden"	333
48	The	322
49	alt	306
50	class="high	296




Figure 1: Graph with x-axis as word rank , and y-axis as word frequency

Bibliography

- $[1] \ jusText. \ https://pypi.python.org/pypi/jusText/2.1.0.$
- $[2] \ \ Wordcount. \ https://github.com/mlafeldt/google-python-class/blob/master/basic/solution/wordcount.py. \ Accessed: 2015-04-03.$
- [3] Zipf. https://plus.maths.org/content/mystery-zipf.