






Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
java
9 ms
46.8 MB
Code
Accepted
All Submissions
Accepted 65 / 65 testcases passed
Hershe submitted at Sep 28, 2026 10:17
Analysis
Solution
Runtime
9 ms | Beats 91.37%
Memory
46.81 MB | Beats 55.00%
75%
50%
25%
0%
0ms
189ms
372ms
553ms
735ms
919ms
1098ms
1279ms
Code | Java
1 import java.util.*;
2
3 class Solution {
4 public List<Integer> findAnagrams(String s, String p) {
5
6 List<Integer> result = new ArrayList<>();
7
8 if (s.length() < p.length()) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
Java
1 ms
43 MB
Code
Accepted
All Submissions
Accepted
Harsha submitted at Sep 28, 2026 10:18
Analysis
Solution
Runtime
1 ms | Beats 51.09%
Memory
43.02 MB Beats 46.30%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
5ms
Code | Java
1 class Solution {
2 public int strStr(String haystack, String needle) {
3
4 int n = haystack.length();
5 int m = needle.length();
6
7 if (m > n) {
8 return -1;
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
Java
14 ms
43.6 MB
Code
Accepted
All Submissions
Accepted
144 / 144 testcases passed
Harsha submitted at Sep 28, 2026 10:22
Analysis
Solution
Runtime
14 ms | Beats 93.36%
Memory
43.57 MB | Beats 67.04%
75%
50%
25%
0%
14ms
227ms
541ms
895ms
1068ms
1332ms
1585ms
1859ms
Code | Java
1 class Solution {
2 public String longestPalindrome(String s) {
3
4 int start = 0;
5 int end = 0;
6
7 for (int i = 0; i < s.length(); i++) {
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
Java
14 ms
43.6 MB
Code
Accepted
All Submissions
Accepted
144 / 144 testcases passed
Harsha submitted at Sep 28, 2026 10:22
Analysis
Solution
Runtime
14 ms | Beats 93.36%
Memory
43.57 MB | Beats 67.04%
75%
50%
25%
0%
14ms
227ms
541ms
895ms
1068ms
1332ms
1585ms
1859ms
Code | Java
1 class Solution {
2 public String longestPalindrome(String s) {
3
4 int start = 0;
5 int end = 0;
6
7 for (int i = 0; i < s.length(); i++) {
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
8 ms
43.2 MB
Code
Accepted
All Submissions
Accepted 105 / 105 testcases passed
Harshe submitted at Aug 07, 2026 11:59
Analysis
Solution
Runtime
8 ms | Beats 42.06%
Memory
43.23 MB Beats 38.93%
Code Java
1 import java.time.LocalDate;
2 import java.time.temporal.ChronoUnit;
3
4 class Solution {
5 public int daysBetweenDates(String date1, String date2) {
6 LocalDate d1 = LocalDate.parse(date1);
7 LocalDate d2 = LocalDate.parse(date2);
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Aug 07, 2026
Java
6 ms
45 MB
45.2 MB
Code
Accepted
All Submissions
Accepted
Horsha submitted at Aug 07, 2026 12:04
Analysis
Solution
Runtime
6 ms
Beats 92.79%
Memory
45.24 MB
Beats 19.17%
Code
Java
import java.util.*;
class Solution {
public String largestNumber(int[] nums) {
String[] arr = new String[nums.length];
// Convert integers to strings
for (int i = 0; i < nums.length; i++) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Aug 07, 2026
Java
3 ms
42.7 MB
Code
Accepted
All Submissions
Accepted 44 / 44 testcases passed
Harsha submitted at Aug 07, 2026 12:03
Analysis
Solution
Runtime
3 ms | Beats 24.41%
Memory
42.71 MB | Beats 22.82%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
5ms
6ms
7ms
8ms
9ms
Code | Java
1 import java.time.LocalDate;
2
3 class Solution {
4 public String dayOfTheWeek(int day, int month, int year) {
5 LocalDate date = LocalDate.of(year, month, day);
6 return date.getDayOfWeek().toString().substring(0, 1)
7 + date.getDayOfWeek().toString().substring(1).toLowerCase();
8 }
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
23 ms
47.2 MB
1
Accepted
Aug 07, 2026
Java
24 ms
47.4 MB
Code
Accepted
All Submissions
Accepted
68 / 68 testcases passed
Harsha submitted at Aug 07, 2026 12:06
Analysis
Solution
Runtime
24 ms | Beats 15.73%
Memory
47.41 MB | Beats 24.98%
30%
20%
10%
0%
1ms
7ms
12ms
17ms
22ms
Code | Java
1 import java.util.*;
2
3 class Solution {
4 public String[] sortPeople(String[] names, int[] heights) {
5 int n = names.length;
6
7 // Create pairs of height and name
8 String[][] people = new String[n][2];
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
1 ms
47.5 MB
Code
Accepted
All Submissions
Accepted 747 / 747 testcases passed
Harsha submitted at Aug 07, 2026 12:12
Solution
Runtime
1 ms | Beats 95.82%
Memory
47.49 MB | Beats 35.82%
100%
50%
0%
1ms
41ms
80ms
120ms
159ms
199ms
238ms
278ms
Code | Java
1 class Solution {
2 public int pivotIndex(int[] nums) {
3 int totalSum = 0;
4
5 // Calculate total sum of the array
6 for (int num : nums) {
7 totalSum += num;
8 }
View more
Testcase
Test Result



Click to go back, hold to see history
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
0 ms
44.8 MB
Code
Accepted
All Submissions
Accepted 34 / 34 testcases passed
Harsha submitted at Aug 07, 2026 12:10
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
44.77 MB | Beats 17.08%
100%
50%
0%
1ms
2ms
3ms
4ms
Code Java
1 class Solution {
2 public int maximumWealth(int[][] accounts) {
3 int maxWealth = 0;
4
5 for (int i = 0; i < accounts.length; i++) {
6 int wealth = 0;
7
8 for (int j = 0; j < accounts[i].length; j++) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
0 ms
46.5 MB
1
Accepted
Aug 07, 2026
Java
0 ms
46.6 MB
Code
Accepted
All Submissions
Accepted 53 / 53 testcases passed
Harsha submitted at Aug 07, 2026 12:13
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
46.51 MB | Beats 37.67%
Code | Java
class Solution {
public int[] shuffle(int[] nums, int n) {
int[] result = new int[2 * n];
int index = 0;
for (int i = 0; i < n; i++) {
result[index++] = nums[i];
result[index++] = nums[i + n];
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
0 ms
43.7 MB
Code
Accepted
All Submissions
Accepted 116 / 116 testcases passed
Harsha submitted at Aug 07, 2026 12:14
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.66 MB | Beats 21.73%
Code | Java
class Solution {
public int removeElement(int[] nums, int val) {
int k = 0;
for (int i = 0; i < nums.length; i++) {
if (nums[i] != val) {
nums[k] = nums[i];
k++;
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
0 ms
46.9 MB
1
Accepted
Aug 07, 2026
Java
1 ms
46.7 MB
Code
Accepted
All Submissions
Accepted 382 / 382 testcases passed
Harsha submitted at Aug 07, 2026 12:14
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
46.92 MB | Beats 8.42%
100%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
2 public int removeDuplicates(int[] nums) {
3 if (nums.length == 0) {
4 return 0;
5 }
6
7 int k = 1;
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Aug 07, 2026
Java
6 ms
45 MB
45.2 MB
Code
Accepted
All Submissions
Accepted
Horsha submitted at Aug 07, 2026 12:04
Analysis
Solution
Runtime
6 ms
Beats 92.79%
Memory
45.24 MB
Beats 19.17%
Code
Java
import java.util.*;
class Solution {
public String largestNumber(int[] nums) {
String[] arr = new String[nums.length];
// Convert integers to strings
for (int i = 0; i < nums.length; i++) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Aug 07, 2026
Java
3 ms
42.7 MB
Code
Accepted
All Submissions
Accepted 44 / 44 testcases passed
Harsha submitted at Aug 07, 2026 12:03
Analysis
Solution
Runtime
3 ms | Beats 24.41%
Memory
42.71 MB | Beats 22.82%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
5ms
6ms
7ms
8ms
9ms
Code | Java
1 import java.time.LocalDate;
2
3 class Solution {
4 public String dayOfTheWeek(int day, int month, int year) {
5 LocalDate date = LocalDate.of(year, month, day);
6 return date.getDayOfWeek().toString().substring(0, 1)
7 + date.getDayOfWeek().toString().substring(1).toLowerCase();
8 }
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
23 ms
47.2 MB
1
Accepted
Aug 07, 2026
Java
24 ms
47.4 MB
Code
Accepted
All Submissions
Accepted
68 / 68 testcases passed
Harsha submitted at Aug 07, 2026 12:06
Analysis
Solution
Runtime
24 ms | Beats 15.73%
Memory
47.41 MB | Beats 24.98%
30%
20%
10%
0%
1ms
7ms
12ms
17ms
22ms
Code | Java
1 import java.util.*;
2
3 class Solution {
4 public String[] sortPeople(String[] names, int[] heights) {
5 int n = names.length;
6
7 // Create pairs of height and name
8 String[][] people = new String[n][2];
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
1 ms
47.5 MB
Code
Accepted
All Submissions
Accepted 747 / 747 testcases passed
Harsha submitted at Aug 07, 2026 12:12
Solution
Runtime
1 ms | Beats 95.82%
Memory
47.49 MB | Beats 35.82%
100%
50%
0%
1ms
41ms
80ms
120ms
159ms
199ms
238ms
278ms
Code | Java
1 class Solution {
2 public int pivotIndex(int[] nums) {
3 int totalSum = 0;
4
5 // Calculate total sum of the array
6 for (int num : nums) {
7 totalSum += num;
8 }
View more
Testcase
Test Result



Click to go back, hold to see history
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
0 ms
44.8 MB
Code
Accepted
All Submissions
Accepted 34 / 34 testcases passed
Harsha submitted at Aug 07, 2026 12:10
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
44.77 MB | Beats 17.08%
100%
50%
0%
1ms
2ms
3ms
4ms
Code Java
1 class Solution {
2 public int maximumWealth(int[][] accounts) {
3 int maxWealth = 0;
4
5 for (int i = 0; i < accounts.length; i++) {
6 int wealth = 0;
7
8 for (int j = 0; j < accounts[i].length; j++) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
0 ms
46.5 MB
1
Accepted
Aug 07, 2026
Java
0 ms
46.6 MB
Code
Accepted
All Submissions
Accepted 53 / 53 testcases passed
Harsha submitted at Aug 07, 2026 12:13
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
46.51 MB | Beats 37.67%
Code | Java
class Solution {
public int[] shuffle(int[] nums, int n) {
int[] result = new int[2 * n];
int index = 0;
for (int i = 0; i < n; i++) {
result[index++] = nums[i];
result[index++] = nums[i + n];
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Aug 07, 2026
Java
0 ms
43.7 MB
Code
Accepted
All Submissions
Accepted 116 / 116 testcases passed
Harsha submitted at Aug 07, 2026 12:14
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.66 MB | Beats 21.73%
Code | Java
class Solution {
public int removeElement(int[] nums, int val) {
int k = 0;
for (int i = 0; i < nums.length; i++) {
if (nums[i] != val) {
nums[k] = nums[i];
k++;
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
0 ms
46.9 MB
1
Accepted
Aug 07, 2026
Java
1 ms
46.7 MB
Code
Accepted
All Submissions
Accepted 382 / 382 testcases passed
Harsha submitted at Aug 07, 2026 12:14
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
46.92 MB | Beats 8.42%
100%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
2 public int removeDuplicates(int[] nums) {
3 if (nums.length == 0) {
4 return 0;
5 }
6
7 int k = 1;
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
0 ms
43 MB
1
Accepted
Aug 07, 2026
Java
0 ms
43.2 MB
Code
Accepted
All Submissions
Accepted
Harsha submitted at Aug 07, 2026 12:15
Analysis
Solution
Runtime
0 ms | Beats 100.00%
Memory
43.04 MB | Beats 49.61%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
2 public int largestAltitude(int[] gain) {
3 int altitude = 0;
4 int maxAltitude = 0;
5
6 for (int g : gain) {
7 altitude += g;
8 maxAltitude = Math.max(maxAltitude, altitude);
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Aug 07, 2026
Java
7 ms
49.5 MB
1
Accepted
Aug 07, 2026
Java
7 ms
49.8 MB
Code
Accepted
All Submissions
Accepted 129 / 129 testcases passed
Harsha submitted at Aug 07, 2026 12:16
Analysis
Solution
Runtime
7 ms | Beats 74.24%
Memory
49.55 MB Beats 67.52%
40%
20%
0%
7ms
12ms
17ms
22ms
27ms
32ms
37ms
42ms
Code | Java
1 import java.util.*;
2
3 class Solution {
4 public List<List<String>> groupAnagrams(String[] strs) {
5 Map<String, List<String>> map = new HashMap<>();
6
7 for (String str : strs) {
8 char[] chars = str.toCharArray();
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
Java
14 ms
43.6 MB
Code
Accepted
All Submissions
Accepted
144 / 144 testcases passed
Harsha submitted at Sep 28, 2026 10:22
Analysis
Solution
Runtime
14 ms | Beats 93.36%
Memory
43.57 MB | Beats 67.04%
75%
50%
25%
0%
14ms
227ms
541ms
895ms
1068ms
1332ms
1585ms
1859ms
Code | Java
1 class Solution {
2 public String longestPalindrome(String s) {
3
4 int start = 0;
5 int end = 0;
6
7 for (int i = 0; i < s.length(); i++) {
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
Java
1 ms
43 MB
Code
Accepted
All Submissions
Accepted
Harsha submitted at Sep 28, 2026 10:18
Analysis
Solution
Runtime
1 ms | Beats 51.09%
Memory
43.02 MB Beats 46.30%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
5ms
Code | Java
1 class Solution {
2 public int strStr(String haystack, String needle) {
3
4 int n = haystack.length();
5 int m = needle.length();
6
7 if (m > n) {
8 return -1;
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
Accepted
Sep 28, 2026
java
9 ms
46.8 MB
Code
Accepted
All Submissions
Accepted 65 / 65 testcases passed
Hershe submitted at Sep 28, 2026 10:17
Analysis
Solution
Runtime
9 ms | Beats 91.37%
Memory
46.81 MB | Beats 55.00%
75%
50%
25%
0%
0ms
189ms
372ms
553ms
735ms
919ms
1098ms
1279ms
Code | Java
1 import java.util.*;
2
3 class Solution {
4 public List<Integer> findAnagrams(String s, String p) {
5
6 List<Integer> result = new ArrayList<>();
7
8 if (s.length() < p.length()) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Sep 28, 2026
Java
2 ms
43.6 MB
Code
Accepted
All Submissions
Accepted 311 / 311 testcases passed
Harsha submitted at Sep 28, 2026 10:15
Analysis
Solution
Runtime
2 ms | Beats 66.11%
Memory
43.64 MB | Beats 15.92%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
2 public boolean rotateString(String s, String goal) {
3 if (s.length() != goal.length()) {
4 return false;
5 }
6
7 return (s + s).contains(goal);
8 }
9 }
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
3 Accepted Sep 28, 2026 Java 246 ms 121.5 MB
2 Accepted Sep 28, 2026 Java 240 ms 121.5 MB
1 Accepted Sep 07, 2026 Java 276 ms 121.9 MB
Code
Accepted
All Submissions
Accepted 49 / 49 testcases passed
Hersha submitted at Sep 28, 2026 10:08
Analysis
Solution
Runtime
246 ms | Beats 47.38%
Memory
121.47 MB | Beats 23.99%
Code | Java
1 import java.util.*;
2
3 class ThroneInheritance {
4
5 private String king;
6 private Map<String, List<String>> children;
7 private Set<String> dead;
8
View more
Write your notes here
Testcase
Test Result



Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Sep 28, 2026
Java
15 ms
55.5 MB
1
Accepted
Sep 07, 2026
Java
12 ms
53.6 MB



Code
Accepted
All Submissions
Accepted 29 / 29 testcases passed
Harsha submitted at Sep 28, 2026 09:51
Analysis
Solution
Runtime
15 ms
Beats 32.82%
Memory
55.47 MB
Beats 13.12%
Code
Java
class MyHashSet {
private static final int SIZE = 1009;
private LinkedList<Integer>[] buckets;
public MyHashSet() {
buckets = new LinkedList[SIZE];
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
3 Accepted Sep 28, 2026 Java 50 ms 53.9 MB
2 Accepted Sep 07, 2026 Java 53 ms 54 MB
1 Accepted Sep 07, 2026 Java 41 ms 53.7 MB
Code
Accepted
All Submissions
Accepted 73 / 73 testcases passed
Harsha submitted at Sep 28, 2026 09:47
Analysis
Solution
Runtime
50 ms | Beats 47.71%
Memory
53.86 MB | Beats 34.14%
Code | Java
1 import java.util.ArrayList;
2 import java.util.List;
3
4 class BrowserHistory {
5
6 private List<String> history;
7 private int current;
8
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Sep 28, 2026
Java
108 ms
56 MB
1
Accepted
Sep 07, 2026
Java
107 ms
57.2 MB
Code
Accepted
All Submissions
Accepted 57 / 57 testcases passed
Hersha submitted at Sep 28, 2026 09:44
Analysis
Solution
Runtime
108 ms | Beats 67.19%
Memory
55.95 MB | Beats 99.94%
Code | Java
1 import java.util.HashMap;
2 import java.util.Map;
3
4 class UndergroundSystem {
5
6 private Map<Integer, CheckInInfo> checkIns;
7
8 private Map<String, TripInfo> trips;
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
2
Accepted
Sep 28, 2026
Java
7 ms
47 MB
1
Accepted
Sep 07, 2026
Java
7 ms
46.9 MB
Code
Accepted
All Submissions
Accepted
102 / 102 testcases passed
Harsha submitted at Sep 07, 2026 09:23
Analysis
Solution
Runtime
7 ms
Beats 100.00%
Memory
46.89 MB
Beats 69.48%
75%
50%
25%
0%
7ms
8ms
9ms
10ms
11ms
Code
Java
1 class ParkingSystem {
2 private int[] slots;
3
4 public ParkingSystem(int big, int medium, int small) {
5 slots = new int[] {0, big, medium, small};
6 }
7
8 public boolean addCar(int carType) {
View more
Write your notes here
Testcase
Test Result



Problem List
Submit
Premium
Description
Editorial
Solutions
Submissions
Status
Language
Runtime
Memory
Notes
1
Accepted
Sep 01, 2026
Java
5 ms
45.1 MB
Code
Accepted
All Submissions
Accepted
103 / 103 testcases passed
Harsha submitted at Sep 01, 2026 15:14
Analysis
Solution
Runtime
5 ms | Beats 4.92%
Memory
45.07 MB
Beats 77.47%
Code | Java
class Solution {
public int[] finalPrices(int[] prices) {
int n = prices.length;
int[] answer = new int[n];
Stack<Integer> stack = new Stack<>();
View more
Write your notes here
Testcase
Test Result



Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 12 / 12 testcases passed
Bharath77kumar submitted at Aug 14, 2026 11:40
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
6 ms | Beats 94.80%
Memory
46.90 MB | Beats 22.87%
Code
Java
class Solution {
public int[][] matrixBlockSum(int[][] mat, int k) {
int m = mat.length;
int n = mat[0].length;
// Prefix sum matrix
int[][] prefix = new int[m + 1][n + 1];
View more
More challenges
Code
Java
Auto
int r1 = Math.max(0, i - k);
int r2 = Math.min(m - 1, i + k);
int c1 = Math.max(0, j - k);
int c2 = Math.min(n - 1, j + k);
answer[i][j] =
prefix[r2 + 1][c2 + 1]
- prefix[r1][c2 + 1]
- prefix[r2 + 1][c1]
+ prefix[r1][c1];
return answer;
Saved
Ln 39, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
mat =
[[1,2,3],[4,5,6],[7,8,9]]
k =
1
Output
[[12,21,16],[27,45,33],[24,39,28]]
Expected
[[12,21,16],[27,45,33],[24,39,28]]



Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 36 / 36 testcases passed
Bharath77kumar submitted at Aug 14, 2026 11:38
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
46.64 MB | Beats 69.45%
100%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public int[][] transpose(int[][] matrix) {
int rows = matrix.length;
int cols = matrix[0].length;
int[][] result = new int[cols][rows];
for (int i = 0; i < rows; i++) {
View more
More challenges
Code
Java
Auto
class Solution {
public int[][] transpose(int[][] matrix) {
int rows = matrix.length;
int cols = matrix[0].length;
int[][] result = new int[cols][rows];
for (int i = 0; i < rows; i++) {
for (int j = 0; j < cols; j++) {
result[j][i] = matrix[i][j];
}
}
return result;
}
}
Saved
Ln 16, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
matrix =
[[1,2,3],[4,5,6],[7,8,9]]
Output
[[1,4,7],[2,5,8],[3,6,9]]
Expected
[[1,4,7],[2,5,8],[3,6,9]]
Contribute a testcase



Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 113 / 113 testcases passed
Bharath77kumar submitted at Aug 14, 2026 11:26
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
3 ms | Beats 93.99%
Memory
42.79 MB | Beats 95.99%
Code | Java
class Solution {
public boolean halvesAreAlike(String s) {
String vowels = "aeiouAEIOU";
int mid = s.length() / 2;
int countA = 0, countB = 0;
for (int i = 0; i < mid; i++) {
if (vowels.indexOf(s.charAt(i)) != -1) {
View more
More challenges
Code
Java
Auto
for (int i = 0; i < mid; i++) {
if (vowels.indexOf(s.charAt(i)) != -1) {
countA++;
}
}
for (int i = mid; i < s.length(); i++) {
if (vowels.indexOf(s.charAt(i)) != -1) {
countB++;
}
}
return countA == countB;
}
}
Saved
Ln 21, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
s =
"book"
Output
true
Expected
true
Contribute a testcase
34°C
Partly sunny
ENG
US
11:34 AM
8/14/2026



Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 79 / 79 testcases passed
Bharath77kumar submitted at Aug 14, 2026 11:15
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
19 ms | Beats 46.09%
Memory
107.96 MB Beats 51.76%
30%
20%
10%
0%
1ms
7ms
12ms
17ms
22ms
27ms
32ms
Code Java
1 import java.util.HashSet;
2
3 class Solution {
4 public boolean containsDuplicate(int[] nums) {
5 HashSet<Integer> set = new HashSet<>();
6
7 for (int num : nums) {
8 if (set.contains(num)) {
View more
More challenges
Code
Java
Auto
1 import java.util.HashSet;
2
3 class Solution {
4 public boolean containsDuplicate(int[] nums) {
5 HashSet<Integer> set = new HashSet<>();
6
7 for (int num : nums) {
8 if (set.contains(num)) {
9 return true;
10 }
11 set.add(num);
12 }
13
14 return false;
15 }
16 }
Saved
Ln 16, Col 2
Testcase
Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[1,2,3,1]
Output
true
Expected
true
Contribute a testcase



Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Accepted 75 / 75 testcases passed
Bharath77kumar submitted at Aug 14, 2026 11:21
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 99.90%
Memory
47.29 MB | Beats 97.99%
100%
75%
50%
25%
0%
10ms
20ms
30ms
40ms
Code | Java
class Solution {
public void moveZeroes(int[] nums) {
int index = 0;
// Move all non-zero elements to the front
for (int num : nums) {
if (num != 0) {
nums[index++] = num;
View more
More challenges
Java
Auto
class Solution {
public void moveZeroes(int[] nums) {
int index = 0;
// Move all non-zero elements to the front
for (int num : nums) {
if (num != 0) {
nums[index++] = num;
}
}
// Fill the remaining positions with zeros
while (index < nums.length) {
nums[index++] = 0;
}
}
Saved
Ln 17, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[0,1,0,3,12]
Output
[1,3,12,0,0]
Expected
[1,3,12,0,0]
Contribute a testcase


https://leetcode.com/problems/remove-element/submissions/2097586711/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 116 / 116 testcases passed
Bharath77kumar submitted at Aug 07, 2026 11:58
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
43.66 MB | Beats 24.61%
Code | Java
class Solution {
public int removeElement(int[] nums, int val) {
int k = 0;
View more
More challenges
Code
Java
Auto
class Solution {
public int removeElement(int[] nums, int val) {
int k = 0;
for (int i = 0; i < nums.length; i++) {
if (nums[i] != val) {
nums[k] = nums[i];
k++;
}
}
return k;
}
}
Saved
Ln 19, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[3,2,2,3]
val =
3
Output
[2,2]
Expected
[2,2]
32°C
Mostly cloudy
Search
ENG
US
11:58 AM
07-08-2026


https://leetcode.com/problems/shuffle-the-array/submissions/2097582440/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 53 / 53 testcases passed
Bharath77kumar submitted at Aug 07, 2026 11:55
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
46.40 MB | Beats 81.87%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public int[] shuffle(int[] nums, int n) {
int[] result = new int[2 * n];
int index = 0;
for (int i = 0; i < n; i++) {
result[index++] = nums[i];
result[index++] = nums[i + n];
View more
More challenges
Code
Java
Auto
Invite
class Solution {
public int[] shuffle(int[] nums, int n) {
int[] result = new int[2 * n];
int index = 0;
for (int i = 0; i < n; i++) {
result[index++] = nums[i];
result[index++] = nums[i + n];
}
return result;
}
}
Saved
Ln 13, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[2,5,1,3,4,7]
n =
3
Output
[2,3,5,4,1,7]
Expected
[2,3,5,4,1,7]
32°C
Mostly cloudy
Search
ENG
US
11:56 AM
07-08-2026


https://leetcode.com/problems/find-pivot-index/submissions/2097578928/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 747 / 747 testcases passed
Bharath77kumar submitted at Aug 07, 2026 11:52
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 97.50%
Memory
47.38 MB | Beats 60.62%
Code | Java
class Solution {
public int pivotIndex(int[] nums) {
int totalSum = 0;
// Calculate total sum
for (int num : nums) {
totalSum += num;
View more
More challenges
Code
Java
Auto
class Solution {
public int pivotIndex(int[] nums) {
int totalSum = 0;
// Calculate total sum
for (int num : nums) {
totalSum += num;
}
int leftSum = 0;
// Find pivot index
for (int i = 0; i < nums.length; i++) {
int rightSum = totalSum - leftSum - nums[i];
Saved
Ln 26, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[1,7,3,6,5,6]
Output
3
Expected
3
Contribute a testcase
Watchlist
-2.45%
Search
ENG
US
11:52 AM
07-08-2026


Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 137 / 137 testcases passed
Bharath77kumar submitted at Aug 07, 2026 11:43
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 100.00%
Memory
47.23 MB | Beats 65.50%
Code | Java
class Solution {
public int[] sortedSquares(int[] nums) {
int n = nums.length;
int[] result = new int[n];
int left = 0;
int right = n - 1;
int index = n - 1;
View more
More challenges
Code
Java
Auto
int leftSquare = nums[left] * nums[left];
int rightSquare = nums[right] * nums[right];
if (leftSquare > rightSquare) {
result[index] = leftSquare;
left++;
} else {
result[index] = rightSquare;
right--;
}
index--;
return result;
Saved
Ln 26, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[-4,-1,0,3,10]
Output
[0,1,9,16,100]
Expected
[0,1,9,16,100]
Contribute a testcase


Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 34 / 34 testcases passed
Bharath77kumar submitted at Aug 07, 2026 11:39
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
44.51 MB | Beats 56.66%
Code | Java
View more
More challenges
Code
Java
Auto
class Solution {
public int maximumWealth(int[][] accounts) {
int maxWealth = 0;
for (int i = 0; i < accounts.length; i++) {
int wealth = 0;
for (int j = 0; j < accounts[i].length; j++) {
wealth += accounts[i][j];
}
maxWealth = Math.max(maxWealth, wealth);
}
Saved
Ln 16, Col 1
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
accounts =
[[1,2,3],[3,2,1]]
Output
6
Expected
6
Contribute a testcase

https://leetcode.com/problems/running-sum-of-1d-array/submissions/2097537514/

Problem List | Submit | Premium

Description | Accepted | Editorial | Solutions | Submissions

All Submissions

Accepted 54 / 54 testcases passed | Time taken: 16m 40s

Bharath77kumar submitted at Aug 07, 2026 11:19

Analysis | Solution



Unlock the Full LeetCode Experience


Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms | Beats 100.00%

Memory

44.28 MB | Beats 55.00%



Codio | Java

```java
class Solution {
    public int[] runningSum(int[] nums) {
        for (int i = 1; i < nums.length; i++) {
            nums[i] = nums[i] + nums[i - 1];
        }
        return nums;
    }
}
```

View more


More challenges


High UV
New


Search


ENG
US


11:33 AM
07-08-2026



https://leetcode.com/problems/sort-the-people/submissions/2097624309/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 68 / 68 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:29
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
24 ms | Beats 17.76%
Memory
47.41 MB | Beats 33.13%
Code | Java
import java.util.*;
class Solution {
public String[] sortPeople(String[] names, int[] heights) {
int n = names.length;
View more
More challenges
Code
Java
Auto
// Sort by height descending
Arrays.sort(people, (a, b) ->
Integer.compare(Integer.parseInt(b[1]), Integer.parseInt(a[1]))
);
// Extract sorted names
String[] result = new String[n];
for (int i = 0; i < n; i++) {
result[i] = people[i][0];
}
return result;
}
}
Saved
Ln 32, Col 2
Testcase
Test Result
You must run your code first
Search
ENG
US
12:30 PM
07-08-2026



https://leetcode.com/problems/largest-number/submissions/2097622555/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 236 / 236 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:28
Analysis
Solution
7583.25 mid
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
6 ms | Beats 94.56%
Memory
44.91 MB | Beats 61.45%
75%
50%
25%
0%
1ms
3ms
5ms
7ms
9ms
Code | Java
1
2
3 import java.util.*;
4
5 class Solution {
6 public String largestNumber(int[] nums) {
7 String[] arr = new String[nums.length];
8
View more
More challenges
Code
Java
Auto
16
17 // Handle case where all numbers are zero
18 if (arr[0].equals("0")) {
19 return "0";
20 }
21
22 // Build the result
23 StringBuilder result = new StringBuilder();
24
25 for (String s : arr) {
26 result.append(s);
27 }
28
29 return result.toString();
30 }
31 }
32
Saved
Ln 31, Col 2
Testcase
Test Result
You must run your code first
Watchlist
-2.68%
Search
ENG
US
12:28 PM
07-08-2026



https://leetcode.com/problems/day-of-the-week/submissions/2097620473/
Problem List
Submit
Premium
Description
Accepted
Solutions
Submissions
All Submissions
Accepted 44 / 44 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:26
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
5 ms | Beats 11.88%
Memory
43.11 MB | Beats 6.24%
1.08% of solutions used 1 ms of runtime
Code | Java
import java.time.LocalDate;
import java.time.DayOfWeek;
class Solution {
public String dayOfTheWeek(int day, int month, int year) {
LocalDate date = LocalDate.of(year, month, day);
View more
More challenges
Code
Java
Auto
import java.time.LocalDate;
import java.time.DayOfWeek;
class Solution {
public String dayOfTheWeek(int day, int month, int year) {
LocalDate date = LocalDate.of(year, month, day);
DayOfWeek dayOfWeek = date.getDayOfWeek();
return dayOfWeek.toString().charAt(0) +
dayOfWeek.toString().substring(1).toLowerCase();
}
}
Saved
Ln 15, Col 2
Testcase
Test Result
You must run your code first



https://leetcode.com/problems/day-of-the-year/submissions/2097617299/
Problem List
Submit
Premium
Description
Accepted
Solutions
Submissions
All Submissions
Accepted 109/58 / 109/58 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:23
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
7 ms | Beats 97.10%
Memory
46.90 MB | Beats 63.25%
Code | Java
class Solution {
public int dayOfYear(String date) {
int year = Integer.parseInt(date.substring(0, 4));
int month = Integer.parseInt(date.substring(5, 7));
int day = Integer.parseInt(date.substring(8, 10));
View more
More challenges
Code
Java
Auto
int result = day;
// Add days from previous months
for (int i = 0; i < month - 1; i++) {
result += daysInMonth[i];
}
return result;
}
private boolean isLeapYear(int year) {
return (year % 400 == 0) ||
(year % 4 == 0 && year % 100 != 0);
}
}
Saved
Ln 33, Col 2
Testcase
Test Result
You must run your code first
SENSEX
-0.56%
Search
ENG
US
12:23 PM
07-08-2026


https://leetcode.com/problems/number-of-days-between-two-dates/submissions/2097615342/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 103 / 103 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:21
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
8 ms | Beats 43.58%
Memory
43.29 MB | Beats 44.93%
Code | Java
import java.time.LocalDate;
import java.time.temporal.ChronoUnit;
class Solution {
public int daysBetweenDates(String date1, String date2) {
LocalDate d1 = LocalDate.parse(date1);
LocalDate d2 = LocalDate.parse(date2);
View more
More challenges
Code
Java
Auto
import java.time.LocalDate;
import java.time.temporal.ChronoUnit;
class Solution {
public int daysBetweenDates(String date1, String date2) {
LocalDate d1 = LocalDate.parse(date1);
LocalDate d2 = LocalDate.parse(date2);
return (int) Math.abs(ChronoUnit.DAYS.between(d1, d2));
}
}
Saved
Ln 11, Col 2
Testcase
Test Result
You must run your code first
NIFTY -0.33%
Search
ENG US
12:22 PM 07-08-2026


Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 25 / 25 testcases passed · Time taken: 19m 37s
Bharath77kumar submitted at Aug 07, 2026 12:18
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
11 ms | Beats 96.24%
Memory
47.72 MB | Beats 33.17%
Code | Java
import java.util.*;
class Solution {
public int[] topKFrequent(int[] nums, int k) {
// Count frequency of each number
View more
More challenges
Code
Java
Auto
for (int freq = buckets.length - 1; freq >= 0 && index < k; freq--) {
if (buckets[freq] != null) {
for (int num : buckets[freq]) {
result[index++] = num;
if (index == k) {
break;
}
}
}
}
return result;
}
}
Saved
Ln 46, Col 2
Testcase
Test Result
You must run your code first


https://leetcode.com/problems/group-anagrams/submissions/2097606442/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 129 / 129 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:14
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
6 ms | Beats 99.25%
Memory
49.90 MB | Beats 25.05%
Code | Java
import java.util.*;
class Solution {
public List<List<String>> groupAnagrams(String[] strs) {
Map<String, List<String>> map = new HashMap<>();
for (String str : strs) {
char[] chars = str.toCharArray();
View more
More challenges
Code
Java
Auto
class Solution {
public List<List<String>> groupAnagrams(String[] strs) {
Map<String, List<String>> map = new HashMap<>();
for (String str : strs) {
char[] chars = str.toCharArray();
Arrays.sort(chars);
String key = new String(chars);
map.putIfAbsent(key, new ArrayList<>());
map.get(key).add(str);
}
return new ArrayList<>(map.values());
}
}
Saved
Ln 18, Col 2
Testcase
Test Result
You must run your code first
Search
ENG
US
12:14 PM
07-08-2026


https://leetcode.com/problems/find-the-highest-altitude/submissions/2097603337/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 80 / 80 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:11
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
42.87 MB | Beats 88.78%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public int largestAltitude(int[] gain) {
int altitude = 0;
int maxAltitude = 0;
for (int g : gain) {
altitude += g;
maxAltitude = Math.max(maxAltitude, altitude);
View more
More challenges
Code
Java
Auto
class Solution {
public int largestAltitude(int[] gain) {
int altitude = 0;
int maxAltitude = 0;
for (int g : gain) {
altitude += g;
maxAltitude = Math.max(maxAltitude, altitude);
return maxAltitude;
}
}
Saved
Ln 13, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
gain =
[-5,1,5,0,-7]
Output
1
Expected
1
Contribute a testcase
Watchlist
-2.50%
Search
ENG
US
12:12 PM
07-08-2026


https://leetcode.com/problems/maximum-subarray/submissions/2097596680/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 210 / 210 testcases passed
Bharath77kumar submitted at Aug 07, 2026 12:06
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 99.95%
Memory
77.23 MB | Beats 49.36%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
class Solution {
public int maxSubArray(int[] nums) {
int currentSum = nums[0];
int maxSum = nums[0];
for (int i = 1; i < nums.length; i++) {
currentSum = Math.max(nums[i], currentSum + nums[i]);
View more
More challenges
Code
Java
Auto
class Solution {
public int maxSubArray(int[] nums) {
int currentSum = nums[0];
int maxSum = nums[0];
for (int i = 1; i < nums.length; i++) {
currentSum = Math.max(nums[i], currentSum + nums[i]);
maxSum = Math.max(maxSum, currentSum);
}
return maxSum;
}
}
Saved
Ln 14, Col 2
Testcase
Test Result
You must run your code first
NIFTY
-0.23%
Search
ENG
US
12:06 PM
07-08-2026