

SQLQuery2.s...bhara (58))* ✨ ✕

SQLQuery1.sq...O\bhara (82))

SQLQ

```
1  create database school
2  use school
3  CREATE TABLE Student (
4      sid INT PRIMARY KEY,
5      sname VARCHAR(50),
6      class VARCHAR(10)
7  );
8  INSERT INTO Student VALUES (1, 'Akhil', '10A');
9  INSERT INTO Student VALUES (2, 'akshay bk', '10A');
10 INSERT INTO Student VALUES (3, 'adhil', '10B');
11 select * from Student
12 CREATE TABLE Teacher (
13     tid INT PRIMARY KEY,
14     tname VARCHAR(50)
```

100 % ▾



6



0



Results

Messages

	sid	sname	class
1	1	Akhil	10A
2	2	akshay bk	10A
3	3	adhil	10B

```

12  ✓ CREATE TABLE Teacher (
13      tid INT PRIMARY KEY,
14      tname VARCHAR(50),
15      subject VARCHAR(30)
16  );
17  INSERT INTO Teacher VALUES (1, 'Roy', 'Maths');
18  INSERT INTO Teacher VALUES (2, 'vishnu', 'Science');
19  INSERT INTO Teacher VALUES (3, 'mini', 'English');
20  select*from Teacher
21  ✓ CREATE TABLE Subject (
22      subid INT PRIMARY KEY,
23      subname VARCHAR(30)

```

100 % ▾

✖ 6 ⚠ 0 | ↑ ↓

🗪 Results 🗪 Messages

	tid	tname	subject
1	1	Roy	Maths
2	2	vishnu	Science
3	3	mini	English

```
24     );
25     INSERT INTO Subject VALUES (1, 'Daa');
26     INSERT INTO Subject VALUES (2, 'python');
27     INSERT INTO Subject VALUES (3, 'java');
28     select*from Subject
29     CREATE TABLE Marks (
30         sid INT,
31         sub id INT.
```

% ▾ × 6 ! 0 | ↑ ↓

esults Messages

subid	subname
1	Daa
2	python
3	java

```

29 CREATE TABLE Marks (
30     sid INT,
31     sub_id INT,
32     marks INT
33 );
34 INSERT INTO Marks VALUES (1,1,95);
35 INSERT INTO Marks VALUES (2,2,99);
36 INSERT INTO Marks VALUES (3,3,99);
37 select * from Marks
38 CREATE TABLE Fees(
39     sid INT,
40     sname Varchar(20),
41     fees FLOAT):

```

100 % ▾



6



0



Results



Messages

	sid	sub_id	marks
1	1	1	95
2	2	2	99
3	3	3	99

```

37 select * from Marks
38 CREATE TABLE Fees(
39     sid INT,
40     sname Varchar(20),
41     fees FLOAT);
42 INSERT INTO Fees VALUES (1, 'akhil', 3755);
43 INSERT INTO Fees VALUES (2, 'akshay bk', 3750);
44 INSERT INTO Fees VALUES (3, 'adhil', 3750);
45 select * from Fees;
46 CREATE TABLE Classes (
47     class_id INT PRIMARY KEY ,
48     class_name VARCHAR(50),
49     section VARCHAR(10)

```

100 % ▾

✖ 6 ⚠ 0 | ↑ ↓

Results Messages

	sid	sname	fees
1	1	akhil	3750
2	2	akshay bk	3750
3	3	adhil	3750


```

46 CREATE TABLE Classes (
47     class_id INT PRIMARY KEY ,
48     class_name VARCHAR(50),
49     section VARCHAR(10)
50 );
51 INSERT INTO Classes VALUES(101, 'BIO MATHS', 'A');
52 INSERT INTO Classes VALUES(102, 'CS', 'A');
53 INSERT INTO Classes VALUES(103, 'COMMERCE', 'A');
54 SELECT * FROM Classes;
55 SELECT sname
56 FROM Student
57 WHERE sid IN (
58     SELECT sid

```

100 %



6



0




Results



Messages

	class_id	class_name	section
1	101	BIO MATHS	A
2	102	CS	A
3	103	COMMERCE	A

DFD DIAGRAM



Maximum marks of students

SQLQuery2.s....bhara (58))* SQLQuery1.sq...O\bhara (82)) SQLQuery2.sq...O\bhara (57))

```
61 );  
62 SELECT sname  
63 FROM Student  
64 WHERE sid IN (  
65     SELECT sid  
66     FROM Marks  
67     WHERE marks = (SELECT MAX(marks) FROM Marks)  
68 );
```

100 % 6 0 ↑ ↓

Results Messages

	sname
1	akshay bk
2	adhil

Average Marks of students

```
69 SELECT sname
70 FROM Student
71 WHERE sid IN (
72     SELECT sid
73     FROM Marks
74     WHERE marks > (SELECT AVG(marks) FROM Marks)
75 );
```

0 %  6  0 |  

Results  Messages

sname
akshay bk
adhil

Subject name of student with sid=1

```
76 SELECT subname  
77 FROM Subject  
78 WHERE subid = (  
79     SELECT sub_id  
80     FROM Marks  
81     WHERE sid = 1  
82 );
```

100 %



6



0



Results



Messages

	subname
1	Daa

Name of student whose subject name is python

```
83 SELECT sname
84 FROM Student
85 WHERE sid IN (
86     SELECT sid
87     FROM Marks
88     WHERE sub_id = (
89         SELECT subid
90         FROM Subject
91         WHERE subname = 'python'
92     )
93 );
```

100 % ▾



6



0



Results



Messages

	sname
1	akshay bk

Students who paid maximum amount of fees

```
101 SELECT sname
102 FROM Student
103 WHERE sid IN (
104     SELECT sid
105     FROM Fees
106     WHERE Fees = (SELECT MAX(Fees) FROM Fees)
107 );
```

100 % ▾



6



0



Results



Messages

	sname
1	Akhil
2	akshay bk
3	adhil

Name of student whose subject name is java

```
107 );  
108 SELECT sname  
109 FROM Student  
110 WHERE sid IN (  
111     SELECT sid  
112     FROM Marks  
113     WHERE sub_id = (  
114         SELECT subid  
115         FROM Subject  
116         WHERE subname = 'java'  
117     )  
118 );
```

100 %



6



0



Results



Messages

	sname
1	adhil