Status	Finished
Started	Tuesday, 20 October 2026, 10:36 AM
Completed	Tuesday, 20 October 2026, 10:52 AM
Duration	15 mins 42 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

a. The search starts over from the beginning
b. The search backtracks to find duplicate elements
c. The search continues until the end of the list
d. The search stops immediately ✓

Question **2**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Sort the list
b. Compare the target element with the first element in the list
c. Compare the target element with the middle element in the list ✓
d. Divide the list into two equal parts

Question **3**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

a. O🥐
b. O(n log n)
c. O(1) ✓
d. O(log n)

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following is not a limitation of binary search algorithm?

a. There must be a mechanism to access middle element directly

b. Must use a sorted array

c. Requirement of sorted array is expensive when a lot of insertion and deletions are needed

d. Binary search algorithm is not efficient when the data elements more than 1500 ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Inserting elements into a list

b. Determining whether an element is present in a list ✓

c. Deleting elements from a list

d. Sorting elements in a list

Question **6**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the element is found in the list ✓

b. When the search algorithm finishes

c. When the list contains duplicate elements

d. When the list is sorted

Question **7**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

a. The search continues in the left sublist

b. The search continues in the right sublist

c. The list is sorted

d. The search ends successfully ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search does not require dividing the list
- b. Binary search has a lower time complexity on large, sorted lists ✓
- c. Binary search works on unsorted lists
- d. Binary search can find multiple instances of the target element

Question **9**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

- a. Interpolation search
- b. Hash search
- c. Binary search
- d. Linear search ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

- a. It can be applied only if the list is sorted ✓
- b. It always starts from the beginning of the list
- c. It works on unsorted lists
- d. It compares elements sequentially

Question **11**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

- a. When the list is small and unsorted ✓
- b. When the list is large and unsorted
- c. When the list is large and sorted
- d. When the list is small and sorted

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

- a. Linear search ✓
- b. Merge search
- c. Bubble search
- d. Quick search

Question **13**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

- a. Linear search
- b. Binary search ✓
- c. Sequential search
- d. Hash search

Question **14**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

- a. Bubble ✓
- b. Complexity
- c. Selection
- d. Insertion

Question **15**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The last element is returned
- b. An error is raised
- c. The search is considered unsuccessful ✓
- d. The first element is returned