Status	Finished
Started	Tuesday, 20 October 2026, 11:02 AM
Completed	Tuesday, 20 October 2026, 11:07 AM
Duration	4 mins 59 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

- a. readline() ✓
- b. readlines(1)
- c. read(1)
- d. line()

The correct answer is: readline()

Question **2**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Opens the file in read mode
- b. Overwrites the file with "Adding new data"
- c. Raises an error because the file is opened in append mode
- d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **3**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

- a. ab+
- b. rw+ ✓
- c. wb+
- d. r

The correct answer is: rw+

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

- a. Hello, world! ✓
- b. Hello
- c. world
- d. An error is raised

The correct answer is: Hello, world!

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

- a. end()
- b. terminate()
- c. close() ✓
- d. finish()

The correct answer is: close()

Question **6**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

- a. Moves the file cursor to the beginning
- b. Flushes the internal buffer to the file ✓
- c. Closes the file
- d. Deletes the file content

The correct answer is: Flushes the internal buffer to the file

Question **7**

Correct

Mark 1.00 out of 1.00

What is the purpose of the with statement in Python file handling?

- a. To automatically close the file after its suite finishes ✓
- b. To read data from a file
- c. To write data to a file
- d. To delete a file

The correct answer is: To automatically close the file after its suite finishes

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

- a. read(size) ✓
- b. readlines()
- c. readline()
- d. readchar()

The correct answer is: read(size)

Question **9**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

- a. write() ✓
- b. append()
- c. insert()
- d. read()

The correct answer is: write()

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

- a. Opens an existing file in read mode
- b. Appends to an existing file
- c. Creates a new file for writing ✓
- d. Opens a file in binary mode

The correct answer is: Creates a new file for writing

Question **11**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

- a. outfile = open("c:\\scores.txt", "rw")
- b. outfile = open(file = "c:\scores.txt", "w")
- c. outfile = open("c:\\scores.txt", "a") ✓
- d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

- a. write_all()
- b. write()
- c. writelines() ✓
- d. write_list()

The correct answer is: writelines()

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

- a. Python ✓
- b. Program
- c. An error is raised
- d. Python Programming

The correct answer is: Python

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The buffer size
- b. The mode of the file
- c. The size of the file
- d. The encoding format of the file ✓

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

Which method is used to get the current file position?

- a. tell() ✓
- b. locate()
- c. current()
- d. position()

The correct answer is: tell()