Status	Finished
Started	Tuesday, 29 September 2026, 4:10 PM
Completed	Tuesday, 29 September 2026, 4:14 PM
Duration	4 mins 51 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following number can never be generated by the following code: random.randrange(0, 100)

a. 0
b. 100 ✓
c. 1
d. 99

Question **2**

Correct

Mark 1.00 out of 1.00

____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a. Operator
b. Token
c. Function ✓
d. Datatype

Question **3**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

a. def ✓
b. Define
c. DEF
d. Def

Question **4**

Correct

Mark 1.00 out of 1.00

The function can be called in the program by writing function name followed by ____.

a. [ ]

b. { }

c. ( ) ✓

d. None of the mentioned

Question **5**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called ____.

a. zero function

b. void function ✓

c. null function

d. default function

Question **6**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a ____.

a. Local variable ✓

b. inside variable

c. Function Variable

d. Global variable

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following statement is not true regarding functions?

a. Function header always ends with a colon ( ) .

b. A function may or may not return value.

c. A function may or may not have parameters.

d. A function definition begins with "define" ✓

Question **8**

Correct

Mark 1.00 out of 1.00

def cal(n1) : What is n1?

- a. Argument
- b. Keyword
- c. None of the mentioned
- d. Parameter ✓

Question **9**

Correct

Mark 1.00 out of 1.00

cal(n1) : What is n1?

- a. Argument ✓
- b. Parameter
- c. None of the mentioned
- d. Keyword

Question **10**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

- a. We can create function with no argument and with return value(s)
- b. All of the mentioned ✓
- c. We can create function with argument(s) and no return value.
- d. We can create function with no argument and no return value.

Question **11**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial👎 :
    if (n==1 or n==0):
       return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. fact(n)*fact(n-1)

b. n*(n-1)

c. (n-1)*(n-2)

d. (n * factorial(n - 1)) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

a. Tuple ✓

b. Dictionary

c. List

d. String

Question **13**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

a. All of the mentioned

b. library function

c. built in functions

d. user defined function ✓

Question **14**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called ____ times.

- a. 2
- b. 3
- c. 5
- d. Multiple times ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which one of the following is the correct way of calling a function?

- a. function_name() ✓
- b. call function_name()
- c. ret function_name()
- d. function function_name()