

```

"Inheriting from cl_abap_behavior_saver
CLASS lsc_class DEFINITION INHERITING FROM cl_abap_behavior_saver.
    PROTECTED SECTION.
        METHODS save_modified REDEFINITION.
ENDCLASS.

CLASS lsc_class IMPLEMENTATION.
    METHOD save_modified.
        LOOP AT update-entity_name ASSIGNING FIELD-SYMBOL(<fs>).
            "calling bapi and returns some error
            reported-entity_name = VALUE #( BASE reported-entity_name ( %key = <fs>-%key
                                                                    %msg = new_message_with_text(
                                                                    severity = if_abap_behv_message=>severity-error
                                                                    text      = 'some error' ) ) ).
        ENDLOOP.
    ENDMETHOD.
ENDCLASS.

```

The result of using CL_ABAP_BEHAVIOR_SAVER

Air India updated Draft ▼

General Information

Airline Code:

A11

Airline Name:

Air India updated

Official Website:

Local Currency:

INR

Airline Logo:

 airindia.jpeg

[↑](#) [✕](#)

General Information

Airline Code:

A11

Airline Name:

Air India updated

Official Website:

Local Currency:

INR

Airline Logo:

airindia.jpeg

Warning

some error
Proceed anyway?

Save

Cancel

Air India updated

some error

General Information

Airline Code:

A11

Airline Name:

Air India updated

Local Currency:

INR

Official Website:

-

Airline Logo:

airindia.jpeg

Error

some error

Close

Air India updated

General Information

Airline Code:

A11

Airline Name:

Air India updated

Local Currency:

INR

Official Website:

-

This class saves the data despite the error

```

"Inheriting from cl_abap_behavior_saver_failed
CLASS lsc_class DEFINITION INHERITING FROM cl_abap_behavior_saver_failed.
    PROTECTED SECTION.
        METHODS save_modified REDEFINITION.
ENDCLASS.

CLASS lsc_class IMPLEMENTATION.
    METHOD save_modified.
        LOOP AT update-entity_name ASSIGNING FIELD-SYMBOL(<fs>).
            "calling bapi and returns some error
            failed-entity_name = VALUE #( BASE failed-entity_name ( %key = <fs>-%key ) ).
            reported-entity_name = VALUE #( BASE reported-entity_name ( %key = <fs>-%key
                                                    %msg = new_message_with_text(
                                                        severity = if_abap_behv_message=>severity-error
                                                        text      = 'some error' ) ) ).

        ENDLOOP.
    ENDMETHOD.
ENDCLASS.

```

The result of using CL_ABAP_BEHAVIOR_SAVER_FAILED

Air India updated Draft ▾

General Information

Airline Code:

A11

Airline Name:

Air India updated

Official Website:

Local Currency:

INR

Airline Logo:

 airindia.jpeg

[↑](#) [✕](#)

Data is not getting saved through this class

 Airline ▾

Air India updated Draft ▾

✖ some error

General Information

Airline Code:

A11

Airline Name:

Air India updated

Local Currency:

INR

<

✖ some error

✖ 1