

6. Project Testing Phase

Project Title

Script-Controlled ACL – Restrict Record Access Based on Field Value

Testing Overview

The Project Testing Phase is used to verify whether the Script-Controlled ACL works correctly according to the project requirements. The main purpose is to ensure that record access is allowed only when the specified field value satisfies the defined condition.

Testing Objectives

The testing process focuses on:

- Checking whether the ACL is configured correctly.
- Verifying the field-value checking logic.
- Confirming access for authorized users.
- Restricting access for unauthorized users.
- Identifying and correcting errors.

4. Test Scenarios

Test Case 1 – Matching Field Value

The user's value matches the value stored in the record.

Expected Result: Access should be allowed.

Test Case 2 – Non-Matching Field Value

The user's value does not match the value stored in the record.

Expected Result: Access should be restricted.

Test Case 3 – Multiple Records

Different records with different field values are tested.

Expected Result: The ACL should provide the correct access decision for each record.

Test Case 4 – Different Users

Different users are tested with the same and different records.

Expected Result: Access should depend on the defined field-value condition.

Test Case Table

Test Case| Condition| Expected Result TC01| Field value matches| Access Allowed
TC02| Field value does not match| Access Restricted TC03| Different records tested|
Correct access decision TC04| Different users tested| Access based on condition

Error Identification

During testing, problems may occur because of incorrect field names, script logic, or ACL configuration.

Some possible errors are:

- ACL does not execute correctly.
- Field value is not checked properly.
- Authorized user is unable to access the record.
- Unauthorized user receives access.

The actual result is compared with the expected result to identify such errors.

Error Correction

When an error is identified, the ACL configuration or script is reviewed and corrected. The affected test case is executed again to verify the correction.

Repeated testing helps confirm that the ACL works consistently.

Final Testing Result

After successful testing, the ACL should provide the following behavior:

Matching Field Value → Access Allowed

Non-Matching Field Value → Access Restricted

The testing confirms that the record-level access control works according to the defined requirement.

Conclusion

The Project Testing Phase verifies the functionality and security of the Script-Controlled ACL. Different users, records, and field values are tested to ensure correct access decisions.

Successful testing confirms that the system can restrict record access based on the specified field value and is ready for the Project Documentation Phase.