

Empathy Map

Date	30 September 2026
Team ID	/3 0% NggNchH
Project Name	Script-Controlled ACL Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Empathy Map

Create an empathy map to understand your customer/user from four perspectives - what they Say, Think, Do, and Feel - in relation to the problem your project addresses. This helps the team build a customer-centric solution.

, 1/4-7. « @3/4 1/2 1/4, @ 1/4 1/4 7 N« 1/2 @ (1/2 «, 1 3/4 1/2 3/4 - - 1/2 3/4, @ 1/4 « 7 1/4 - 1 1/2 1/2 « 1/2 @, « @ 7 1/4 7 -
Ō ij-ij 1, @ 3/4 7. N, 7 1/4 « 1/4, 3/4 1/4 1/2, . - 3/4 1/4, 0 2 3 1/2 1/4 - 3/4 1/2 1/2 1/4 3 1, 3/4 7 @ (1/2 1/4 - 7 1/2
3/4 3/4 « ij

SAYS

- " Only the right people should see records marked Confidential.
- " Why can everyone with the ITIL role open this incident?
- " Role-based ACLs are too broad I need control at record level.
- " Can we restrict access based on the field value or department?

THINKS

- " Sensitive data may be exposed to unauthorized users if access is not tightened.
- " A script-based condition (e.g., checking a field value) could solve this without complex customization.
- " If a rule is written wrongly, legitimate users may get locked out it must be tested carefully.
- " Compliance and audit teams will ask how access is controlled.

ARUN KUMAR

Ō- 1 3 - * 1 Á ± @ 3 3 1/4 3/4 1/4 / - ; 1/4 3 Á CE ± - - 1/2 1, 3/4 7 + Á - 1/4

DOES

- " Reviews existing ACLs and identifies records that are visible to too many users.
- " Writes ACL scripts using current field values and `gs.hasRole()` checks.
- " Tests with different user roles using impersonation.
- " Reviews logs and fixes ACL conflicts or access issues.

FEELS

- " Worried about data leaks and security breaches.
- " Frustrated by the limits of basic role-based access.
- " Anxious about breaking access for genuine users.
- " Confident and relieved once field-based restrictions work correctly.