

Project Executable Files

Date	30 September 2026
Team ID	SWTID-2026-1307
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	3 Marks

Project Executable Files

This section requires submission of all executable and deployable files for your project. Ensure all files are properly organized, named, and uploaded to the specified submission platform. The evaluator must be able to run or deploy your solution using the provided files and instructions.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / NA)
1	Complete source code (all files and folders)	Yes
2	README / Setup Guide (instructions to run the project)	Yes
3	requirements.txt / package.json / dependency file	NA
4	Database schema / seed files (if applicable)	Yes
5	Environment configuration file (.env.example or similar)	NA
6	Deployed application URL (if hosted)	Yes
7	APK / Executable binary (if applicable for mobile/desktop apps)	NA
8	Dockerfile / Containerization config (if applicable)	NA
9	Test files and test results	Yes
10	Demo video or walkthrough (if required)	Yes

Step 2: File / Folder Structure

Overview of the project's file and folder structure:

```

/project-root
/update-set - ServiceNow Update Set XML (ACL, roles, table changes)
/src        - ACL script (acl_script.js) and related scripts
/data       - Sample / seed records (CSV) and table schema
/tests      - Test cases and test results (with screenshots)
/docs       - Documentation, screenshots, project report
/config     - Test users, groups and role assignments
README.md   - Setup and run instructions
  
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	https://<your-instance>.service-now.com [add your PDI URL]
Login Credentials (Demo)	Username: <demo-user> / Password: <demo-password> [add evaluator login]
Platform / Hosting Provider	ServiceNow Personal Developer Instance (PDI)
Repository Link	[add GitHub / Drive link]
Demo Video Link	[add demo video link]

Step 4: Run Instructions

Step-by-step instructions for the evaluator to run the project:

Pre-requisites:

ServiceNow Personal Developer Instance (PDI) with admin access; a modern web browser (Chrome / Edge); internet connection.

Step 1: Log in to the ServiceNow instance as admin.

Step 2: Go to *System Update Sets > Retrieved Update Sets* and import the XML from */update-set*.

Step 3: Open the imported update set, click *Preview Update Set*, resolve any issues, then *Commit Update Set*.

Step 4: Import the sample records from */data* into the target table (*System Import Sets* or *table list > Import*).

Step 5: Create / verify the test users and roles listed in */config*.

Step 6: Impersonate a test user and open the table list. Records that match the restricted field value are hidden, and the remaining records stay visible.

Step 7: Repeat with an authorized user / admin to confirm they can see all records.

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	ACL script runs for every record, so very large lists may load slower.	Keep the script condition simple; use field-based conditions only.
2	Users with the admin role bypass ACLs, so restrictions cannot be tested as admin.	Test with impersonation of a normal user or use <code>security_admin</code> elevation.
3	ACL changes may not reflect immediately due to caching.	Clear the cache (<code>cache.do</code>) or log out and log in again.