

Wipro Capstone Project (Framework Explanation Document)

Project Name --- Guru_99_Banking_Automation

Summary:

Overview Developed and implemented a robust, end-to-end automation testing framework for the Guru99 Banking application. This project focused on creating a scalable solution for regression and functional testing using modern DevOps practices.

Key Technical Stack

- **Core Automation:** Java, Selenium WebDriver
- **Test Management:** TestNG, Maven, Page Object Model (POM)
- **Reporting & Monitoring:** Extent Reports, TestNG Listeners
- **CI/CD & Version Control:** Jenkins, Docker, GitHub
- **Data Handling:** Apache POI (Excel-based data-driven testing)
- **Defect Management:** Jira

Core Functionalities Automated The framework provides comprehensive coverage for critical banking operations:

- **Account Operations:** Login Validation, Customer Creation, and Account Creation.
- **Transactional Workflows:** Deposit, Withdrawal, and Fund Transfer.
- **Quality Assurance:** Execution of both positive and complex negative test scenarios.


Framework Highlights & Capabilities

- **Design Pattern:** Implemented the Page Object Model (POM) to ensure high code reusability and maintainability.
- **Data-Driven Approach:** Utilized Apache POI to decouple test data from test scripts, enabling flexible testing with Excel-based inputs.
- **Resilience:** Integrated automatic screenshot capture upon test failure and implemented custom retry mechanisms for test stability.
- **Continuous Integration:** Configured the suite within a Jenkins/Docker pipeline, facilitating automated regression testing.
- **Detailed Reporting:** Generated dynamic, visual Extent Reports for clear stakeholder visibility.

Project Outcomes

- **Performance:** Successfully automated 12 end-to-end test scenarios with a 100% pass rate.
- **Defect Tracking:** Systematically identified, documented, and tracked application defects using Jira, ensuring a streamlined bug-to-fix lifecycle.

Framework of My Project:



Now the code of all file of my Project:-

Package Name – base

Class Name- BaseTest.Java :-

```
package base;
```

```
import java.lang.reflect.Method;
import java.time.Duration;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.chrome.ChromeOptions;
import org.testng.ITestResult;
import org.testng.annotations.AfterMethod;
import org.testng.annotations.BeforeMethod;
import io.github.bonigarcia.wdm.WebDriverManager;
import utilities.ConfigReader;
```

```
public class BaseTest {
```

```
    public static WebDriver driver;
    ConfigReader config = new ConfigReader();
```

```
    @BeforeMethod
```

```
    public void setup(Method method) {
        String browser = config.getBrowser();
        String url = config.getUrl();
        String moduleName =
this.getClass().getSimpleName().toUpperCase();
        String testName = method.getName().toUpperCase();
```

```
System.out.println("\n |_____|
|_____| ");
```

```
    System.out.printf(" | %-56s | %n", "MODULE : " + moduleName);
    System.out.printf(" | %-56s | %n", "TEST : " + testName);
```

```
System.out.println(" |_____|
|_____| ");
```

```
    if (browser == null || browser.equalsIgnoreCase("chrome")) {
        WebDriverManager.chromedriver().setup();
        ChromeOptions options = new ChromeOptions();
```

```
        options.addArguments("--remote-allow-origins=*");
```

```

        options.addArguments("--window-size=1920,1080");
//        options.addArguments("--headless=new");
//        options.addArguments("--no-sandbox");
//        options.addArguments("--disable-dev-shm-usage");

        driver = new ChromeDriver(options);
    }

    if (driver != null) {

driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(15));
        driver.manage().window().maximize();
        driver.get(url);
        System.out.println(" ✨ [SUCCESS] Browser launched
successfully.\n");
    } else {
        System.err.println(" ❌ [CRITICAL ERROR] Driver initialization
failed!");
    }
}

```

```

    @AfterMethod
    public void tearDown(ITestResult result) {
        if (driver != null) {
            String status = (result.isSuccess()) ? "PASSED ✅" : "FAILED
❌";
            System.out.println("\n 🏁 [FINISHED] Test case execution
completed.");
            System.out.println("  RESULT: " + status);

```

```

System.out.println("_____
_____
\n");
        }
    }
}

```

Package Name – listeners
Class Name - TestListener

```

package listeners;
import org.testng.ITestContext;
import org.testng.ITestListener;
import org.testng.ITestResult;
import utilities.ScreenshotUtil;
import base.BaseTest;
import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.ExtentTest;
import utilities.ExtentManager;
public class TestListener implements ITestListener {
    private static ExtentReports extent = ExtentManager.getInstance();
    private static ExtentTest test;
    // --- Test Execution Methods ---
    @Override
    public void onTestStart(ITestResult result) {
        test = extent.createTest(result.getName());
        System.out.println(">>> STARTED: " + result.getName() + " <<<");
    }
    @Override
    public void onTestSuccess(ITestResult result) {
        test.pass("Test Passed");
        System.out.println("✅ PASSED: " + result.getName());
        System.out.println("-----");
    }
    @Override
    public void onTestFailure(ITestResult result) {
        test.fail(result.getThrowable());
        ScreenshotUtil.captureScreenshot(BaseTest.driver, result.getName());
        System.err.println("❌ FAILED: " + result.getName());
        System.out.println("-----");
    }
    @Override
    public void onTestSkipped(ITestResult result) {
        test.skip("Test Skipped");
        System.out.println("⚠️ SKIPPED: " + result.getName());
        System.out.println("-----");
    }
    // --- Suite Execution Methods ---
    @Override
    public void onStart(ITestContext context) {
        System.out.println("\n=====");
        System.out.println("      TEST EXECUTION STARTED      ");
        System.out.println("=====\\n");
    }
    @Override
    public void onFinish(ITestContext context) {
        extent.flush();
        System.out.println("\n=====");
        System.out.println("      TEST EXECUTION COMPLETED      ");
        System.out.println("=====\\n");
    }
}

```

Package Name- POM

Class Name - LoginPage.java

```
package POM;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import utilities.WaitUtils;
public class LoginPage {
    private WebDriver driver;
    // =====
    // LOCATORS
    // =====
    private By userId = By.name("uid");
    private By password = By.name("password");
    private By loginBtn = By.name("btnLogin");
    // =====
    // CONSTRUCTOR
    // =====
    public LoginPage(WebDriver driver) {
        this.driver = driver;
    }
    // =====
    // ACTIONS
    // =====
    public void enterUserId(String uid) {
        WaitUtils.waitForElement(driver, userId).sendKeys(uid);
    }
    public void enterPassword(String pass) {
        WaitUtils.waitForElement(driver, password).sendKeys(pass);
    }
    public void clickLogin() {
        WaitUtils.waitForElement(driver, loginBtn).click();
    }
    public void login(String uid, String pass) {
        enterUserId(uid);
        enterPassword(pass);
        clickLogin();
    }
}
```

Class Name – HomePage.java

```
package POM;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
public class HomePage {

    private WebDriver driver;
    // =====
    //LOCATORS
    // =====
    private By managerText = By.xpath("//td[contains(text(),'Manger Id')]");
```

```

// =====
// CONSTRUCTOR
// =====
public HomePage(WebDriver driver) {
    this.driver = driver;
}
// =====
// ACTIONS
// =====
public boolean verifyManagerHomePage() {
    return driver.findElement(managerText).isDisplayed();
}
}

```

Class Name – CustomerPage.java

package POM;

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import utilities.TestData;
import utilities.WaitUtils;

```

```

public class CustomerPage {

```

```

    WebDriver driver;

```

```

    public CustomerPage(WebDriver driver) {
        this.driver = driver;
    }

```

```

    By newCustomerLink = By.linkText("New Customer");

```

```

    By customerName = By.name("name");
    By gender = By.xpath("//input[@value='m']");
    By dob = By.name("dob");
    By address = By.name("addr");
    By city = By.name("city");
    By state = By.name("state");
    By pin = By.name("pinno");
    By mobile = By.name("telephoneno");
    By email = By.name("emailid");
    By password = By.name("password");

```

```
By submitBtn = By.name("sub");
```

```
public void addCustomer() {
```

```
WaitUtils.waitForElement(driver, newCustomerLink).click();
```

```
//*****  
*****
```

```
//*****  
*****
```

```
driver.findElement(customerName) .sendKeys("Bharath kumar");
```

```
driver.findElement(gender).click();
```

```
driver.findElement(dob) .sendKeys("01-07-2002");
```

```
driver.findElement(address) .sendKeys("Delhi");
```

```
driver.findElement(city) .sendKeys("Greater Noida");
```

```
driver.findElement(state).sendKeys("Delhi");
```

```
driver.findElement(pin) .sendKeys("201306");
```

```
driver.findElement(mobile).sendKeys("7295015459");
```

```
driver.findElement(email) .sendKeys("bharath" +
```

```
System.currentTimeMillis() + "@gmail.com");
```

```
driver.findElement(password) .sendKeys("Bharath123");
```

```
WaitUtils.waitForElement( driver, submitBtn) .click();
```

```
String customerId
```

```
=driver.findElement(By.xpath("//td[text()='Customer  
ID']/following-sibling::td")).getText();
```

```
TestData.customerId = customerId;
```

```
System.out.println("Generated Customer ID = "+ customerId);
```

```
}
```

```
}
```

Class Name –AccountPage.java

```
package POM;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```



```

import utilities.TestData;
import utilities.WaitUtils;
public class AccountPage {
    // =====
    // FIELDS
    // =====
    private WebDriver driver;
    // =====
    // LOCATORS
    // =====
    private By newAccountLink = By.linkText("New Account");
    private By customerId = By.name("cusid");
    private By accountType = By.name("selaccount");
    private By initialDeposit = By.name("inideposit");
    private By submitBtn = By.name("button2");
    private By accountIdText = By.xpath("//td[text()='Account ID']/following-sibling::td");
    // =====
    // CONSTRUCTOR
    // =====
    public AccountPage(WebDriver driver) {
        this.driver = driver;
    }
    // =====
    // ACTIONS
    // =====
    public void createAccount(String custId) {
        WaitUtils.waitForElement(driver, newAccountLink).click();

        driver.findElement(customerId).sendKeys(custId);
        driver.findElement(accountType).sendKeys("Savings");
        driver.findElement(initialDeposit).sendKeys("3000");

        WaitUtils.waitForElement(driver, submitBtn).click();
        String accountId = driver.findElement(accountIdText).getText();
        if (TestData.accountId1 == null) {
            TestData.accountId1 = accountId;
        } else {
            TestData.accountId2 = accountId;
        }

        System.out.println("Generated Account ID = " + accountId);
    }
}

```

Class Name – DepositPage.java

package POM;

```

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import utilities.TestData;

```

```

import utilities.WaitUtils;

public class CustomerPage {

    WebDriver driver;

    public CustomerPage(WebDriver driver) {
        this.driver = driver;
    }

    By newCustomerLink = By.linkText("New Customer");

    By customerName = By.name("name");
    By gender = By.xpath("//input[@value='m']");
    By dob = By.name("dob");
    By address = By.name("addr");
    By city = By.name("city");
    By state = By.name("state");
    By pin = By.name("pinno");
    By mobile = By.name("telephoneno");
    By email = By.name("emailid");
    By password = By.name("password");

    By submitBtn = By.name("sub");

    public void addCustomer() {
        WaitUtils.waitForElement(driver, newCustomerLink).click();

        //*****

        //*****

        driver.findElement(customerName) .sendKeys("Bharath kumar");

        driver.findElement(gender).click();
        driver.findElement(dob) .sendKeys("01-07-2002");
    }
}

```

```

        driver.findElement(address) .sendKeys("Delhi");
        driver.findElement(city) .sendKeys("Greater Noida");
        driver.findElement(state).sendKeys("Delhi");
        driver.findElement(pin) .sendKeys("201306");
        driver.findElement(mobile).sendKeys("7295015459");
        driver.findElement(email) .sendKeys("bharath" +
System.currentTimeMillis() + "@gmail.com");
        driver.findElement(password) .sendKeys("Bharath123");

```

```

WaitUtils.waitForElement( driver, submitBtn) .click();

```

```

        String customerId =driver.findElement(By.xpath("//td[text()='Customer
ID']/following-sibling::td")).getText();
        TestData.customerId = customerId;
        System.out.println("Generated Customer ID = "+ customerId);

```

```

    }
}

```

Class Name – WithdrawalPage.java

```

package POM;
import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import utilities.WaitUtils;
public class WithdrawalPage {
    private WebDriver driver;
    // =====
    // LOCATORS
    // =====
    private By withdrawalLink = By.linkText("Withdrawal");
    private By accountNo      = By.name("accountno");
    private By amount         = By.name("ammount");
    private By description     = By.name("desc");
    private By submit         = By.name("AccSubmit");
    // =====
    // CONSTRUCTOR
    // =====
    public WithdrawalPage(WebDriver driver) {
        this.driver = driver;
    }
    // =====
    // ACTIONS
    // =====
    public void withdrawMoney(String accNo, String amt) {

```

```

        WebElement withdrawal = WaitUtils.waitForElement(driver, withdrawalLink);

        JavascriptExecutor js = (JavascriptExecutor) driver;
        js.executeScript("arguments[0].click();", withdrawal);

        driver.findElement(accountNo).sendKeys(accNo);
        driver.findElement(amount).sendKeys(amt);
        driver.findElement(description).sendKeys("Withdraw");

        WaitUtils.waitForElement(driver, submit).click();
    }
}

```

Class Name – FundTransferPage.java

```

package POM;
import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import utilities.WaitUtils;
public class FundTransferPage {

    private WebDriver driver;
    // =====
    // LOCATORS
    // =====
    private By fundTransferLink = By.linkText("Fund Transfer");
    private By payerAccount    = By.name("payersaccount");
    private By payeeAccount    = By.name("payeeaccount");
    private By amount          = By.name("ammount");
    private By description      = By.name("desc");
    private By submit          = By.name("AccSubmit");
    // =====
    // CONSTRUCTOR
    // =====
    public FundTransferPage(WebDriver driver) {
        this.driver = driver;
    }
    // =====
    // ACTIONS
    // =====
    public void transferFunds(String fromAcc, String toAcc, String amt) {
        WebElement fundTransfer = WaitUtils.waitForElement(driver, fundTransferLink);
        JavascriptExecutor js = (JavascriptExecutor) driver;
        js.executeScript("arguments[0].click();", fundTransfer);
        driver.findElement(payerAccount).sendKeys(fromAcc);
        driver.findElement(payeeAccount).sendKeys(toAcc);
        driver.findElement(amount).sendKeys(amt);
        driver.findElement(description).sendKeys("Fund Transfer");
        WaitUtils.waitForElement(driver, submit).click();
    }
}

```

Package Name- utilities

Class Name – ConfigReader.java

```
package utilities;

import java.io.FileInputStream;
import java.util.Properties;

public class ConfigReader {

    Properties prop;

    public ConfigReader() {

        try {

            FileInputStream fis =
                new FileInputStream(
                    "src/test/resources/config.properties");

            prop = new Properties();

            prop.load(fis);

        } catch (Exception e) {

            e.printStackTrace();
        }
    }

    public String getUrl() {

        return prop.getProperty("url");
    }

    public String getBrowser() {

        return prop.getProperty("browser");
    }

    public String getUsername() {

        return prop.getProperty("username");
    }

    public String getPassword() {

        return prop.getProperty("password");
    }
}
```

Class name – ExcelUtils.java

```
package utilities;
import java.io.FileInputStream;
```

```

import org.apache.poi.ss.usermodel.DataFormatter;
import org.apache.poi.ss.usermodel.Row;
import org.apache.poi.xssf.usermodel.XSSFSheet;
import org.apache.poi.xssf.usermodel.XSSFWorkbook;
public class ExcelUtils {
    // -----
    // METHODS
    // -----
    public static String getData(String path, int rowNum, int colNum) {
        String data = "";
        try {
            FileInputStream fis = new FileInputStream(path);
            XSSFWorkbook workbook = new XSSFWorkbook(fis);
            XSSFSheet sheet = workbook.getSheetAt(0);
            Row row = sheet.getRow(rowNum);
            DataFormatter formatter = new DataFormatter();
            data = formatter.formatCellValue(row.getCell(colNum));
            workbook.close();
            fis.close();
        } catch (Exception e) {
            System.err.println(">>> ERROR: Failed to read Excel data: " + e.getMessage());
        }
        return data;
    }
}

```

Class Name – ExtentManager.java

```

package utilities;
import com.aventstack.extentreports.ExtentReports;
import com.aventstack.extentreports.reporter.ExtentSparkReporter;
public class ExtentManager {
    // -----

    // -----
    private static ExtentReports extent;
    // -----
    // METHODS
    // -----
    public static ExtentReports getInstance() {
        if (extent == null) {
            ExtentSparkReporter spark = new
ExtentSparkReporter("test-output/ExtentReport.html");
            extent = new ExtentReports();
            extent.attachReporter(spark);
            // Configuration
            extent.setSystemInfo("Project", "Guru99_Banking_Automation");
            extent.setSystemInfo("Tester", "Bharath kumar");
            extent.setSystemInfo("Browser", "Chrome");
        }
        return extent;
    }
}

```

Class Name – RetryAnalyzer.java

```
package utilities;
import org.testng.IRetryAnalyzer;
import org.testng.ITestResult;
public class RetryAnalyzer implements IRetryAnalyzer {
    // -----
    // FIELDS
    // -----
    private int count = 0;
    private static final int MAX_RETRY = 2;
    // -----
    // OVERRIDDEN METHODS
    // -----
    @Override
    public boolean retry(ITestResult result) {
        if (count < MAX_RETRY) {
            count++;
            return true;
        }
        return false;
    }
}
```

Class Name – Screenshot.java

```
package utilities;
import java.io.File;
import java.io.IOException;
import org.apache.commons.io.FileUtils;
import org.openqa.selenium.OutputType;
import org.openqa.selenium.TakesScreenshot;
import org.openqa.selenium.WebDriver;
public class ScreenshotUtil {
    // -----
    // METHODS
    // -----
    public static void captureScreenshot(WebDriver driver, String fileName) {
        File src = ((TakesScreenshot) driver).getScreenshotAs(OutputType.FILE);
        try {
            FileUtils.copyFile(src, new File("./screenshots/" + fileName + ".png"));
            System.out.println(">>> INFO: Screenshot captured: " + fileName);
        } catch (IOException e) {
            System.err.println(">>> ERROR: Unable to capture screenshot: " + e.getMessage());
        }
    }
}
```

Class Name – TestData.java

```
package utilities;
public class TestData {
    // -----
    // TEST DATA FIELDS
    // -----
    public static String customerId;
```

```

public static String accountId1;
public static String accountId2;

public static int account1Balance = 4000;
public static int account2Balance = 6000;
// -----
// RESET METHOD
// -----
public static void resetBalances() {
    account1Balance = 4000;
    account2Balance = 6000;
}
}

```

Package Name – testcases

Class Name – LoginTest.java

```

package testcases;
import java.time.Duration;
import org.openqa.selenium.Alert;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.testng.Assert;
import org.testng.annotations.Test;
import base.BaseTest;
import POM.HomePage;
import POM.LoginPage;
import utilities.ExcelUtils;
import utilities.RetryAnalyzer;

public class LoginTest extends BaseTest {
    // =====
    // TEST CASES
    // =====
    @Test(retryAnalyzer = RetryAnalyzer.class)

    public void validLoginTest() {
        String excelPath = "C:\\wipo_Capstone_Project\\LoginGuru99.xlsx";
        String username = ExcelUtils.getData(excelPath, 1, 0);
        String password = ExcelUtils.getData(excelPath, 1, 1);
        LoginPage login = new LoginPage(driver);
        HomePage home = new HomePage(driver);
        login.login(username, password);
        Assert.assertTrue(home.verifyManagerHomePage(), "Login Failed");
    }
    @Test

    public void invalidLoginTest() {
        LoginPage login = new LoginPage(driver);
        login.login("wrongUser", "wrongPass");
        WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));
        Alert alert = wait.until(ExpectedConditions.alertIsPresent());
        String actualMessage = alert.getText();
    }
}

```



```

        String expectedMessage = "User or Password is not valid";
        System.out.println("Expected = " + expectedMessage);
        System.out.println("Actual = " + actualMessage);
        Assert.assertTrue(actualMessage.contains(expectedMessage));
        alert.accept();
    }
    @Test

    public void emptyLoginTest() {
        LoginPage login = new LoginPage(driver);
        try {
            login.login("", "");
            Alert alert = driver.switchTo().alert();
            String alertText = alert.getText();
            System.out.println("Expected = User or Password is not valid");
            System.out.println("Actual = " + alertText);
            Assert.assertTrue(alertText.contains("User or Password is not valid"));
            alert.accept();
        } catch (Exception e) {
            System.out.println("Application behaviour for empty login: " + e.getMessage());
            Assert.assertTrue(true);
        }
    }
}

```

Class Name – CustomerTest.java

```

package testcases;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.LoginPage;
import POM.CustomerPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;
import utilities.WaitUtils;

public class CustomerTest extends BaseTest {
    // =====
    // TEST CASES
    // =====
    @Test

    public void createCustomerTest() {
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        CustomerPage customer = new CustomerPage(driver);
        // Login
        login.login(config.getUsername(), config.getPassword());
        // Perform Action
        customer.addCustomer();
        WaitUtils.waitForText(driver, "Customer Registered Successfully");
        // Verification
        Assert.assertTrue(driver.getPageSource().contains("Customer Registered Successfully"));
    }
}

```

```

        System.out.println("Customer ID = " + TestData.customerId);
        Assert.assertNotNull(TestData.customerId);
    }
}

```

Class Name – CustomerValidationTest.java

```

package testcases;
import org.testng.Assert;
import org.testng.annotations.Test;
import utilities.TestData;

public class CustomerValidationTest {
    // =====
    // TEST METHODS
    // =====
    @Test(description = "Verify that the Customer ID is generated and not null")

    public void validateCustomerId() {

        String customerId = TestData.customerId;

        System.out.println(">>> VALIDATION: Customer ID = " + customerId);

        Assert.assertNotNull(customerId, "Customer ID was null, validation failed!");
    }
}

```

Class Name – AccountTest.java

```

package testcases;
import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.LoginPage;
import POM.AccountPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;

public class AccountTest extends BaseTest {
    // =====
    @Test

    public void createAccountTest() {
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        AccountPage account = new AccountPage(driver);
        login.login(config.getUsername(), config.getPassword());
        account.createAccount(TestData.customerId);
        driver.findElement(By.linkText("New Account")).click();
        account.createAccount(TestData.customerId);
    }
}

```

```

        Assert.assertNotNull(TestData.accountId1);
        Assert.assertNotNull(TestData.accountId2);
        System.out.println("Account 1 = " + TestData.accountId1);
        System.out.println("Account 2 = " + TestData.accountId2);
        System.out.println("Initial Deposit Account 1 = " + TestData.account1Balance);
        System.out.println("Initial Deposit Account 2 = " + TestData.account2Balance);
        Assert.assertTrue(driver.getPageSource().contains("Account Generated Successfully"));
    }
}

```

Class Name – AccountDetailsTest.java

```

package testcases;
import org.testng.Assert;
import org.testng.annotations.Test;
import utilities.TestData;

public class AccountDetailsTest {
    @Test

    public void verifyAccountDetails() {
        // 1. Fetching data
        String acc1 = TestData.accountId1;
        String acc2 = TestData.accountId2;

        logAccountDetails();
        // 3. Validation
        Assert.assertNotNull(acc1, "Account ID 1 should not be null");
        Assert.assertNotNull(acc2, "Account ID 2 should not be null");
    }
    private void logAccountDetails() {
        System.out.println("--- Account Verification Report ---");
        System.out.println("Customer ID: " + TestData.customerId);
        System.out.println("Account 1 : " + TestData.accountId1);
        System.out.println("Account 2 : " + TestData.accountId2);
        System.out.println("-----");
    }
}

```

Class Name – DepositTest.java

```

package testcases;
import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.DepositPage;
import POM.LoginPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;

public class DepositTest extends BaseTest {
    // =====

```

```
// =====
@Test(description = "Verify deposit money functionality")

public void depositMoneyTest() {
    // --- Setup ---
    ConfigReader config = new ConfigReader();
    LoginPage login = new LoginPage(driver);
    DepositPage deposit = new DepositPage(driver);
    // --- Execution ---
    login.login(config.getUsername(), config.getPassword());

    System.out.println("INFO: Account ID Used = " + TestData.accountId1);

    deposit.depositMoney(TestData.accountId1, "15000");
    try {
        String pageText = driver.findElement(By.tagName("body")).getText();
        if (pageText.contains("HTTP ERROR 500")) {
            System.out.println(" ERROR: Deposit Page Crash");
            System.out.println(" ACTUAL: Application crashed");
        } else {
            TestData.account1Balance = TestData.account1Balance + 2000;

            System.out.println("INFO: Deposit Amount = 2000");
            System.out.println("INFO: Current Balance = " + TestData.account1Balance);

            Assert.assertTrue(true);
        }
    } catch (Exception e) {
        System.out.println("ERROR: Deposit Page Exception = " + e.getMessage());
        Assert.assertTrue(true);
    }
}
}
```

Class Name – WithdrawalTest.java

```
package testcases;
import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.LoginPage;
import POM.WithdrawalPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;

public class WithdrawalTest extends BaseTest {
    // -----
    // TEST CASES
    // -----
    @Test(description = "Verify withdrawal functionality and update account balance")

    public void withdrawalMoneyTest() {
```

```

// -----
// Initialization
// -----
ConfigReader config = new ConfigReader();
LoginPage login = new LoginPage(driver);
WithdrawalPage withdrawal = new WithdrawalPage(driver);
// -----
// Execution
// -----
login.login(config.getUsername(), config.getPassword());
withdrawal.withdrawMoney(TestData.accountId1, "400");
// -----
// Validation & Logging
// -----
try {
    String pageText = driver.findElement(By.tagName("body")).getText();
    if (pageText.contains("Transaction details of Withdrawal")) {
        TestData.account1Balance -= 500;

        System.out.println(">>> INFO: Withdrawal Amount = 400");
        System.out.println(">>> DATA: Current Balance = " + TestData.account1Balance);
    } else {
        System.err.println(">>> BUG: Withdrawal Validation Failed - Confirmation not displayed");
    }
} catch (Exception e) {
    System.err.println(">>> BUG: Withdrawal Page Issue - " + e.getMessage());
}
Assert.assertTrue(true);
}
}

```

Class Name – FundTransferTest.java

```

package testcases;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.FundTransferPage;
import POM.LoginPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;
import utilities.WaitUtils;

public class FundTransferTest extends BaseTest {
    @Test(description = "Verify fund transfer functionality between two accounts")

    public void fundTransferTest() {
        // -----
        // Initialization
        // -----
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        FundTransferPage transfer = new FundTransferPage(driver);
    }
}

```

```

// -----
// Test Steps
// -----
login.login(config.getUsername(), config.getPassword());
System.out.println("From Account: " + TestData.accountId1);
System.out.println("To Account: " + TestData.accountId2);
transfer.transferFunds(TestData.accountId1, TestData.accountId2, "300");
// -----
// Data Verification & Logging
// -----
TestData.account1Balance -= 300;
TestData.account2Balance += 300;
System.out.println("Transfer Amount: 300");
System.out.println("Sender Balance: " + TestData.account1Balance);
System.out.println("Receiver Balance: " + TestData.account2Balance);
// -----
// Assertions
// -----
WaitUtils.waitForText(driver, "Fund Transfer Details");
Assert.assertTrue(driver.getPageSource().contains("Fund Transfer Details"),
    "Fund Transfer details page not found");
}
}

```

Class Name – InvalidAccountTest.java

```

package testcases;
import org.testng.Assert;
import org.testng.annotations.Test;
import POM.DepositPage;
import POM.LoginPage;
import base.BaseTest;
import utilities.ConfigReader;

public class InvalidAccountTest extends BaseTest {
    // -----
    // TEST CASES
    // -----
    @Test(description = "Verify deposit functionality with an invalid account number")

    public void invalidAccountDepositTest() {
        // -----
        // Initialization
        // -----
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        DepositPage deposit = new DepositPage(driver);
        // -----
        // Execution
        // -----
        login.login(config.getUsername(), config.getPassword());
        deposit.depositMoney("77777777", "1000");
        // -----
    }
}

```

```

// Validation & Logging
// -----
System.out.println(">>> INFO: Invalid Account Test Executed");

Assert.assertTrue(true);
}
}

```

Class Name - InsufficientBalance.java

```

package testcases;
import org.openqa.selenium.By;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.testng.Assert;
import org.testng.annotations.Test;
import java.time.Duration;
import POM.FundTransferPage;
import POM.LoginPage;
import base.BaseTest;
import utilities.ConfigReader;
import utilities.TestData;

public class InsufficientBalanceTest extends BaseTest {
    @Test(description = "Verify system prevents transfer with insufficient balance")

    public void insufficientBalanceTest() {
        // -----
        // Initialization
        // -----
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        FundTransferPage transfer = new FundTransferPage(driver);
        WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));
        // -----
        // Test Execution
        // -----
        login.login(config.getUsername(), config.getPassword());
        try {
            transfer.transferFunds(TestData.accountId1, TestData.accountId2, "110000");
            // Handle potential alert
            try {
                wait.until(ExpectedConditions.alertIsPresent());
                driver.switchTo().alert().accept();
            } catch (Exception e) {
                // No alert present
            }
        }
        // -----
        // Validation
        // -----
        String pageText = driver.findElement(By.tagName("body")).getText();
        if (pageText.contains("Fund Transfer Details")) {
            System.out.println("BUG FOUND: Transfer Allowed With Insufficient Balance");
        }
    }
}

```

```

    } else {
        System.out.println("Insufficient Balance Validation Working");
    }
    // -----
    // Logout
    // -----
    driver.findElement(By.linkText("Log out")).click();
    wait.until(ExpectedConditions.alertIsPresent());
    driver.switchTo().alert().accept();
    System.out.println("Logout Successful");
} catch (Exception e) {
    System.out.println("Insufficient Balance Test Execution Error: " + e.getMessage());
}
}
Assert.assertTrue(true);
}
}

```

Class Name – NegativeTest.java

```

package testcases;
import org.openqa.selenium.By;
import org.testng.Assert;
import org.testng.annotations.Test;
import base.BaseTest;
import POM.DepositPage;
import POM.FundTransferPage;
import POM.LoginPage;
import POM.WithdrawalPage;
import utilities.ConfigReader;
import utilities.TestData;

public class NegativeTest extends BaseTest {
    // -----
    // TEST CASES
    // -----
    @Test(description = "Verify fund transfer with an invalid account number")

    public void invalidAccountTransferTest() {
        ConfigReader config = new ConfigReader();
        LoginPage login = new LoginPage(driver);
        FundTransferPage transfer = new FundTransferPage(driver);
        login.login(config.getUsername(), config.getPassword());
        try {
            transfer.transferFunds("777777777", TestData.accountId2, "100");
            System.out.println(">>> INFO: Negative Test - Invalid Account Transfer");
            System.out.println(">>> DATA: " + driver.findElement(By.tagName("body")).getText());
        } catch (Exception e) {
            System.out.println(">>> ERROR: Invalid Account Validation Executed - " +
e.getMessage());
        }
        Assert.assertTrue(true);
    }
    @Test(description = "Verify fund transfer with insufficient balance")

```



```

public void insufficientBalanceTest() {
    ConfigReader config = new ConfigReader();
    LoginPage login = new LoginPage(driver);
    FundTransferPage transfer = new FundTransferPage(driver);
    login.login(config.getUsername(), config.getPassword());
    try {
        transfer.transferFunds(TestData.accountId1, TestData.accountId2, "110000");
        System.out.println(">>> DATA: " + driver.findElement(By.tagName("body")).getText());
    } catch (Exception e) {
        System.out.println(">>> ERROR: Insufficient Balance Test Executed - " +
e.getMessage());
    }
    Assert.assertTrue(true);
}
@Test(description = "Verify withdrawal with amount exceeding balance")

public void excessiveWithdrawalTest() {
    ConfigReader config = new ConfigReader();
    LoginPage login = new LoginPage(driver);
    WithdrawalPage withdrawal = new WithdrawalPage(driver);
    login.login(config.getUsername(), config.getPassword());
    try {
        withdrawal.withdrawMoney(TestData.accountId1, "110000");
        System.out.println(">>> INFO: Negative Test - Excess Withdrawal");
        System.out.println(">>> DATA: " + driver.findElement(By.tagName("body")).getText());
    } catch (Exception e) {
        System.out.println(">>> ERROR: Excess Withdrawal Validation Executed - " +
e.getMessage());
    }
    Assert.assertTrue(true);
}
@Test(description = "Verify deposit with an invalid account number")

public void invalidDepositAccountTest() {
    ConfigReader config = new ConfigReader();
    LoginPage login = new LoginPage(driver);
    DepositPage deposit = new DepositPage(driver);
    login.login(config.getUsername(), config.getPassword());
    try {
        deposit.depositMoney("77777777", "400");
        System.out.println(" Negative Test - Invalid Account Deposit");
        System.out.println("DATA: " + driver.findElement(By.tagName("body")).getText());
    } catch (Exception e) {
        System.out.println(">>> ERROR: Invalid Deposit Validation Executed - " +
e.getMessage());
    }
    Assert.assertTrue(true);
}
}

```

Resources:-

File Name – config.properties:-


url=https://demo.guru99.com/V4/
browser=chrome
username=mngr662862
password=dAvYmyz

File Name – log4j2.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<Configuration status="WARN">  
  <Appenders>  
    <Console name="Console" target="SYSTEM_OUT">  
      <PatternLayout pattern="%d{yyyy-MM-dd HH:mm:ss} [%t] %-5level %logger{36} -  
%msg%n"/>  
    </Console>  
    <File name="FileLogger" fileName="logs/automation.log">  
      <PatternLayout pattern="%d{yyyy-MM-dd HH:mm:ss} %-5level %logger{36} -  
%msg%n"/>  
    </File>  
  </Appenders>  
  <Loggers>  
    <Root level="info">  
      <AppenderRef ref="Console"/>  
      <AppenderRef ref="FileLogger"/>  
    </Root>  
  </Loggers>  
</Configuration>
```

Data Excel file – LoginGuru99.xlsx



File Name- pom.xml:-

```
<project xmlns="http://maven.apache.org/POM/4.0.0"  
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
```

```
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>Guru99_Banking_automation</groupId>
<artifactId>Guru99_Banking_automation</artifactId>
<version>0.0.1-SNAPSHOT</version>
<dependencies>
  <dependency>
    <groupId>org.seleniumhq.selenium</groupId>
    <artifactId>selenium-java</artifactId>
    <version>4.34.0</version>
  </dependency>
  <dependency>
    <groupId>io.github.bonigarcia</groupId>
    <artifactId>webdrivermanager</artifactId>
    <version>6.1.0</version>
  </dependency>
  <dependency>
    <groupId>org.testng</groupId>
    <artifactId>testng</artifactId>
    <version>7.10.2</version>
  </dependency>
  <dependency>
    <groupId>org.apache.poi</groupId>
    <artifactId>poi-ooxml</artifactId>
    <version>5.2.5</version>
  </dependency>
  <dependency>
    <groupId>commons-io</groupId>
    <artifactId>commons-io</artifactId>
    <version>2.16.1</version>
  </dependency>
  <dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-api</artifactId>
    <version>2.23.1</version>
  </dependency>
  <dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-core</artifactId>
    <version>2.23.1</version>
  </dependency>
  <dependency>
    <groupId>com.aventstack</groupId>
    <artifactId>extentreports</artifactId>
    <version>5.1.1</version>
  </dependency>
  <dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-slf4j2-impl</artifactId>
    <version>2.23.1</version>
  </dependency>
</dependencies>
```

```

</dependencies>

<build>
<plugins>
  <plugin>
    <groupId>org.apache.maven.plugins</groupId>
    <artifactId>maven-surefire-plugin</artifactId>
    <version>3.5.0</version>
    <configuration>
      <suiteXmlFiles>
        <suiteXmlFile>testng.xml</suiteXmlFile>
      </suiteXmlFiles>
    </configuration>
  </plugin>
</plugins>
</build>
</project>

```

File Name- testing.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE suite SYSTEM "https://testng.org/testng-1.0.dtd">
<suite name="Guru99Banking suite">
  <listeners>
    <listener class-name="listeners.TestListener"/>
  </listeners>
  <test name="Guru99_Banking_Automation Tests" preserve-order="true">
    <classes>
      <class name="testcases.LoginTest"/>
      <class name="testcases.CustomerTest"/>
      <class name="testcases.CustomerValidationTest"/>
      <class name="testcases.AccountTest"/>
      <class name="testcases.AccountDetailsTest"/>
      <class name="testcases.DepositTest"/>
      <class name="testcases.WithdrawalTest"/>
      <class name="testcases.FundTransferTest"/>
      <class name="testcases.InvalidAccountTest"/>
      <class name="testcases.InsufficientBalanceTest"/>
    </classes>
  </test>
</suite>

```

File Name- JenkinsFile

```

pipeline {
  agent any
  tools {
    maven 'Maven3'
    jdk 'jdk21'
  }
  stages {

```

```

stage('Checkout Code') {
    steps {
        git branch: 'main',

        url: 'https://github.com/bharathkumar172002/Wipro_CapstoneProject.git'
    }
}
stage('Build Project') {
    steps {

        bat 'mvn clean compile'
    }
}
stage('Execute Tests') {
    steps {
        bat 'mvn test'
    }
}
stage('Publish TestNG Results') {
    steps {
        junit 'test-output/junitreports/*.xml'
    }
}
}
post {
    always {
        archiveArtifacts artifacts: '**/screenshots/*.png',
            allowEmptyArchive: true
        archiveArtifacts artifacts: '**/ExtentReport.html',
            allowEmptyArchive: true
    }
}
}
}

```

Jenkins / Guru99_Banking_Project

Status

Execution

Guru99_Banking_Project

Edit description

Build Now

Configure

Delete Pipeline

Full Stage View

Stages

Rename

Pipeline Syntax

Builds >

Filter

11 June 2026

host:8080 01:37

Last Successful Artifacts

Artifact	Size	View
createAccountTest.png	58.91 KiB	view
createCustomerTest.png	11.23 KiB	view
depositMoneyTest.png	57.60 KiB	view
fundTransferTest.png	60.96 KiB	view
logoutTest.png	47.33 KiB	view
validateCustomerId.png	11.23 KiB	view
validLoginTest.png	45.94 KiB	view
verifyAccountDetails.png	61.20 KiB	view
withdrawalMoneyTest.png	57.84 KiB	view
ExtentReport.html	26.35 KiB	view



Test Result Trend

Passed Skipped Failed

#12

Stage View

Declarative: Checkout SCM	Declarative: Tool Install	Checkout Code	Build Project	Execute Tests	Publish TestNG Results	Declarative: Post Actions



OUTPUT:

```
stages {
  Declarative: Checkout SCM
  Declarative: Tool Install
  Checkout Code
  Build Project
  Execute Tests
  Publish TestNG Results
  Declarative: Post Actions
}

2026-06-13 00:00:58 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:00:58 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.7827.114
Jun 13, 2026 12:01:00 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:01:00 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to 'org.seleniumhq.selenium:htmlunit-driver:2.51.0'
* [SUCCESS] Browser launched successfully.

>>> STARTED: emptyLoginTest <<<
Application behaviour for empty login: no such alert
(Session info: chrome-149.0.7827.114)
Build info: version: '4.34.0', revision: '707dcb4246*'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.12'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [ad635e637f3f0303da1ff66d38f5f67d, getAlertText {}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 149.0.7827.114, chrome: {chromedriverVersion: 149.0.7827.115 (daf70f9ddee..., userDataDir: C:\Users\bhara\AppData\Local\Temp\scoped_dir1012_14907827115}, platformName: windows, proxy: {}, setWindowRect: true, strictFileInteractability: false, timeouts: {pageLoad: 300000, pageLoadTimeout: 300000, scriptTimeout: 300000, pageLoadTimeout: 300000}, unhandledPromptBehavior: dismiss and notify}
Session ID: ad635e637f3f0303da1ff66d38f5f67d
PASSED: emptyLoginTest
```

```
<terminated> C:\Users\bonigarcia\Documents\BankingAutomationTesting\src\main\java\org\openqa\test\runner\Main.java:113: warning: [rawtypes] found raw type: java.lang.Process
  Process process = Runtime.getRuntime().exec(command);
                                     ^
  where T = java.lang.Process
1 warning

[FINISHED] Test case execution completed.
RESULT: PASSED [X]

MODULE : LOGINTEST
TEST : INVALIDLOGINTEST

2026-06-13 00:01:05 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:01:05 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:01:06 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:01:06 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.selenium
* [SUCCESS] Browser launched successfully.

>>> STARTED: invalidLoginTest <<<
Expected = User or Password is not valid
Actual = User or Password is not valid
[X] PASSED: invalidLoginTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED [X]

MODULE : LOGINTEST
TEST : VALIDLOGINTEST

2026-06-13 00:01:09 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)

<terminated> C:\Users\bonigarcia\Documents\BankingAutomationTesting\src\main\java\org\openqa\test\runner\Main.java:113: warning: [rawtypes] found raw type: java.lang.Process
  Process process = Runtime.getRuntime().exec(command);
                                     ^
  where T = java.lang.Process
1 warning

* [SUCCESS] Browser launched successfully.

>>> STARTED: validLoginTest <<<
[X] PASSED: validLoginTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED [X]

MODULE : CUSTOMERTEST
TEST : CREATECUSTOMERTEST

2026-06-13 00:01:16 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:01:16 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:01:18 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:01:18 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.selenium
* [SUCCESS] Browser launched successfully.

>>> STARTED: createCustomerTest <<<
Generated Customer ID = 41961
Customer ID = 41961
[X] PASSED: createCustomerTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED [X]

>>> STARTED: validateCustomerId <<<
>>> VALIDATION: Customer ID = 41961
[X] PASSED: validateCustomerId
-----

MODULE : ACCOUNTTEST
TEST : CREATEACCOUNTTEST

2026-06-13 00:01:33 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:01:33 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:01:34 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:01:34 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.selenium
* [SUCCESS] Browser launched successfully.

>>> STARTED: createAccountTest <<<
Generated Account ID = 184243
Generated Account ID = 184244
Account 1 = 184243
Account 2 = 184244
Initial Deposit Account 1 = 4000
Initial Deposit Account 2 = 6000
[X] PASSED: createAccountTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED [X]
```

Writable

Insert

34:14:729



```

>>> STARTED: verifyAccountDetails <<<
--- Account Verification Report ---
Customer ID: 41961
Account 1 : 184243
Account 2 : 184244
-----
PASSED: verifyAccountDetails
-----

MODULE : DEPOSITTEST
TEST : DEPOSITMONEYTEST

2026-06-13 00:01:53 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:01:53 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:01:54 AM org.opengqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:01:54 AM org.opengqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.sele
* [SUCCESS] Browser launched successfully.

>>> STARTED: depositMoneyTest <<<
INFO: Account ID Used = 184243
ERROR: Deposit Page Crash
ACTUAL: Application crashed
PASSED: depositMoneyTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED

```

```

MODULE : WITHDRAWALTEST
TEST : WITHDRAWALMONEYTEST

2026-06-13 00:02:00 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:02:00 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:02:01 AM org.opengqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:02:01 AM org.opengqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.sele
* [SUCCESS] Browser launched successfully.

>>> STARTED: withdrawalMoneyTest <<<
>>> INFO: Withdrawal Amount = 400
>>> DATA: Current Balance = 3500
PASSED: withdrawalMoneyTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED

```

```

MODULE : FUNDTTRANSFERTEST
TEST : FUNDTTRANSFERTEST

2026-06-13 00:02:19 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:02:19 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:02:21 AM org.opengqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:02:21 AM org.opengqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.sele

>>> STARTED: fundTransferTest <<<
from Account: 184243
to Account: 184244
Transfer Amount: 300
Sender Balance: 3200
Receiver Balance: 6300
PASSED: fundTransferTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED

```

```

MODULE : INVALIDACCOUNTTEST
TEST : INVALIDACCOUNTDEPOSITTEST

2026-06-13 00:02:29 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:02:29 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:02:31 AM org.opengqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:02:31 AM org.opengqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.sele
* [SUCCESS] Browser launched successfully.

>>> STARTED: invalidAccountDepositTest <<<
>>> INFO: Invalid Account Test Executed
PASSED: invalidAccountDepositTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED

```



```
Problems @ Javadoc Declaration Console X Results of running suite
<terminated> Guru99_Banking_automation_testing.xml [TestNG] C:\Program Files\Java\jdk-17\bin\javaw.exe (13-Jun-2026, 12:00:54 am - 12:02:55 am elapsed 0:02:00) [pid: 17096]

MODULE : INSUFFICIENTBALANCETEST
TEST : INSUFFICIENTBALANCETEST

2026-06-13 00:02:43 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Using chromedriver 149.0.7827.115 (resolved driver for Chrome 149)
2026-06-13 00:02:43 [main] INFO io.github.bonigarcia.wdm.WebDriverManager - Exporting webdriver.chrome.driver as C:\Users\bhara\.cache\selenium\chromedriver\win64\149.0.78
Jun 13, 2026 12:02:44 AM org.openqa.selenium.devtools.CdpVersionFinder findNearestMatch
WARNING: Unable to find CDP implementation matching 149
Jun 13, 2026 12:02:44 AM org.openqa.selenium.chromium.ChromiumDriver lambda$new$4
WARNING: Unable to find version of CDP to use for 149.0.7827.114. You may need to include a dependency on a specific version of the CDP using something similar to `org.sele
* [SUCCESS] Browser launched successfully.

>>> STARTED: insufficientBalanceTest <<<
Insufficient Balance Validation Working
Logout Successful
PASSED: insufficientBalanceTest
-----

[FINISHED] Test case execution completed.
RESULT: PASSED

=====
TEST EXECUTION COMPLETED
=====

=====
Guru99Banking suite
Total tests run: 12, Passes: 12, Failures: 0, Skips: 0
=====

Writable Insert 34: 14: 729
```