

```
: #RAT - NAME - ROW
def print_name():
    name = "bharath"
    for i in range(len(name)):
        for j in range(i + 1):
            print(name[i], end=" ")
        print()
print_name()
```

```
b
h h
a a a
r r r r
a a a a a
t t t t t t
h h h h h h h
```

```
: #RAT - NAME - COL  
def print_name():  
    name = "bharath"  
    for i in range(len(name)):  
        for j in range(i + 1):  
            print(name[j], end=" ")  
        print()  
print_name()
```

```
b  
b h  
b h a  
b h a r  
b h a r a  
b h a r a t  
b h a r a t h
```

```
: #LAT - NAME - ROW
def print_name():
    name = "bharath"
    for i in range(len(name)):
        for j in range(len(name), i, -1):
            print(" ", end=" ")
        for k in range(0, i+1):
            print(name[i], end=" ")
        print()
print_name()
```

```
        b
      h h
    a a a
  r r r r
a a a a a
t t t t t
h h h h h h
```

```
: #LAT - NAME - COL
def print_name():
    name = "bharath"
    for i in range(len(name)):
        for j in range(len(name), i, -1):
            print(" ", end=" ")
        for k in range(0, i+1):
            print(name[k], end=" ")
        print()
print_name()
```

```
        b
      b h
    b h a
  b h a r
b h a r a
  b h a r a t
b h a r a t h
```

```
: #PYRAMID - NAME - ROW
def print_name():
    name = "bharath"
    for i in range(len(name)):
        for j in range(len(name), i, -1):
            print("", end=" ")
        for k in range(0, i+1):
            print(name[i], end=" ")
        print()
print_name()
```

```
      b
     h h
    a a a
   r r r r
  a a a a a
 t t t t t t
h h h h h h h
```

```
#PYRAMID - NAME - COL
```

```
def print_name():  
    name = "bharath"  
    for i in range(len(name)):  
        for j in range(len(name), i, -1):  
            print("", end=" ")  
        for k in range(0, i+1):  
            print(name[k], end=" ")  
        print()  
print_name()
```

```
    b  
  b h  
b h a  
b h a r  
b h a r a  
b h a r a t  
b h a r a t h
```

#PYRAMID - NAME - REVERSE - ROW

```
def print_name():  
    name = "bharath"  
    for i in range(len(name)-1,-1,-1):  
        for j in range(len(name), i, -1):  
            print("", end=" ")  
        for k in range(0,i+1):  
            print(name[i], end=" ")  
        print()  
print_name()
```

```
h h h h h h h  
t t t t t t t  
a a a a a  
r r r r  
a a a  
h h  
b
```

```
#PYRAMID - NAME - REVERSE - COL  
def print_name():  
    name = "bharath"  
    for i in range(len(name)-1,-1,-1):  
        for j in range(len(name), i, -1):  
            print("", end=" ")  
        for k in range(0,i+1):  
            print(name[k], end=" ")  
        print()  
print_name()
```

```
b h a r a t h  
 b h a r a t  
  b h a r a  
   b h a r  
    b h a  
     b h  
      b
```


#2 FIND THE FACTORS OF GIVEN 2 DIGIT NUMBERS USING FUNCTION

```
def find_factor():  
    number = int(input("Enter two digit number:"))  
    for i in range(1, number + 1):  
        if number%i == 0:  
            print(i)  
find_factor()
```

Enter two digit number: 55

1

5

11

55

#3 FIND THE BIGGEST NUMBER USING LAMBDA FUNTION

```
find_biggest_number = lambda a,b,c,d: a if a>b and a>c and a>d else b if b>c and b>d else c if c>d else d  
find_biggest_number(836,348,987,598)
```

987

#4 CREATE A LIST FOR CUBE FROM NUM LIST AND STORE THE CUBE VALUE USING LAMDA MAP FUNCTION

```
num_list = [1,2,3,4,5]  
cube_list = list(map(lambda a: a**3, num_list))  
print(cube_list)
```

[1, 8, 27, 64, 125]