

Skill -02

P-1

Code:

```
bharath_sai_reddy@LAPTOP-1  ×  +  v
GNU nano 7.2 skill2.c
#include <stdio.h>
#include <string.h>

int main() {
    char input[100];

    while (1) {
        printf("myshell> ");
        fgets(input, sizeof(input), stdin);

        input[strcspn(input, "\n")] = '\0';

        if (strcmp(input, "exit") == 0) {
            break;
        }

        printf("You entered: %s\n", input);
    }

    printf("Shell exited.\n");
    return 0;
}
```

Output:

```
bharath_sai_reddy@LAPTOP-1711DF88:~/90128_0SSP/2520090128_Skill/Skill-02$ ./skill2
myshell> hello
You entered: hello
myshell> linux
You entered: linux
myshell> exit
Shell exited.
```

P-2

Code:

```
GNU nano 7.2 mainloop.c
#include <stdio.h>
#include <unistd.h>
#include <termios.h>
#include <string.h>

int main()
{
    char buffer[100];
    int index = 0;
    char ch;

    struct termios oldt, newt;

    tcgetattr(STDIN_FILENO, &oldt);
    newt = oldt;

    newt.c_lflag &= ~(ICANON | ECHO);
    tcsetattr(STDIN_FILENO, TCSANOW, &newt);

    printf("myshell> ");

    while (1)
    {
        ch = getchar();

        if (ch == '\n')
        {
            buffer[index] = '\0';

            printf("\nYou entered: %s\n", buffer);
            break;
        }
    }
}
```

```
bharath_sai_reddy@LAPTOP-1  ×  +  ∨
GNU nano 7.2 mainloop.c

printf("myshell> ");
while (1)
{
    ch = getchar();

    if (ch == '\n')
    {
        buffer[index] = '\0';

        printf("\nYou entered: %s\n", buffer);
        break;
    }
    else if (ch == 127)
    {
        if (index > 0)
        {
            index--;
            printf("\b \b");
            fflush(stdout);
        }
    }
    else if (index < 99)
    {
        buffer[index] = ch;
        index++;

        printf("%c", ch);
        fflush(stdout);
    }
}
```

Output:

```
bharath_sai_reddy@LAPTOP-1711DF88:~/90128_OSSP/2520090128_Skill/Skill-02$ ./mainloop
myshell> hello
You entered: hello
bharath_sai_reddy@LAPTOP-1711DF88:~/90128_OSSP/2520090128_Skill/Skill-02$ |
```