

1.CREATE TABLE

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bookflow_db' selected. The main editor window shows a DDL script for creating a table named 'bank_transactions' in the 'bookflow_db' database. The script includes the following SQL code:

```
1 • USE bookflow_db;
2
3 • CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
```

The bottom panel shows the 'Output' tab with 'Action Output' selected. It displays a log of actions performed:

#	Time	Action	Message
1	15:12:09	USE bookflow_db	0 row(s) affected
2	15:12:11	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch...	0 row(s) affected

2.ALTER TABLE — ADD COLUMN

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'bookflow_db' selected. The main editor window shows a DDL script for altering the 'bank_transactions' table to add a new column 'account_no' of type 'VARCHAR(20)'. The script includes the following SQL code:

```
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
12 • ALTER TABLE bank_transactions
13 ADD account_no VARCHAR(20);
14 • DESCRIBE bank_transactions;
```

The bottom panel shows the 'Result Grid' tab with 'Filter Rows' set to 'None'. It displays the structure of the 'bank_transactions' table:

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI		INDEX
customer_name	varchar(50)	YES			INDEX
branch_name	varchar(50)	YES			INDEX
transaction_type	varchar(20)	YES			INDEX
amount	decimal(10,2)	YES			INDEX
transaction_date	date	YES			INDEX
account_no	varchar(20)	YES			INDEX

The bottom panel also shows the 'Output' tab with 'Action Output' selected. It displays a log of actions performed:

#	Time	Action	Message
1	15:12:09	USE bookflow_db	0 row(s) affected
2	15:12:11	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch...	0 row(s) affected
3	15:21:27	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected
4	15:21:39	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	Error Code: 1060. D
5	15:21:42	DESCRIBE bank_transactions	7 row(s) returned

3. ALTER TABLE — MODIFY COLUMN

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'bookflow_db' schema with tables: books, donation_history, loans, members, Views, Stored Procedures, and Functions. The main editor shows the following SQL queries:

```
12 • ALTER TABLE bank_transactions
13 • ADD account_no VARCHAR(20);
14 • DESCRIBE bank_transactions;
15
16 • ALTER TABLE bank_transactions
17 • MODIFY customer_name VARCHAR(100);
18 • DESCRIBE bank_transactions;
```

The 'Result Grid' shows the table structure for 'bank_transactions':

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI		UNSIGNED
customer_name	varchar(100)	YES			UNSIGNED
branch_name	varchar(50)	YES			UNSIGNED
transaction_type	varchar(20)	YES			UNSIGNED
amount	decimal(10,2)	YES			UNSIGNED
transaction_date	date	YES			UNSIGNED
account_no	varchar(20)	YES			UNSIGNED

The 'Action Output' shows the execution results:

#	Time	Action	Message
2	15:21:11	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), bran...	0 row(s) affected
3	15:21:27	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Dup
4	15:21:39	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	Error Code: 1060. Duplicate colu
5	15:21:42	DESCRIBE bank_transactions	7 row(s) returned
6	15:25:48	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Dup
7	15:26:05	DESCRIBE bank_transactions	7 row(s) returned

4. RENAME TABLE

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'bookflow_db' schema with tables: books, donation_history, loans, members, Views, Stored Procedures, and Functions. The main editor shows the following SQL queries:

```
16 • ALTER TABLE bank_transactions
17 • MODIFY customer_name VARCHAR(100);
18 • DESCRIBE bank_transactions;
19
20 • RENAME TABLE bank_transactions
21 • TO customer_transactions;
22 • SHOW TABLES;
```

The 'Result Grid' shows the table structure for 'customer_transactions':

Tables_in_bookflow_db
books
customer_transactions
donation_history
loans
members

The 'Action Output' shows the execution results:

#	Time	Action	Message
4	15:21:39	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	Error Code: 1060. Duplicate colu
5	15:21:42	DESCRIBE bank_transactions	7 row(s) returned
6	15:25:48	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Dup
7	15:26:05	DESCRIBE bank_transactions	7 row(s) returned
8	15:27:08	RENAME TABLE bank_transactions TO customer_transactions	0 row(s) affected
9	15:27:17	SHOW TABLES	5 row(s) returned

5. TRUNCATE TABLE

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following commands:

```
19
20 • RENAME TABLE bank_transactions
21   TO customer_transactions;
22 • SHOW TABLES;
23
24 • TRUNCATE TABLE customer_transactions;
25 • DESCRIBE customer_transactions;
```

The **Result Grid** shows the structure of the `customer_transactions` table:

Field	Type	Null	Key	Default	Extra
bn_id	int	NO	PRI		
customer_name	varchar(100)	YES			
branch_name	varchar(50)	YES			
transaction_type	varchar(20)	YES			
amount	decimal(10,2)	YES			
transaction_date	date	YES			
account_no	varchar(20)	YES			

The **Action Output** shows the execution results:

#	Time	Action	Message
6	15:25:48	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected
7	15:26:05	DESCRIBE bank_transactions	7 row(s) returned
8	15:27:08	RENAME TABLE bank_transactions TO customer_transactions	0 row(s) affected
9	15:27:17	SHOW TABLES	5 row(s) returned
10	15:31:30	TRUNCATE TABLE customer_transactions	0 row(s) affected
11	15:31:36	DESCRIBE customer_transactions	7 row(s) returned

6.DROP Table

The screenshot shows the MySQL Workbench interface. The SQL editor contains the following commands:

```
22 • SHOW TABLES;
23
24 • TRUNCATE TABLE customer_transactions;
25 • DESCRIBE customer_transactions;
26
27 • DROP TABLE customer_transactions;
28 • SHOW TABLES;
```

The **Result Grid** shows the tables in the `bookflow_db` database:

Tables_in_bookflow_db
books
donation_history
loans
members

The **Action Output** shows the execution results:

#	Time	Action	Message
1	12:12:20	USE bookflow_db	0 row(s) affected
2	12:12:30	DROP TABLE customer_transactions	0 row(s) affected
3	12:13:24	SHOW TABLES	4 row(s) returned