Panel A — primary mean, grouped by verdict. Every value is feed-forward / recurrent.

Against a SuperSpike BPTT reference at 1.0000 every PASS reduces to “the arm scored above 0.75”, so this figure does not rank them: rows are in the order of Table A. Accuracy is printed, never encoded as a length or a position.

Does not clear the gate — the lead negative, and the only one

FAIL	broadcast ±1 three-factor	0.5000 ff / 0.5100 rec
	MatchedLocal — ±1 reward × surrogate eligibility. At chance on both graphs.	

Clears the gate — unordered, and not orderable against a saturated reference

PASS	graded DFA	0.9925 ff / 0.9875 rec
	MatchedDfaGradedError — graded error through fixed random feedback	
PASS	REINFORCE × frozen B_i	0.9950 ff / 0.9812 rec
	MatchedRlReinforceFb — the same ±1 reward, addressed	
PASS	discrete EventProp-style spike-adjoint	0.9450 ff / 0.8900 rec
	MatchedEventProp — the archived FAIL is WITHDRAWN; it had no spikes to differentiate through	

Measured and NOT gated — neither passes to be counted nor failures to be explained away

contrast (not gated)	broadcast graded error	0.9975 ff / 0.9975 rec
	MatchedBroadcastGradedError — why the lead negative says “±1 three-factor” and not “any broadcast”	
contrast (not gated)	RL graded-reward broadcast	0.8787 ff / 0.9100 rec
	MatchedRlGraded — richness without addressing	
contrast (not gated)	RL ±1 broadcast	0.7775 ff / 0.7962 rec
	MatchedRlFlat — same reward and topology as the lead FAIL, 0.28 above it	

The ceiling every arm above is measured against

reference	SuperSpike BPTT	1.0000 ff / 1.0000 rec
	saturates in every suite, on both forward graphs	

Panel B — gap LCB against the > 0.5 gate: the second half of the gate, same row order.



Broadcast ±1 is BELOW ZERO on the recurrent graph (-0.0192), not merely short of the gate.

● feed-forward ○ recurrent