

[illegible]

The screenshot displays the Eclipse IDE interface. The Package Explorer on the left shows a project named 'MyPackage1' with a folder 'module-info.java' and several Java files. The main editor window shows the code for 'Q2secondLargest.java'. The code is as follows:


```

1 package assignment2;
2
3 public class Q2secondLargest {
4
5     public static void main(String[] args) {
6
7         int a=50;
8         int b=33;
9         int c=30;
10
11         if ((a>b && a<c) || (a>c && a<b))
12         {
13             System.out.println(a);
14         }
15
16         else if((b>a && b<c) || (b>c && b<a))
17         {
18             System.out.println(b);
19         }
20
21         else
22         {
23             System.out.println(c);
24         }
25     }
26 }

```

The bottom status bar indicates the file is 'Writable' and the cursor is at 'Smart Insert' position, line 1, column 0. The system tray at the bottom shows the date and time as '11:03 AM 2/8/2026'.

Q3.




```
1 package assignment2;
2
3 public class Q3leapYear {
4
5     public static void main(String[] args) {
6
7         int year = 2005;
8
9         if ( (year%4==0 && year%100 !=0) || (year%400 ==0) )
10        {
11            System.out.println(year+ " is a leap year");
12        }
13
14        else
15        {
16            System.out.println(year+" is not a leap year");
17        }
18    }
19 }
20
21
22
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release

<terminated> Q3leapYear [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:03:33)

2005 is not a leap year

Q4.



```
1 package assignment2;
2
3 public class Q4posNeg {
4
5     public static void main(String[] args) {
6
7         int num = -15;
8
9         if (num > 0) {
10            if (num % 4 == 0) {
11                System.out.println("It is a positive number and divisible by 4");
12            } else {
13                System.out.println("It is a positive number but not divisible by 4");
14            }
15        } else if (num < 0) {
16            if (num % 6 == 0) {
17                System.out.println("It is a negative number and divisible by 6");
18            } else {
19                System.out.println("It is a negative number but not divisible by 6");
20            }
21        } else { // num == 0
22            System.out.println("The number is zero");
23        }
24    }
25 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release

<terminated> Q4posNeg [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:04:12)

It is a negative number but not divisible by 6

Q5.

```
package assignment2;

public class Q5div {

    public static void main(String[] args) {

        int num =10;

        if (num % 2==0)
        {
            if (num % 3==0)
            {
                System.out.println("A");
            }

            else
            {
                System.out.println("C");
            }
        }

        else
        {
            if(num % 3==0)
            {
                System.out.println("B");
            }

            else
            {
                System.out.println("D");
            }
        }
    }
}
```

Q6.

```
package assignment2;

public class Q6eligibility {

    public static void main(String[] args) {

        int Math = 69;
        int Physics = 50;
        int Chemistry = 67;


        if ((Math+Physics+Chemistry>=180) || (Math+Physics >= 120))
        {
            System.out.println("You are eligible");
        }

        else
        {
            System.out.println("You are not eligible");
        }
    }
}
```

Console Output:

```
<terminated> Q6eligibility [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:05:26 AM)
You are eligible
```


Q7.



```
1 package assignment2;
2
3 public class Q7largest {
4
5     public static void main(String[] args) {
6
7         int a = 25;
8         int b = 42;
9         int c = 18;
10        int d = 39;
11
12
13        if (a >= b) {
14
15            if (a >= c) {
16
17                if (a >= d) {
18                    System.out.println("Largest number is: " + a);
19                } else {
20                    System.out.println("Largest number is: " + d);
21                }
22            } else {
23
24                if (c >= d) {
25                    System.out.println("Largest number is: " + c);
26                } else {
27                    System.out.println("Largest number is: " + d);
28                }
29            }
30        }
31    }
32 }
```

Console Output: <terminated> Q7largest [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:05:50 AM) Largest number is: 42


Q8.



```
1 package assignment2;
2
3 public class Q8loanEligibility {
4
5     public static void main(String[] args) {
6
7         double salary = 31000;
8         int age = 25;
9
10        if (age < 25)
11        {
12            System.out.println("You are not eligible");
13        }
14
15        else
16        {
17            if (salary < 30000)
18            {
19                System.out.println("Eligible for loan A");
20            }
21
22            else
23            {
24
25                if (age >= 30)
26                {
27                    if (salary >= 50000)
28                    {
29
30                    }
31                }
32            }
33        }
34    }
35 }
```

Console Output: <terminated> Q8loanEligibility [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:06 AM) You are not eligible


Q9.



```
1 package assignment2;
2
3 public class Q9classifiesVC {
4
5     public static void main(String[] args) {
6
7         char ch = 'v';
8
9         if(ch>='A' && ch<='Z')
10        {
11            if (ch=='A' || ch=='E' || ch=='I' || ch=='O' || ch=='U')
12            {
13                System.out.println("Given alphabet is a Uppercase vowel");
14            }
15            else
16            {
17                System.out.println("Given alphabet is a Uppercase consonant");
18            }
19        }
20        else
21        {
22            if(ch>='a' && ch<='z')
23            {
24                if (ch=='a' || ch=='e' || ch=='i' || ch=='o' || ch=='u')
25                {
26                    System.out.println("Given alphabet is a Lowercase vowel");
27                }
28                else
29                {
30                    System.out.println("Given alphabet is a Lowercase consonant");
31                }
32            }
33        }
34    }
35 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release
<terminated> Q9classifiesVC [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:06:16)
Given alphabet is a Lowercase consonant


Q10.



```
1 package assignment2;
2
3 public class Q10sumOfThreeDigits {
4
5     public static void main(String[] args) {
6
7         int num = 934;
8         int sum;
9
10        if(num>99 && num<1000)
11        {
12            sum = (num/100) + (num/10%10) + (num%10);
13
14            if (sum % 2==0)
15            {
16                System.out.println("It is a 3-digit number and the sum of digits is Even");
17            }
18            else
19            {
20                System.out.println("It is a 3-digit number and the sum of digits is odd");
21            }
22            System.out.println(sum);
23        }
24        else
25        {
26            System.out.println("It is not a 3-digit number");
27        }
28    }
29 }
```


Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release
<terminated> Q10sumOfThreeDigits [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:07:16)
It is a 3-digit number and the sum of digits is Even
16

Q11.




```
1 package assignment2;
2
3 public class Q11numbersWithWhileLoop {
4
5     public static void main(String[] args) {
6
7         int num=1;
8
9         while(num<=100)
10        {
11            if(num==77)
12            {
13                return;
14            }
15
16            if(num%3==0 && num%5==0)
17            {
18                num++;
19                continue;
20            }
21
22            System.out.print(num+" ");
23            num++;
24        }
25    }
26
27 }
```

Q12.



```
1 package assignment2;
2
3 public class Q12reverseNumber {
4
5     public static void main(String[] args) {
6
7         int num = 1233;
8
9         int reversed = 0;
10
11        while (num > 0) {
12            int digit = num % 10;
13
14            if (digit == 0) {
15                break;
16            }
17
18            reversed = reversed * 10 + digit;
19            num = num / 10;
20        }
21
22        System.out.println("Reversed number: " + reversed);
23    }
24
25 }
26 }
```


Q13.



```
1 package assignment2;
2
3 public class Q13checkPrimeDigit {
4
5     public static void main(String[] args) {
6
7         int num = 12343;
8
9         int count = 0;
10
11         while (num > 0) {
12             int digit = num % 10;
13
14             if (digit == 2 || digit == 3 || digit == 5 || digit == 7) {
15                 count++;
16             }
17
18             num = num / 10;
19         }
20
21         System.out.println("Count of prime digits: " + count);
22     }
23 }
24
25
26
27
```

Count of prime digits: 3


Q14.



```
1 package assignment2;
2
3 public class Q14Fibo {
4
5     public static void main(String[] args) {
6
7         int n = 4;
8
9         int a = 0, b = 1;
10        int count = 1;
11
12        while (count <= n) {
13
14            if (a > 500) {
15                break;
16            }
17
18            System.out.print(a + " ");
19
20            int c = a + b;
21            a = b;
22            b = c;
23
24            count++;
25        }
26    }
27 }
28
```

0 1 1 2


Q15.



```
1 package assignment2;
2
3 public class Q15sequence {
4
5     public static void main(String[] args) {
6
7         int n = 6;
8         int seq = 1;
9         int i = 0;
10
11         while(i <= n)
12         {
13             seq = seq + i;
14             i++;
15             System.out.print(seq + " ");
16         }
17
18     }
19
20 }
21 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release
<terminated> Q15sequence [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:09:11 AM)
1 2 4 7 11 16 22


Q16.



```
1 package assignment2;
2
3 import java.util.Scanner;
4
5 public class Q16printSumOfEvenNum {
6
7     public static void main(String[] args) {
8
9         Scanner sc = new Scanner(System.in);
10        int num;
11        int sum = 0;
12
13        System.out.println("Enter the number (stop at negative number)");
14
15        do
16        {
17            num = sc.nextInt();
18
19            if (num >= 0 && num % 2 == 0)
20            {
21                sum += num;
22            }
23        }
24        while(num >= 0);
25    }
26 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release
<terminated> Q16printSumOfEvenNum [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:12:24 AM)
Enter the number (stop at negative number)
20
4
-2
Sum of even numbers 24

Q17.




```
1 package assignment2;
2
3 public class Q17DigitsFromLeftToRight {
4
5     public static void main(String[] args) {
6
7         int num = 54321;
8         int temp= num;
9         int divisor=1;
10
11         do {
12             divisor*=10;
13             temp/=10;
14         }
15         while(temp!=0);
16         divisor/=10;
17
18         do{
19             int digit = num/divisor;
20             System.out.print(digit+" ");
21             num = num%divisor;
22             divisor/=10;
23         }
24         while(num!=0);
25     }
26 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release

<terminated> Q17DigitsFromLeftToRight [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026) 5 4 3 2 1

Q18.



```
1 package assignment2;
2
3 public class Q18AtleastOnce {
4
5     public static void main(String[] args) {
6         int i =1;
7
8         do
9         {
10             System.out.println("Loop Executed");
11         }
12         while(i<0);
13     }
14 }
15
16
17 }
```

Problems Javadoc Declaration Console Progress Eclipse IDE for Java Developers 2025-12 Release

<terminated> Q18AtleastOnce [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:11 AM) Loop Executed

Q19.

The screenshot shows the Eclipse IDE with the file `Q19MenuDriven.java` open. The code is as follows:

```
public class Q19MenuDriven {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        int choice;  
        int a,b;  
  
        do  
        {  
            System.out.println("--- MENU ---");  
            System.out.println("1. Add");  
            System.out.println("2. Subtract");  
            System.out.println("3. Multiply");  
            System.out.println("4. Exit");  
            System.out.print("Enter your choice: ");  
  
            choice = sc.nextInt();  
  
            switch (choice)  
            {  
                case 1:  
                    // Add logic  
                case 2:  
                    // Subtract logic  
                case 3:  
                    // Multiply logic  
                case 4:  
                    // Exit logic  
            }  
        }  
    }  
}
```

The console output shows the program's execution:

```
--- MENU ---  
1. Add  
2. Subtract  
3. Multiply  
4. Exit  
Enter your choice: 1  
Enter two numbers: 23  
32  
Result = 55  
--- MENU ---  
1. Add
```

Q20.


The screenshot shows the Eclipse IDE with the file `Q20PalindromeDoWhile.java` open. The code is as follows:

```
package assignment2;  
  
import java.util.Scanner;  
  
public class Q20PalindromeDoWhile {  
    public static void main(String[] args) {  
        Scanner sc = new Scanner(System.in);  
        System.out.print("Enter a number: ");  
        int num = sc.nextInt();  
  
        int temp = num;  
        int divisor = 1;  
  
        do {  
            divisor *= 10;  
            temp /= 10;  
        } while (temp != 0);  
  
        divisor /= 10;  
  
        boolean isPalindrome = true;  
  
        do {  
            int left = num / divisor;  
            int right = num % 10;  
  
            if (left != right) {  
                isPalindrome = false;  
            }  
  
            num = (num % divisor) / 10;  
            divisor /= 10;  
        } while (num > 0);  
  
        if (isPalindrome) {  
            System.out.println("Palindrome");  
        } else {  
            System.out.println("Not a Palindrome");  
        }  
    }  
}
```

The console output shows the program's execution:

```
<terminated> Q20PalindromeDoWhile [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2025, 11:14 AM)  
Enter a number: 121  
Palindrome
```

Q21.




```
1 package assignment2;
2
3 public class Q21ThreeDivisors {
4
5     public static void main(String[] args) {
6
7         for (int i = 2; i * i <= 500; i++) {
8
9             int count = 0;
10
11             for (int j = 1; j <= i; j++) {
12                 if (i % j == 0) {
13                     count++;
14                 }
15             }
16
17             if (count == 2) {
18                 System.out.println(i * i);
19             }
20         }
21     }
22 }
23
24
```

Problems Javadoc Declaration Console Progress

<terminated> Q21ThreeDivisors [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:14 AM)

169
289
361

Q22.




```
1 package assignment2;
2
3 public class Q22LargestPalindrome {
4
5     public static void main(String[] args) {
6
7         int largestPalindrome = 0;
8
9         for (int i = 100; i <= 1000; i++) {
10
11             int num = i;
12             int rev = 0;
13
14             for (; num > 0; num /= 10) {
15                 rev = rev * 10 + (num % 10);
16             }
17
18             if (i == rev && i > largestPalindrome) {
19                 largestPalindrome = i;
20             }
21         }
22
23         System.out.println("Largest Palindrome: " + largestPalindrome);
24     }
25 }
26
```

Problems Javadoc Declaration Console Progress

<terminated> Q22LargestPalindrome [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:14 AM)


Largest Palindrome: 999

Q23.



```
1 package assignment2;
2
3 public class Q23NumberPattern {
4
5     public static void main(String[] args) {
6
7         for (int i = 1; i <= 5; i++) {
8
9             for (int j = 1; j <= i; j++) {
10
11                 if (j == 3) {
12                     continue;
13                 }
14                 System.out.print(j);
15             }
16             System.out.println();
17         }
18     }
19 }
20
21
22
```

Q24.



```
1 package assignment2;
2
3 public class Q24ReversePattern {
4
5     public static void main(String[] args) {
6
7         for (int i = 5; i >= 1; i--) {
8
9             for (int j = i; j >= 1; j--) {
10                 System.out.print(j + " ");
11             }
12             System.out.println();
13         }
14     }
15 }
16
17
```

Q25.

The screenshot shows the Eclipse IDE interface. The Package Explorer on the left lists a project named 'assignment2' containing a package 'assignment2' with various Java files. The main editor displays the code for 'Q25PerfectNumbers.java'. The code defines a public class 'Q25PerfectNumbers' with a static method 'main' that iterates through numbers from 1 to 10000, checking for perfect numbers by summing their divisors. The console at the bottom shows the output of the program, which is terminated, displaying the numbers 6, 28, 496, and 8128.

```
1 package assignment2;
2
3 public class Q25PerfectNumbers {
4
5     public static void main(String[] args) {
6
7         for (int i = 1; i <= 10000; i++) {
8
9             int sum = 0;
10
11             for (int j = 1; j < i; j++) {
12
13                 if (i % j == 0) {
14                     sum = sum + j;
15                 }
16             }
17
18             if (sum == i) {
19                 System.out.println(i);
20             }
21         }
22     }
23 }
```

Problems Javadoc Declaration Console Progress
<terminated> Q25PerfectNumbers [Java Application] C:\Users\admin\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_21.0.9.v20251105-0741\jre\bin\javaw.exe (Feb 8, 2026, 11:16 AM 2/8/2026)
6
28
496
8128