
CODERSINPUNE HACKATHON · ROUND 3 — FINAL · UPDATED PROJECT DOCUMENT

Baton

Evidence-checked, permission-safe project handovers — the three promised improvements, delivered

TEAM	ATHRAV
LIVE PRODUCT	https://baton-henna.vercel.app
SOURCE CODE	https://github.com/bharatsaini06/BATON
TRY IT	Try the sample project (no sign-in) · Sign in for workspaces



Everything described here is built and tested. Screenshots are from the Round 3 build with synthetic demo data.

ROUND 3 AT A GLANCE

Each improvement named in Round 2 is implemented, tested and running on the live site

Promised in Round 2	Delivered in Round 3	Where to see it
1 · Live connectors with continuous capture	/baton decision · risk · task · owner · note from Discord (Slack uses the same command). GitHub webhook logs issue assignments, merged pull requests and "Decision:" / "Risk:" lines. Signature-verified, redacted on arrival, access-tagged. Items flow through a Capture inbox into the project's work log.	Workspace → Live connectors, Capture inbox · Sources → Live capture
2 · Ask Baton — grounded successor Q&A	Plain-language questions answered only from approved claims in the role-filtered handover. Every sentence has citations that open the evidence. Unsupported model sentences are removed by code. "Not in the handover" when nothing approved covers it; the reviewer sees the question.	Successor view → Ask Baton
3 · Real accounts and organisation access control	Sign-in, workspaces, invitation links, roles per person (Member / Lead / Owner). Postgres Row-Level Security. Signed share links with expiry, revocation and open counts. Approvals, acknowledgements, flags and questions carry the account's name.	Sign in → Workspace · Handover → Signed share links

ROUND 2 LIMITATIONS REMOVED

Projects opened in one browser only → workspace projects open on any device · identity typed per step → identity from the account · open share links → signed, expiring, revocable links · knowledge captured only by manual log or export → captured from Discord and GitHub as it happens.

Who may see what is decided by the database, not by the page

Roles per person
Member opens Member handovers and Member-tagged captured items. Lead also works on projects, publishes, manages links and connectors. Owner also changes roles.


Row-Level Security
Each request reaches Postgres with the signed-in person's own token; policies in supabase/schema.sql decide the rows. The server cannot widen access by mistake.


Invitations
A Lead or Owner creates an invitation link for an email and a role; it is accepted after sign-in with that email.

Signed share links
HMAC-signed token with link id, handover id and expiry. Checked on every open: signature, expiry, not revoked. Opens are counted.

Real identities
Publishing records the signed-in account as approver; acknowledgements, flags and questions carry the account's name.

Private stays private
Private sources are removed in the browser before a project is saved to a workspace, and again on the server.





IMPROVEMENT 1 · LIVE CONNECTORS

Knowledge is captured while the work happens, so the handover is nearly ready before anyone leaves

1. **A teammate types in Discord**

   /baton decision text: Keep the leaderboard read-only during judging why: scores were edited by mistake last year

2. **GitHub reports work as it changes**

   Issue assigned, pull request merged, or a line starting with Decision: / Risk: in an issue, comment or commit

3. **Baton verifies and cleans**


   Ed25519 (Discord) or HMAC-SHA256 (GitHub, Slack) signature · secrets redacted · access tag applied · duplicates ignored


4. **Capture inbox**

   Items appear in the workspace within seconds; a Lead-only item never reaches a Member's inbox

5. **Into the project**

   Added to the work log → permission gate → extraction → quote verification → review, like every other source






IMPROVEMENT 2 · ASK BATON

Answers only from the approved handover — cited, role-filtered, and honest when the answer is not there

Step	Done by	Guardrail
Open the handover	Code	Same check as the successor view: signed link, workspace member, or demo. Only the role-filtered package is used.
Find related approved facts	Code	Keyword retrieval with stemming over approved claims. Nothing strongly related → "Not in the handover".
Word the answer	AI model (optional)	Receives only numbered approved facts; must return sentences with fact numbers.
Check every sentence	Code	A sentence is kept only if its cited facts contain its content words and names; others are removed.
Fallback	Code	If nothing survives, or no AI key: the approved facts are shown as written.
Unresolved items	Code	Conflicting and missing items are reported as unresolved, never as settled.
Tell the reviewer	Code	Each question is recorded; unanswered ones show where the handover has gaps.




Why it cannot leak

Withheld sources were never extracted, and the published package contains only approved claims and the chunks they cite. Ask Baton reads nothing else, so Lead-only and Private material is not available to answer from.

ARCHITECTURE AFTER ROUND 3

The Round 2 pipeline is unchanged; accounts, connectors and Ask Baton are added around it



TECHNOLOGY ADDED IN ROUND 3

Added	Used for	Why this choice
Supabase (Postgres + Auth)	Accounts, workspaces, roles, packages, links, captured items	Row-Level Security enforces access in the database; free tier; plain REST, no extra library
Discord Interactions API	/baton slash command over HTTPS	Works on serverless hosting; the bot receives only its own commands, not channel history
GitHub Webhooks	Issues, pull requests, comments, pushes	Real-time, repository-scoped, signed with a per-connector secret
Node crypto (Ed25519, HMAC-SHA256, scrypt)	Request signatures, share-link tokens, built-in accounts	Standard library only; no new dependency to audit

SECURITY OF THE NEW PARTS

Every new entry point is verified before anything is stored or shown


Entry point	Check	If it fails
Discord command	Ed25519 signature over timestamp + exact body, with the app's public key; server linked to one workspace by a one-time code	401; an unlinked server cannot write
GitHub webhook	HMAC-SHA256 of the exact body with that connector's secret; duplicate deliveries ignored	401; unknown connector 404
Slack command	Slack signing secret, five-minute window	401
Share link	HMAC signature, link belongs to this handover, not expired, not revoked	403 altered · 410 expired or revoked
Signed-in request	Token checked with the auth provider; role checked; database policies applied with the person's token	401 / 403
Workspace handover without link or account	Not served	401 with a sign-in prompt
Captured text	Same redaction as uploads: keys, passwords, tokens, cards, emails, phones	Stored only in redacted form

Roles

Member opens Member handovers, sees Member-tagged captured items, acknowledges, flags, asks

Lead also projects, publishing, share links, connectors, inviting Members, Lead-only material

Owner also role changes, removing members, inviting Leads and Owners



A revoked link stops opening at once, on any device.

TESTING EVIDENCE

150 automated checks pass on the Round 3 build; the live site was then checked by hand

59/59
Round 2 suites, still passing

14/14
Round 3 unit and API tests

48/48
Row-Level Security checks on PostgreSQL 16

29/29
Round 3 browser checks (Playwright)

Case	Expected	Result
Discord body changed after signing	Rejected	✓ Pass
GitHub webhook with wrong secret	Rejected	✓ Pass
Share link altered / expired / revoked / forged	Refused	✓ Pass
Member lists or opens raw projects	Nothing returned / refused	✓ Pass
Member adds a connector or creates a link	Refused	✓ Pass
Outsider or removed member reads workspace rows	No rows (database policy)	✓ Pass
Model writes a sentence its facts do not support	Sentence removed	✓ Pass
Question not covered by the handover	"Not in the handover"	✓ Pass
Question about withheld material	No withheld text in the answer	✓ Pass
Secret typed into a /baton command	Redacted before storage	✓ Pass

Live check on the deployed site · 12 Nov 2026
The team ran the full journey on baton-henna.vercel.app with Supabase, Discord, GitHub and Gemini connected: account and workspace, invitation, /baton command to inbox, GitHub webhook to inbox, publish, share link, Ask Baton, revoke.

Structured feedback
[Add 3–5 real notes from people who tried the live link, and what you changed. Remove this box if you have none.]

Automated tests use local stand-ins for Supabase, Discord, GitHub and the AI provider (correctly signed requests; SQL policies on a real PostgreSQL). Slack was not run against a live Slack workspace.

WHAT DIFFERS FROM THE PROMISE, AND KNOWN LIMITATIONS

Stated plainly so the judges do not have to find them

Round 2 wording	What we built	Why
"Scoped read-only OAuth instead of manual exports"	Signed slash commands and signed webhooks. No OAuth token is requested or stored.	Narrower access than OAuth: the bot receives only /baton commands and never channel history. Past history still needs an export or the GitHub import.
"Slack/Discord bot"	Discord run live; Slack shares the code path and passes signed-request tests	Not run against a live Slack workspace in the 72 hours
"Server-side workspaces"	Projects, packages, links, captured items in Postgres; Private sources stay in the author's browser	Private material should not leave the device at all

KNOWN LIMITATIONS

- No password-reset email and no single sign-on
- Without Supabase variables the app falls back to built-in accounts; Row-Level Security applies only in Supabase mode
- Rules engine is English-only and pattern-based; conflict detection covers owners and dates
- Files up to 4 MB each; scanned PDFs without a text layer are rejected (no OCR)
- Ask Baton answers only from the published handover, by design

TEAM ATHRAV

Who did what in Round 3

Name	Role	Contribution in Round 3
Bharat Saini (team lead)	Backend	**[what Bharat did]**
Chitransh Nagar	AI / ML	**[what Chitransh did]**
Bhavishay Jhalani	Frontend	**[what Bhavishay did]**
Dhaksh Sharma	Research	**[what Dhaksh did]**

Disclosures Datasets: synthetic sample data written by the team. AI assistance: Claude (Anthropic) was used as a coding and writing assistant; the team reviewed the decisions and ran the live checks. Services: Supabase, Discord, GitHub, Google Gemini, Upstash, Vercel (free tiers).

Links Live: https://baton-henna.vercel.app Repository: https://github.com/bharatsaini06/BATON
Docs in the repository: README · docs/ARCHITECTURE.md · docs/TESTING.md · docs/CONNECTORS.md · docs/DEPLOY.md · supabase/schema.sql