

cp_2b

1.

Greater than - 2 🟡 15/15

Easy

Write a program that reads two numbers `A` and `B` and checks if the `A` is greater than `B`. Print the result as shown in the sample output.

Input

The first line of input contains an integer.
The second line of input contains an integer.

Output

The output should be a single line containing a string as shown in the sample output.

Explanation

For example, if the given numbers are `A = 8` and `B = 5`,

- `A` is greater than `B` : **True**. (8 is greater than 5)
- Add the string "`A > B is` " before **True**.

The output should be `A > B is True`.

Sample Input 1

```
8
5
```

Sample Output 1

```
A > B is True
```

Sample Input 2

```
12
32
```

Sample Output 2

```
A > B is False
```

code:

```
A=int(input())
B=int(input())
c=A>B
print("A > B is "+str(c))
```

2.

Check One Greater | 🟡 20/20

Easy

Write a program that reads two numbers `A` and `B`, and checks if `B` is greater than `A` by one.

Input

The first line of input contains an integer representing `A`.
The second line of input contains an integer representing `B`.

Output

The output should be a single line containing a boolean. **True** should be printed if `B` is greater than `A` by one, otherwise **False** should be printed.

Explanation

For example, if the given numbers are `A = 2` and `B = 3`,
The `B` is greater than `A` by only **one**.
The output should be **True** as `B` is greater than `A` by one.

Sample Input 1

```
2
3
```

Sample Output 1

```
True
```

Sample Input 2

```
2
5
```

Sample Output 2

```
False
```

Sample Input 3

```
7
6
```

Sample Output 3

```
False
```

code:

```
A=int(input())
B=int(input())
C=(B-A)==1
print(C)
```

3.

Compare First & Last Letters | 🟡 20/20

● Solved

Easy

Write a program that reads a word and checks if the first letter and last letter of the word are not the same.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a boolean. **True** should be printed if the first letter and last letter of the word are not the same, otherwise **False** should be printed.

Explanation

For example, if the given word is **Python**,

P	y	t	h	o	n
0	1	2	3	4	5

The output should be **True** as the first letter **P** and the last letter **n** of the word are not the same.

Sample Input 1

Python

Sample Output 1

True

Sample Input 2

label

Sample Output 2

False

code:

```
w=input()  
c=w[0]!=w[-1]  
print(c)
```

4.

Compare Sum of the Digits | 🏆 25/25

● Solved

Easy

Write a program that reads a two digit number `N`. The `N` consists of only two digits. Check if the sum of the digits of `N` is greater than 7.

Input

The input will be a single line containing a two digit integer.

Output

The output should be a single line containing a boolean. **True** should be printed if the sum of the digits of the two digit number `N` is greater than 7, otherwise **False** should be printed.

Explanation

For example, if the given two digit number `N` is 45

- The digits in `N` (45) are 4 and 5.
- Sum of digits of 45 is 9. (4 + 5 = 9)

The output should be **True** as the sum of digits 9 is greater than 7.

Sample Input 1

45

Sample Output 1

True

Sample Input 2

12

Sample Output 2

False

code:

```
s=input()  
s1=int(s[0])  
s2=int(s[-1])  
c=(s1+s2)>7  
print(c)
```

5.

Validate Password 🟡 25/25

Write a program to check if the given string is a valid password or not. A string is considered as a valid password if the number of characters present is greater than 7.

Input

The input will be a single line containing a word.

Output

The output should be True or False.

Explanation

For example, if the given input is "passwd", it has only 6 characters (less than 7). So the output should be False.

Sample Input 1

```
passwd
```

Sample Output 1

```
False
```

Sample Input 2

```
1q2w3e4r
```

Sample Output 2

```
True
```

code:

```
password=input()  
pass_len=len(password)  
c=pass_len>7  
print(c)
```

6.

Check Last Part of a String | 25/25

● Solved

Easy

Write a program that reads two words `A` and `B` and checks if the second word `B` is the last part of the first word `A`.

Input

The first line of input contains a string representing `A`.

The second line of input contains a string representing `B`.

Output

The output should be a single line containing a boolean. **True** should be printed if the second word `B` is the last part of the first word `A`, otherwise **False** should be printed.

Explanation

For example, if the given words are `A = Blackhole` and `B = hole`,

The output should be **True** as `hole` is the last part of the word `Blackhole`.

Sample Input 1

```
Blackhole
hole
```

Sample Output 1

```
True
```

Sample Input 2

```
boomerang
boom
```

Sample Output 2

```
False
```

code:

```
A=input()
B=input()
c=len(B)
d=len(A)
start_index=d-c
COMPARE=A[start_index:]==B
print(COMPARE)
```

7.

Check Part of a String | 🟡 25/25

Easy

Write a program that reads two words `A` , `B` , and an index `I` .
Check if `B` starts at index `I` in `A` .

Input

The first line of input contains a string representing `A` .
The second line of input contains a string representing `B` .
The third line of input contains an integer representing `I` .

Output

The output should be a single line containing a boolean. **True** should be printed if the word `B` starts at index `I` of the word `A` , otherwise **False** should be

Constraints

Length of `B` is less than or equal to the length of `A` .

Explanation

For example, if the given words are `A = Repeat` , `B = pea` , and the index is `I = 2` ,

R	e	p	e	a	t
0	1	2	3	4	5

- The word **Pea** is a part of the word **Repeat**.
- The word **Pea** starts at the 2nd index of the word **Repeat**.

The output should be **True** as the string **pea** starts from the index **2** of the string **Repeat**.

Sample Input 1

```
Repeat
pea
2
```

Sample Output 1

```
True
```

Sample Input 2

```
Banana
Ball
0
```

Sample Output 2

```
False
```

code:

```
A=input()
B=input()
g=int(input())
part=A[g:g+len(B)]
result=part==B
print(result)
```

8.

Compare First Three Characters 🟡 20/20

Write a program to check if the first three characters in the two given strings are the same.

Input

The first line of input will be a string.
The second line of input will be a string.

Output

Print "True" if the the first three characters in the two given strings are the same.
In all other cases print "False".

Explanation

When the given words are "Apple" and "Application", first three characters in both the strings are the same ("App")

When the given words are "Android" and "Application", the first three characters in both the strings are different ("And" != "App")

Sample Input 1

```
Apple
Application
```

Sample Output 1

```
True
```

Sample Input 2

```
Android
Application
```

Sample Output 2

```
False
```

code:

```
s1=input()
s2=input()
s=s1[:3]==s2[:3]
print(s)
```