cp_11a

1

Print Word | 25/25

Easy

Given a string, write a program to print only the alphabets in the given string.

Note

In the given string there are two special characters before and two special characters after each letter.

Ex: ##P##Y##T##H##O##N##.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a string that contains only alphabets.

Explanation

For example, if the given string is "--c--a--r--",

- The alphabets in the string with index values are,

-	-	c	-	-	a	-	-	r	-	-
0	1	2	3	4	5	6	7	8	9	10

- The alphabets in the given string in order are **c**, **a**, **r**.

The output should be **car**.

code:

```
string=input()
new_str=string[2::3]
print(new_str)
```

2

Pin Number | 25/25

Solved

Easy

Given a string, write a program that checks if all the characters in the string are digits.

Print **True** if all the characters in the string are digits. Otherwise, print **False**.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a boolean. **True** should be printed if all the characters in the string are digits. Otherwise, **False** should be printed.

Explanation

For example, if the given string is **5GNetwork**,

- The characters in the string **5GNetwork** are **5, G, N, e, t, w, o, r** and **k**.
- The digits in **5GNetwork** are **5**.
- The alphabets in **5GNetwork** are **G, N, e, t, w, o, r** and **k**.

The output should be **False**, as all the characters in string **5GNetwork** are not digits.

Sample Input 1

```
5GNetwork
```

Sample Output 1

```
False
```

code:

```
string=input()

print(string.isdigit())
```

3

Strip Spaces | 20/20

Solved

Easy

Given a string `S` , write a program that prints the modified string by removing the leading and trailing spaces from the string `S` .

Note

- Leading spaces are any whitespace characters that appear before the first non-whitespace character in a string.
- Trailing spaces are any whitespace characters that appear after the last non-whitespace character in a string.

For example, in the string " **hello world** ", there are two leading spaces before the **h** and two trailing spaces after the **d**.

Input

The input will be a single line containing a string representing `S` .

Output

The output should be a single line containing a string obtained by removing the leading and trailing spaces from the given string.

Explanation

For example, if the given string is `S = "  practice  "` .

- `S` has trailing and leading spaces.
- `S` after removing trailing and leading spaces is **practice**.

The output should be **practice**.

Sample Input 1

```
  practice
```

Sample Output 1

```
practice
```

code:

```
s=input()
new_str=s.strip()
print(new_str)
```

4

Strip Stars | 25/25

Solved

Easy

Given a string `S` , write a program that prints the modified string by removing the leading and trailing stars (`*`) from the string `S` .

Note

- Leading stars that appear before the first non-whitespace character in a string.
- Trailing stars that appear after the last non-whitespace character in a string.

For example, in the string `"****Hello, world****"` , there are four leading stars before the **H** and four trailing stars after the **d**.

Input

The input will be a single line containing a string representing `S` .

Output

The output should be a single line containing a string obtained by removing the leading and trailing stars from the given string.

Explanation

For example, if the given string is `S = "****python****"` .

- `S` has trailing and leading stars.
- `S` after removing trailing and leading stars is **python**.

The output should be **python**.

Sample Input 1

```
****python****
```

Sample Output 1

```
python
```

code:

```
s=input()
new_str=s.strip("*")
print(new_str)
```

5

Lower Case | 20/20

Solved

Easy

Given a string, write a program to print the string by converting all the characters in the string to **lowercase**.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a string obtained by converting all the characters in the given string to **lowercase**.

Explanation

For example, if the given string is **NOVEMBER**,

- The characters in the string **NOVEMBER** are **N**, **O**, **V**, **E**, **M**, **B**, **E**, **R**.
- After converting characters into lowercase.

The output should be **november**.

Sample Input 1

```
NOVEMBER
```

Sample Output 1

```
november
```

code:

```
string=input()
str_lower=string.lower()
print(str_lower)
```

6

Upper Case | 25/25

Solved

Easy

Given a string, write a program to check if all the characters in the string are in **uppercase**.

Print **True** if the string contains all **uppercase** characters, otherwise print **False**.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a boolean. **True** should be printed if all the characters in the string are in **uppercase**. Otherwise, **False** should be printed.

Explanation

For example, if the given string is **IEEE**, the output should be **True** as all the characters in the given string are in **uppercase**.

Sample Input 1

```
IEEE
```

Sample Output 1

```
True
```

Sample Input 2

```
CommuNitY
```

code:

```
string=input()

if string.isupper():
    print("True")
else:
    print("False")
```

7

Date Format | 20/20

Solved

Given a string in the format **dd-mm-yy** `S` , write a program to convert the string from **dd-mm-yy** format to **dd/mm/yy** format.

Input

The input will be a single line containing a string representing `S` .

Output

The output should be a single line containing a string after converting from **dd-mm-yy** format to **dd/mm/yy**.

Explanation

For example, if the given string is `S = 07-11-2020` ,

- After replacing **" - "** with **" / "** in the date **07/11/2020**.

The output should be **07/11/2020**

Sample Input 1

```
07-11-2020
```

Sample Output 1

```
07/11/2020
```

Sample Input 2

```
12-10-2222
```

Sample Output 2

```
12/10/2222
```

code

```
dob=input()
dob_re=dob.replace("-","/")
print(dob_re)
```

8

Lowercase & Uppercase | 20/20

Solved

Given a string `S` , write a program that prints the given string after converting all the characters to lowercase and uppercase.

Input

The input will be a single line containing a string representing `S` .

Output

The first line of output should be a string containing lowercase characters.
The second line of output should be a string containing uppercase characters.

Explanation

For example, if the given string is `S = "Learning"` ,

- The characters in the string `S` are **L**, **e**, **a**, **r**, **n**, **i**, **n** and **g**.
- After converting string `S` to lowercase, the string is **learning**.
- After converting string `S` to uppercase, the string is **LEARNING**.

The output should be,

```
learning
LEARNING
```

Sample Input 1

```
Learning
```

Sample Output 1

```
learning
LEARNING
```

Sample Input 2

```
Transportation
```

Sample Output 2

```
transportation
TRANSPORTATION
```

code:

```
s=input()
s_con=s.upper()
s_low=s.lower()
print(s_low)
print(s_con)
```

9

Upper Case Letters | 25/25

Easy

Given a string, write a program that prints all the uppercase letters of the given string.

Input

The input will be a single line containing a string.

Output

The output should be a single line containing a string obtained by joining the uppercase letters of the given string.

Explanation

For example, if the given string is **SofTwArE**.

- The characters of the given string are **S**, **o**, **f**, **T**, **w**, **A**, **r** and **E**.
- The uppercase letters in the given string are **S**, **T**, **A** and **E**.

The output should be **STAE**.

Sample Input 1

```
SofTwArE
```

Sample Output 1

```
STAE
```

Sample Input 2

```
HACKathons
```

Sample Output 2

```
HACK
```

code

```
string=input()
new_str=""
for i in string:
    is_upper=i.isupper()
    if is_upper:
        new_str=new_str+i
print(new_str)
```