eslint.config.js

```
import js from '@eslint/js'
import globals from 'globals'
import reactHooks from 'eslint-plugin-react-hooks'
import reactRefresh from 'eslint-plugin-react-refresh'
import { defineConfig, globalIgnores } from 'eslint/config'

export default defineConfig([
  globalIgnores(['dist']),
  {
    files: ['**/*.{js,jsx}'],
    extends: [
      js.configs.recommended,
      reactHooks.configs.flat.recommended,
      reactRefresh.configs.vite,
    ],
    languageOptions: {
      ecmaVersion: 2020,
      globals: globals.browser,
      parserOptions: {
        ecmaVersion: 'latest',
        ecmaFeatures: { jsx: true },
        sourceType: 'module',
      },
    },
    rules: {
      'no-unused-vars': ['error', { varsIgnorePattern: '^[A-Z_]' }],
    },
  },
])
```

index.html

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>EyeGuardian - AI Powered Tele-Ophthalmology</title>
</head>

<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>

</html>
```

package-lock.json


```
{
  "name": "frontend",
  "version": "0.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "frontend",
      "version": "0.0.0",
      "dependencies": {
        "@react-three/drei": "^9.122.0",
        "@react-three/fiber": "^8.18.0",
        "axios": "^1.13.6",
        "framer-motion": "^10.18.0",
        "react": "^18.3.1",
        "react-dom": "^18.3.1",
        "react-dropzone": "^14.4.1",
        "react-router-dom": "^7.13.2",
        "three": "^0.160.1"
      },
      "devDependencies": {
        "@types/react": "^18.2.37",
        "@types/react-dom": "^18.2.15",
        "@vitejs/plugin-react": "^4.7.0",
        "autoprefixer": "^10.4.27",
        "postcss": "^8.5.8",
        "tailwindcss": "^3.4.19",
        "vite": "^4.5.14"
      }
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfdGQ85jglMW6juS3+z5TsKLw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      },
      "funding": {
        "url": "https://github.com/sponsors/sindresorhus"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.0",
      "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
      "integrity": "sha512-9NhCeYjq9+3uxgdtp20LSiJXJvN0FeCtNGpJxuMFZ1Kv3cWUNb6DOhJwUvcVCzKGR66cw4njwM6hrJLqgOwbcw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-validator-identifier": "^7.28.5",
        "js-tokens": "^4.0.0",
        "picocolors": "^1.1.1"
      },
```

```
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/compat-data": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.0.tgz",
    "integrity": "sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsafi68MRv8yzkYSapBnFA6L3U2VSc02ciDzoAJhJg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/core": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
    "integrity": "sha512-CGOfOJqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1XTYED2Rni5f95npYeuwMDQA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.0",
      "@babel/generator": "^7.29.0",
      "@babel/helper-compilation-targets": "^7.28.6",
      "@babel/helper-module-transforms": "^7.28.6",
      "@babel/helpers": "^7.28.6",
      "@babel/parser": "^7.29.0",
      "@babel/template": "^7.28.6",
      "@babel/traverse": "^7.29.0",
      "@babel/types": "^7.29.0",
      "@jridgewell/remapping": "^2.3.5",
      "convert-source-map": "^2.0.0",
      "debug": "^4.1.0",
      "gensync": "^1.0.0-beta.2",
      "json5": "^2.2.3",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/babel"
    }
  },
  "node_modules/@babel/generator": {
    "version": "7.29.1",
    "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
    "integrity": "sha512-qsaF+9Qcm2Qv8SRIMMscAvG4O3lJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs4ls/oPz9v+Bsmzbkbe+0dUw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.29.0",
      "@babel/types": "^7.29.0",
      "@jridgewell/gen-mapping": "^0.3.12",
      "@jridgewell/trace-mapping": "^0.3.28",
      "jsesc": "^3.0.2"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-compilation-targets": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.28.6.tgz",
    "integrity": "sha512-JYtls3hqi15fcx5GaSNL7SCTJ2MNmjrkHXg4FSpOA/grxK8KwyZ5bubHsCq8FXCkua6xhuaaBit+3b7+VZRfcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/compat-data": "^7.28.6",
      "@babel/helper-validator-option": "^7.27.1",
      "browserslist": "^4.24.0",
      "lru-cache": "^5.1.1",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-globals": {
    "version": "7.28.0",
    "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
    "integrity": "sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuYfSWopkLQ4hw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-imports": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.28.6.tgz",
    "integrity": "sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK25jmvubfpw2dnAMdbw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/traverse": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-transforms": {
    "version": "7.28.6",
```

```
    "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.6.tgz",
    "integrity": "sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/wOzUByWWTJvEDVNIUGcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-module-imports": "^7.28.6",
      "@babel/helper-validator-identifier": "^7.28.5",
      "@babel/traverse": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0"
    }
  },
  "node_modules/@babel/helper-plugin-utils": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.28.6.tgz",
    "integrity": "sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJIz1W8PZkg2cqyt3RNOBM8ejcXhV6y8Og7ly/Dug==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-string-parser": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
    "integrity": "sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-identifier": {
    "version": "7.28.5",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
    "integrity": "sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiItjRZoLHx7nIarVjqKVusUZ1Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-option": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz",
    "integrity": "sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJYbYd9JSg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helpers": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
    "integrity": "sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XUo4NGjNl3VOtSjEKNzqfFgKw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/parser": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.2.tgz",
    "integrity": "sha512-4GgRzy/+fsBa72/RZVJmGKPmZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud6Zwl0RZIcgiLD7Uq7ySFuDLA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.29.0"
    },
    "bin": {
      "parser": "bin/babel-parser.js"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@babel/plugin-transform-react-jsx-self": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-transform-react-jsx-self-7.27.1.tgz",
    "integrity": "sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjAOBKiBK2jXD1O+BPSfX8X2qjJ75fZBMSnQn3Rq2mrBJK2mw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-plugin-utils": "^7.27.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0-0"
    }
  },
  "node_modules/@babel/plugin-transform-react-jsx-source": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/plugin-transform-react-jsx-source-7.27.1.tgz",
```

```
    "integrity": "sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe89OPXc7ldAw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-plugin-utils": "^7.27.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0-0"
    }
  },
  "node_modules/@babel/runtime": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/runtime/-/runtime-7.29.2.tgz",
    "integrity": "sha512-JiDShH45zKHWyGe4ZNVRrCjBz8Nh9TMmZG1kh4QTK8hCBTWBi8Da+i7s1fJw7/lYpM4ccepSNfqzZ/QvABBi5g==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/template": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
    "integrity": "sha512-YA6Ma2KsCdGb+WC6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXXyU84/IhRw/2D1Os1B/giz+BQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.28.6",
      "@babel/parser": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/traverse": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
    "integrity": "sha512-4HPiQr0X7+waHfyXPZpWPfWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHddJE9fhNE7+lxdnlyemKfJRuA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.0",
      "@babel/generator": "^7.29.0",
      "@babel/helper-globals": "^7.28.0",
      "@babel/parser": "^7.29.0",
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0",
      "debug": "^4.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/types": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
    "integrity": "sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUuO6BGrbyQ2mYV11W0U8j5mBhd14dd3B0A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-string-parser": "^7.27.1",
      "@babel/helper-validator-identifier": "^7.28.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@dimforge/rapier3d-compat": {
    "version": "0.12.0",
    "resolved": "https://registry.npmjs.org/@dimforge/rapier3d-compat/-/rapier3d-compat-0.12.0.tgz",
    "integrity": "sha512-uekIGetywIgopfD97oDL5PfeezkFpNhwlzlaEYNOA0N6ghdsOvh/HYjSMek5Q2O1PYvRSDFcqFVJl4r4ZBwOow==",
    "license": "Apache-2.0"
  },
  "node_modules/@emotion/is-prop-valid": {
    "version": "0.8.8",
    "resolved": "https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-0.8.8.tgz",
    "integrity": "sha512-u5WtneEAr5IDG2Wv65yhunPSMLIpuKsbuOktRojfrEiEvRyC85LgPMZI63cr7NUqT8ZIGdSVg8ZKGxIug4lXcA==",
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emotion/memoize": "0.7.4"
    }
  },
  "node_modules/@emotion/memoize": {
    "version": "0.7.4",
    "resolved": "https://registry.npmjs.org/@emotion/memoize/-/memoize-0.7.4.tgz",
    "integrity": "sha512-Ja/Vfqe3HpuzRsG1oBtWTHk2PGZ7GR+2Vz5iYGelAw8dx32K0y7PjVuxK6z1nMpZOqAFsRUPCkK1YjJ56qJlgw==",
    "license": "MIT",
    "optional": true
  },
  "node_modules/@esbuild/android-arm": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.18.20.tgz",
    "integrity": "sha512-fyi7TDI/ijKKNZTUJAQqiG5T7YjJXgnzkURqmGj13C6dCqckZBLdl4h7bkhHt/t0WP+zO9/zwroDvANaOqO5Sw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
```

```
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.18.20.tgz",
    "integrity": "sha512-Nz4rJcchGDtENV0eMKUNa6L12zz2zBDXuhj/Vjh18zGqB44Bi7MBMSXjgunJgjRhCmKOjnPuZp4Mb6OKqtMHLQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.18.20.tgz",
    "integrity": "sha512-8GDdlePJA8D6zlZYJV/jnrRAi6rOiNaCC/JclcXpB+KIuvfBN4owLtgzY2bsxnx666XjJx2kDPUmnTtR8qKQUg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/darwin-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.18.20.tgz",
    "integrity": "sha512-bxRHW5kHU38zS2lPTPOyuyTm+S+eobPUnTNkdJEfAddYgEcll4xkT8DB9d2008DtTbl7uJag2HuE5NZAZgnNEA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/darwin-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.18.20.tgz",
    "integrity": "sha512-pc5gxlMDxzm513qPGbCbDukOdsGtKhfxD1zJKXjCCcU7ju50O7MeAZ8c4krSJcOIJGFR+qx21yMMVYwiQvyTyQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/freebsd-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.18.20.tgz",
    "integrity": "sha512-yqDQHy4QHevpMAaxhhIwYPMv1NECwOvIpGCZkECn8w2WFHXjEwrBn3CeNIYsibZ/iZEUemj++M26W3cNR5h+Tw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/freebsd-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.18.20.tgz",
    "integrity": "sha512-tgWRPPuQsd3RmBZwarGVHZQvtzfEBOreNuxEMKFcd5DaDn2PbBxfwLcj4+aenoh7ctXcbXmOQIn8HI6mCSw5MQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=12"
```

```
    }
  },
  "node_modules/@esbuild/linux-arm": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.18.20.tgz",
    "integrity": "sha512-/5bHkMWnq1EgKr1V+Ybz3s1hWXok7mDFUMQ4cG10AfW3wL02PSZi5kFpYKrptDsgb2WAJIvRcDm+qIvXf/apvg==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.18.20.tgz",
    "integrity": "sha512-2YbscF+UL7SQAVIpnWvYwM+3LskyDmPhe31pE7/aoTMFKKzIc9lLbyGUpmmb8a8AixOL61sQ/mFh3jEjHYFvdA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-ia32": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.18.20.tgz",
    "integrity": "sha512-P4etWwq6IsReT0E1KHU40bOnzMHoH73aXp96Fs8TIT6z9Hu8G6+0SHSw9i2isWrD2nbx2qo5yUqACgdfVGx7TA==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-loong64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.18.20.tgz",
    "integrity": "sha512-nXW8nqBTrOpDLPgPY9uV+/1DjxoQ7DoB2N8eocyq8I9XuqJ7BiAMDMf9n1xZM9TgW0J8zrquIb/A7s3BJv7rjg==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-mips64el": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.18.20.tgz",
    "integrity": "sha512-d5NeaXZcHp8PzYy5VnXV3VSd2D328Zb+9dEq5HE6bw6+N86JVPExrA6O68OPwobntbNJ0pzCpUFZTo3w0GyetQ==",
    "cpu": [
      "mips64el"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-ppc64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.18.20.tgz",
    "integrity": "sha512-WHPyeScRNcmANnLQkq6AfyXRFr5D6N2sKgkFo2FqguP44Nw2eyDlbTdZwd9GYk98DZG9QItIiTlFLHJHjxP3FA==",
    "cpu": [
      "ppc64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-riscv64": {
```

```
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.18.20.tgz",
    "integrity": "sha512-WSxo6h5ecI5XH34KC7w5veNnKkju3zBRLEQNY7mv5mtBmrP/MjNBCAlsM2u5hDBlS3NGcTQpoBvRzqBcRtpq1A==",
    "cpu": [
      "riscv64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-s390x": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.18.20.tgz",
    "integrity": "sha512-+8231GMs3mAEth6Ja1iK0a1sQ3ohfcpzpRLH8uuc5/KVDFneH6jtAJLFGafpzpMRO6DzJ6AvXKze9LfFMrIHVQ==",
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.18.20.tgz",
    "integrity": "sha512-UYqiqemphJcNsFEskc73jQ7B9jgwjWrSayxawS6UVFZGWrAAtkzjxSqnoclCXxWtfwLdzU+vTpcNYhpn43uP1w==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/netbsd-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.18.20.tgz",
    "integrity": "sha512-iO1c++VP6xUBUmltHZoMtCUdPlnPGdBom6IrO4gyKPFFVBKioIImVooR5I83nTew5UOYrk3gIJhbZh8X44y06A==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "netbsd"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/openbsd-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.18.20.tgz",
    "integrity": "sha512-e5e4YSsuQfX4cxcygw/UCPIEP6wbIL+se3sxPdCiMbFLBWu0eiZOJ7WoD+ptCLrmjZBK1Wk7I6D/I3NglUGOxg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openbsd"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/sunos-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.18.20.tgz",
    "integrity": "sha512-kDbFRFp0YpTQVVrqUd5FTYmWo45zGaXe0X8E1G/LKFC0v8x0vWrhOWSLITcCn63lmZIxfOMXtCfti/RxN/0wnQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "sunos"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.18.20.tgz",
    "integrity": "sha512-ddYFR6ItYgoaq4v4JmQQaAI5s7npztfV4Ag6NrhiaW0RrnOXqBkgwZLofVTlq1daVTQNhtI5oieTvkRPfZrePg==",
```

```
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-ia32": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.18.20.tgz",
    "integrity": "sha512-Wv7QBi3ID/rROT08SABTS7eV4hX26sVduqDOTe1MvGMjNd3EjOz4b7zeexIR62GTIEKrfJXKL9LFxTYgkyeu7g==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.18.20.tgz",
    "integrity": "sha512-kTdfRcSiDfQca/y9QIkng02avJ+NCaQvrMejlsB3RRv5sE9rRoeBPISaZpKxHELzRxZyLvNts1P27W3wV+8geQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
    "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB0Og==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/resolve-uri": "^3.1.0",
      "@jridgewell/sourcemap-codec": "^1.4.14"
    }
  },
  "node_modules/@mediapipe/tasks-vision": {
    "version": "0.10.17",
    "resolved": "https://registry.npmjs.org/@mediapipe/tasks-vision/-/tasks-vision-0.10.17.tgz",
    "integrity": "sha512-CZWV/q6TTe8ta61cZXjfnnHsfWIdFhms03M9T7Cnd5y2mdpylJM0rF1qRq+wsQVRMLz1OYPVEBU9ph2Bx8cxrg==",
    "license": "Apache-2.0"
  },
  "node_modules/@monogrid/gainmap-js": {
    "version": "3.4.0",
```

```
    "resolved": "https://registry.npmjs.org/@monogrid/gainmap-js/-/gainmap-js-3.4.0.tgz",
    "integrity": "sha512-2Z0FATFHaoYJ8b+Y4y4Hgfn3FRFwuU5zRrk+9dFWp4uGAdHGqVEdP7HP+gLA3X469KXHmfupJaUbKo1b/aDKIg==",
    "license": "MIT",
    "dependencies": {
      "promise-worker-transferable": "^1.0.4"
    },
    "peerDependencies": {
      "three": ">= 0.159.0"
    }
  },
  "node_modules/@nodelib/fs.scandir": {
    "version": "2.1.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
    "integrity": "sha512-vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "2.0.5",
      "run-parallel": "^1.1.9"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.stat": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
    "integrity": "sha512-RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.walk": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
    "integrity": "sha512-oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.scandir": "2.1.5",
      "fastq": "^1.6.0"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@react-spring/animated": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/animated/-/animated-9.7.5.tgz",
    "integrity": "sha512-Tqrwz7pIlsSDITzxoLS3n/v/YCUHQdOIKtOJf4yL6kYVSDTSmVK1LI1Q3M/uu2Sx4X3pIWF3xLUhlsA6SPNTNg==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/shared": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/@react-spring/core": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/core/-/core-9.7.5.tgz",
    "integrity": "sha512-rmEqcxRcu7dWh7MnCcMXLvrf6/SDlSokLaLTxiPlAYi11nN3B5oiCUAblO72o+9z/87j2uzxa2Inm8UbLjXA+w==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/animated": "~9.7.5",
      "@react-spring/shared": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/react-spring/donate"
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/@react-spring/rafz": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/rafz/-/rafz-9.7.5.tgz",
    "integrity": "sha512-5ZenDQMC48wjUzPAm1EtwQ5Ot3bLIAwwqP2w2owG5KoNdNHpEJV263nGhCeKKmuA3vG2zLLOdu3or6kuDjA6Aw==",
    "license": "MIT"
  },
  "node_modules/@react-spring/shared": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/shared/-/shared-9.7.5.tgz",
    "integrity": "sha512-wdtoJrhUeeyD/PP/zo+np2s1Z820Ohr/BbuVYv+3dVLW7WctoiN7std8rISoYoHpUXtbkpesSKuPIw/6U1w1Pw==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/rafz": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/@react-spring/three": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/three/-/three-9.7.5.tgz",
    "integrity": "sha512-RxIsCoQfUqOS3POmhVHa1wdWS0wyHAUway73uRLp3GAL5U2iYVNdnzQsep6M2NZ994BlW8TcKuMtQHUqOsy6WA==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/animated": "~9.7.5",
```

```
      "@react-spring/core": "~9.7.5",
      "@react-spring/shared": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "peerDependencies": {
      "@react-three/fiber": ">=6.0",
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0",
      "three": ">=0.126"
    }
  },
  "node_modules/@react-spring/types": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/types/-/types-9.7.5.tgz",
    "integrity": "sha512-HVj7LrZ4ReHWBimBvu2SKND3cDVUPWKLqRTmWe/fNY6o1owGOX0cAHbdPDTMelgBlVbrTKrre6lFkhqGZErK/g==",
    "license": "MIT"
  },
  "node_modules/@react-three/drei": {
    "version": "9.122.0",
    "resolved": "https://registry.npmjs.org/@react-three/drei/-/drei-9.122.0.tgz",
    "integrity": "sha512-SEO/F/rBCTjlLez7WAlpys+iGe9hty4rNgjZvgkQeXFSiwqD4Hbk/wNHMAbdd8vprO2Aj81mihv4dF5bC7D0CA==",
    "license": "MIT",
    "dependencies": {
      "@babel/runtime": "^7.26.0",
      "@mediapipe/tasks-vision": "0.10.17",
      "@monogrid/gainmap-js": "^3.0.6",
      "@react-spring/three": "~9.7.5",
      "@use-gesture/react": "^10.3.1",
      "camera-controls": "^2.9.0",
      "cross-env": "^7.0.3",
      "detect-gpu": "^5.0.56",
      "glsl-noise": "^0.0.0",
      "hls.js": "^1.5.17",
      "maath": "^0.10.8",
      "meshline": "^3.3.1",
      "react-composer": "^5.0.3",
      "stats-gl": "^2.2.8",
      "stats.js": "^0.17.0",
      "suspend-react": "^0.1.3",
      "three-mesh-bvh": "^0.7.8",
      "three-stdlib": "^2.35.6",
      "troika-three-text": "^0.52.0",
      "tunnel-rat": "^0.1.2",
      "utility-types": "^3.11.0",
      "zustand": "^5.0.1"
    },
    "peerDependencies": {
      "@react-three/fiber": "^8",
      "react": "^18",
      "react-dom": "^18",
      "three": ">=0.137"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/@react-three/fiber": {
    "version": "8.18.0",
    "resolved": "https://registry.npmjs.org/@react-three/fiber/-/fiber-8.18.0.tgz",
    "integrity": "sha512-FYZZqD0UUHUswKz3LQl2Z7H24AhD14XGTsIRw3SJaXUxyfVMi+1yiZGmqTcPt/CkPpdU7rrxqcyQ1zJE5DjvIQ==",
    "license": "MIT",
    "dependencies": {
      "@babel/runtime": "^7.17.8",
      "@types/react-reconciler": "^0.26.7",
      "@types/webxr": "*",
      "base64-js": "^1.5.1",
      "buffer": "^6.0.3",
      "its-fine": "^1.0.6",
      "react-reconciler": "^0.27.0",
      "react-use-measure": "^2.1.7",
      "scheduler": "^0.21.0",
      "suspend-react": "^0.1.3",
      "zustand": "^3.7.1"
    },
    "peerDependencies": {
      "expo": ">=43.0",
      "expo-asset": ">=8.4",
      "expo-file-system": ">=11.0",
      "expo-gl": ">=11.0",
      "react": ">=18 <19",
      "react-dom": ">=18 <19",
      "react-native": ">=0.64",
      "three": ">=0.133"
    },
    "peerDependenciesMeta": {
      "expo": {
        "optional": true
      },
      "expo-asset": {
        "optional": true
      },
      "expo-file-system": {
        "optional": true
      },
      "expo-gl": {
        "optional": true
      },
      "react-dom": {
        "optional": true
      },
      "react-native": {
        "optional": true
      }
    }
```

```
},
"node_modules/@react-three/fiber/node_modules/zustand": {
  "version": "3.7.2",
  "resolved": "https://registry.npmjs.org/zustand/-/zustand-3.7.2.tgz",
  "integrity": "sha512-PIJDIZKtokhof+9+60cpockVOq05sJzHCriyvaLBmEJixseQ1a5Kdov6fWZfWOu5SK9c+FhH1jU0tntLxRJYMA==",
  "license": "MIT",
  "engines": {
    "node": ">=12.7.0"
  },
  "peerDependencies": {
    "react": ">=16.8"
  },
  "peerDependenciesMeta": {
    "react": {
      "optional": true
    }
  }
},
"node_modules/@rolldown/pluginutils": {
  "version": "1.0.0-beta.27",
  "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-beta.27.tgz",
  "integrity": "sha512-+d0F4MKMCbeVUJwG96uQ4SgAznZNSq93I3V+9NHA4OpvqG8mRCpGdKmK8l/dl02h2CCDHwW2FqilnTyDcAnqjA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@tweenjs/tween.js": {
  "version": "23.1.3",
  "resolved": "https://registry.npmjs.org/@tweenjs/tween.js/-/tween.js-23.1.3.tgz",
  "integrity": "sha512-vJmvvwFxYuGnF2axRtPYocag6Clbb5YS7kLL+SO/TeVFzHqDIWrNKYtcsPMibjDx9O+bu+psAy9NKfWklassUA==",
  "license": "MIT"
},
"node_modules/@types/babel__core": {
  "version": "7.20.5",
  "resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
  "integrity": "sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.20.7",
    "@babel/types": "^7.20.7",
    "@types/babel__generator": "*",
    "@types/babel__template": "*",
    "@types/babel__traverse": "*"
  }
},
"node_modules/@types/babel__generator": {
  "version": "7.27.0",
  "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
  "integrity": "sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__template": {
  "version": "7.4.4",
  "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
  "integrity": "sha512-h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.1.0",
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__traverse": {
  "version": "7.28.0",
  "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
  "integrity": "sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.28.2"
  }
},
"node_modules/@types/draco3d": {
  "version": "1.4.10",
  "resolved": "https://registry.npmjs.org/@types/draco3d/-/draco3d-1.4.10.tgz",
  "integrity": "sha512-AX22jp8Y7wwaBgAixaSvkoG4M/+PlAcm3Qs4OW8yT9DM4xUpWKeFhLueTAyZF39pviAdcDdeJoACapiAceqNcw==",
  "license": "MIT"
},
"node_modules/@types/offscreencanvas": {
  "version": "2019.7.3",
  "resolved": "https://registry.npmjs.org/@types/offscreencanvas/-/offscreencanvas-2019.7.3.tgz",
  "integrity": "sha512-ieXiYmgSRXUDeOntE1InxjWyvEelZGP63M+cGuquuRLuIKKT1osnkXjxev9B7d1nXSug5vpunx+gNlbVxMlC9A==",
  "license": "MIT"
},
"node_modules/@types/prop-types": {
  "version": "15.7.15",
  "resolved": "https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz",
  "integrity": "sha512-F6bEyamV9jKGAFBEmlQnesRPGOQqS2+Uwi0Em15xenOxHaf2hv6L8YCVn3rPdPJOiJfPiCnLIRyvwVaqMY3MIw==",
  "license": "MIT"
},
"node_modules/@types/react": {
  "version": "18.3.28",
  "resolved": "https://registry.npmjs.org/@types/react/-/react-18.3.28.tgz",
  "integrity": "sha512-z9VXpC7MWrhfWipitjNdgCauoMLRdIILQsAEV+ZesIzBq/oUlxk0m3ApZuMFCXdnS4U7KrI+l3WRUEGQ8K1QKw==",
  "license": "MIT",
  "dependencies": {
    "@types/prop-types": "*",
    "csstype": "^3.2.2"
  }
},
"node_modules/@types/react-dom": {
```

```
    "version": "18.3.7",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz",
    "integrity": "sha512-MEe3UeoENYVFXzoXEWsvcpg6ZvlrFNlOQ7EOsvhI3CfAXwzPfO8Qwuxd40nepsYKqyyVQnTdEfv68q91yLcKrQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^18.0.0"
    }
  },
  "node_modules/@types/react-reconciler": {
    "version": "0.26.7",
    "resolved": "https://registry.npmjs.org/@types/react-reconciler/-/react-reconciler-0.26.7.tgz",
    "integrity": "sha512-mBDYl8x+oyPX/VBb3E638N0B7xG+SPk/EAMcVPeexqus/5aTpTphQi0curhhshOqRrc9t6OPoJfEUkbymse/lQ==",
    "license": "MIT",
    "dependencies": {
      "@types/react": "*"
    }
  },
  "node_modules/@types/stats.js": {
    "version": "0.17.4",
    "resolved": "https://registry.npmjs.org/@types/stats.js/-/stats.js-0.17.4.tgz",
    "integrity": "sha512-jIBvWWShCvlBqBNIZt0KAshWpvSjhkwkEu4ZUcASoAvhmrgAUI2t1dXrjSL4xXVLB4FznPrIsX3nKXFl/Dt4vA==",
    "license": "MIT"
  },
  "node_modules/@types/three": {
    "version": "0.183.1",
    "resolved": "https://registry.npmjs.org/@types/three/-/three-0.183.1.tgz",
    "integrity": "sha512-f2Pu5Hrepfgavttdye3PsH5RWyY/AvdZQwIVhrc4uNtvF7nOWJacQKcoVJn0S4f0yYbmAE6AR+ve7xDcuYtMGw==",
    "license": "MIT",
    "dependencies": {
      "@dimforge/rapier3d-compat": "~0.12.0",
      "@tweenjs/tween.js": "~23.1.3",
      "@types/stats.js": "*",
      "@types/webxr": ">=0.5.17",
      "@webgpu/types": "*",
      "fflate": "~0.8.2",
      "meshoptimizer": "~1.0.1"
    }
  },
  "node_modules/@types/webxr": {
    "version": "0.5.24",
    "resolved": "https://registry.npmjs.org/@types/webxr/-/webxr-0.5.24.tgz",
    "integrity": "sha512-h8fgEd/DpoS9CBrjEQXR+dIDraopAEfu4wYVNY2tEPwk60stPWhvZMf4Foo5FakuQ7HFZoa8WceaWFervK2Ovg==",
    "license": "MIT"
  },
  "node_modules/@use-gesture/core": {
    "version": "10.3.1",
    "resolved": "https://registry.npmjs.org/@use-gesture/core/-/core-10.3.1.tgz",
    "integrity": "sha512-WcINiDt8WjqBdUXye25anHiNxPc0VOrlT8F6LLkU6cycrOGUDyY/yyFmsg3k8i5OLvv25llc0QC45GhR/C8llw==",
    "license": "MIT"
  },
  "node_modules/@use-gesture/react": {
    "version": "10.3.1",
    "resolved": "https://registry.npmjs.org/@use-gesture/react/-/react-10.3.1.tgz",
    "integrity": "sha512-Yy19y6O2GJq8f7CHf7L0nxL8bf4PZCPaVOCgJrusOeFHY1LvHgYXnmnXg6N5iwAnbgbZCDjo60SiM6IPJi9C5g==",
    "license": "MIT",
    "dependencies": {
      "@use-gesture/core": "10.3.1"
    },
    "peerDependencies": {
      "react": ">= 16.8.0"
    }
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "4.7.0",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-4.7.0.tgz",
    "integrity": "sha512-gUu9hwfWvvEDBBmgtAowQCojwZmJ5mcLn3aufeCsitijs3+f2NsrPtlAWIR6OPiqljl96GVCUbLe0HyqIpVaoA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/core": "^7.28.0",
      "@babel/plugin-transform-react-jsx-self": "^7.27.1",
      "@babel/plugin-transform-react-jsx-source": "^7.27.1",
      "@rolldown/pluginutils": "1.0.0-beta.27",
      "@types/babel__core": "^7.20.5",
      "react-refresh": "^0.17.0"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "peerDependencies": {
      "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
    }
  },
  "node_modules/@webgpu/types": {
    "version": "0.1.69",
    "resolved": "https://registry.npmjs.org/@webgpu/types/-/types-0.1.69.tgz",
    "integrity": "sha512-RPmm6kgRbI8e98zSD3RVACvnuktIja5+yLgDAkTmxLr90BEwdTXRQWNLF3ETTTyH/8mKhznZuN5AveXYFEsMGQ==",
    "license": "BSD-3-Clause"
  },
  "node_modules/any-promise": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
    "integrity": "sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX9OB4MZR1b2A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/anymatch": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
    "integrity": "sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "normalize-path": "^3.0.0",
```

```
      "picomatch": "^2.0.4"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/arg": {
    "version": "5.0.2",
    "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
    "integrity": "sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswh8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/asynckit": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
    "integrity": "sha512-Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
    "license": "MIT"
  },
  "node_modules/attr-accept": {
    "version": "2.2.5",
    "resolved": "https://registry.npmjs.org/attr-accept/-/attr-accept-2.2.5.tgz",
    "integrity": "sha512-0bDNnY/u6pPwHDMoF0FieU354oBi0a8rD9FcsLwzcGWbc8KS8KPIi7y+s13OlVY+gMWc/9xEMUgNE6Qm8ZllYQ==",
    "license": "MIT",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/autoprefixer": {
    "version": "10.4.27",
    "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.27.tgz",
    "integrity": "sha512-NP9APE+tO+LuJGn7/9+cohklunJsXWiaWEfV3si4Gi/XHDwVNgkwr1J3RQYFIvPy76GmJ9/bW8vyoU1LcxwKHA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/autoprefixer"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "browserslist": "^4.28.1",
      "caniuse-lite": "^1.0.30001774",
      "fraction.js": "^5.3.4",
      "picocolors": "^1.1.1",
      "postcss-value-parser": "^4.2.0"
    },
    "bin": {
      "autoprefixer": "bin/autoprefixer"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    },
    "peerDependencies": {
      "postcss": "^8.1.0"
    }
  },
  "node_modules/axios": {
    "version": "1.13.6",
    "resolved": "https://registry.npmjs.org/axios/-/axios-1.13.6.tgz",
    "integrity": "sha512-ChTCHMouEe2kn713WHbQGcuYrr6fXTBiu460OTwWrWob16g1bXn4vtz07Ope7ewMozJAnEquLk5lWQWtBig9DQ==",
    "license": "MIT",
    "dependencies": {
      "follow-redirects": "^1.15.11",
      "form-data": "^4.0.5",
      "proxy-from-env": "^1.1.0"
    }
  },
  "node_modules/base64-js": {
    "version": "1.5.1",
    "resolved": "https://registry.npmjs.org/base64-js/-/base64-js-1.5.1.tgz",
    "integrity": "sha512-AKpaYlHn8t4SVbOHCy+b5+KKgvR4vrsD8vbvrbiQJps7fKDTkjkDry6ji0rUJjC0kzbNePLwzxq8iypo41qeWA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.10",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.10.tgz",
    "integrity": "sha512-sUoJ3IMxx4AyRqO4MLeHlnGDkyXRoUG0/AI9fjK+vS72ekpV0yWVY7O0BVjmBcRtkNcsAO2QDZ4tdKKGoI6YaQ==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
```

```
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/bidi-js": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/bidi-js/-/bidi-js-1.0.3.tgz",
    "integrity": "sha512-RKshQI1R3YQ+n9YJz2QQ147P66ELpa1FQEg20Dk8oW9t2KgLbpDLLp9aGZ7y8WHSshDknG0bknqGw5/tyCs5tw==",
    "license": "MIT",
    "dependencies": {
      "require-from-string": "^2.0.2"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYzavmylwuLWQOf3hl0jjMMIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/braces": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
    "integrity": "sha512-yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/lxc1BzfMpxvA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fill-range": "^7.1.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/browserslist": {
    "version": "4.28.1",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.1.tgz",
    "integrity": "sha512-ZC5Bd0LgJXgwGqUknZY/vkUQ04r8NXnJZ3yYi4vDmSiZmC/pdSN0NbNRPxZpbtO4uAfDUAFffO8IZoM3Gj8IkA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "baseline-browser-mapping": "^2.9.0",
      "caniuse-lite": "^1.0.30001759",
      "electron-to-chromium": "^1.5.263",
      "node-releases": "^2.0.27",
      "update-browserslist-db": "^1.2.0"
    },
    "bin": {
      "browserslist": "cli.js"
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/buffer": {
    "version": "6.0.3",
    "resolved": "https://registry.npmjs.org/buffer/-/buffer-6.0.3.tgz",
    "integrity": "sha512-FTiCpNxtwiZZHEZbcbTIcZjERVICn9yq/pDFkTl95/AxzD1naBctN7YO68riM/gLSDY7sdrMby8hofADYuuqOA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "base64-js": "^1.3.1",
      "ieee754": "^1.2.1"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
    "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2"
```

```
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/camelcase-css": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/camera-controls": {
    "version": "2.10.1",
    "resolved": "https://registry.npmjs.org/camera-controls/-/camera-controls-2.10.1.tgz",
    "integrity": "sha512-KnaKdcvkBJ1Irbrzl8XD6WtZltkRjp869Jx8c0ujs9K+9WD+1D7ryBsCiVqJYUqt6i/HR5FxT7RLASieUD+Q5w==",
    "license": "MIT",
    "peerDependencies": {
      "three": ">=0.126.1"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001781",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001781.tgz",
    "integrity": "sha512-RdwNCyMsNBftLjW6w01z8bKEvT6e/5tpPVEgtn22TiLGlstHOVecsX2KHFkD5e/vRnIE4EGzpuIODb3mtswtkw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    },
    "funding": {
      "url": "https://paulmillr.com/funding/"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/chokidar/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/combined-stream": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
    "integrity": "sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zOYwxh8lDdnvmMOe/+5cdoEdg==",
    "license": "MIT",
    "dependencies": {
      "delayed-stream": "~1.0.0"
    },
    "engines": {
      "node": ">= 0.8"
    }
  },
  "node_modules/commander": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
    "integrity": "sha512-NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
```

```
"node_modules/convert-source-map": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
  "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/cookie": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
  "integrity": "sha512-ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadylyhFldcqSidQ==",
  "license": "MIT",
  "engines": {
    "node": ">=18"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/express"
  }
},
"node_modules/cross-env": {
  "version": "7.0.3",
  "resolved": "https://registry.npmjs.org/cross-env/-/cross-env-7.0.3.tgz",
  "integrity": "sha512-+/HKd6EgcQCJGh2PSjZuUitQBQynKor4wrFbRg4DtAgS1aWO+gU52xpH7M9ScGgXSYmAVS9bIJ8EzuaGw0oNAw==",
  "license": "MIT",
  "dependencies": {
    "cross-spawn": "^7.0.1"
  },
  "bin": {
    "cross-env": "src/bin/cross-env.js",
    "cross-env-shell": "src/bin/cross-env-shell.js"
  },
  "engines": {
    "node": ">=10.14",
    "npm": ">=6",
    "yarn": ">=1"
  }
},
"node_modules/cross-spawn": {
  "version": "7.0.6",
  "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
  "integrity": "sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA==",
  "license": "MIT",
  "dependencies": {
    "path-key": "^3.1.0",
    "shebang-command": "^2.0.0",
    "which": "^2.0.1"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/cssesc": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
  "integrity": "sha512-/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "cssesc": "bin/cssesc"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/csstype": {
  "version": "3.2.3",
  "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
  "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
  "license": "MIT"
},
"node_modules/debug": {
  "version": "4.4.3",
  "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
  "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ms": "^2.1.3"
  },
  "engines": {
    "node": ">=6.0"
  },
  "peerDependenciesMeta": {
    "supports-color": {
      "optional": true
    }
  }
},
"node_modules/delayed-stream": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
  "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
  "license": "MIT",
  "engines": {
    "node": ">=0.4.0"
  }
},
"node_modules/detect-gpu": {
  "version": "5.0.70",
  "resolved": "https://registry.npmjs.org/detect-gpu/-/detect-gpu-5.0.70.tgz",
  "integrity": "sha512-bqerEP1Ese6nt3rFkwPnGbsUF9a4q+gMmpTVVOEzoCyeCc+y7/RvJnQZJx1JwhgQI5Ntg0Kgat8Uu7XpBqnz1w==",
  "license": "MIT",
  "dependencies": {
    "webgl-constants": "^1.1.1"
```

```
    }
  },
  "node_modules/didyoumean": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
    "integrity": "sha512-gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgsdAA5SIifona89YtRATDzw==",
    "dev": true,
    "license": "Apache-2.0"
  },
  "node_modules/dlv": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
    "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/draco3d": {
    "version": "1.5.7",
    "resolved": "https://registry.npmjs.org/draco3d/-/draco3d-1.5.7.tgz",
    "integrity": "sha512-m6WCKt/erDXcw+70IJXnG7M3awwQPAsZvJGX5zY7beBqpELw6RDGkYVU0W43AFxye4pDZ5i2Lbyc/NNGqwjUVQ==",
    "license": "Apache-2.0"
  },
  "node_modules/dunder-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
    "integrity": "sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe4UY7ct+A==",
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.1",
      "es-errors": "^1.3.0",
      "gopd": "^1.2.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.325",
    "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.325.tgz",
    "integrity": "sha512-PwfIw7WQSt3xX7yOf5OE/unLzsK9CaN2f/FvV3WjPR1Knoc1T9vePRVV4W1EM301JzzysK51K7FNKcusCr0zYA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCaW3g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
    "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
    "integrity": "sha512-FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+Pe6FGJzWhXQotPv73jTaldXA==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-set-tostringtag": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
    "integrity": "sha512-j6vWzfrGVfyXxge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNWbVRdVlmGZQL2YS3yR8bIUA==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6",
      "has-tostringtag": "^1.0.2",
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/esbuild": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.18.20.tgz",
    "integrity": "sha512-ceqxoedUrcayh7Y7ZX6NdbbDzGROiyVBgC4PriJThBKSVPWnnFHZAkfI1lJT8QFkOwH4qOS2SJkS4wvpGl8BpA==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "bin": {
      "esbuild": "bin/esbuild"
    },
    "engines": {
      "node": ">=12"
    },
    "optionalDependencies": {
      "@esbuild/android-arm": "0.18.20",
      "@esbuild/android-arm64": "0.18.20",
      "@esbuild/android-x64": "0.18.20",
```

```
    "@esbuild/darwin-arm64": "0.18.20",
    "@esbuild/darwin-x64": "0.18.20",
    "@esbuild/freebsd-arm64": "0.18.20",
    "@esbuild/freebsd-x64": "0.18.20",
    "@esbuild/linux-arm": "0.18.20",
    "@esbuild/linux-arm64": "0.18.20",
    "@esbuild/linux-ia32": "0.18.20",
    "@esbuild/linux-loong64": "0.18.20",
    "@esbuild/linux-mips64el": "0.18.20",
    "@esbuild/linux-ppc64": "0.18.20",
    "@esbuild/linux-riscv64": "0.18.20",
    "@esbuild/linux-s390x": "0.18.20",
    "@esbuild/linux-x64": "0.18.20",
    "@esbuild/netbsd-x64": "0.18.20",
    "@esbuild/openbsd-x64": "0.18.20",
    "@esbuild/sunos-x64": "0.18.20",
    "@esbuild/win32-arm64": "0.18.20",
    "@esbuild/win32-ia32": "0.18.20",
    "@esbuild/win32-x64": "0.18.20"
  }
},
"node_modules/escalade": {
  "version": "3.2.0",
  "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
  "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/fast-glob": {
  "version": "3.3.3",
  "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
  "integrity": "sha512-7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYLg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.stat": "^2.0.2",
    "@nodelib/fs.walk": "^1.2.3",
    "glob-parent": "^5.1.2",
    "merge2": "^1.3.0",
    "micromatch": "^4.0.8"
  },
  "engines": {
    "node": ">=8.6.0"
  }
},
"node_modules/fast-glob/node_modules/glob-parent": {
  "version": "5.1.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
  "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.1"
  },
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/fastq": {
  "version": "1.20.1",
  "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
  "integrity": "sha512-GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13lOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFThxXxw==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "reusify": "^1.0.4"
  }
},
"node_modules/fflate": {
  "version": "0.8.2",
  "resolved": "https://registry.npmjs.org/fflate/-/fflate-0.8.2.tgz",
  "integrity": "sha512-cPJU47OaAoCbg0pBvzsgpTPhmhqI5eJjh/JIu8tPj5q+T7iLvW/JAYUqmE7KOB4R1ZyEhzBaIQpQpardBF5z8A==",
  "license": "MIT"
},
"node_modules/file-selector": {
  "version": "2.1.2",
  "resolved": "https://registry.npmjs.org/file-selector/-/file-selector-2.1.2.tgz",
  "integrity": "sha512-QgXo+mXTe8ljeqUFaX3QVHc5osSItJ/Km+xpocx0aSqWGMSCf6qYs/VnzZgS864Pjn5iceMRFigeAV7AfTlaig==",
  "license": "MIT",
  "dependencies": {
    "tslib": "^2.7.0"
  },
  "engines": {
    "node": ">= 12"
  }
},
"node_modules/fill-range": {
  "version": "7.1.1",
  "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
  "integrity": "sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hBW0yg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "to-regex-range": "^5.0.1"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/follow-redirects": {
  "version": "1.15.11",
  "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz",
```

```
    "integrity": "sha512-deG2P0JfjrTxl50XGCDyfI97ZGVCxIpfKYmfyrQ54n5FO/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==",
    "funding": [
      {
        "type": "individual",
        "url": "https://github.com/sponsors/RubenVerborgh"
      }
    ],
    "license": "MIT",
    "engines": {
      "node": ">=4.0"
    },
    "peerDependenciesMeta": {
      "debug": {
        "optional": true
      }
    }
  },
  "node_modules/form-data": {
    "version": "4.0.5",
    "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
    "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUYcFTiy3+wuuOnUog2QBHCZWXDRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
    "license": "MIT",
    "dependencies": {
      "asynckit": "^0.4.0",
      "combined-stream": "^1.0.8",
      "es-set-tostringtag": "^2.1.0",
      "hasown": "^2.0.2",
      "mime-types": "^2.1.12"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fraction.js": {
    "version": "5.3.4",
    "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
    "integrity": "sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5RyWDQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/rawify"
    }
  },
  "node_modules/framer-motion": {
    "version": "10.18.0",
    "resolved": "https://registry.npmjs.org/framer-motion/-/framer-motion-10.18.0.tgz",
    "integrity": "sha512-oGlDh1Q1XqYPksuTD/usb0I70hq95OUzmL9+6Zd+Hs4XV0oaISBa/UUMSjYiq6m8EUF32132mOJ8xVZS+I0S6w==",
    "license": "MIT",
    "dependencies": {
      "tslib": "^2.4.0"
    },
    "optionalDependencies": {
      "@emotion/is-prop-valid": "^0.8.2"
    },
    "peerDependencies": {
      "react": "^18.0.0",
      "react-dom": "^18.0.0"
    },
    "peerDependenciesMeta": {
      "react": {
        "optional": true
      },
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
    }
  },
  "node_modules/function-bind": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
    "integrity": "sha512-7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oVO0F744iUgR82nJMfG2SA==",
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/gensync": {
    "version": "1.0.0-beta.2",
    "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
    "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1HcsCZO+nGgS8zg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
```

```
"node_modules/get-intrinsic": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
  "integrity": "sha512-9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98CQ==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "function-bind": "^1.1.2",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/get-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
  "integrity": "sha512-sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFPNc9IcoOC4ODfKHfxFmp0g==",
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.1",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/glob-parent": {
  "version": "6.0.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
  "integrity": "sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.3"
  },
  "engines": {
    "node": ">=10.13.0"
  }
},
"node_modules/glsl-noise": {
  "version": "0.0.0",
  "resolved": "https://registry.npmjs.org/glsl-noise/-/glsl-noise-0.0.0.tgz",
  "integrity": "sha512-b/ZCF6amfAUb7dJM/MxRs7AetQEahYzJ8PtgfrmEdtw6uyGOr+ZSGtgjFm6mfsBkxJ4d2W7kg+Nlqzqvn3Bc0w==",
  "license": "MIT"
},
"node_modules/gopd": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
  "integrity": "sha512-ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIBOijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3OO6Rfa93xsRg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-symbols": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
  "integrity": "sha512-1cDNdwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68iomhjUoKUqlPQ==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-tostringtag": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
  "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/VqdVsO47Dlw==",
  "license": "MIT",
  "dependencies": {
    "has-symbols": "^1.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/hasown": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
  "integrity": "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bclra9HmKhVVUHyPWNH5Y7xDwAB7bfgSjkUMQ==",
  "license": "MIT",
  "dependencies": {
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
```

```
    }
  },
  "node_modules/hls.js": {
    "version": "1.6.15",
    "resolved": "https://registry.npmjs.org/hls.js/-/hls.js-1.6.15.tgz",
    "integrity": "sha512-E3a5VwgXimGHwpRGV+WxRTKeSp2DW5DI5MWv34ulL3t5UNmyJWCQ1KmLEHbYzcfThfXG8amBL+fCYPneGHC4VA==",
    "license": "Apache-2.0"
  },
  "node_modules/ieee754": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/ieee754/-/ieee754-1.2.1.tgz",
    "integrity": "sha512-dcyqhDvX1C46lXZcVqCpK+FtMRQVdIMN6/Df5js2zouUsqG7I6sFxitIC+7KYK29KdXOLHdu9zL4sFnoVQnqaA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "BSD-3-Clause"
  },
  "node_modules/immediate": {
    "version": "3.0.6",
    "resolved": "https://registry.npmjs.org/immediate/-/immediate-3.0.6.tgz",
    "integrity": "sha512-XXOFtyqDjNDAQxVfYxuF7g9Il/IbWmmlQg2MYKOH8ExIT1qg6xc4zyS3HaEEATgs1btfzxq15ciUiY7gjSXRGQ==",
    "license": "MIT"
  },
  "node_modules/is-binary-path": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
    "integrity": "sha512-ZMERYes6pDydyuGidse7OsHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97mmtRGXw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "binary-extensions": "^2.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/is-core-module": {
    "version": "2.16.1",
    "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
    "integrity": "sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-extglob": {
    "version": "2.1.1",
    "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
    "integrity": "sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-glob": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
    "integrity": "sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlbGXYxxng==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.12.0"
    }
  },
  "node_modules/is-promise": {
    "version": "2.2.2",
    "resolved": "https://registry.npmjs.org/is-promise/-/is-promise-2.2.2.tgz",
    "integrity": "sha512-+lP4/6lKUBfQjZ2pdxThZvLUAafmZb8OAxFb8XXtiQmS35INgr85hdOGoEs124ez1FCnZJt6jau/T+alh58QFQ==",
    "license": "MIT"
  },
  "node_modules/isexe": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
```

```
    "integrity": "sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
    "license": "ISC"
  },
  "node_modules/its-fine": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/its-fine/-/its-fine-1.2.5.tgz",
    "integrity": "sha512-fXtDA0X0t0eBYAGLVM5YsgJGsJ5jEmqZEPrGbzdf5awjv0xE7nqv3TVnvtUF060Tkes15DbDAKW/I48vsb6SyA==",
    "license": "MIT",
    "dependencies": {
      "@types/react-reconciler": "^0.28.0"
    },
    "peerDependencies": {
      "react": ">=18.0"
    }
  },
  "node_modules/its-fine/node_modules/@types/react-reconciler": {
    "version": "0.28.9",
    "resolved": "https://registry.npmjs.org/@types/react-reconciler/-/react-reconciler-0.28.9.tgz",
    "integrity": "sha512-HHM3nxyUZ3zAylX8ZEyrDNd2XZOnQ0D5XfunJF5FLQnZbHHYq4UWvW1QfelQNXv1ICNkwYhfxjwfnqivYB6bFg==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*"
    }
  },
  "node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity": "sha512-/imKNG4EbWNrVjoNC/1H5/9GFy+tqjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+OEatnTR3A==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
    "license": "MIT"
  },
  "node_modules/jsesc": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
    "integrity": "sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw5XuGIaA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jsesc": "bin/jsesc"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/json5": {
    "version": "2.2.3",
    "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
    "integrity": "sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "json5": "lib/cli.js"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/lie": {
    "version": "3.3.0",
    "resolved": "https://registry.npmjs.org/lie/-/lie-3.3.0.tgz",
    "integrity": "sha512-UaiMJzeWRlEujzAuw5LokY1L5ecNQYZKfmyZ9L7wDHb/p5etKaxXhohBcrw0EYby+G/NA52vRSN4N39dxHAIwQ==",
    "license": "MIT",
    "dependencies": {
      "immediate": "~3.0.5"
    }
  },
  "node_modules/lilconfig": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
    "integrity": "sha512-/vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQDvpzw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=14"
    },
    "funding": {
      "url": "https://github.com/sponsors/antonk52"
    }
  },
  "node_modules/lines-and-columns": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
    "integrity": "sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/loose-envify": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
    "integrity": "sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY408EtxRSoK3Q==",
    "license": "MIT",
    "dependencies": {
      "js-tokens": "^3.0.0 || ^4.0.0"
    },
    "bin": {
      "loose-envify": "cli.js"
```

```
    }
  },
  "node_modules/lru-cache": {
    "version": "5.1.1",
    "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
    "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n6gI8vN1aesBFgo9w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "yallist": "^3.0.2"
    }
  },
  "node_modules/maath": {
    "version": "0.10.8",
    "resolved": "https://registry.npmjs.org/maath/-/maath-0.10.8.tgz",
    "integrity": "sha512-tRvbDF0Pgqz+9XUa4jjfgAQ8/aPKmQdWXilFu2tMy4GWj4NOsx99HlULO4IeREfbO3a0sA145DZYyvXPkybm0g==",
    "license": "MIT",
    "peerDependencies": {
      "@types/three": ">=0.134.0",
      "three": ">=0.134.0"
    }
  },
  "node_modules/math-intrinsics": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
    "integrity": "sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6Xl9LHu1g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/merge2": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
    "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA3O8tPzpczCCDgv+P2P5y00ZJOOg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/meshline": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/meshline/-/meshline-3.3.1.tgz",
    "integrity": "sha512-/TQj+JdZkeSUOl5Mk2J7eLcYTLiQm2IDzmlSvYm7ov15anEcDJ92GHqqazxTSreeNgfnYu24kiEvvv0WlbCdFQ==",
    "license": "MIT",
    "peerDependencies": {
      "three": ">=0.137"
    }
  },
  "node_modules/meshoptimizer": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/meshoptimizer/-/meshoptimizer-1.0.1.tgz",
    "integrity": "sha512-Vix+QlA1YYT3FwmBBZ+49cE5y/b+pRrcXKqGpS5ouh33d3lSp2PoTpCw19E0cKDFWalembrHnIaZetf27a+W2g==",
    "license": "MIT"
  },
  "node_modules/micromatch": {
    "version": "4.0.8",
    "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
    "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/mime-db": {
    "version": "1.52.0",
    "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
    "integrity": "sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1ETVlOoK1UC2nU3gYvg==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/mime-types": {
    "version": "2.1.35",
    "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
    "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiw==",
    "license": "MIT",
    "dependencies": {
      "mime-db": "1.52.0"
    },
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/ms": {
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
    "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/mz": {
    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
    "integrity": "sha512-z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCl+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN62Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
```

```
    "any-promise": "^1.0.0",
    "object-assign": "^4.0.1",
    "thenify-all": "^1.0.0"
  }
},
"node_modules/nanoid": {
  "version": "3.3.11",
  "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
  "integrity": "sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHhNmZ2HbFA76w==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "bin": {
    "nanoid": "bin/nanoid.cjs"
  },
  "engines": {
    "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
  }
},
"node_modules/node-releases": {
  "version": "2.0.36",
  "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.36.tgz",
  "integrity": "sha512-TdC8FSgHz8Mwtw9g5L4gR/Sh9XhSP/0DEkQxfEFXOpiul5IiHgHan2VhYYb6agDSfp4KuvltmGApc8HMgUrIkA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/normalize-path": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
  "integrity": "sha512-6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4WYojCRwcwLA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-assign": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
  "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQHVe4cU5hj+BcUg==",
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-hash": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
  "integrity": "sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZFpWYr2aWrklWAw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 6"
  }
},
"node_modules/path-key": {
  "version": "3.1.1",
  "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
  "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/path-parse": {
  "version": "1.0.7",
  "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
  "integrity": "sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7lOHxryrVOn1ejG6oAp8ahvOIQD8sw==",
  "dev": true,
  "license": "MIT"
},
"node_modules/picocolors": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
  "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
  "dev": true,
  "license": "ISC"
},
"node_modules/picomatch": {
  "version": "2.3.2",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
  "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8.6"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/pify": {
  "version": "2.3.0",
  "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
  "integrity": "sha512-udgsAY+fTnvv7kI7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTfJ/FT1R09r9gTsjUjNJotuog==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
```

```
    },
    "node_modules/pirates": {
      "version": "4.0.7",
      "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
      "integrity": "sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgABOevKSsB4G/FA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 6"
      }
    },
    "node_modules/postcss": {
      "version": "8.5.8",
      "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.8.tgz",
      "integrity": "sha512-OW/rX8O/jXnm82Ey1k44pObPtdblfiuWnrd8X7GJ7emImCOstunGbXUpp7HdBrFQX6rJzn3sPT397Wp5aCwCHg==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
        {
          "type": "tidelift",
          "url": "https://tidelift.com/funding/github/npm/postcss"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "nanoid": "^3.3.11",
        "picocolors": "^1.1.1",
        "source-map-js": "^1.2.1"
      },
      "engines": {
        "node": "^10 || ^12 || >=14"
      }
    },
    "node_modules/postcss-import": {
      "version": "15.1.0",
      "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
      "integrity": "sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALew==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "postcss-value-parser": "^4.0.0",
        "read-cache": "^1.0.0",
        "resolve": "^1.1.7"
      },
      "engines": {
        "node": ">=14.0.0"
      },
      "peerDependencies": {
        "postcss": "^8.0.0"
      }
    },
    "node_modules/postcss-js": {
      "version": "4.1.0",
      "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
      "integrity": "sha512-oIAOTqgIo7q2EOwbhb8UalYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH9OKs/qAkfoj5oB3le/7mINW1LCfw==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "camelcase-css": "^2.0.1"
      },
      "engines": {
        "node": "^12 || ^14 || >= 16"
      },
      "peerDependencies": {
        "postcss": "^8.4.21"
      }
    },
    "node_modules/postcss-load-config": {
      "version": "6.0.1",
      "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
      "integrity": "sha512-oPtTM4oerL+UXmx+93ytZVN82RrlY/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+CKV6Oz/g==",
      "dev": true,
      "funding": [
        {
          "type": "opencollective",
          "url": "https://opencollective.com/postcss/"
        },
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "lilconfig": "^3.1.1"
      },
      "engines": {
        "node": ">= 18"
```

```
    },
    "peerDependencies": {
      "jiti": ">=1.21.0",
      "postcss": ">=8.0.9",
      "tsx": "^4.8.1",
      "yaml": "^2.4.2"
    },
    "peerDependenciesMeta": {
      "jiti": {
        "optional": true
      },
      "postcss": {
        "optional": true
      },
      "tsx": {
        "optional": true
      },
      "yaml": {
        "optional": true
      }
    }
  },
  "node_modules/postcss-nested": {
    "version": "6.2.0",
    "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
    "integrity": "sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGlBstkpTEZfK5+AN9hfJocyBFCNiqyS48bpgzQ==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "postcss-selector-parser": "^6.1.1"
    },
    "engines": {
      "node": ">=12.0"
    },
    "peerDependencies": {
      "postcss": "^8.2.14"
    }
  },
  "node_modules/postcss-selector-parser": {
    "version": "6.1.2",
    "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.2.tgz",
    "integrity": "sha512-Q8qQfPiZ+THO/3ZrOrO0cJJKfpYCagtMUkXbnEfmgUjwXg6z/WBeOyS9APBBPCTSiDV+s4SwQGu8yFsiMRIudg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "cssesc": "^3.0.0",
      "util-deprecate": "^1.0.2"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/postcss-value-parser": {
    "version": "4.2.0",
    "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
    "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/potpack": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/potpack/-/potpack-1.0.2.tgz",
    "integrity": "sha512-choctRBIV9EMT9WGAZHn3V7t0Z2pMQyl0EZE6pFc/6ml3ssw7Dlf/oAOvFwjm1HVsqfQN8GfeFyJ+d8tRzqueQ==",
    "license": "ISC"
  },
  "node_modules/promise-worker-transferable": {
    "version": "1.0.4",
    "resolved": "https://registry.npmjs.org/promise-worker-transferable/-/promise-worker-transferable-1.0.4.tgz",
    "integrity": "sha512-bN+0ehEnrXfxV2ZQvU2PetO0n4gqBD4ulq3MI1WOPLgr7/Mg9yRQkX5+0v1vagr74ZTsl7XtzlaYDo2EuCeYJw==",
    "license": "Apache-2.0",
    "dependencies": {
      "is-promise": "^2.1.0",
      "lie": "^3.0.2"
    }
  },
  "node_modules/prop-types": {
    "version": "15.8.1",
    "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
    "integrity": "sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/2qDH5cg==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.4.0",
      "object-assign": "^4.1.1",
      "react-is": "^16.13.1"
    }
  },
  "node_modules/proxy-from-env": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-1.1.0.tgz",
    "integrity": "sha512-D+zkORCbA9f1tdWRK0RaCR3GPv50cMxcrz4X8k5LTSUD1Dkw47mKJEZQNunItRTkWwgtaUSo1RVFRIG9ZXiFYg==",
    "license": "MIT"
  },
  "node_modules/queue-microtask": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
```

```
    "integrity": "sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
  "node_modules/react": {
    "version": "18.3.1",
    "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
    "integrity": "sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pTVj+2iQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-composer": {
    "version": "5.0.3",
    "resolved": "https://registry.npmjs.org/react-composer/-/react-composer-5.0.3.tgz",
    "integrity": "sha512-1uWd07EME6XZvMfapwZmc7NgCZqDemcvicRi3wMJzXsQLvZ3L7fTHVyPy1bZdnWXM4iPjYuNE+uJ41MLKeTtnA==",
    "license": "MIT",
    "dependencies": {
      "prop-types": "^15.6.0"
    },
    "peerDependencies": {
      "react": "^15.0.0 || ^16.0.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/react-dom": {
    "version": "18.3.1",
    "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
    "integrity": "sha512-5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0",
      "scheduler": "^0.23.2"
    },
    "peerDependencies": {
      "react": "^18.3.1"
    }
  },
  "node_modules/react-dom/node_modules/scheduler": {
    "version": "0.23.2",
    "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
    "integrity": "sha512-UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/tVrDqcuYzQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    }
  },
  "node_modules/react-dropzone": {
    "version": "14.4.1",
    "resolved": "https://registry.npmjs.org/react-dropzone/-/react-dropzone-14.4.1.tgz",
    "integrity": "sha512-QDuV76v3uKbHiH34SpwifZ+gOLi1+RdsCO1kl5vxMT4wW8R82+sthjvBw4th3NHF/XX6FBsqDYZVNN+pnhaw0g==",
    "license": "MIT",
    "dependencies": {
      "attr-accept": "^2.2.4",
      "file-selector": "^2.1.0",
      "prop-types": "^15.8.1"
    },
    "engines": {
      "node": ">= 10.13"
    },
    "peerDependencies": {
      "react": ">= 16.8 || 18.0.0"
    }
  },
  "node_modules/react-is": {
    "version": "16.13.1",
    "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
    "integrity": "sha512-24e6ynE2H+OKt4kqsOvNd8kBpV65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCCTZBuOcfZs70kR8bQ==",
    "license": "MIT"
  },
  "node_modules/react-reconciler": {
    "version": "0.27.0",
    "resolved": "https://registry.npmjs.org/react-reconciler/-/react-reconciler-0.27.0.tgz",
    "integrity": "sha512-HmMDKciQjYmBRGuuhIaKA1ba/7a+UsM5FzOZsMO2JYHt9Jh8reCb7j1eDC95NOyUlKM9KRyvdx0flBuDvYSBoA==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0",
      "scheduler": "^0.21.0"
    },
    "engines": {
      "node": ">=0.10.0"
    },
    "peerDependencies": {
      "react": "^18.0.0"
    }
  },
  "node_modules/react-refresh": {
    "version": "0.17.0",
```

```
    "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.17.0.tgz",
    "integrity": "sha512-z6F7K9bV85EfseRCp2bzrpyQ0Gkw1uLoCel9XBVWPg/TjRj94SkJzUTGfOa4bs7iJvBWtQG0Wq7wnI0syw3EBQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-router": {
    "version": "7.13.2",
    "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.13.2.tgz",
    "integrity": "sha512-tX1Aee+ArlKQP+NIUd7SE6Li+CiGKwQtbS+FfRxPX6Pe4vHOo6nr9d++u5cwg+Z8K/x8tP+7qLmujDtfrAoUJA==",
    "license": "MIT",
    "dependencies": {
      "cookie": "^1.0.1",
      "set-cookie-parser": "^2.6.0"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/react-router-dom": {
    "version": "7.13.2",
    "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.13.2.tgz",
    "integrity": "sha512-aR7SUORwTqAW0JDeiWF07e9SBE9qGpByR9I8kJT5h/FrBKxPMS6TiC7rmVO+gC0q52Bx7JnjWe8Z1sR9faN4YA==",
    "license": "MIT",
    "dependencies": {
      "react-router": "7.13.2"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    }
  },
  "node_modules/react-use-measure": {
    "version": "2.1.7",
    "resolved": "https://registry.npmjs.org/react-use-measure/-/react-use-measure-2.1.7.tgz",
    "integrity": "sha512-KrvcAo13I/60HpwGO5jpW7E9DfusKyLPLvuHlUyP5zqnmAPhNc6qTRjUQrdTADl0lpPpDVU2/Gg51UlOGHXbdg==",
    "license": "MIT",
    "peerDependencies": {
      "react": ">=16.13",
      "react-dom": ">=16.13"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/read-cache": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
    "integrity": "sha512-Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4lR56Y9ya+AThoTpDCTxCmpRA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "pify": "^2.3.0"
    }
  },
  "node_modules/readdirp": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
    "integrity": "sha512-hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To9VRlMzA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "picomatch": "^2.2.1"
    },
    "engines": {
      "node": ">=8.10.0"
    }
  },
  "node_modules/require-from-string": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/require-from-string/-/require-from-string-2.0.2.tgz",
    "integrity": "sha512-Xf0nWe6RseziFMu+Ap9biiUbmplq6S9/p+7w7YXP/JBHhrUDDUhwa+vANyubuqfZWTveU//DYVGsDG7RKL/vEw==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/resolve": {
    "version": "1.22.11",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
    "integrity": "sha512-RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CSpdFnMjTQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-core-module": "^2.16.1",
      "path-parse": "^1.0.7",
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
```

```
    "resolve": "bin/resolve"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/reusify": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
  "integrity": "sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh55TZfVQDPaN3NQJfbVRAxdIw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "iojs": ">=1.0.0",
    "node": ">=0.10.0"
  }
},
"node_modules/rollup": {
  "version": "3.30.0",
  "resolved": "https://registry.npmjs.org/rollup/-/rollup-3.30.0.tgz",
  "integrity": "sha512-kQvGasUgN+AlWGliFn2POSajRQEsULVYFGTvOZmK06d7vCD+YhZztt70kGk3qaeAXeWYL5eO7zx+rAubBc55eA==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "rollup": "dist/bin/rollup"
  },
  "engines": {
    "node": ">=14.18.0",
    "npm": ">=8.0.0"
  },
  "optionalDependencies": {
    "fsevents": "~2.3.2"
  }
},
"node_modules/run-parallel": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
  "integrity": "sha512-5l4VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz8OlQuPmnaJOMoDHQBA==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "queue-microtask": "^1.2.2"
  }
},
"node_modules/scheduler": {
  "version": "0.21.0",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.21.0.tgz",
  "integrity": "sha512-1r87x5fz9MXqswA2ERLo0EbOAU74DpIUO090gIasYTqlVoJeMcl+Z1Rg7WHz+qtPujhS/hGIt9kxZOYBV3faRQ==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0"
  }
},
"node_modules/semver": {
  "version": "6.3.1",
  "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
  "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  }
},
"node_modules/set-cookie-parser": {
  "version": "2.7.2",
  "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
  "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
  "license": "MIT"
},
"node_modules/shebang-command": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
  "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
  "license": "MIT",
  "dependencies": {
    "shebang-regex": "^3.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/shebang-regex": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
  "integrity": "sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
  "license": "MIT",
  "engines": {
    "node": ">=8"
```

```
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
    "integrity": "sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
    "dev": true,
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/stats-gl": {
    "version": "2.4.2",
    "resolved": "https://registry.npmjs.org/stats-gl/-/stats-gl-2.4.2.tgz",
    "integrity": "sha512-g5O9B0hm9CvnM36+v7SFl39T7hmAlv541tU81ME8YeSb3i1CIP5/QdDeSB3A0la0bKNHpxpwxOVRo2wFTYEosQ==",
    "license": "MIT",
    "dependencies": {
      "@types/three": "*",
      "three": "^0.170.0"
    },
    "peerDependencies": {
      "@types/three": "*",
      "three": "*"
    }
  },
  "node_modules/stats-gl/node_modules/three": {
    "version": "0.170.0",
    "resolved": "https://registry.npmjs.org/three/-/three-0.170.0.tgz",
    "integrity": "sha512-FQK+LEpYc0fBD+J8g6oSEyyNzjp+Q7Ks1C568WWaoMRLW+TkNNWmenWeGgJjV105Gd+p/2ql1ZcjYvNiPZBhuQ==",
    "license": "MIT"
  },
  "node_modules/stats.js": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/stats.js/-/stats.js-0.17.0.tgz",
    "integrity": "sha512-hNKz8phvYLPEcRkeG1rsGmV5ChMjKDAWU7/OJJdDErPBNChQXxCo3WZurGpnWc6gZhAzEPFad1aVgyOANH1sMw==",
    "license": "MIT"
  },
  "node_modules/sucrase": {
    "version": "3.35.1",
    "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
    "integrity": "sha512-DhuTmvZWux4H1UOnWMB3sk0sbaCVOoQZjv8u1rDoTV0HTdGem9hkAZtl4JZy8P2z4Bg0nT+YMeOFyVr4zcG5Tw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.2",
      "commander": "^4.0.0",
      "lines-and-columns": "^1.1.6",
      "mz": "^2.7.0",
      "pirates": "^4.0.1",
      "tinyglobby": "^0.2.11",
      "ts-interface-checker": "^0.1.9"
    },
    "bin": {
      "sucrase": "bin/sucrase",
      "sucrase-node": "bin/sucrase-node"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    }
  },
  "node_modules/supports-preserve-symlinks-flag": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
    "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MAt0w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/suspend-react": {
    "version": "0.1.3",
    "resolved": "https://registry.npmjs.org/suspend-react/-/suspend-react-0.1.3.tgz",
    "integrity": "sha512-aqldKgX9aZqpoDp3e8/BZ8Dm7x1pJl+qI3ZKxDN0i/IQTWUwBx/ManmlVJ3wowqbno6c2bmiIfs+Um6LbsjJyQ==",
    "license": "MIT",
    "peerDependencies": {
      "react": ">=17.0"
    }
  },
  "node_modules/tailwindcss": {
    "version": "3.4.19",
    "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
    "integrity": "sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBluUVaF8PyCHcm48cKLWQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@alloc/quick-lru": "^5.2.0",
      "arg": "^5.0.2",
      "chokidar": "^3.6.0",
      "didyoumean": "^1.2.2",
      "dlv": "^1.1.3",
      "fast-glob": "^3.3.2",
      "glob-parent": "^6.0.2",
      "is-glob": "^4.0.3",
      "jiti": "^1.21.7",
      "lilconfig": "^3.1.3",
      "micromatch": "^4.0.8",
      "normalize-path": "^3.0.0",
      "object-hash": "^3.0.0",
      "picocolors": "^1.1.1",
      "postcss": "^8.4.47",
```

```
    "postcss-import": "^15.1.0",
    "postcss-js": "^4.0.1",
    "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
    "postcss-nested": "^6.2.0",
    "postcss-selector-parser": "^6.1.2",
    "resolve": "^1.22.8",
    "sucrase": "^3.35.0"
  },
  "bin": {
    "tailwind": "lib/cli.js",
    "tailwindcss": "lib/cli.js"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/thenify": {
  "version": "3.3.1",
  "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
  "integrity": "sha512-RVZSIV5IG10Hk3enotrhvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmNllzWPwak+bheSw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "any-promise": "^1.0.0"
  }
},
"node_modules/thenify-all": {
  "version": "1.6.0",
  "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
  "integrity": "sha512-RNxQH/qI8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2ZUVeKCSa2oVWi3T4uVmA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "thenify": ">= 3.1.0 < 4"
  },
  "engines": {
    "node": ">=0.8"
  }
},
"node_modules/three": {
  "version": "0.160.1",
  "resolved": "https://registry.npmjs.org/three/-/three-0.160.1.tgz",
  "integrity": "sha512-Bgl2wPJypDOZ1stAxwfWAcJ0WQf7QzlptsxkjYiURPz+n5k4RBDLsq+6f9Y75TYxn6aHLcWz+JNmwTOXWrQTBQ==",
  "license": "MIT"
},
"node_modules/three-mesh-bvh": {
  "version": "0.7.8",
  "resolved": "https://registry.npmjs.org/three-mesh-bvh/-/three-mesh-bvh-0.7.8.tgz",
  "integrity": "sha512-BGEZTOIC14U0XIRw3tO4jY7IjP7n7v24nv9JXS1CyeVRWOCkcOMhRnmENUjuV39gktAw4Ofhr0OvIAiTspQrrw==",
  "deprecated": "Deprecated due to three.js version incompatibility. Please use v0.8.0, instead.",
  "license": "MIT",
  "peerDependencies": {
    "three": ">= 0.151.0"
  }
},
"node_modules/three-stdlib": {
  "version": "2.36.1",
  "resolved": "https://registry.npmjs.org/three-stdlib/-/three-stdlib-2.36.1.tgz",
  "integrity": "sha512-XyGQrFmNQ5O/IoKm556ftwKsBg11TIb301MB5dWNiczi QBEs2g3gtOYIf7pFiLa0zI2gUwhtCjv9fmjnxKZ1Cg==",
  "license": "MIT",
  "dependencies": {
    "@types/draco3d": "^1.4.0",
    "@types/offscreencanvas": "^2019.6.4",
    "@types/webxr": "^0.5.2",
    "draco3d": "^1.4.1",
    "fflate": "^0.6.9",
    "potpack": "^1.0.1"
  },
  "peerDependencies": {
    "three": ">=0.128.0"
  }
},
"node_modules/three-stdlib/node_modules/fflate": {
  "version": "0.6.10",
  "resolved": "https://registry.npmjs.org/fflate/-/fflate-0.6.10.tgz",
  "integrity": "sha512-IQrh3lEPM93wVCEczc9SaAOvkmcoQn/G8Bo1e8ZPlY3X3bnAxWaBdvTdvM1hP62iZp0BXWDy4vTAy4fF0+Dlpg==",
  "license": "MIT"
},
"node_modules/tinyglobby": {
  "version": "0.2.15",
  "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
  "integrity": "sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSjgXHzIQxR0omXljQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.3"
  },
  "engines": {
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/tinyglobby/node_modules/fdir": {
  "version": "6.5.0",
  "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
  "integrity": "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12.0.0"
  },
  "peerDependencies": {
```

```
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/tinyglobby/node_modules/picomatch": {
  "version": "4.0.4",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
  "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4eW9jX3DSIj7A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/to-regex-range": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
  "integrity": "sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-number": "^7.0.0"
  },
  "engines": {
    "node": ">=8.0"
  }
},
"node_modules/troika-three-text": {
  "version": "0.52.4",
  "resolved": "https://registry.npmjs.org/troika-three-text/-/troika-three-text-0.52.4.tgz",
  "integrity": "sha512-V50EwcYGruV5rUZ9F4aNsrytGdKcXKALjEtQXIOBfhVoZU9VAqZNIoGQ3TMiooVqFAbR1w15T+f+8gkzoFzawg==",
  "license": "MIT",
  "dependencies": {
    "bidi-js": "^1.0.2",
    "troika-three-utils": "^0.52.4",
    "troika-worker-utils": "^0.52.0",
    "webgl-sdf-generator": "1.1.1"
  },
  "peerDependencies": {
    "three": ">=0.125.0"
  }
},
"node_modules/troika-three-utils": {
  "version": "0.52.4",
  "resolved": "https://registry.npmjs.org/troika-three-utils/-/troika-three-utils-0.52.4.tgz",
  "integrity": "sha512-NORAStSVa/BDiG52Mfudk4j1FG4jC4ILutB3foPnfGbOeIs9+G5vZLa0pnmnaftZUGm4UwSoqEpWdqvC7zms3A==",
  "license": "MIT",
  "peerDependencies": {
    "three": ">=0.125.0"
  }
},
"node_modules/troika-worker-utils": {
  "version": "0.52.0",
  "resolved": "https://registry.npmjs.org/troika-worker-utils/-/troika-worker-utils-0.52.0.tgz",
  "integrity": "sha512-W1CpvTHykaPH5brv5VHLfQo9D1OYuo0cSBEUQFFT/nBUzM8iD6Lq2/tgG/f1OelbAS1WtaTPQzE5uM49egnngw==",
  "license": "MIT"
},
"node_modules/ts-interface-checker": {
  "version": "0.1.13",
  "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
  "integrity": "sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52jOO90PnPSc3Ur3bTQw0gA==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/tslib": {
  "version": "2.8.1",
  "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
  "integrity": "sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==",
  "license": "0BSD"
},
"node_modules/tunnel-rat": {
  "version": "0.1.2",
  "resolved": "https://registry.npmjs.org/tunnel-rat/-/tunnel-rat-0.1.2.tgz",
  "integrity": "sha512-lR5VHmkPhzdhrM092lI2nACsLO4QubF0/yoOhzX7c+wIpbN1GjHNzCc91QlpxBi+cnx8vVJ+Ur6vL5cEoQPFpQ==",
  "license": "MIT",
  "dependencies": {
    "zustand": "^4.3.2"
  }
},
"node_modules/tunnel-rat/node_modules/zustand": {
  "version": "4.5.7",
  "resolved": "https://registry.npmjs.org/zustand/-/zustand-4.5.7.tgz",
  "integrity": "sha512-CHOUy7mu3lbD6o6LJLfllpjkzhHXSBlX8B9+qPddUsIfeF5S/UZ5q0kmCsnRqT1UHFQZchNFDDzMbQsuesHWlw==",
  "license": "MIT",
  "dependencies": {
    "use-sync-external-store": "^1.2.2"
  },
  "engines": {
    "node": ">=12.7.0"
  },
  "peerDependencies": {
    "@types/react": ">=16.8",
    "immer": ">=9.0.6",
    "react": ">=16.8"
  },
  "peerDependenciesMeta": {
    "@types/react": {
      "optional": true
```

```
      },
      "immer": {
        "optional": true
      },
      "react": {
        "optional": true
      }
    }
  },
  "node_modules/update-browserslist-db": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
    "integrity": "sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "escalade": "^3.2.0",
      "picocolors": "^1.1.1"
    },
    "bin": {
      "update-browserslist-db": "cli.js"
    },
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/use-sync-external-store": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-1.6.0.tgz",
    "integrity": "sha512-Pp6GSwGP/NrPIrxVFAIkOQeyw8lFenOHijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL95+ZQ9w==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
  },
  "node_modules/util-deprecate": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
    "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3gOa6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/utility-types": {
    "version": "3.11.0",
    "resolved": "https://registry.npmjs.org/utility-types/-/utility-types-3.11.0.tgz",
    "integrity": "sha512-6Z7Ma2aVEWisaL6TvBCy7P8rm2LQoPv6dJ7ecIaIixHcwfbJ0x7mWdbcwlIM5IGQxPZSFYeqRCqlOOeKoJYMkw==",
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/vite": {
    "version": "4.5.14",
    "resolved": "https://registry.npmjs.org/vite/-/vite-4.5.14.tgz",
    "integrity": "sha512-+v57oAaoYNnO3hIu5Z/tJRZjq5aHM2zDve9YZ8HngVHbhk66RStobhb1sqPMIPEleV6cNKYK4eGrAbE9Ulbl2g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "esbuild": "^0.18.10",
      "postcss": "^8.4.27",
      "rollup": "^3.27.1"
    },
    "bin": {
      "vite": "bin/vite.js"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://github.com/vitejs/vite?sponsor=1"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    },
    "peerDependencies": {
      "@types/node": ">= 14",
      "less": "*",
      "lightningcss": "^1.21.0",
      "sass": "*",
      "stylus": "*",
      "sugarss": "*",
      "terser": "^5.4.0"
    },
    "peerDependenciesMeta": {
      "@types/node": {
        "optional": true
      },
      "less": {
        "optional": true
      },
      "lightningcss": {
```

```
          "optional": true
        },
        "sass": {
          "optional": true
        },
        "stylus": {
          "optional": true
        },
        "sugarss": {
          "optional": true
        },
        "terser": {
          "optional": true
        }
      }
    },
    "node_modules/webgl-constants": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/webgl-constants/-/webgl-constants-1.1.1.tgz",
      "integrity": "sha512-LkBXKjU5r9vAW7Gcu3T5u+5cvSvh5WwINdr0C+9jpzVB41cjQAP5ePArDtk/WHYdVj0GefCgM73BA7FlIiNtdg=="
    },
    "node_modules/webgl-sdf-generator": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/webgl-sdf-generator/-/webgl-sdf-generator-1.1.1.tgz",
      "integrity": "sha512-9Z0JcMTFxeE+b2x1LJTdnaT8rT8aEp7MVxkNwoycNmJWwPdzoXzMh0BjJSh/AEFP+KPYZUli814h8bJZFIZ2jA==",
      "license": "MIT"
    },
    "node_modules/which": {
      "version": "2.0.2",
      "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
      "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
      "license": "ISC",
      "dependencies": {
        "isexe": "^2.0.0"
      },
      "bin": {
        "node-which": "bin/node-which"
      },
      "engines": {
        "node": ">= 8"
      }
    },
    "node_modules/yallist": {
      "version": "3.1.1",
      "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
      "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUNn2pb7RoXx4g==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/zustand": {
      "version": "5.0.12",
      "resolved": "https://registry.npmjs.org/zustand/-/zustand-5.0.12.tgz",
      "integrity": "sha512-i77ae3aZq4dhMlRhJVCYgMLKuSiZAaUPAct2AksxQ+gOtimhGMdXljRT21P5BNpeT4kXlLIckvkPM029OljD7g==",
      "license": "MIT",
      "engines": {
        "node": ">=12.20.0"
      },
      "peerDependencies": {
        "@types/react": ">=18.0.0",
        "immer": ">=9.0.6",
        "react": ">=18.0.0",
        "use-sync-external-store": ">=1.2.0"
      },
      "peerDependenciesMeta": {
        "@types/react": {
          "optional": true
        },
        "immer": {
          "optional": true
        },
        "react": {
          "optional": true
        },
        "use-sync-external-store": {
          "optional": true
        }
      }
    }
  }
}
```


package.json


```
{
  "name": "frontend",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "@react-three/drei": "^9.122.0",
    "@react-three/fiber": "^8.18.0",
    "axios": "^1.13.6",
    "framer-motion": "^10.18.0",
    "react": "^18.3.1",
    "react-dom": "^18.3.1",
    "react-dropzone": "^14.4.1",
    "react-router-dom": "^7.13.2",
    "three": "^0.160.1"
  },
  "devDependencies": {
    "@types/react": "^18.2.37",
```

```
    "@types/react-dom": "^18.2.15",
    "@vitejs/plugin-react": "^4.7.0",
    "autoprefixer": "^10.4.27",
    "postcss": "^8.5.8",
    "tailwindcss": "^3.4.19",
    "vite": "^4.5.14"
  }
}
```

postcss.config.js

```
export default {
  plugins: {
    tailwindcss: {},
    autoprefixer: {},
  },
}
```

tailwind.config.js

```
/** @type {import('tailwindcss').Config} */
export default {
  content: ['./index.html', './src/**/*.{js,ts,jsx,tsx}'],
  theme: {
    extend: {
      fontFamily: {
        sans: ['Inter', 'system-ui', '-apple-system', 'BlinkMacSystemFont', 'Segoe UI', 'sans-serif'],
      },
      colors: {
        /* Core dark palette */
        n: {
          950: '#0a0a0a',
          900: '#111111',
          850: '#161616',
          800: '#1a1a1a',
          750: '#222222',
          700: '#2a2a2a',
          600: '#333333',
          500: '#404040',
          400: '#525252',
          300: '#737373',
          200: '#a3a3a3',
          100: '#d4d4d4',
          50:  '#e5e5e5',
        },
        /* Risk */
        risk: {
          'high-text':   '#fca5a5',
          'high-border': 'rgba(220,38,38,0.35)',
          'mod-text':    '#fcd34d',
          'mod-border':  'rgba(245,158,11,0.35)',
          'low-text':    '#86efac',
          'low-border':  'rgba(34,197,94,0.35)',
        },
      },
      borderColor: {
        DEFAULT: '#2a2a2a',
      },
      backgroundColor: {
        base:  '#0a0a0a',
        card:  '#1a1a1a',
        hover: '#2a2a2a',
      },
      borderRadius: {
        sm:  '6px',
        md:  '10px',
        lg:  '14px',
        xl:  '18px',
        '2xl': '22px',
      },
      boxShadow: {
        'sm':   '0 1px 3px rgba(0,0,0,0.4)',
        'md':   '0 4px 16px rgba(0,0,0,0.5)',
        'lg':   '0 8px 32px rgba(0,0,0,0.6)',
        'glow': '0 0 20px rgba(212,212,212,0.08)',
        'none': 'none',
      },
      transitionDuration: {
        DEFAULT: '300ms',
      },
      transitionTimingFunction: {
        DEFAULT: 'cubic-bezier(0.4,0,0.2,1)',
      },
      animation: {
        'slide-up':        'slideUp 0.5s cubic-bezier(0.4,0,0.2,1) both',
        'slide-down':      'slideDown 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'slide-in-left':   'slideInLeft 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'slide-in-right':  'slideInRight 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'fade-in':         'fadeIn 0.4s ease both',
        'scale-in':        'scaleIn 0.3s cubic-bezier(0.4,0,0.2,1) both',
        'float-slow':      'floatSlow 6s ease-in-out infinite',
        'float-particle':  'floatParticle 4s ease-in-out infinite',
        'pulse-glow':      'pulseGlow 3s ease-in-out infinite',
        'pulse-dot':       'pulseDot 1.5s ease-in-out infinite',
        'shimmer':         'shimmer 1.5s linear infinite',
        'shake':           'shake 0.5s ease-out',
        'drift-up':        'driftUp linear infinite',
        'eye-open':        'eyeOpen 1.6s cubic-bezier(0.22,1,0.36,1) forwards',
        'spin-slow':       'spin 3s linear infinite',
      },
      keyframes: {
        slideUp:       { from: { opacity: '0', transform: 'translateY(32px)' }, to: { opacity: '1', transform: 'translateY(0)' } },
        slideDown:     { from: { opacity: '0', transform: 'translateY(-16px)' }, to: { opacity: '1', transform: 'translateY(0)' } },
        slideInLeft:   { from: { opacity: '0', transform: 'translateX(-24px)' }, to: { opacity: '1', transform: 'translateX(0)' } },
        slideInRight:  { from: { opacity: '0', transform: 'translateX(24px)' }, to: { opacity: '1', transform: 'translateX(0)' } },
        fadeIn:        { from: { opacity: '0' }, to: { opacity: '1' } },
```

```
        scaleIn:       { from: { opacity: '0', transform: 'scale(0.95)' }, to: { opacity: '1', transform: 'scale(1)' } },
        floatSlow:     { '0%,100%': { transform: 'translateY(0) rotate(0deg)' }, '50%': { transform: 'translateY(-16px) rotate(4deg)' } },
        floatParticle: { '0%,100%': { transform: 'translateY(0)', opacity: '0' }, '50%': { transform: 'translateY(-28px)', opacity: '1' } },
        pulseGlow:     { '0%,100%': { opacity: '0.4', transform: 'scale(1)' }, '50%': { opacity: '0.8', transform: 'scale(1.1)' } },
        pulseDot:      { '0%,100%': { opacity: '1', transform: 'scale(1)' }, '50%': { opacity: '0.5', transform: 'scale(0.85)' } },
        shimmer:       { from: { backgroundPosition: '-200% center' }, to: { backgroundPosition: '200% center' } },
        shake:         { '0%,100%': { transform: 'translateX(0)' }, '10%,30%,50%,70%,90%': { transform: 'translateX(-4px)' }, '20%,40%,60%,80%': { transform: 'tra
        driftUp:       { '0%': { transform: 'translateY(100vh) scale(0)', opacity: '0' }, '10%': { opacity: '1' }, '90%': { opacity: '1' }, '100%': { transform: '
        eyeOpen:       { '0%': { transform: 'scaleY(0.05)' }, '60%': { transform: 'scaleY(0.65)' }, '100%': { transform: 'scaleY(1)' } },
        progressFill:  { from: { width: '0%' } },
      },
      spacing: {
        '4.5': '18px',
        '18':  '72px',
        '22':  '88px',
      },
    },
  },
  plugins: [],
};
```

vite.config.js

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  base: './',
  build: {
    outDir: 'dist'
  },
  server: {
    proxy: {
      '/predict': {
        target: 'http://localhost:8000',
        changeOrigin: true,
      },
      '/health': {
        target: 'http://localhost:8000',
        changeOrigin: true,
      },
    },
  },
})
```

src\App.css

```
.counter {
  font-size: 16px;
  padding: 5px 10px;
  border-radius: 5px;
  color: var(--accent);
  background: var(--accent-bg);
  border: 2px solid transparent;
  transition: border-color 0.3s;
  margin-bottom: 24px;

  &:hover {
    border-color: var(--accent-border);
  }
  &:focus-visible {
    outline: 2px solid var(--accent);
    outline-offset: 2px;
  }
}

.hero {
  position: relative;

  .base,
  .framework,
  .vite {
    inset-inline: 0;
    margin: 0 auto;
  }

  .base {
    width: 170px;
    position: relative;
    z-index: 0;
  }

  .framework,
  .vite {
    position: absolute;
  }

  .framework {
    z-index: 1;
    top: 34px;
    height: 28px;
    transform: perspective(2000px) rotateZ(300deg) rotateX(44deg) rotateY(39deg)
      scale(1.4);
  }

  .vite {
    z-index: 0;
    top: 107px;
    height: 26px;
    width: auto;
    transform: perspective(2000px) rotateZ(300deg) rotateX(40deg) rotateY(39deg)
      scale(0.8);
  }
}

#center {
```

```
  display: flex;
  flex-direction: column;
  gap: 25px;
  place-content: center;
  place-items: center;
  flex-grow: 1;

  @media (max-width: 1024px) {
    padding: 32px 20px 24px;
    gap: 18px;
  }
}

#next-steps {
  display: flex;
  border-top: 1px solid var(--border);
  text-align: left;

  & > div {
    flex: 1 1 0;
    padding: 32px;
    @media (max-width: 1024px) {
      padding: 24px 20px;
    }
  }

  .icon {
    margin-bottom: 16px;
    width: 22px;
    height: 22px;
  }

  @media (max-width: 1024px) {
    flex-direction: column;
    text-align: center;
  }
}

#docs {
  border-right: 1px solid var(--border);

  @media (max-width: 1024px) {
    border-right: none;
    border-bottom: 1px solid var(--border);
  }
}

#next-steps ul {
  list-style: none;
  padding: 0;
  display: flex;
  gap: 8px;
  margin: 32px 0 0;

  .logo {
    height: 18px;
  }

  a {
    color: var(--text-h);
    font-size: 16px;
    border-radius: 6px;
    background: var(--social-bg);
    display: flex;
    padding: 6px 12px;
    align-items: center;
    gap: 8px;
    text-decoration: none;
    transition: box-shadow 0.3s;

    &:hover {
      box-shadow: var(--shadow);
    }
    .button-icon {
      height: 18px;
      width: 18px;
    }
  }

  @media (max-width: 1024px) {
    margin-top: 20px;
    flex-wrap: wrap;
    justify-content: center;

    li {
      flex: 1 1 calc(50% - 8px);
    }

    a {
      width: 100%;
      justify-content: center;
      box-sizing: border-box;
    }
  }
}

#spacer {
  height: 88px;
  border-top: 1px solid var(--border);
  @media (max-width: 1024px) {
    height: 48px;
  }
}

.ticks {
```

```
  position: relative;
  width: 100%;

  &::before,
  &::after {
    content: '';
    position: absolute;
    top: -4.5px;
    border: 5px solid transparent;
  }

  &::before {
    left: 0;
    border-left-color: var(--border);
  }
  &::after {
    right: 0;
    border-right-color: var(--border);
  }
}
```

src\App.jsx

```
import { BrowserRouter as Router, Routes, Route, Navigate } from 'react-router-dom';
import { useState, useEffect } from 'react';
import { useAuth } from './context/AuthContext';
import CinematicIntro from './animations/CinematicIntro';
import LoadingScreen from './animations/LoadingScreen';
import BackgroundEffects from './animations/BackgroundEffects';
import Navbar from './components/Navbar';
import Hero from './components/Hero';
import AIDetection from './components/AIDetection';
import About from './components/About';
import Features from './components/Features';
import EyeGuide from './components/EyeGuide';
import Landing from './pages/Landing';
import Login from './pages/Login';
import Signup from './pages/Signup';
import CompleteProfile from './pages/CompleteProfile';
import Dashboard from './pages/Dashboard';
import History from './pages/History';
import Reports from './pages/Reports';
import Report from './pages/Report';
import Settings from './pages/Settings';
import Profile from './pages/Profile';
import './styles/globals.css';

/* Apply saved theme on load */
var saved = localStorage.getItem('optha_settings');
if (saved) {
  try {
    var s = JSON.parse(saved);
    if (s.theme === 'light') document.documentElement.setAttribute('data-theme', 'light');
  } catch (e) {}
}

var ProtectedRoute = function ({ children }) {
  var { user, loading, profileComplete } = useAuth();
  if (loading) return <LoadingScreen />;
  if (!user) return <Navigate to="/login" replace />;
  if (!profileComplete) return <Navigate to="/complete-profile" replace />;
  return children;
};

var ProfileGuard = function ({ children }) {
  var { user, loading } = useAuth();
  if (loading) return <LoadingScreen />;
  if (!user) return <Navigate to="/login" replace />;
  return children;
};

var HomePage = function () {
  return (
    <div className="min-h-screen text-neutral-200 relative" style={{ background: 'var(--bg-primary)' }}>
      <BackgroundEffects />
      <Navbar />
      <Hero />
      <AIDetection />
      <EyeGuide />
      <About />
      <Features />
      <footer className="py-8 text-center border-t relative z-10"
        style={{ color: 'var(--text-subtle)', borderColor: 'var(--border)' }}>
        <p>&copy; 2025 OpthaMiss. AI-Powered Eye Disease Detection.</p>
      </footer>
    </div>
  );
};

function App() {
  var { loading } = useAuth();
  var [introComplete, setIntroComplete] = useState(false);
  var [showLoading, setShowLoading] = useState(true);

  useEffect(function () {
    var hasSeenIntro = sessionStorage.getItem('hasSeenIntro');
    if (hasSeenIntro) {
      setShowLoading(false);
      setIntroComplete(true);
    } else {
      setTimeout(function () { setShowLoading(false); }, 1200);
    }
  }, []);

  var handleIntroComplete = function () {
    setIntroComplete(true);
```

```
    sessionStorage.setItem('hasSeenIntro', 'true');
  };

  if (loading || showLoading) return <LoadingScreen />;
  if (!introComplete) return <CinematicIntro onComplete={handleIntroComplete} />;

  return (
    <Router>
      <Routes>
        <Route path="/" element={<Landing />} />
        <Route path="/screen" element={<HomePage />} />
        <Route path="/login" element={<Login />} />
        <Route path="/signup" element={<Signup />} />

        {/* Profile completion — requires login but not completed profile */}
        <Route path="/complete-profile" element={
          <ProfileGuard><CompleteProfile /></ProfileGuard>
        } />

        {/* Protected routes — require login + completed profile */}
        <Route path="/dashboard" element={<ProtectedRoute><Dashboard /></ProtectedRoute>} />
        <Route path="/history" element={<ProtectedRoute><History /></ProtectedRoute>} />
        <Route path="/reports" element={<ProtectedRoute><Reports /></ProtectedRoute>} />
        <Route path="/report/:id" element={<ProtectedRoute><Report /></ProtectedRoute>} />
        <Route path="/settings" element={<ProtectedRoute><Settings /></ProtectedRoute>} />
        <Route path="/profile" element={<ProtectedRoute><Profile /></ProtectedRoute>} />

        <Route path="*" element={<Navigate to="/" replace />} />
      </Routes>
    </Router>
  );
}

export default App;
```

src\index.css

```
  /* ■■■ Google Font — MUST be first ■■■ */
  @import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700;800&display=swap');

  @tailwind base;
  @tailwind components;
  @tailwind utilities;

  /* ■■■
```

```
}

*,
*::before,
*::after {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

body {
  font-family: var(--font-sans);
  background-color: var(--color-bg);
  color: var(--color-text);
  line-height: 1.6;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  overflow-x: hidden;
}

/* ═══════════════════════════════════════════════════
 SCROLLBAR
═══════════════════════════════════════════════════ */
::-webkit-scrollbar {
  width: 6px;
  height: 6px;
}

::-webkit-scrollbar-track {
  background: var(--color-bg-3);
}

::-webkit-scrollbar-thumb {
  background: var(--color-border-2);
  border-radius: 3px;
}

::-webkit-scrollbar-thumb:hover {
  background: var(--color-accent-2);
}

* {
  scrollbar-width: thin;
  scrollbar-color: var(--color-border-2) var(--color-bg-3);
}

/* ═══════════════════════════════════════════════════
 SELECTION
═══════════════════════════════════════════════════ */
::selection {
  background: rgba(212, 212, 212, 0.15);
  color: var(--color-text);
}

/* ═══════════════════════════════════════════════════
 KEYFRAME ANIMATIONS
═══════════════════════════════════════════════════ */

@keyframes slideUp {
  from {
    opacity: 0;
    transform: translateY(32px);
  }

  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes slideDown {
  from {
    opacity: 0;
    transform: translateY(-16px);
  }

  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes slideInLeft {
  from {
    opacity: 0;
    transform: translateX(-24px);
  }

  to {
    opacity: 1;
    transform: translateX(0);
  }
}

@keyframes slideInRight {
  from {
    opacity: 0;
    transform: translateX(24px);
  }

  to {
    opacity: 1;
    transform: translateX(0);
  }
}
```

```
@keyframes fadeIn {
  from {
    opacity: 0;
  }

  to {
    opacity: 1;
  }
}

@keyframes fadeOut {
  from {
    opacity: 1;
  }

  to {
    opacity: 0;
  }
}

@keyframes scaleIn {
  from {
    opacity: 0;
    transform: scale(0.95);
  }

  to {
    opacity: 1;
    transform: scale(1);
  }
}

@keyframes zoomIn {
  from {
    transform: scale(1);
    opacity: 1;
  }

  to {
    transform: scale(8);
    opacity: 0;
  }
}

@keyframes float1 {

  0%,
  100% {
    transform: translate(0, 0) scale(1);
  }

  25% {
    transform: translate(30px, -40px) scale(1.05);
  }

  50% {
    transform: translate(-20px, -70px) scale(0.95);
  }

  75% {
    transform: translate(40px, -30px) scale(1.02);
  }
}

@keyframes float2 {

  0%,
  100% {
    transform: translate(0, 0) scale(1);
  }

  33% {
    transform: translate(-40px, -50px) scale(1.08);
  }

  66% {
    transform: translate(30px, -80px) scale(0.92);
  }
}

@keyframes float3 {

  0%,
  100% {
    transform: translate(0, 0);
  }

  20% {
    transform: translate(50px, -20px);
  }

  40% {
    transform: translate(-30px, -60px);
  }

  60% {
    transform: translate(20px, -90px);
  }

  80% {
    transform: translate(-40px, -40px);
  }
}

@keyframes driftUp {
```

```
  0% {
    transform: translateY(100vh) scale(0);
    opacity: 0;
  }

  10% {
    opacity: 1;
  }

  90% {
    opacity: 1;
  }

  100% {
    transform: translateY(-100px) scale(1);
    opacity: 0;
  }
}

@keyframes floatParticle {

  0%,
  100% {
    transform: translateY(0);
    opacity: 0;
  }

  50% {
    transform: translateY(-28px);
    opacity: 1;
  }
}

@keyframes floatSlow {

  0%,
  100% {
    transform: translateY(0) rotate(0deg);
  }

  50% {
    transform: translateY(-16px) rotate(4deg);
  }
}

@keyframes pulseGlow {

  0%,
  100% {
    opacity: 0.4;
    transform: scale(1);
  }

  50% {
    opacity: 0.8;
    transform: scale(1.1);
  }
}

@keyframes pulseDot {

  0%,
  100% {
    opacity: 1;
    transform: scale(1);
  }

  50% {
    opacity: 0.5;
    transform: scale(0.85);
  }
}

@keyframes shimmer {
  from {
    background-position: -200% center;
  }

  to {
    background-position: 200% center;
  }
}

@keyframes eyeOpen {
  0% {
    transform: scaleY(0.05);
  }

  60% {
    transform: scaleY(0.65);
  }

  100% {
    transform: scaleY(1);
  }
}

@keyframes shake {

  0%,
  100% {
    transform: translateX(0);
  }

  10%,
```

```
  30%,
  50%,
  70%,
  90% {
    transform: translateX(-4px);
  }

  20%,
  40%,
  60%,
  80% {
    transform: translateX(4px);
  }
}

@keyframes spin {
  from {
    transform: rotate(0deg);
  }

  to {
    transform: rotate(360deg);
  }
}

@keyframes progressFill {
  from {
    width: 0%;
  }
}

/* ═══════════════════════════════════════════════════
 ANIMATION UTILITY CLASSES
═══════════════════════════════════════════════════ */
.animate-slide-up {
  animation: slideUp 0.5s cubic-bezier(0.4, 0, 0.2, 1) both;
}

.animate-slide-down {
  animation: slideDown 0.4s cubic-bezier(0.4, 0, 0.2, 1) both;
}

.animate-slide-in-left {
  animation: slideInLeft 0.4s cubic-bezier(0.4, 0, 0.2, 1) both;
}

.animate-slide-in-right {
  animation: slideInRight 0.4s cubic-bezier(0.4, 0, 0.2, 1) both;
}

.animate-fade-in {
  animation: fadeIn 0.4s ease both;
}

.animate-scale-in {
  animation: scaleIn 0.3s cubic-bezier(0.4, 0, 0.2, 1) both;
}

.animate-float-slow {
  animation: floatSlow 6s ease-in-out infinite;
}

.animate-float-particle {
  animation: floatParticle 4s ease-in-out infinite;
}

.animate-pulse-glow {
  animation: pulseGlow 3s ease-in-out infinite;
}

.animate-pulse-dot {
  animation: pulseDot 1.5s ease-in-out infinite;
}

.animate-shimmer {
  animation: shimmer 1.5s linear infinite;
}

.animate-shake {
  animation: shake 0.5s ease-out;
}

.animate-spin {
  animation: spin 1s linear infinite;
}

.animate-zoom-in {
  animation: zoomIn 1.2s ease-in-out forwards;
}

.animate-eye-open {
  animation: eyeOpen 1.6s cubic-bezier(0.22, 1, 0.36, 1) forwards;
}

.animate-drift-up {
  animation: driftUp linear infinite;
}

.delay-75 {
  animation-delay: 75ms;
}

.delay-100 {
  animation-delay: 100ms;
}
```

```
.delay-150 {
  animation-delay: 150ms;
}

.delay-200 {
  animation-delay: 200ms;
}

.delay-300 {
  animation-delay: 300ms;
}

.delay-500 {
  animation-delay: 500ms;
}

.delay-700 {
  animation-delay: 700ms;
}

/* ■■■
```

```
  padding: 8px;
  width: 36px;
  height: 36px;
  border-radius: var(--radius-md);
}

.ui-btn-danger {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

.ui-btn-danger:hover {
  background: rgba(127, 29, 29, 0.4);
  border-color: rgba(220, 38, 38, 0.6);
  box-shadow: 0 0 16px rgba(239, 68, 68, 0.15);
}

.ui-btn-success {
  background: var(--risk-low-bg);
  border-color: var(--risk-low-border);
  color: var(--risk-low-text);
}

/* ■■ Input ■■ */
.ui-input {
  width: 100%;
  padding: 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease), box-shadow var(--ease);
  outline: none;
  appearance: none;
}

.ui-input::placeholder {
  color: var(--color-text-4);
}

.ui-input:focus {
  border-color: var(--color-border-2);
  box-shadow: 0 0 0 3px rgba(255, 255, 255, 0.04);
}

.ui-input:disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.ui-input-error {
  border-color: rgba(220, 38, 38, 0.5);
  background: rgba(127, 29, 29, 0.08);
}

.ui-input-error:focus {
  box-shadow: 0 0 0 3px rgba(239, 68, 68, 0.1);
}

.ui-select {
  width: 100%;
  padding: 10px 36px 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease);
  outline: none;
  appearance: none;
  cursor: pointer;
  background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' fill='none' viewBox='0 0 24 24' stroke='%23737373'%3E%3Cpath stroke-lineca
  background-repeat: no-repeat;
  background-position: right 10px center;
  background-size: 16px;
}

.ui-select:focus {
  border-color: var(--color-border-2);
}

.ui-textarea {
  width: 100%;
  padding: 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease);
  outline: none;
  resize: vertical;
  min-height: 90px;
  line-height: 1.6;
}

.ui-textarea:focus {
  border-color: var(--color-border-2);
}

/* ■■ Label ■■ */
```

```
.ui-label {
  display: block;
  font-size: 11px;
  font-weight: 600;
  color: var(--color-text-3);
  margin-bottom: 6px;
  letter-spacing: 0.06em;
  text-transform: uppercase;
}

/* ■■ Badge ■■ */
.ui-badge {
  display: inline-flex;
  align-items: center;
  gap: 4px;
  padding: 2px 8px;
  font-size: 11px;
  font-weight: 500;
  border-radius: 99px;
  border: 1px solid var(--color-border);
  background: var(--color-bg-4);
  color: var(--color-text-2);
}

.ui-badge-high {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

.ui-badge-moderate {
  background: var(--risk-mod-bg);
  border-color: var(--risk-mod-border);
  color: var(--risk-mod-text);
}

.ui-badge-low {
  background: var(--risk-low-bg);
  border-color: var(--risk-low-border);
  color: var(--risk-low-text);
}

/* ■■ Toggle ■■ */
.ui-toggle {
  position: relative;
  display: inline-flex;
  width: 44px;
  height: 24px;
  border-radius: 12px;
  background: var(--color-bg-hover);
  border: 1px solid var(--color-border);
  cursor: pointer;
  transition: all var(--ease);
  flex-shrink: 0;
}

.ui-toggle.on {
  background: var(--color-bg-4);
  border-color: var(--color-border-2);
}

.ui-toggle-knob {
  position: absolute;
  top: 2px;
  left: 2px;
  width: 18px;
  height: 18px;
  border-radius: 50%;
  background: var(--color-text-4);
  transition: all var(--ease);
}

.ui-toggle.on .ui-toggle-knob {
  left: 22px;
  background: var(--color-text);
}

/* ■■ Divider ■■ */
.ui-divider {
  width: 100%;
  height: 1px;
  background: var(--color-border);
  margin: 20px 0;
}

/* ■■ Container ■■ */
.ui-container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-sm {
  max-width: 480px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-md {
  max-width: 720px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-lg {
```

```
  max-width: 960px;
  margin: 0 auto;
  padding: 0 24px;
}

/* ■■ Section ■■ */
.ui-section {
  padding: 80px 0;
}

.ui-section-sm {
  padding: 48px 0;
}

/* ■■ Heading ■■ */
.ui-h1 {
  font-size: clamp(28px, 5vw, 48px);
  font-weight: 700;
  line-height: 1.15;
  color: var(--color-text);
  letter-spacing: -0.02em;
}

.ui-h2 {
  font-size: clamp(22px, 3.5vw, 36px);
  font-weight: 600;
  line-height: 1.25;
  color: var(--color-text);
  letter-spacing: -0.015em;
}

.ui-h3 {
  font-size: clamp(17px, 2.5vw, 22px);
  font-weight: 600;
  line-height: 1.35;
  color: var(--color-text);
}

.ui-h4 {
  font-size: 16px;
  font-weight: 600;
  color: var(--color-text);
}

.ui-eyebrow {
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.12em;
  text-transform: uppercase;
  color: var(--color-text-3);
}

/* ■■ Text ■■ */
.ui-text {
  font-size: 14px;
  color: var(--color-text-2);
  line-height: 1.6;
}

.ui-text-sm {
  font-size: 13px;
  color: var(--color-text-3);
  line-height: 1.5;
}

.ui-text-xs {
  font-size: 11px;
  color: var(--color-text-4);
}

/* ■■ Table ■■ */
.ui-table {
  width: 100%;
  border-collapse: collapse;
  font-size: 14px;
}

.ui-table th {
  padding: 10px 16px;
  text-align: left;
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.06em;
  text-transform: uppercase;
  color: var(--color-text-3);
  background: var(--color-bg-2);
  border-bottom: 1px solid var(--color-border);
}

.ui-table td {
  padding: 12px 16px;
  color: var(--color-text-2);
  border-bottom: 1px solid var(--color-border);
  transition: background var(--ease);
}

.ui-table tr:last-child td {
  border-bottom: none;
}

.ui-table tr:hover td {
  background: var(--color-bg-2);
}

/* ■■ Progress bar ■■ */
```

```
.ui-progress {
  width: 100%;
  height: 6px;
  background: var(--color-bg-2);
  border-radius: 99px;
  overflow: hidden;
}

.ui-progress-fill {
  height: 100%;
  border-radius: 99px;
  background: var(--color-accent-2);
  transition: width 1s cubic-bezier(0.4, 0, 0.2, 1);
  animation: progressFill 1s cubic-bezier(0.4, 0, 0.2, 1) both;
}

/* ■■ Skeleton ■■ */
.ui-skeleton {
  background: linear-gradient(90deg, var(--color-bg-3) 25%, var(--color-bg-4) 50%, var(--color-bg-3) 75%);
  background-size: 200% auto;
  border-radius: var(--radius-sm);
  animation: shimmer 1.5s linear infinite;
}

/* ■■ Tooltip ■■ */
.ui-tooltip-wrap {
  position: relative;
  display: inline-flex;
}

.ui-tooltip {
  position: absolute;
  bottom: calc(100% + 8px);
  left: 50%;
  transform: translateX(-50%);
  padding: 5px 10px;
  font-size: 12px;
  white-space: nowrap;
  background: var(--color-bg-4);
  border: 1px solid var(--color-border-2);
  color: var(--color-text);
  border-radius: var(--radius-sm);
  pointer-events: none;
  opacity: 0;
  transition: opacity var(--ease);
  z-index: 50;
  box-shadow: var(--shadow-md);
}

.ui-tooltip-wrap:hover .ui-tooltip {
  opacity: 1;
}

/* ■■ Modal overlay ■■ */
.ui-overlay {
  position: fixed;
  inset: 0;
  background: rgba(0, 0, 0, 0.72);
  backdrop-filter: blur(4px);
  z-index: 100;
  display: flex;
  align-items: center;
  justify-content: center;
  padding: 16px;
  animation: fadeIn 0.2s ease;
}

.ui-modal {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border-2);
  border-radius: var(--radius-xl);
  padding: 28px;
  width: 100%;
  max-width: 440px;
  animation: scaleIn 0.25s cubic-bezier(0.4, 0, 0.2, 1);
  box-shadow: var(--shadow-lg);
}

/* ■■ Toast ■■ */
.ui-toast {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 12px 16px;
  border-radius: var(--radius-lg);
  border: 1px solid var(--color-border);
  background: rgba(26, 26, 26, 0.96);
  backdrop-filter: blur(12px);
  color: var(--color-text);
  font-size: 14px;
  font-weight: 500;
  box-shadow: var(--shadow-lg);
  animation: slideInRight 0.3s cubic-bezier(0.4, 0, 0.2, 1);
  max-width: 360px;
}

.ui-toast-success {
  border-color: var(--risk-low-border);
  background: rgba(20, 83, 45, 0.92);
  color: var(--risk-low-text);
}

.ui-toast-error {
  border-color: var(--risk-high-border);
  background: rgba(127, 29, 29, 0.92);
```

```
  color: var(--risk-high-text);
}

.ui-toast-warning {
  border-color: var(--risk-mod-border);
  background: rgba(120, 53, 15, 0.92);
  color: var(--risk-mod-text);
}

.ui-toast-info {
  border-color: var(--color-border-2);
  background: rgba(26, 26, 26, 0.96);
  color: var(--color-text);
}

/* ■■ Navigation item ■■ */
.ui-nav-item {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 9px 12px;
  border-radius: var(--radius-md);
  font-size: 14px;
  font-weight: 500;
  color: var(--color-text-3);
  border: 1px solid transparent;
  cursor: pointer;
  transition: all var(--ease);
  text-decoration: none;
  user-select: none;
  width: 100%;
  text-align: left;
  background: transparent;
  font-family: var(--font-sans);
}

.ui-nav-item:hover {
  background: var(--color-bg-4);
  color: var(--color-text-2);
}

.ui-nav-item.active {
  background: var(--color-bg-4);
  border-color: var(--color-border);
  color: var(--color-text);
}

/* ■■ Stat card ■■ */
.ui-stat-card {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-lg);
  padding: 20px;
  transition: all var(--ease);
}

.ui-stat-card:hover {
  border-color: var(--color-border-2);
  box-shadow: var(--shadow-sm);
  transform: translateY(-1px);
}

/* ■■ Social buttons ■■ */
.ui-social-btn {
  width: 100%;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 12px;
  padding: 11px 20px;
  border-radius: var(--radius-md);
  font-size: 14px;
  font-weight: 500;
  cursor: pointer;
  transition: all var(--ease);
  border: 1px solid;
  outline: none;
  font-family: var(--font-sans);
}

.ui-social-btn:disabled {
  opacity: 0.55;
  cursor: not-allowed;
}

.ui-social-btn-google {
  background: #ffffff;
  border-color: #e0e0e0;
  color: #1f1f1f;
}

.ui-social-btn-google:hover:not(:disabled) {
  background: #f5f5f5;
  box-shadow: 0 2px 8px rgba(0, 0, 0, 0.2);
}

.ui-social-btn-apple {
  background: #000000;
  border-color: #333333;
  color: #ffffff;
}

.ui-social-btn-apple:hover:not(:disabled) {
  background: #111111;
  box-shadow: 0 2px 8px rgba(0, 0, 0, 0.4);
```

```
}

/* ■■ Auth card ■■ */
.ui-auth-card {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border-2);
  border-radius: var(--radius-xl);
  padding: 36px;
  width: 100%;
  max-width: 440px;
  box-shadow: var(--shadow-lg);
}

/* ■■ Sidebar ■■ */
.ui-sidebar {
  position: fixed;
  left: 0;
  top: 0;
  height: 100vh;
  width: 256px;
  background: var(--color-bg-2);
  border-right: 1px solid var(--color-border);
  display: flex;
  flex-direction: column;
  z-index: 40;
}

/* ■■ Header ■■ */
.ui-header {
  height: 64px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 0 24px;
  background: var(--color-bg-2);
  border-bottom: 1px solid var(--color-border);
  position: sticky;
  top: 0;
  z-index: 30;
}

/* ■■ Layout ■■ */
.ui-main {
  flex: 1;
  margin-left: 256px;
  display: flex;
  flex-direction: column;
}

.ui-page-content {
  padding: 28px 32px;
  flex: 1;
}

/* ■■ Grid helpers ■■ */
.ui-grid-2 {
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 16px;
}

.ui-grid-3 {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 16px;
}

.ui-grid-4 {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 16px;
}

@media (max-width: 1024px) {
  .ui-grid-4 {
    grid-template-columns: repeat(2, 1fr);
  }

  .ui-grid-3 {
    grid-template-columns: repeat(2, 1fr);
  }

  .ui-main {
    margin-left: 0;
  }

  .ui-page-content {
    padding: 20px 16px;
  }
}

@media (max-width: 640px) {

  .ui-grid-4,
  .ui-grid-3,
  .ui-grid-2 {
    grid-template-columns: 1fr;
  }

  .ui-auth-card {
    padding: 24px 20px;
  }

  .ui-modal {
    padding: 20px;
```

```
    }
  }

  /* ═══════════════════════════════════════════════════
   AUTOFILL OVERRIDE
═══════════════════════════════════════════════════ */
  input:-webkit-autofill,
  input:-webkit-autofill:hover,
  input:-webkit-autofill:focus {
    -webkit-box-shadow: 0 0 0 1000px var(--color-bg-2) inset !important;
    -webkit-text-fill-color: var(--color-text) !important;
    caret-color: var(--color-text);
  }

  /* Number spinners off */
  input[type=number]::-webkit-inner-spin-button,
  input[type=number]::-webkit-outer-spin-button {
    -webkit-appearance: none;
  }

  input[type=number] {
    -moz-appearance: textfield;
  }

  /* Date picker dark */
  input[type=date]::-webkit-calendar-picker-indicator {
    filter: invert(0.7);
    cursor: pointer;
  }

  /* Focus ring */
  button:focus-visible,
  a:focus-visible,
  input:focus-visible,
  select:focus-visible,
  textarea:focus-visible {
    outline: 2px solid var(--color-border-2);
    outline-offset: 2px;
  }

  /* Tap highlight off */
  * {
    -webkit-tap-highlight-color: transparent;
  }

  /* ═══════════════════════════════════════════════════
   PRINT
═══════════════════════════════════════════════════ */
  @media print {
    body {
      background: white !important;
      color: black !important;
    }

    .ui-sidebar,
    .ui-header,
    .no-print {
      display: none !important;
    }

    .ui-main {
      margin-left: 0 !important;
    }
  }
```

src\main.jsx

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import App from './App.jsx';
import { AuthProvider } from './context/AuthContext.jsx';
import { ToastProvider } from './context/ToastContext.jsx';
import './index.css';

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <AuthProvider>
      <ToastProvider>
        <App />
      </ToastProvider>
    </AuthProvider>
  </React.StrictMode>
);
```

src\animations\BackgroundEffects.jsx

```
import { useState } from 'react';

const BackgroundEffects = () => {
  const [particles] = useState(() =>
    Array.from({ length: 50 }, (_, i) => ({
      id: i,
      left: Math.random() * 100,
      delay: Math.random() * 15,
      duration: 8 + Math.random() * 14,
      size: 2 + Math.random() * 4,
      opacity: 0.25 + Math.random() * 0.45,
    }))
  );

  const [orbs] = useState(() => [
    { left: '5%',  top: '15%', size: 420, color: 'rgba(80,80,120,0.18)',  duration: 22, anim: 'float1' },
    { left: '65%', top: '35%', size: 520, color: 'rgba(60,100,80,0.14)',  duration: 28, anim: 'float2' },
    { left: '35%', top: '65%', size: 360, color: 'rgba(100,80,100,0.16)', duration: 20, anim: 'float3' },
    { left: '75%', top: '5%',  size: 300, color: 'rgba(70,70,110,0.13)',  duration: 26, anim: 'float1' },
    { left: '15%', top: '80%', size: 450, color: 'rgba(90,80,70,0.15)',   duration: 32, anim: 'float2' },
```

```
    { left: '50%', top: '45%', size: 280, color: 'rgba(75,95,85,0.12)',   duration: 18, anim: 'float3' },
  ]);

  return (
    <div className="fixed inset-0 pointer-events-none z-0 overflow-hidden">

      {/* Gradient orbs — more visible */}
      {orbs.map((orb, i) => (
        <div
          key={`orb-${i}`}
          style={{
            position: 'absolute',
            left: orb.left,
            top: orb.top,
            width: orb.size,
            height: orb.size,
            borderRadius: '50%',
            background: `radial-gradient(circle, ${orb.color} 0%, transparent 70%)`,
            animation: `${orb.anim} ${orb.duration}s ease-in-out infinite`,
            filter: 'blur(30px)',
          }}
        />
      ))}

      {/* Floating particles — more visible */}
      {particles.map((p) => (
        <div
          key={`p-${p.id}`}
          style={{
            position: 'absolute',
            left: `${p.left}%`,
            bottom: '-10px',
            width: p.size,
            height: p.size,
            borderRadius: '50%',
            backgroundColor: `rgba(200, 200, 220, ${p.opacity})`,
            animation: `driftUp ${p.duration}s linear ${p.delay}s infinite`,
            boxShadow: `0 0 ${p.size * 2}px rgba(200,200,220,${p.opacity * 0.5})`,
          }}
        />
      ))}

      {/* Subtle grid overlay — slightly more visible */}
      <div
        style={{
          position: 'absolute',
          inset: 0,
          backgroundImage: `
            linear-gradient(rgba(255,255,255,0.03) 1px, transparent 1px),
            linear-gradient(90deg, rgba(255,255,255,0.03) 1px, transparent 1px)
          `,
          backgroundSize: '80px 80px',
        }}
      />

      {/* Corner accent glow — top right */}
      <div
        style={{
          position: 'absolute',
          top: '-150px',
          right: '-150px',
          width: '600px',
          height: '600px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(70,75,110,0.22) 0%, transparent 60%)',
          animation: 'pulse-glow 8s ease-in-out infinite',
        }}
      />

      {/* Corner accent glow — bottom left */}
      <div
        style={{
          position: 'absolute',
          bottom: '-150px',
          left: '-150px',
          width: '500px',
          height: '500px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(90,70,65,0.18) 0%, transparent 60%)',
          animation: 'pulse-glow 10s ease-in-out infinite 3s',
        }}
      />

      {/* Centre ambient glow */}
      <div
        style={{
          position: 'absolute',
          top: '30%',
          left: '40%',
          width: '400px',
          height: '400px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(60,80,90,0.10) 0%, transparent 70%)',
          animation: 'pulse-glow 14s ease-in-out infinite 6s',
        }}
      />
    </div>
  );
};

export default BackgroundEffects;
```

src\animations\CinematicIntro.jsx

```
import { useState, useEffect } from 'react';
```

```
const CinematicIntro = ({ onComplete }) => {
  const [stage, setStage] = useState(0);

  useEffect(() => {
    const timers = [
      setTimeout(() => setStage(1), 400),
      setTimeout(() => setStage(2), 2200),
      setTimeout(() => setStage(3), 4000),
      setTimeout(() => setStage(4), 5800),
      setTimeout(() => onComplete(), 6800),
    ];
    return () => timers.forEach(clearTimeout);
  }, [onComplete]);

  const eyeOpenAmount = stage >= 1 ? 1 : 0;
  const isZooming = stage >= 3;
  const isFading = stage >= 4;

  return (
    <div
      className="fixed inset-0 z-50 bg-black flex items-center justify-center"
      style={{
        opacity: isFading ? 0 : 1,
        transition: 'opacity 1s ease-in',
      }}
    >
      {/* Centered eye wrapper */}
      <div
        style={{
          transform: isZooming ? 'scale(6)' : 'scale(1)',
          opacity: isZooming ? 0 : 1,
          transition: isZooming
            ? 'transform 1.8s cubic-bezier(0.4, 0, 0.2, 1), opacity 1.6s ease-in'
            : 'transform 0.3s ease',
        }}
      >
        {/* Eye almond shape container */}
        <div style={{ position: 'relative', width: '280px', height: '120px' }}>

          {/* Sclera (white of eye) — almond via border-radius */}
          <div
            style={{
              position: 'absolute',
              inset: 0,
              background: 'radial-gradient(ellipse at 50% 50%, #f2efe9 0%, #e6e0d6 50%, #d6cec4 100%)',
              borderRadius: '50%',
              overflow: 'hidden',
              transform: `scaleY(${eyeOpenAmount})`,
              transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
              boxShadow: 'inset 0 0 20px rgba(0,0,0,0.08)',
            }}
          >
            {/* Subtle veins */}
            <svg width="280" height="120" style={{ position: 'absolute', inset: 0, opacity: 0.12 }}>
              <path d="M20,55 Q60,48 90,58" stroke="#c4756e" strokeWidth="0.6" fill="none" />
              <path d="M15,65 Q55,72 85,62" stroke="#b8696a" strokeWidth="0.5" fill="none" />
              <path d="M195,50 Q225,44 260,54" stroke="#c4756e" strokeWidth="0.6" fill="none" />
              <path d="M200,68 Q230,75 258,66" stroke="#b8696a" strokeWidth="0.5" fill="none" />
            </svg>

            {/* Iris */}
            <div
              style={{
                position: 'absolute',
                width: '76px',
                height: '76px',
                top: '50%',
                left: '50%',
                transform: 'translate(-50%, -50%)',
                borderRadius: '50%',
                background: 'radial-gradient(circle at 45% 40%, #6b7c5a 0%, #556b47 25%, #495e3d 50%, #3d5233 75%, #2f4228 100%)',
                boxShadow: 'inset 0 0 12px rgba(0,0,0,0.35), 0 0 8px rgba(60,70,50,0.2)',
              }}
            >
              {/* Iris fiber texture */}
              <div
                style={{
                  position: 'absolute',
                  inset: '3px',
                  borderRadius: '50%',
                  background: 'conic-gradient(from 30deg, rgba(100,120,80,0.15) 0deg, transparent 30deg, rgba(80,100,65,0.1) 60deg, transparent 90deg, rgba(100,12
                }}
              />
              {/* Limbal ring */}
              <div
                style={{
                  position: 'absolute',
                  inset: 0,
                  borderRadius: '50%',
                  border: '2px solid rgba(40,50,30,0.4)',
                }}
              />

              {/* Pupil */}
              <div
                style={{
                  position: 'absolute',
                  width: '28px',
                  height: '28px',
                  top: '50%',
                  left: '50%',
                  transform: `translate(-50%, -50%) scale(${stage >= 1 ? 1 : 0.4})`,
                  transition: 'transform 1.2s cubic-bezier(0.22, 1, 0.36, 1) 0.3s',
                  borderRadius: '50%',
                  background: 'radial-gradient(circle, #000 0%, #0a0a08 70%, #151510 100%)',
```

```
                boxShadow: 'inset 0 0 4px rgba(0,0,0,0.8)',
              }}
            />

            {/* Main light reflection */}
            <div
              style={{
                position: 'absolute',
                width: '14px',
                height: '16px',
                top: '18%',
                right: '22%',
                borderRadius: '50%',
                background: 'radial-gradient(ellipse, rgba(255,255,255,0.85) 0%, rgba(255,255,255,0.3) 60%, transparent 100%)',
              }}
            />
            {/* Secondary reflection */}
            <div
              style={{
                position: 'absolute',
                width: '6px',
                height: '6px',
                bottom: '25%',
                left: '28%',
                borderRadius: '50%',
                background: 'radial-gradient(circle, rgba(255,255,255,0.45) 0%, transparent 100%)',
              }}
            />
          </div>
        </div>

        {/* Upper eyelid */}
        <div
          style={{
            position: 'absolute',
            width: '280px',
            height: '70px',
            top: '-5px',
            left: 0,
            background: 'linear-gradient(180deg, #0c0a08 0%, #1a1714 50%, #25221e 100%)',
            borderRadius: '0 0 50% 50% / 0 0 100% 100%',
            transform: `translateY(${eyeOpenAmount ? '-55px' : '0px'})`,
            transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
            zIndex: 2,
            boxShadow: '0 3px 12px rgba(0,0,0,0.6)',
          }}
        />

        {/* Lower eyelid */}
        <div
          style={{
            position: 'absolute',
            width: '280px',
            height: '40px',
            bottom: '-5px',
            left: 0,
            background: 'linear-gradient(0deg, #0c0a08 0%, #1a1714 50%, #25221e 100%)',
            borderRadius: '50% 50% 0 0 / 100% 100% 0 0',
            transform: `translateY(${eyeOpenAmount ? '30px' : '0px'})`,
            transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
            zIndex: 2,
            boxShadow: '0 -2px 8px rgba(0,0,0,0.4)',
          }}
        />
      </div>
    </div>

    {/* Text overlay */}
    <div
      className="absolute bottom-16 left-1/2 -translate-x-1/2 text-center"
      style={{
        opacity: stage >= 2 && stage < 4 ? 1 : 0,
        transition: 'opacity 0.8s ease',
      }}
    >
      <p className="text-neutral-500 text-sm tracking-[0.3em] uppercase">OpthaMiss</p>
      <p className="text-neutral-600 text-xs mt-2 tracking-widest">AI Eye Disease Detection</p>
    </div>
  </div>
);
};

export default CinematicIntro;
```

src\animations\LoadingScreen.jsx

```
var LoadingScreen = function () {
  return (
    <div className="fixed inset-0 flex flex-col items-center justify-center z-50"
      style={{ background: 'var(--color-bg)' }}>

      {/* Spinner ring */}
      <div className="relative mb-8">
        <div className="w-14 h-14 rounded-full border-2 animate-spin"
          style={{ borderColor: 'var(--color-border)', borderTopColor: 'var(--color-text-2)' }} />
        <div className="absolute inset-0 flex items-center justify-center">
          <div className="w-5 h-5 rounded-full animate-pulse-glow"
            style={{ background: 'var(--color-bg-4)' }} />
        </div>
      </div>

      <p className="text-xs tracking-[0.3em] uppercase animate-fade-in"
        style={{ color: 'var(--color-text-3)' }}>
        OpthaMiss
      </p>
    </div>
```

```
  );
};

export default LoadingScreen;
```

src\components\AIDetection.jsx

```
import { useState, useCallback, useRef, useEffect } from 'react';
import { useDropzone } from 'react-dropzone';
import axios from 'axios';
import { useNavigate } from 'react-router-dom';

/* ■■ API helpers ■■ */
var API_BASE = (import.meta.env.VITE_API_URL || '').trim().replace(/\/$/, '');
var buildUrl = function (ep) { return API_BASE + ep; };

var diagnoseError = async function (ep) {
  try {
    await axios.get(buildUrl('/health'), { timeout: 8000 });
    return 'Backend reachable but upload failed. Check the server logs.';
  } catch {
    return API_BASE
      ? 'Cannot connect to ' + API_BASE + '. Ensure the backend is running.'
      : 'Cannot connect to backend. Make sure the dev server proxy is configured.';
  }
};

/* ■■ Model config ■■ */
var MODELS = {
  anterior: {
    label: 'Anterior Eye',
    subtitle: 'External eye surface',
    desc: 'Cornea, lens, conjunctiva, anterior segment',
    endpoint: '/predict/anterior',
    icon: (
      <svg width="32" height="32" viewBox="0 0 32 32" fill="none">
        <ellipse cx="16" cy="16" rx="14" ry="9" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="5.5" fill="currentColor" fillOpacity="0.15" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="2.5" fill="currentColor" />
        <circle cx="18" cy="14" r="1" fill="currentColor" fillOpacity="0.5" />
      </svg>
    ),
    stats: [
      { label: 'Conditions', value: '13' },
      { label: 'AUC-ROC', value: '0.982' },
      { label: 'mAP', value: '0.922' },
    ],
    tta: '3-view TTA',
    hint: 'Use the rear camera close-up with flash. Crop tightly around the eye.',
  },
  fundus: {
    label: 'Fundus (Posterior)',
    subtitle: 'Retinal imaging',
    desc: 'Optic disc, macula, retinal vessels',
    endpoint: '/predict/fundus',
    icon: (
      <svg width="32" height="32" viewBox="0 0 32 32" fill="none">
        <circle cx="16" cy="16" r="13" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="7" stroke="currentColor" strokeWidth="1.2" strokeDasharray="2 2" />
        <circle cx="22" cy="12" r="2.5" fill="currentColor" fillOpacity="0.3" stroke="currentColor" strokeWidth="1" />
        <line x1="4" y1="16" x2="28" y2="16" stroke="currentColor" strokeWidth="0.8" strokeOpacity="0.3" />
        <line x1="16" y1="4" x2="16" y2="28" stroke="currentColor" strokeWidth="0.8" strokeOpacity="0.3" />
      </svg>
    ),
    stats: [
      { label: 'Conditions', value: '8' },
      { label: 'AUC-ROC', value: '0.889' },
      { label: 'F1', value: '0.631' },
    ],
    tta: '5-view TTA',
    hint: 'Use a retinal fundus photograph. Well-focused with optic disc visible.',
  },
};

/* ■■ Risk helpers ■■ */
var riskBadgeClass = function (risk) {
  if (risk === 'HIGH') return 'ui-badge ui-badge-high';
  if (risk === 'MODERATE') return 'ui-badge ui-badge-moderate';
  return 'ui-badge ui-badge-low';
};

var urgencyBg = function (urgency) {
  if (urgency === 'HIGH') return { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' };
  if (urgency === 'MODERATE') return { background: 'var(--risk-mod-bg)', border: '1px solid var(--risk-mod-border)', color: 'var(--risk-mod-text)' };
  return { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' };
};

var overallBg = function (risk) {
  if (risk === 'HIGH') return { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' };
  if (risk === 'MODERATE') return { background: 'var(--risk-mod-bg)', border: '1px solid var(--risk-mod-border)', color: 'var(--risk-mod-text)' };
  return { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' };
};

var getNow = function () {
  var d = new Date();
  var pad = function (n) { return String(n).padStart(2, '0'); };
  return (
    d.getFullYear() + '-' + pad(d.getMonth() + 1) + '-' + pad(d.getDate()) +
    ' ' + pad(d.getHours()) + ':' + pad(d.getMinutes())
  );
};

/* ■■ Step indicator ■■ */
var StepBar = function ({ step }) {
  var steps = ['Select Type', 'Upload Image', 'Results'];
  return (
```

```
    <div
      style={{
        display: 'flex',
        alignItems: 'center',
        justifyContent: 'center',
        gap: 0,
        marginBottom: '40px',
      }}
    >
      {steps.map(function (label, i) {
        var idx = i + 1;
        var isDone = step > idx;
        var isActive = step === idx;
        return (
          <div key={idx} style={{ display: 'flex', alignItems: 'center' }}>
            {/* Step circle */}
            <div style={{ display: 'flex', flexDirection: 'column', alignItems: 'center', gap: '6px' }}>
              <div
                style={{
                  width: '32px',
                  height: '32px',
                  borderRadius: '50%',
                  display: 'flex',
                  alignItems: 'center',
                  justifyContent: 'center',
                  fontSize: '13px',
                  fontWeight: 600,
                  transition: 'all 0.3s ease',
                  background: isDone
                    ? 'var(--risk-low-bg)'
                    : isActive
                      ? 'var(--color-bg-4)'
                      : 'var(--color-bg-2)',
                  border: isDone
                    ? '2px solid var(--risk-low-border)'
                    : isActive
                      ? '2px solid var(--color-border-2)'
                      : '2px solid var(--color-border)',
                  color: isDone
                    ? 'var(--risk-low-text)'
                    : isActive
                      ? 'var(--color-text)'
                      : 'var(--color-text-4)',
                }}
              >
                {isDone ? (
                  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M5 13l4 4L19 7" />
                  </svg>
                ) : idx}
              </div>
              <span
                style={{
                  fontSize: '11px',
                  fontWeight: isActive ? 600 : 400,
                  color: isActive ? 'var(--color-text)' : 'var(--color-text-4)',
                  transition: 'color 0.3s ease',
                  whiteSpace: 'nowrap',
                }}
              >
                {label}
              </span>
            </div>

            {/* Connector */}
            {i < steps.length - 1 && (
              <div
                style={{
                  width: '80px',
                  height: '2px',
                  marginBottom: '22px',
                  background: step > idx ? 'var(--risk-low-border)' : 'var(--color-border)',
                  transition: 'background 0.4s ease',
                }}
              />
            )}
          </div>
        );
      })}
    </div>
  );
};

/* ■■ Prob bar ■■ */
var ProbBar = function ({ condition, probability, detected }) {
  var pct = Math.round((probability || 0) * 100);
  return (
    <div style={{ marginBottom: '12px' }}>
      <div style={{ display: 'flex', justifyContent: 'space-between', alignItems: 'center', marginBottom: '5px' }}>
        <span style={{ fontSize: '13px', display: 'flex', alignItems: 'center', gap: '6px', color: 'var(--color-text-2)' }}>
          {detected && (
            <span style={{ width: '6px', height: '6px', borderRadius: '50%', background: 'var(--risk-high-text)', display: 'inline-block', flexShrink: 0 }} />
          )}
          {!detected && (
            <span style={{ width: '6px', height: '6px', borderRadius: '50%', background: 'var(--color-border-2)', display: 'inline-block', flexShrink: 0 }} />
          )}
          {condition}
        </span>
        <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-3)' }}>
          {pct}%
        </span>
      </div>
      <div className="ui-progress">
        <div
          className="ui-progress-fill"
```

```
          style={{
            width: pct + '%',
            background: detected ? 'var(--risk-high-text)' : 'var(--color-border-2)',
          }}
        />
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   MAIN COMPONENT
═══════════════════════════════════════════════════ */
var AIDetection = function () {
  var navigate = useNavigate();
  /* Steps: 1 = select, 2 = upload, 3 = results */
  var [step, setStep] = useState(1);
  var [modelMode, setModelMode] = useState(null);   /* 'anterior' | 'fundus' */
  var [image, setImage] = useState(null);
  var [preview, setPreview] = useState(null);
  var [result, setResult] = useState(null);
  var [loading, setLoading] = useState(false);
  var [error, setError] = useState(null);
  var [tab, setTab] = useState('detected');
  var [shakeErr, setShakeErr] = useState(false);
  var [mounted, setMounted] = useState(false);

  var errorRef = useRef(null);

  useEffect(function () {
    var t = setTimeout(function () { setMounted(true); }, 50);
    return function () { clearTimeout(t); };
  }, []);

  /* Step 1 → 2 */
  var handleSelectModel = function (mode) {
    setModelMode(mode);
    setImage(null);
    setPreview(null);
    setResult(null);
    setError(null);
    setTimeout(function () { setStep(2); }, 120);
  };

  /* Step 2 → upload */
  var onDrop = useCallback(function (accepted) {
    var file = accepted[0];
    if (!file) return;
    setImage(file);
    setPreview(URL.createObjectURL(file));
    setResult(null);
    setError(null);
  }, []);

  var { getRootProps, getInputProps, isDragActive } = useDropzone({
    onDrop,
    accept: { 'image/*': [] },
    maxFiles: 1,
  });

  var handleRemoveImage = function (e) {
    e.stopPropagation();
    setImage(null);
    setPreview(null);
    setResult(null);
    setError(null);
  };

  /* Step 2 → 3 (scan) */
  var handleScan = async function () {
    if (!image) return;
    setLoading(true);
    setError(null);
    setResult(null);

    var config = MODELS[modelMode];
    var formData = new FormData();
    formData.append('file', image);

    try {
      var res = await axios.post(buildUrl(config.endpoint), formData, {
        headers: { 'Content-Type': 'multipart/form-data' },
        timeout: 90000,
      });

      /* Save to localStorage for dashboard / reports */
      var scanId = res.data.scan_id || ('SCN-' + Date.now());
      var scans = [];
      try { scans = JSON.parse(localStorage.getItem('optha_scans') || '[]'); } catch (_) { }
      scans.unshift({
        id: scanId, type: modelMode === 'anterior' ? 'Anterior' : 'Fundus',
        timestamp: new Date().toISOString(),
        risk: res.data.overall_risk || 'LOW',
        conditions: (res.data.detected || []).map(function (d) { return d.condition; }),
      });
      localStorage.setItem('optha_scans', JSON.stringify(scans.slice(0, 100)));
      window.dispatchEvent(new CustomEvent('optha_scan_added', { detail: scans[0] }));

      setResult({ ...res.data, scan_id: scanId });
      setTab('detected');
      setStep(3);
    } catch (err) {
      var msg = '';
      if (err.code === 'ERR_NETWORK' || err.message === 'Network Error') {
        msg = await diagnoseError(config.endpoint);
```

```
    } else if (err.code === 'ECONNABORTED') {
      msg = 'Request timed out. Model may still be loading — try again.';
    } else if (err.response?.status === 500) {
      msg = 'Server error: ' + (err.response?.data?.detail || 'Inference failed.');
    } else {
      msg = err.response?.data?.detail || err.message || 'Unknown error.';
    }
    setError(msg);
    setShakeErr(true);
    setTimeout(function () { setShakeErr(false); }, 600);
  }
  setLoading(false);
};

/* Reset all */
var handleReset = function () {
  setStep(1);
  setModelMode(null);
  setImage(null);
  setPreview(null);
  setResult(null);
  setError(null);
  setTab('detected');
};

var handleGoBack = function () {
  if (step === 2) { setStep(1); setModelMode(null); setImage(null); setPreview(null); setError(null); }
  if (step === 3) { setStep(2); setResult(null); setError(null); }
};

var config = modelMode ? MODELS[modelMode] : null;

return (
  <section
    id="detection"
    style={{
      minHeight: '100vh',
      padding: '60px 0 80px',
      background: 'var(--color-bg)',
      position: 'relative',
    }}
  >
    <div
      className="ui-container-md"
      style={{
        opacity: mounted ? 1 : 0,
        transform: mounted ? 'translateY(0)' : 'translateY(24px)',
        transition: 'opacity 0.6s ease, transform 0.6s ease',
      }}
    >
      {/* ■■ Page header ■■ */}
      <div style={{ textAlign: 'center', marginBottom: '48px' }}>
        <p className="ui-eyebrow" style={{ marginBottom: '10px' }}>AI Screening</p>
        <h1 className="ui-h2" style={{ marginBottom: '10px' }}>Eye Disease Detection</h1>
        <p className="ui-text" style={{ maxWidth: '440px', margin: '0 auto' }}>
          Upload an eye image for instant AI-powered screening across 21 conditions.
        </p>
      </div>

      {/* ■■ Step indicator ■■ */}
      <StepBar step={step} />

      {/* ■■■
```

```
        background: 'var(--color-bg-2)',
        border: '1px solid var(--color-border)',
        fontSize: '12px',
        color: 'var(--color-text-4)',
        lineHeight: 1.6,
        textAlign: 'center',
      }}
    >
      AI-assisted screening only — not a substitute for clinical diagnosis.
      All findings must be confirmed by a qualified ophthalmologist.
    </div>
  </div>
)}

{/* ═══════════════════════════════════
    STEP 2 — Upload
═══════════════════════════════════ */}
{step === 2 && config && (
  <div className="animate-slide-up" style={{ maxWidth: '560px', margin: '0 auto' }}>

    {/* Back + model label */}
    <div
      style={{
        display: 'flex',
        alignItems: 'center',
        justifyContent: 'space-between',
        marginBottom: '20px',
      }}
    >
      <button type="button" onClick={handleGoBack}
        style={{
          display: 'flex', alignItems: 'center', gap: '6px',
          fontSize: '13px', color: 'var(--color-text-3)',
          background: 'none', border: 'none', cursor: 'pointer',
          fontFamily: 'var(--font-sans)', transition: 'color 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-3)'; }}
      >
        <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
        </svg>
        Back
      </button>

      <div
        style={{
          display: 'flex', alignItems: 'center', gap: '8px',
          padding: '5px 12px', borderRadius: '99px',
          background: 'var(--color-bg-3)',
          border: '1px solid var(--color-border-2)',
        }}
      >
        <span style={{ color: 'var(--color-text-2)', display: 'flex' }}>{config.icon}</span>
        <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-2)' }}>
          {config.label}
        </span>
      </div>
    </div>

    {/* Stats row */}
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(3, 1fr)',
        gap: '10px',
        marginBottom: '20px',
      }}
    >
      {config.stats.map(function (s, i) {
        return (
          <div
            key={i}
            style={{
              padding: '12px',
              textAlign: 'center',
              borderRadius: '10px',
              background: 'var(--color-bg-3)',
              border: '1px solid var(--color-border)',
            }}
          >
            <p style={{ fontSize: '16px', fontWeight: 700, color: 'var(--color-text)' }}>
              {s.value}
            </p>
            <p style={{ fontSize: '10px', color: 'var(--color-text-4)', marginTop: '2px', textTransform: 'uppercase', letterSpacing: '0.04em' }}>
              {s.label}
            </p>
          </div>
        );
      })}
    </div>

    {/* Dropzone */}
    <div
      {...getRootProps()}
      style={{
        borderRadius: '14px',
        border: '2px dashed ' + (isDragActive ? 'var(--color-border-2)' : 'var(--color-border)'),
        background: isDragActive ? 'var(--color-bg-4)' : 'var(--color-bg-2)',
        cursor: 'pointer',
        transition: 'all 0.25s ease',
        overflow: 'hidden',
        position: 'relative',
        minHeight: '220px',
        display: 'flex',
```

```
      flexDirection: 'column',
      alignItems: 'center',
      justifyContent: 'center',
      marginBottom: '14px',
    }}
    onMouseEnter={function (e) {
      if (!preview) {
        e.currentTarget.style.borderColor = 'var(--color-border-2)';
        e.currentTarget.style.background = 'var(--color-bg-3)';
      }
    }}
    onMouseLeave={function (e) {
      if (!preview) {
        e.currentTarget.style.borderColor = 'var(--color-border)';
        e.currentTarget.style.background = 'var(--color-bg-2)';
      }
    }}
  >
    <input {...getInputProps()} />

    {preview ? (
      /* Image preview */
      <div style={{ width: '100%', position: 'relative' }}>
        <img
          src={preview}
          alt="Preview"
          style={{
            maxHeight: '260px',
            width: '100%',
            objectFit: 'contain',
            display: 'block',
          }}
        />
        {/* Remove button */}
        <button
          type="button"
          onClick={handleRemoveImage}
          style={{
            position: 'absolute',
            top: '10px',
            right: '10px',
            width: '30px',
            height: '30px',
            borderRadius: '50%',
            background: 'rgba(10,10,10,0.75)',
            border: '1px solid var(--color-border-2)',
            color: 'var(--color-text-2)',
            cursor: 'pointer',
            display: 'flex',
            alignItems: 'center',
            justifyContent: 'center',
            backdropFilter: 'blur(4px)',
            transition: 'all 0.2s ease',
          }}
          onMouseEnter={function (e) { e.currentTarget.style.background = 'rgba(127,29,29,0.7)'; }}
          onMouseLeave={function (e) { e.currentTarget.style.background = 'rgba(10,10,10,0.75)'; }}
        >
          <svg className="w-3.5 h-3.5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
        </button>
        <div
          style={{
            position: 'absolute',
            bottom: 0, left: 0, right: 0,
            padding: '8px 12px',
            background: 'linear-gradient(to top, rgba(0,0,0,0.7), transparent)',
            textAlign: 'center',
          }}
        >
          <p style={{ fontSize: '11px', color: 'var(--color-text-3)' }}>
            Click or drag to replace
          </p>
        </div>
      </div>
    ) : (
      /* Empty state */
      <div style={{ padding: '36px 24px', textAlign: 'center' }}>
        <div
          style={{
            width: '52px', height: '52px',
            borderRadius: '12px',
            background: 'var(--color-bg-3)',
            border: '1px solid var(--color-border)',
            display: 'flex', alignItems: 'center', justifyContent: 'center',
            margin: '0 auto 16px',
          }}
        >
          <svg
            style={{ width: '24px', height: '24px', color: 'var(--color-text-4)' }}
            fill="none" stroke="currentColor" viewBox="0 0 24 24"
          >
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5}
              d="M4 16l4.586-4.586a2 2 0 012.828 0L16 16m-2-2l1.586-1.586a2 2 0 012.828 0L20 14m-6-6h.01M6 20h12a2 2 0 002-2V6a2 2 0 00-2-2H6a2 2 0 00-2
          </svg>
        </div>
        <p style={{ fontSize: '14px', fontWeight: 500, color: 'var(--color-text-2)', marginBottom: '6px' }}>
          {isDragActive ? 'Drop your image here' : 'Drag & drop or click to browse'}
        </p>
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
          JPG, PNG — {config.label} images
        </p>
      </div>
    )}
  </div>
```

```
{/* Tip */}
<div
  style={{
    padding: '12px 14px',
    borderRadius: '10px',
    background: 'var(--color-bg-2)',
    border: '1px solid var(--color-border)',
    display: 'flex',
    gap: '10px',
    marginBottom: '20px',
  }}
>
  <svg style={{ width: '15px', height: '15px', color: 'var(--color-text-4)', flexShrink: 0, marginTop: '1px' }}
    fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
      d="M13 16h-1v-4h-1m1-4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
  </svg>
  <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.6 }}>
    <strong style={{ color: 'var(--color-text-3)' }}>Tip:</strong> {config.hint}
  </p>
</div>

{/* Error */}
{error && (
  <div
    ref={errorRef}
    className={shakeErr ? 'animate-shake' : ''}
    style={{
      padding: '12px 14px',
      borderRadius: '10px',
      background: 'var(--risk-high-bg)',
      border: '1px solid var(--risk-high-border)',
      marginBottom: '16px',
      display: 'flex',
      gap: '10px',
      alignItems: 'flex-start',
    }}
  >
    <svg style={{ width: '15px', height: '15px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
    </svg>
    <p style={{ fontSize: '13px', color: 'var(--risk-high-text)', lineHeight: 1.5 }}>{error}</p>
  </div>
)}

{/* Scan button */}
<button
  type="button"
  onClick={handleScan}
  disabled={!image || loading}
  style={{
    width: '100%',
    padding: '13px 24px',
    borderRadius: '10px',
    fontSize: '14px',
    fontWeight: 600,
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    gap: '8px',
    cursor: !image || loading ? 'not-allowed' : 'pointer',
    opacity: !image || loading ? 0.45 : 1,
    transition: 'all 0.25s ease',
    background: 'var(--color-bg-3)',
    border: '1px solid var(--color-border-2)',
    color: 'var(--color-text)',
    fontFamily: 'var(--font-sans)',
  }}
  onMouseEnter={function (e) {
    if (image && !loading) {
      e.currentTarget.style.background = 'var(--color-bg-hover)';
      e.currentTarget.style.borderColor = 'var(--color-accent-2)';
      e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
    }
  }}
  onMouseLeave={function (e) {
    e.currentTarget.style.background = 'var(--color-bg-3)';
    e.currentTarget.style.borderColor = 'var(--color-border-2)';
    e.currentTarget.style.boxShadow = 'none';
  }}
>
  {loading ? (
    <>
      <svg className="animate-spin w-4 h-4" fill="none" viewBox="0 0 24 24">
        <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
        <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
      </svg>
      Analysing — {config.tta}…
    </>
  ) : (
    <>
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
          d="M9 5H7a2 2 0 00-2 2v12a2 2 0 002 2h10a2 2 0 002-2V7a2 2 0 00-2-2h-2M9 5a2 2 0 002 2h2a2 2 0 002-2M9 5a2 2 0 012-2h2a2 2 0 012 2" />
      </svg>
      {image ? 'Scan Image' : 'Upload an image first'}
    </>
  )}
</button>

{/* Loading details */}
{loading && (
  <div
```

```
        className="animate-fade-in"
        style={{
          marginTop: '16px',
          padding: '14px',
          borderRadius: '10px',
          background: 'var(--color-bg-2)',
          border: '1px solid var(--color-border)',
          textAlign: 'center',
        }}
      >
        <div
          className="animate-pulse-glow"
          style={{
            width: '48px', height: '48px',
            borderRadius: '50%',
            background: 'var(--color-bg-4)',
            border: '2px solid var(--color-border-2)',
            display: 'flex', alignItems: 'center', justifyContent: 'center',
            margin: '0 auto 12px',
            fontSize: '20px',
          }}
        >
          ■■
        </div>
        <p style={{ fontSize: '13px', fontWeight: 500, color: 'var(--color-text-2)', marginBottom: '4px' }}>
          Analysing image…
        </p>
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
          Running {config.tta} inference on ViT-S/16
        </p>
      </div>
    )}
  </div>
)}

{/* ■■■
```

```
        {result.risk_action}
      </p>
    )}
  </div>

  {/* Normal probability (fundus) */}
  {result.normal_probability !== undefined && (
    <div style={{ padding: '12px 20px', background: 'rgba(0,0,0,0.15)', borderTop: '1px solid rgba(255,255,255,0.06)' }}>
      <div style={{ display: 'flex', justifyContent: 'space-between', marginBottom: '6px' }}>
        <span style={{ fontSize: '12px', opacity: 0.7, color: overallBg(result.overall_risk).color }}>Normal Eye Probability</span>
        <span style={{ fontSize: '12px', fontWeight: 600, color: overallBg(result.overall_risk).color }}>
          {Math.round(result.normal_probability * 100)}%
        </span>
      </div>
      <div style={{ width: '100%', height: '4px', background: 'rgba(0,0,0,0.25)', borderRadius: '2px', overflow: 'hidden' }}>
        <div style={{ height: '100%', background: 'rgba(255,255,255,0.4)', borderRadius: '2px', width: Math.round(result.normal_probability * 100) + '%
      </div>
    </div>
  )}
</div>

{/* Results card */}
<div
  style={{
    borderRadius: '14px',
    overflow: 'hidden',
    background: 'var(--color-bg-3)',
    border: '1px solid var(--color-border)',
    marginBottom: '14px',
  }}
>
  {/* Tabs */}
  <div style={{ display: 'flex', borderBottom: '1px solid var(--color-border)' }}>
    {['detected', 'all'].map(function (t) {
      var label = t === 'detected'
        ? 'Detected (' + (result.detected?.length || 0) + ')'
        : 'All Results';
      return (
        <button
          key={t}
          type="button"
          onClick={function () { setTab(t); }}
          style={{
            flex: 1,
            padding: '12px 16px',
            fontSize: '12px',
            fontWeight: tab === t ? 600 : 400,
            textTransform: 'uppercase',
            letterSpacing: '0.06em',
            background: 'transparent',
            border: 'none',
            borderBottom: tab === t ? '2px solid var(--color-border-2)' : '2px solid transparent',
            color: tab === t ? 'var(--color-text)' : 'var(--color-text-4)',
            cursor: 'pointer',
            transition: 'all 0.2s ease',
            fontFamily: 'var(--font-sans)',
          }}
        >
          {label}
        </button>
      );
    })}
  </div>

  {/* Tab content */}
  <div style={{ padding: '20px', maxHeight: '400px', overflowY: 'auto' }}>

    {/* Detected */}
    {tab === 'detected' && (
      <div>
        {!result.detected || result.detected.length === 0 ? (
          <div style={{ textAlign: 'center', padding: '32px 0' }}>
            <div style={{ fontSize: '36px', marginBottom: '12px' }}>■</div>
            <p style={{ fontWeight: 600, color: 'var(--color-text)', marginBottom: '6px' }}>
              No significant conditions detected
            </p>
            <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>
              Routine screening recommended in 12 months
            </p>
          </div>
        ) : (
          <div style={{ display: 'flex', flexDirection: 'column', gap: '12px' }}>
            {result.detected.map(function (d, i) {
              var ubs = urgencyBg(d.urgency);
              return (
                <div
                  key={i}
                  style={{
                    borderRadius: '10px',
                    overflow: 'hidden',
                    border: ubs.border,
                    background: ubs.background,
                  }}
                >
                  <div style={{ padding: '14px 16px', borderBottom: '1px solid rgba(255,255,255,0.06)' }}>
                    <div style={{ display: 'flex', alignItems: 'flex-start', justifyContent: 'space-between' }}>
                      <div>
                        <div style={{ display: 'flex', alignItems: 'center', gap: '8px', marginBottom: '3px' }}>
                          <span style={{ fontSize: '14px', fontWeight: 600, color: ubs.color }}>
                            {d.condition}
                          </span>
                          {d.short_name && (
                            <span style={{ fontSize: '11px', color: ubs.color, opacity: 0.5 }}>
                              ({d.short_name})
                            </span>
```

```
                        )}
                      </div>
                      <span style={{ fontSize: '10px', textTransform: 'uppercase', letterSpacing: '0.08em', opacity: 0.6, color: ubs.color }}>
                        {d.urgency} urgency
                      </span>
                    </div>
                    <div style={{ textAlign: 'right', flexShrink: 0 }}>
                      <p style={{ fontSize: '20px', fontWeight: 700, color: ubs.color }}>
                        {Math.round(d.probability * 100)}%
                      </p>
                      <p style={{ fontSize: '10px', opacity: 0.6, color: ubs.color }}>confidence</p>
                    </div>
                  </div>
                </div>
                <div style={{ padding: '12px 16px' }}>
                  {d.description && (
                    <p style={{ fontSize: '12px', fontStyle: 'italic', opacity: 0.7, color: ubs.color, marginBottom: '8px', lineHeight: 1.5 }}>
                      {d.description}
                    </p>
                  )}
                  <div
                    style={{
                      padding: '10px 12px',
                      borderRadius: '8px',
                      background: 'rgba(0,0,0,0.15)',
                    }}
                  >
                    <p style={{ fontSize: '11px', opacity: 0.55, color: ubs.color, textTransform: 'uppercase', letterSpacing: '0.06em', marginBottom
                      Recommended Action
                    </p>
                    <p style={{ fontSize: '13px', opacity: 0.9, color: ubs.color, lineHeight: 1.5 }}>
                      {d.action}
                    </p>
                  </div>
                </div>
              </div>
            );
          })}
        </div>
      )}
    </div>
  )}

  {/* All results */}
  {tab === 'all' && (
    <div>
      <p style={{ fontSize: '11px', color: 'var(--color-text-4)', textTransform: 'uppercase', letterSpacing: '0.06em', marginBottom: '16px' }}>
        All {result.all_results?.length || 0} conditions — probability scores
      </p>
      {result.all_results
        ? [...result.all_results]
          .sort(function (a, b) { return b.probability - a.probability; })
          .map(function (r, i) {
            return <ProbBar key={i} {...r} />;
          })
        : (
          <p style={{ color: 'var(--color-text-4)', fontSize: '13px', textAlign: 'center', padding: '20px 0' }}>
            No detailed results available.
          </p>
        )
      }
    </div>
  )}
</div>

{/* Footer */}
<div
  style={{
    padding: '12px 20px',
    borderTop: '1px solid var(--color-border)',
    background: 'var(--color-bg-2)',
    display: 'flex',
    flexWrap: 'wrap',
    justifyContent: 'space-between',
    gap: '4px',
  }}
>
  <p style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>
    {config.label} · AUC {config.stats.find(function (s) { return s.label === 'AUC-ROC'; })?.value} · {config.tta}
  </p>
  <p style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>
    {result.screened_at || getNow()}
  </p>
</div>
</div>

{/* Action buttons */}
<div style={{ display: 'flex', gap: '10px' }}>
  <button
    type="button"
    onClick={function () {
      var scanId = result.scan_id || 'SCN-' + Date.now();
      navigate('/report/' + scanId);
    }}
    style={{
      flex: 1,
      padding: '12px 20px',
      borderRadius: '10px',
      fontSize: '13px',
      fontWeight: 600,
      display: 'flex',
      alignItems: 'center',
      justifyContent: 'center',
      gap: '7px',
      cursor: 'pointer',
```

```
                transition: 'all 0.25s ease',
                background: 'var(--color-bg-3)',
                border: '1px solid var(--color-border-2)',
                color: 'var(--color-text)',
                fontFamily: 'var(--font-sans)',
              }}
              onMouseEnter={function (e) {
                e.currentTarget.style.background = 'var(--color-bg-hover)';
                e.currentTarget.style.borderColor = 'var(--color-accent-2)';
                e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
              }}
              onMouseLeave={function (e) {
                e.currentTarget.style.background = 'var(--color-bg-3)';
                e.currentTarget.style.borderColor = 'var(--color-border-2)';
                e.currentTarget.style.boxShadow = 'none';
              }}
            >
              <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                  d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z" />
              </svg>
              View Full Report
            </button>

            <button
              type="button"
              onClick={handleReset}
              style={{
                flex: 1,
                padding: '12px 20px',
                borderRadius: '10px',
                fontSize: '13px',
                fontWeight: 500,
                display: 'flex',
                alignItems: 'center',
                justifyContent: 'center',
                gap: '7px',
                cursor: 'pointer',
                transition: 'all 0.25s ease',
                background: 'transparent',
                border: '1px solid var(--color-border)',
                color: 'var(--color-text-3)',
                fontFamily: 'var(--font-sans)',
              }}
              onMouseEnter={function (e) {
                e.currentTarget.style.background = 'var(--color-bg-3)';
                e.currentTarget.style.borderColor = 'var(--color-border-2)';
                e.currentTarget.style.color = 'var(--color-text)';
              }}
              onMouseLeave={function (e) {
                e.currentTarget.style.background = 'transparent';
                e.currentTarget.style.borderColor = 'var(--color-border)';
                e.currentTarget.style.color = 'var(--color-text-3)';
              }}
            >
              <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                  d="M4 4v5h.582m15.356 2A8.001 8.001 0 004.582 9m0 0H9m11 11v-5h-.581m0 0a8.003 8.003 0 01-15.357-2m15.357 2H15" />
              </svg>
              New Scan
            </button>
          </div>

          {/* Disclaimer */}
          <div
            style={{
              marginTop: '16px',
              padding: '12px 14px',
              borderRadius: '10px',
              background: 'var(--color-bg-2)',
              border: '1px solid var(--color-border)',
              fontSize: '11px',
              color: 'var(--color-text-4)',
              lineHeight: 1.6,
              textAlign: 'center',
            }}
          >
            AI-assisted screening only. All findings must be confirmed by a qualified ophthalmologist before any treatment decisions.
          </div>
        </div>
      )}

    </div>
  </section>
);
};

/* ■■ Selection card (Step 1) ■■ */
var SelectionCard = function ({ cfg, onSelect }) {
  var [hov, setHov] = useState(false);
  return (
    <button
      type="button"
      onClick={onSelect}
      onMouseEnter={function () { setHov(true); }}
      onMouseLeave={function () { setHov(false); }}
      style={{
        width: '100%',
        padding: '24px 20px',
        borderRadius: '14px',
        textAlign: 'left',
        cursor: 'pointer',
        transition: 'all 0.25s ease',
        background: hov ? 'var(--color-bg-4)' : 'var(--color-bg-3)',
        border: '2px solid ' + (hov ? 'var(--color-border-2)' : 'var(--color-border)'),
```

```
        boxShadow: hov ? 'var(--shadow-glow)' : 'none',
        transform: hov ? 'translateY(-2px)' : 'none',
        fontFamily: 'var(--font-sans)',
        display: 'flex',
        flexDirection: 'column',
        gap: '14px',
      }}
    >
      {/* Icon */}
      <div
        style={{
          width: '48px', height: '48px',
          borderRadius: '12px',
          background: 'var(--color-bg-2)',
          border: '1px solid ' + (hov ? 'var(--color-border-2)' : 'var(--color-border)'),
          display: 'flex', alignItems: 'center', justifyContent: 'center',
          color: hov ? 'var(--color-text)' : 'var(--color-text-3)',
          transition: 'all 0.25s ease',
          flexShrink: 0,
        }}
      >
        {cfg.icon}
      </div>

      {/* Text */}
      <div>
        <p style={{ fontSize: '15px', fontWeight: 700, color: 'var(--color-text)', marginBottom: '4px', letterSpacing: '-0.01em' }}>
          {cfg.label}
        </p>
        <p style={{ fontSize: '12px', color: 'var(--color-text-3)', marginBottom: '8px' }}>
          {cfg.subtitle}
        </p>
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.5 }}>
          {cfg.desc}
        </p>
      </div>

      {/* Stats */}
      <div style={{ display: 'flex', gap: '8px', flexWrap: 'wrap' }}>
        {cfg.stats.map(function (s, i) {
          return (
            <div
              key={i}
              style={{
                padding: '3px 9px',
                borderRadius: '99px',
                background: 'var(--color-bg-2)',
                border: '1px solid var(--color-border)',
              }}
            >
              <span style={{ fontSize: '11px', color: 'var(--color-text-3)', fontWeight: 500 }}>
                {s.value} {s.label}
              </span>
            </div>
          );
        })}
      </div>

      {/* Arrow */}
      <div style={{ display: 'flex', alignItems: 'center', justifyContent: 'space-between' }}>
        <span style={{ fontSize: '12px', color: hov ? 'var(--color-text-2)' : 'var(--color-text-4)', transition: 'color 0.2s ease' }}>
          Select this type →
        </span>
      </div>
    </button>
  );
};

export default AIDetection;
```

src\components\About.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.15 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const About = () => {
  const [titleRef, titleVisible] = useReveal();

  const sections = [
    {
      title: 'Dual-Model Architecture',
      icon: '■',
      desc: 'Two specialized ViT-S/16 Vision Transformers — one for anterior (external) eye screening and one for retinal fundus analysis — each fine-tuned on doma
      details: [
        { label: 'Anterior Model', value: '13 conditions • mAP 0.922 • AUC 0.982' },
        { label: 'Fundus Model', value: '8 conditions • AUC 0.889 • F1 0.631' },
        { label: 'Architecture', value: 'ViT-S/16 + CLS+GAP Dual Features' },
      ],
    },
    {
      title: 'Training Data',
      icon: '■',
      desc: 'Models are trained on large, diverse clinical datasets to ensure robust detection across different cameras, lighting conditions, and patient demograph
```

```
      details: [
        { label: 'Anterior', value: 'MISS dataset — anterior eye lesion images' },
        { label: 'Fundus', value: 'ODIR-5K + RFMiD — 9,592 retinal fundus images' },
        { label: 'Validation', value: 'Per-class F1-optimized thresholds on held-out sets' },
      ],
    },
    {
      title: 'Intelligent Preprocessing',
      icon: '■',
      desc: 'Each image type gets specialized preprocessing before analysis to maximize diagnostic accuracy.',
      details: [
        { label: 'Anterior', value: 'Automated glare removal via OpenCV inpainting' },
        { label: 'Fundus', value: 'Black border removal + CLAHE contrast enhancement' },
        { label: 'Both', value: 'Bicubic resize to 224×224, ImageNet normalization' },
      ],
    },
    {
      title: 'Test-Time Augmentation (TTA)',
      icon: '■',
      desc: 'Multiple augmented views of each image are analyzed and averaged to improve prediction robustness — reducing false positives and increasing confidenc
      details: [
        { label: 'Anterior', value: '3-view TTA — original, horizontal flip, vertical flip' },
        { label: 'Fundus', value: '5-view TTA — original, hflip, vflip, rot90, rot270' },
        { label: 'Aggregation', value: 'Probability averaging across all views' },
      ],
    },
    {
      title: 'Clinical Risk Stratification',
      icon: '■■',
      desc: 'Each detected condition is mapped to a clinical urgency level with specific referral recommendations, helping healthcare workers prioritize patients 
      details: [
        { label: '■ HIGH', value: 'Urgent referral within 24-48 hours (e.g., Keratitis, Glaucoma, AMD)' },
        { label: '■ MODERATE', value: 'Referral within 2-4 weeks (e.g., Cataract, Hypertension)' },
        { label: '■ LOW / NORMAL', value: 'Monitor at next visit or routine screening in 12 months' },
      ],
    },
    {
      title: 'Real-Time Analysis',
      icon: '■',
      desc: 'Optimized for fast inference — suitable for deployment on smartphones and low-resource settings in remote and underserved communities.',
      details: [
        { label: 'Model Size', value: '~22.2M parameters (~85 MB per model)' },
        { label: 'GPU Inference', value: '~4.3ms per image' },
        { label: 'CPU / Smartphone', value: '~34ms per image' },
      ],
    },
  ];

  const conditions = {
    anterior: [
      'Cataract', 'Intraocular Lens', 'Lens Dislocation', 'Keratitis',
      'Corneal Scarring', 'Corneal Dystrophy', 'Corneal/Conjunctival Tumor',
      'Pinguecula', 'Pterygium', 'Subconjunctival Hemorrhage',
      'Conjunctival Injection', 'Conjunctival Cyst', 'Pigmented Nevus',
    ],
    fundus: [
      'Normal', 'Diabetic Retinopathy', 'Glaucoma', 'Cataract',
      'Age-related Macular Degeneration', 'Hypertensive Retinopathy',
      'Pathological Myopia', 'Other Pathology',
    ],
  };

  return (
    <section id="about" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
      <div className="max-w-5xl mx-auto">

        {/* Header */}
        <div
          ref={titleRef}
          className="text-center mb-16"
          style={{
            opacity: titleVisible ? 1 : 0,
            transform: titleVisible ? 'translateY(0)' : 'translateY(30px)',
            transition: 'all 0.8s ease-out',
          }}
        >
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Technology</p>
          <h2 className="text-3xl md:text-4xl font-light text-neutral-100 mb-4">How It Works</h2>
          <p className="text-neutral-500 text-base max-w-2xl mx-auto leading-relaxed">
            OpthaMiss uses two specialized Vision Transformer models to screen for
            21 eye conditions across both anterior (external) and fundus (retinal) imaging —
            delivering clinical-grade AI screening accessible from any device.
          </p>
        </div>

        {/* Pipeline overview */}
        <PipelineOverview />

        {/* Detail cards */}
        <div className="space-y-5 mt-14">
          {sections.map((section, i) => (
            <SectionCard key={i} section={section} index={i} />
          ))}
        </div>

        {/* Conditions covered */}
        <ConditionsList conditions={conditions} />

        {/* Model comparison table */}
        <ModelComparison />

      </div>
    </section>
  );
};
```

```
const PipelineOverview = () => {
  const [ref, visible] = useReveal(100);

  const steps = [
    { icon: '■', label: 'Upload', sub: 'Eye image' },
    { icon: '■', label: 'Preprocess', sub: 'Enhance & clean' },
    { icon: '■', label: 'AI Model', sub: 'ViT-S/16 + TTA' },
    { icon: '■', label: 'Results', sub: 'Risk & referral' },
  ];

  return (
    <div
      ref={ref}
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(20px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl p-6 bg-neutral-900/30">
        <p className="text-neutral-600 text-sm uppercase tracking-wider mb-5 text-center">
          Screening Pipeline
        </p>
        <div className="flex items-center justify-between max-w-2xl mx-auto">
          {steps.map((step, i) => (
            <div key={i} className="flex items-center">
              <div className="flex flex-col items-center text-center">
                <div className="w-14 h-14 rounded-full border border-neutral-700 bg-neutral-800/50 flex items-center justify-center text-xl mb-2">
                  {step.icon}
                </div>
                <p className="text-neutral-300 text-sm font-medium">{step.label}</p>
                <p className="text-neutral-600 text-xs mt-0.5">{step.sub}</p>
              </div>
              {i < steps.length - 1 && (
                <div className="mx-3 md:mx-6 flex-shrink-0">
                  <svg className="w-5 h-5 text-neutral-700" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M9 5l7 7-7 7" />
                  </svg>
                </div>
              )}
            </div>
          ))}
        </div>
      </div>
    </div>
  );
};

const SectionCard = ({ section, index }) => {
  const [ref, visible] = useReveal(index * 120);

  return (
    <div
      ref={ref}
      className="border border-neutral-800/50 rounded-xl overflow-hidden hover:border-neutral-700 transition-all duration-300 group"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateX(0)' : `translateX(${index % 2 === 0 ? '-25px' : '25px'})`,
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="flex items-center gap-3 px-6 py-4 bg-neutral-900/40 border-b border-neutral-800/50">
        <span className="text-xl">{section.icon}</span>
        <h3 className="text-neutral-200 text-lg font-medium group-hover:text-neutral-100 transition-colors">
          {section.title}
        </h3>
      </div>

      <div className="px-6 py-5">
        <p className="text-neutral-500 text-sm leading-relaxed mb-4">
          {section.desc}
        </p>
        <div className="space-y-2.5">
          {section.details.map((detail, i) => (
            <div key={i} className="flex items-start gap-3 text-sm">
              <span className="text-neutral-600 font-medium min-w-[100px] shrink-0 pt-0.5">
                {detail.label}
              </span>
              <span className="text-neutral-400 leading-relaxed">
                {detail.value}
              </span>
            </div>
          ))}
        </div>
      </div>
    </div>
  );
};

const ConditionsList = ({ conditions }) => {
  const [ref, visible] = useReveal(200);
  const [activeTab, setActiveTab] = useState('anterior');

  return (
    <div
      ref={ref}
      className="mt-14"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(25px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl overflow-hidden">
        <div className="px-6 py-4 bg-neutral-900/40 border-b border-neutral-800">
```

```
          <h3 className="text-neutral-200 text-lg font-medium">Conditions Screened</h3>
          <p className="text-neutral-600 text-sm mt-1">
            21 total conditions across both imaging modalities
          </p>
        </div>

        <div className="flex border-b border-neutral-800">
          {[
            { key: 'anterior', label: '■■ Anterior Eye (13)' },
            { key: 'fundus', label: '■ Fundus / Retinal (8)' },
          ].map((tab) => (
            <button
              key={tab.key}
              onClick={() => setActiveTab(tab.key)}
              className={`flex-1 py-3 text-sm uppercase tracking-wider transition-colors duration-200 ${activeTab === tab.key
                  ? 'text-neutral-200 border-b-2 border-neutral-400 bg-neutral-800/20'
                  : 'text-neutral-600 hover:text-neutral-400'
                }`}
            >
              {tab.label}
            </button>
          ))}
        </div>

        <div className="p-6">
          <div className="grid grid-cols-2 md:grid-cols-3 gap-2">
            {conditions[activeTab].map((condition, i) => (
              <div
                key={i}
                className="flex items-center gap-2 px-3 py-2.5 rounded-lg border border-neutral-800/40
                           bg-neutral-900/20 hover:border-neutral-700 hover:bg-neutral-800/20 transition-all duration-200"
                style={{ animation: `slideUp 0.3s ease-out ${i * 0.04}s both` }}
              >
                <span className="w-1.5 h-1.5 rounded-full bg-neutral-600 shrink-0" />
                <span className="text-neutral-400 text-sm">{condition}</span>
              </div>
            ))}
          </div>
        </div>
      </div>
    </div>
  );
};

const ModelComparison = () => {
  const [ref, visible] = useReveal(300);

  return (
    <div
      ref={ref}
      className="mt-14"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(25px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl overflow-hidden">
        <div className="px-6 py-4 bg-neutral-900/40 border-b border-neutral-800">
          <h3 className="text-neutral-200 text-lg font-medium">Model Comparison</h3>
        </div>

        <div className="overflow-x-auto">
          <table className="w-full text-sm">
            <thead>
              <tr className="border-b border-neutral-800 bg-neutral-900/30">
                <th className="text-left px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  Specification
                </th>
                <th className="text-center px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  ■■ Anterior
                </th>
                <th className="text-center px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  ■ Fundus
                </th>
              </tr>
            </thead>
            <tbody className="divide-y divide-neutral-800/50">
              {[
                ['Architecture', 'ViT-S/16 + CLS+GAP', 'ViT-S/16 + CLS+GAP'],
                ['Parameters', '~22.2M (~85 MB)', '~22.2M (~85 MB)'],
                ['Training Data', 'MISS Dataset', 'ODIR-5K + RFMiD (9,592 images)'],
                ['Classes', '13 lesion types', '8 (Normal + 7 conditions)'],
                ['AUC-ROC', '0.982', '0.889'],
                ['mAP', '0.922', '0.665'],
                ['F1 Score', '—', '0.631'],
                ['TTA Views', '3 (orig, hflip, vflip)', '5 (orig, hflip, vflip, rot90, rot270)'],
                ['Preprocessing', 'Glare removal', 'Border removal + CLAHE'],
                ['Thresholds', 'Per-class optimized', 'Per-class F1-optimized'],
                ['GPU Inference', '~4ms', '~4.3ms'],
              ].map(([spec, anterior, fundus], i) =>
                <tr key={i} className="hover:bg-neutral-800/20 transition-colors">
                  <td className="px-5 py-3 text-neutral-400 font-medium">{spec}</td>
                  <td className="px-5 py-3 text-neutral-500 text-center">{anterior}</td>
                  <td className="px-5 py-3 text-neutral-500 text-center">{fundus}</td>
                </tr>
              ))}
            </tbody>
          </table>
        </div>

        <div className="px-6 py-3 border-t border-neutral-800/40 bg-neutral-900/30">
          <p className="text-neutral-700 text-xs text-center leading-relaxed">
            Both models use EMA (Exponential Moving Average) weights for improved generalization.
            Thresholds are independently optimized per class on validation sets.
```

```
          </p>
        </div>
      </div>
    </div>
  );
};

export default About;
```

src\components\Contact.jsx

```
import { useState } from 'react';

const Contact = () => {
  const [formData, setFormData] = useState({ name: '', email: '', message: '' });
  const [submitted, setSubmitted] = useState(false);

  const handleChange = (e) => {
    setFormData({ ...formData, [e.target.name]: e.target.value });
  };

  const handleSubmit = (e) => {
    e.preventDefault();
    console.log(formData);
    setSubmitted(true);
    setTimeout(() => setSubmitted(false), 3000);
  };

  return (
    <section id="contact" className="py-24 px-6 border-t border-neutral-800/50">
      <div className="max-w-lg mx-auto">
        <div className="text-center mb-12">
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Contact</p>
          <h2 className="text-3xl font-light text-neutral-100">Get In Touch</h2>
        </div>
        <form onSubmit={handleSubmit} className="space-y-5">
          <div>
            <label htmlFor="name" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Name</label>
            <input
              type="text" id="name" name="name" value={formData.name} onChange={handleChange}
              required autoComplete="name"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <div>
            <label htmlFor="email" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Email</label>
            <input
              type="email" id="email" name="email" value={formData.email} onChange={handleChange}
              required autoComplete="email"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <div>
            <label htmlFor="message" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Message</label>
            <textarea
              id="message" name="message" rows="4" value={formData.message} onChange={handleChange}
              required autoComplete="off"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <button
            type="submit"
            className="w-full py-3 border border-neutral-700 text-neutral-300 text-sm tracking-wider uppercase hover:bg-neutral-800 transition-all duration-300 ro
          >
            Send Message
          </button>
          {submitted && (
            <p className="text-green-500/70 text-center text-sm">Message sent successfully</p>
          )}
        </form>
      </div>
    </section>
  );
};

export default Contact;
```

src\components\DashboardLayout.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate, useLocation } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { Avatar } from './ui/index';

var menuItems = [
  { id: 'dashboard', icon: '■', label: 'Dashboard', path: '/dashboard' },
  { id: 'scan',      icon: '■', label: 'New Scan',  path: '/screen'   },
  { id: 'history',   icon: '■', label: 'History',   path: '/history'  },
  { id: 'reports',   icon: '■', label: 'Reports',   path: '/reports'  },
  { id: 'profile',   icon: '■', label: 'Profile',   path: '/profile'  },
  { id: 'settings',  icon: '■■', label: 'Settings',  path: '/settings' },
];

var DashboardLayout = function ({ children }) {
  var navigate = useNavigate();
  var location = useLocation();
  var { user, logout } = useAuth();
  var [showUserMenu, setShowUserMenu] = useState(false);
  var [mobileSidebarOpen, setMobileSidebarOpen] = useState(false);
  var [search, setSearch] = useState('');

  var activeId = menuItems.find(function (m) {
    return location.pathname.startsWith(m.path);
  });
  var activeTab = activeId ? activeId.id : 'dashboard';

  var handleLogout = function () {
```

```
  logout();
  navigate('/login');
};

// Close mobile sidebar on route change
useEffect(function () {
  setMobileSidebarOpen(false);
}, [location.pathname]);

// Close user menu on outside click
useEffect(function () {
  if (!showUserMenu) return;
  var h = function (e) {
    if (!e.target.closest('#umenu')) setShowUserMenu(false);
  };
  document.addEventListener('mousedown', h);
  return function () { document.removeEventListener('mousedown', h); };
}, [showUserMenu]);

var SidebarContent = function () {
  return (
    <>
      {/* Logo */}
      <div className="h-16 flex items-center gap-3 px-5 flex-shrink-0"
        style={{ borderBottom: '1px solid var(--color-border)' }}>
        <div className="w-8 h-8 rounded-lg flex items-center justify-center flex-shrink-0"
          style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border-2)' }}>
          <span className="font-bold text-sm" style={{ color: 'var(--color-text)' }}>O</span>
        </div>
        <span className="font-semibold text-base" style={{ color: 'var(--color-text)' }}>
          OpthaMiss
        </span>
      </div>

      {/* User info */}
      {user && (
        <div className="px-3 py-4 flex-shrink-0"
          style={{ borderBottom: '1px solid var(--color-border)' }}>
          <div className="flex items-center gap-3 px-2">
            <Avatar src={user.picture} name={user.name} size="sm" />
            <div className="flex-1 min-w-0">
              <p className="text-sm font-medium truncate" style={{ color: 'var(--color-text)' }}>
                {user.name || 'User'}
              </p>
              <p className="text-xs truncate" style={{ color: 'var(--color-text-3)' }}>
                {user.email}
              </p>
            </div>
          </div>
        </div>
      )}

      {/* Nav */}
      <nav className="p-3 flex-1 overflow-y-auto space-y-0.5">
        {menuItems.map(function (item) {
          var isActive = activeTab === item.id;
          return (
            <button
              key={item.id}
              type="button"
              onClick={function () { navigate(item.path); }}
              className="ui-nav-item w-full"
              style={isActive ? {
                background: 'var(--color-bg-4)',
                borderColor: 'var(--color-border)',
                color: 'var(--color-text)',
              } : {}}
            >
              <span className="text-lg leading-none flex-shrink-0">{item.icon}</span>
              <span className="text-sm font-medium">{item.label}</span>
              {isActive && (
                <span className="ml-auto w-1.5 h-1.5 rounded-full bg-green-500 animate-pulse-dot flex-shrink-0" />
              )}
            </button>
          );
        })}
      </nav>

      {/* Footer */}
      <div className="p-3 flex-shrink-0"
        style={{ borderTop: '1px solid var(--color-border)' }}>
        {/* AI Status */}
        <div className="px-3 py-3 rounded-xl mb-2"
          style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border)' }}>
          <div className="flex items-center gap-2 mb-1">
            <span className="w-2 h-2 rounded-full bg-green-500 animate-pulse-dot flex-shrink-0" />
            <span className="text-xs font-medium" style={{ color: 'var(--color-text-2)' }}>
              AI Models Active
            </span>
          </div>
          <p className="text-xs" style={{ color: 'var(--color-text-4)' }}>
            2 models ready for screening
          </p>
        </div>

        {/* Logout */}
        <button type="button" onClick={handleLogout}
          className="ui-nav-item w-full"
          style={{ color: 'var(--risk-high-text)' }}>
          <span className="text-lg leading-none">■</span>
          <span className="text-sm font-medium">Logout</span>
        </button>
      </div>
    </>
  );
```

```
  };

  return (
    <div className="min-h-screen" style={{ background: 'var(--color-bg)' }}>

      {/* Desktop Sidebar */}
      <aside className="ui-sidebar hidden lg:flex flex-col">
        <SidebarContent />
      </aside>

      {/* Mobile Sidebar Overlay */}
      {mobileSidebarOpen && (
        <div className="fixed inset-0 z-50 lg:hidden">
          <div className="absolute inset-0 bg-black/60 backdrop-blur-sm"
            onClick={function () { setMobileSidebarOpen(false); }} />
          <aside className="absolute left-0 top-0 h-full w-64 flex flex-col animate-slide-in-left"
            style={{ background: 'var(--color-bg-2)', borderRight: '1px solid var(--color-border)' }}>
            <SidebarContent />
          </aside>
        </div>
      )}

      {/* Main */}
      <div className="lg:ml-64 min-h-screen flex flex-col">

        {/* Header */}
        <header className="ui-header">

          {/* Mobile hamburger */}
          <button type="button" className="lg:hidden p-2 rounded-lg mr-3 transition-colors"
            style={{ color: 'var(--color-text-2)' }}
            onClick={function () { setMobileSidebarOpen(true); }}>
            <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6h16M4 12h16M4 18h16" />
            </svg>
          </button>

          {/* Mobile logo */}
          <div className="lg:hidden flex items-center gap-2 mr-4">
            <span className="font-semibold text-sm" style={{ color: 'var(--color-text)' }}>OpthaMiss</span>
          </div>

          {/* Search */}
          <div className="hidden sm:flex flex-1 max-w-xs">
            <div className="relative w-full">
              <svg className="absolute left-3 top-1/2 -translate-y-1/2 w-3.5 h-3.5"
                style={{ color: 'var(--color-text-4)' }}
                fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                  d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />
              </svg>
              <input
                type="text"
                value={search}
                onChange={function (e) { setSearch(e.target.value); }}
                placeholder="Search..."
                className="w-full pl-9 pr-4 py-2 text-sm rounded-lg outline-none transition-all duration-300"
                style={{
                  background: 'var(--color-bg-3)',
                  border: '1px solid var(--color-border)',
                  color: 'var(--color-text)',
                }}
              />
            </div>
          </div>

          {/* Right */}
          <div className="flex items-center gap-2 ml-auto">

            {/* New scan */}
            <button type="button" onClick={function () { navigate('/screen'); }}
              className="hidden sm:flex items-center gap-1.5 px-3 py-1.5 rounded-lg text-xs font-medium transition-all duration-300"
              style={{
                background: 'var(--color-bg-4)',
                border: '1px solid var(--color-border-2)',
                color: 'var(--color-text)',
              }}
              onMouseEnter={function (e) { e.currentTarget.style.borderColor = 'var(--color-accent-2)'; }}
              onMouseLeave={function (e) { e.currentTarget.style.borderColor = 'var(--color-border-2)'; }}>
              <span>■</span>
              <span>New Scan</span>
            </button>

            {/* Notification */}
            <button type="button" onClick={function () { navigate('/reports'); }}
              className="relative p-2 rounded-lg transition-colors"
              style={{ color: 'var(--color-text-3)' }}
              onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
              onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
              <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                  d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002 6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0 .538-.214 1.05
              </svg>
              <span className="absolute top-1.5 right-1.5 w-1.5 h-1.5 bg-red-500 rounded-full animate-pulse-dot" />
            </button>

            {/* User menu */}
            <div className="relative" id="umenu">
              <button type="button" onClick={function () { setShowUserMenu(function (v) { return !v; }); }}
                className="flex items-center gap-2 p-1.5 rounded-lg transition-colors"
                onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
                onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
                <Avatar src={user && user.picture} name={user && user.name} size="sm" />
                <div className="hidden md:block text-left">
                  <p className="text-sm font-medium leading-none" style={{ color: 'var(--color-text)' }}>
```

```
                {user && user.name ? user.name.split(' ')[0] : 'User'}
              </p>
              <p className="text-xs mt-0.5" style={{ color: 'var(--color-text-3)' }}>Patient</p>
            </div>
            <svg className="w-3.5 h-3.5 hidden md:block" style={{ color: 'var(--color-text-4)' }}
              fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 9l-7 7-7-7" />
            </svg>
          </button>

          {showUserMenu && (
            <div className="absolute right-0 top-full mt-2 w-52 rounded-xl overflow-hidden shadow-lg z-50 animate-scale-in"
              style={{ background: 'var(--color-bg-3)', border: '1px solid var(--color-border-2)' }}>

              {user && (
                <div className="px-4 py-3" style={{ borderBottom: '1px solid var(--color-border)' }}>
                  <p className="text-sm font-medium truncate" style={{ color: 'var(--color-text)' }}>
                    {user.name}
                  </p>
                  <p className="text-xs truncate" style={{ color: 'var(--color-text-3)' }}>
                    {user.email}
                  </p>
                </div>
              )}

              {[
                { icon: '■', label: 'Profile',  path: '/profile'  },
                { icon: '■', label: 'Reports',  path: '/reports'  },
                { icon: '■■', label: 'Settings', path: '/settings' },
              ].map(function (item) {
                return (
                  <button key={item.path} type="button"
                    onClick={function () { setShowUserMenu(false); navigate(item.path); }}
                    className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5 transition-colors"
                    style={{ color: 'var(--color-text-2)' }}
                    onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-4)'; }}
                    onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
                    <span className="text-base leading-none">{item.icon}</span>
                    <span>{item.label}</span>
                  </button>
                );
              })}

              <div style={{ borderTop: '1px solid var(--color-border)' }} />
              <button type="button" onClick={function () { setShowUserMenu(false); handleLogout(); }}
                className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5 transition-colors"
                style={{ color: 'var(--risk-high-text)' }}
                onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--risk-high-bg)'; }}
                onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
                <span className="text-base leading-none">■</span>
                <span>Logout</span>
              </button>
            </div>
          )}
        </div>
      </div>
    </header>

    {/* Page Content */}
    <main className="flex-1 p-5 lg:p-7 animate-fade-in">
      {children}
    </main>
  </div>
</div>
);
};

export default DashboardLayout;
```

src\components\EyeGuide.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.1 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const Reveal = ({ children, delay = 0, className = '' }) => {
  const [ref, visible] = useReveal(delay);
  return (
    <div
      ref={ref}
      className={className}
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(28px)',
        transition: `opacity 0.7s ease-out ${delay}ms, transform 0.7s ease-out ${delay}ms`,
      }}
    >
      {children}
    </div>
  );
};

const EyeGuide = () => {
  const steps = [
```

```
  {
    number: '1',
    title: 'Set Up',
    items: [
      {
        label: 'Lighting',
        detail: 'Use your phone\'s flashlight as the main light source. Face a window or bright lamp so the eye is evenly illuminated without harsh shadows.',
      },
      {
        label: 'Camera',
        detail: 'Use the rear camera. Turn off beauty mode, HDR, and all filters.',
      },
    ],
  },
  {
    number: '2',
    title: 'Take the Photo',
    items: [
      {
        label: 'Distance',
        detail: 'Hold the phone 10–15 cm (one hand-width) from your eye.',
      },
      {
        label: 'Zoom',
        detail: 'Use 2× zoom to fill the frame without losing focus.',
      },
      {
        label: 'Focus',
        detail: 'Tap the screen on your eye. Keep your eye wide open.',
      },
      {
        label: 'Capture',
        detail: 'Take 3–5 shots and select the sharpest one.',
      },
    ],
  },
];

const checklist = [
  { text: 'Eye fills most of the frame', ok: true },
  { text: 'Both the white (sclera) and colored (iris) parts are visible', ok: true },
  { text: 'The problem area is clear and centered', ok: true },
  { text: 'Sharp enough to see the iris texture', ok: true },
  { text: 'Colors look natural (no filters)', ok: true },
  { text: 'If blurry, too dark, or eye mostly closed → retake', ok: false },
];

return (
  <section id="guide" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
    <div className="max-w-4xl mx-auto space-y-14">

      {/* Header */}
      <Reveal className="text-center">
        <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">
          Image Capture
        </p>
        <h2 className="text-3xl md:text-4xl font-light text-neutral-100 mb-4">
          How to Capture Eye Images
        </h2>
        <p className="text-neutral-500 text-base max-w-lg mx-auto leading-relaxed">
          Follow the two-step guide below to capture a clear, accurate eye photo
          for AI diagnosis.
        </p>
      </Reveal>

      {/* Step cards */}
      <div className="space-y-6">
        {steps.map((step, si) => (
          <Reveal key={si} delay={100 + si * 100}>
            <div className="border border-neutral-800 rounded-xl overflow-hidden">
              {/* Card header */}
              <div className="flex items-center gap-4 px-6 py-4 bg-neutral-900/60 border-b border-neutral-800">
                <div className="w-9 h-9 rounded-full border border-neutral-700 flex items-center justify-center text-neutral-300 text-base font-medium">
                  {step.number}
                </div>
                <h3 className="text-neutral-200 font-medium text-xl">
                  {step.title}
                </h3>
              </div>

              {/* Card body */}
              <div className="p-6 grid sm:grid-cols-2 gap-4">
                {step.items.map((item, ii) => (
                  <div
                    key={ii}
                    className="border border-neutral-800/60 rounded-lg p-5 bg-neutral-900/20 hover:bg-neutral-800/20 transition-colors"
                  >
                    <p className="text-neutral-300 text-base font-medium mb-2">
                      {item.label}
                    </p>
                    <p className="text-neutral-500 text-sm leading-relaxed">
                      {item.detail}
                    </p>
                  </div>
                ))}
              </div>
            </div>
          </Reveal>
        ))}
      </div>

      {/* Tip banner */}
      <Reveal delay={320}>
        <div className="border border-neutral-800/60 rounded-xl p-5 bg-neutral-900/20">
          <p className="text-neutral-400 text-sm leading-relaxed">
```

```
              <span className="text-neutral-300 font-medium">Tip: </span>
              Have someone else take the photo for best results. If you're alone, use a
              well-lit mirror to frame your eye — hold the phone next to your face with the
              camera pointing at the mirror.
            </p>
          </div>
        </Reveal>

        {/* Photo Checklist */}
        <Reveal delay={400}>
          <div className="border border-neutral-800 rounded-xl overflow-hidden">
            {/* Header */}
            <div className="px-6 py-4 bg-neutral-900/60 border-b border-neutral-800">
              <h3 className="text-neutral-200 font-medium text-lg">Photo Checklist</h3>
            </div>

            {/* List */}
            <div className="p-6 space-y-3">
              {checklist.map((item, i) => (
                <div
                  key={i}
                  className={`flex items-start gap-3 pb-3 ${i < checklist.length - 1 ? 'border-b border-neutral-800/40' : ''
                    }`}
                >
                  <span
                    className={`shrink-0 w-6 h-6 rounded-full flex items-center justify-center text-xs font-medium mt-0.5 ${item.ok
                        ? 'bg-green-950/60 border border-green-800/50 text-green-500/80'
                        : 'bg-red-950/60 border border-red-800/50 text-red-500/70'
                      }`}
                  >
                    {item.ok ? '✓' : '✗'}
                  </span>
                  <span
                    className={`text-sm leading-relaxed ${item.ok ? 'text-neutral-400' : 'text-neutral-500 italic'
                      }`}
                  >
                    {item.text}
                  </span>
                </div>
              ))}
            </div>

            {/* Footer */}
            <div className="px-6 py-4 border-t border-neutral-800/40 bg-neutral-900/30 flex flex-col sm:flex-row items-center gap-2 text-sm">
              <span className="text-green-500/70">All yes →</span>
              <span className="text-neutral-400">Upload!</span>
              <span className="text-neutral-700 hidden sm:inline">|</span>
              <span className="text-red-500/60">Any no →</span>
              <span className="text-neutral-400">Retake</span>
            </div>
          </div>
        </Reveal>
      </div>
    </section>
  );
};

export default EyeGuide;
```

src\components\Features.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.15 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const features = [
  { title: 'High Accuracy', desc: '95%+ accuracy on validation datasets.' },
  { title: 'Instant Results', desc: 'Predictions in under 5 seconds.' },
  { title: 'Easy to Use', desc: 'Simple drag-and-drop interface.' },
  { title: 'Secure', desc: 'Images are not stored on servers.' },
];

const Features = () => {
  const [titleRef, titleVisible] = useReveal();

  return (
    <section id="features" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
      <div className="max-w-5xl mx-auto">
        <div
          ref={titleRef}
          className="text-center mb-16"
          style={{
            opacity: titleVisible ? 1 : 0,
            transform: titleVisible ? 'translateY(0)' : 'translateY(30px)',
            transition: 'all 0.8s ease-out',
          }}
        >
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Features</p>
          <h2 className="text-3xl md:text-4xl font-light text-neutral-100">Why OpthaMiss</h2>
        </div>
        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
          {features.map((f, i) => (
            <FeatureCard key={i} feature={f} index={i} />
          ))}
```

```
        </div>
      </div>
    </section>
  );
};

const FeatureCard = ({ feature, index }) => {
  const [ref, visible] = useReveal(index * 120);
  return (
    <div
      ref={ref}
      className="border border-neutral-800/50 rounded-lg p-6 text-center hover:border-neutral-700 hover:bg-neutral-900/30 transition-all duration-300 group"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0) scale(1)' : 'translateY(30px) scale(0.95)',
        transition: `all 0.6s ease-out ${index * 0.1}s`,
      }}
    >
      <h3 className="text-neutral-200 font-medium mb-2 text-base group-hover:text-neutral-100 transition-colors">{feature.title}</h3>
      <p className="text-neutral-500 text-sm leading-relaxed">{feature.desc}</p>
    </div>
  );
};

export default Features;
```

src\components\Hero.jsx

```
const Hero = () => {
  return (
    <section id="home" className="relative min-h-screen flex items-center justify-center px-6 pt-20 z-10">
      <div className="max-w-3xl mx-auto text-center" style={{ animation: 'slideUp 1s ease-out' }}>
        <p
          className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-6"
          style={{ animation: 'fadeIn 1s ease-out 0.3s both' }}
        >
          AI-Powered Diagnostics
        </p>
        <h1
          className="text-4xl md:text-6xl font-light text-neutral-100 leading-tight mb-6"
          style={{ animation: 'slideUp 0.8s ease-out 0.5s both' }}
        >
          Detect Eye Diseases
          <br />
          <span className="text-neutral-400">with Precision</span>
        </h1>
        <p
          className="text-neutral-500 text-lg max-w-xl mx-auto mb-10 leading-relaxed"
          style={{ animation: 'slideUp 0.8s ease-out 0.7s both' }}
        >
          Upload a retinal image and receive instant AI diagnosis for Cataract, Glaucoma, Diabetic Retinopathy, and more.
        </p>
        <div style={{ animation: 'slideUp 0.8s ease-out 0.9s both' }}>
          <a
            href="#detection"
            className="inline-block px-8 py-3 border border-neutral-600 text-neutral-300 text-sm tracking-wider uppercase hover:bg-neutral-800 hover:border-neutra
          >
            <span className="group-hover:tracking-[0.2em] transition-all duration-300">Start Detection</span>
          </a>
        </div>
      </div>

      {/* Scroll indicator */}
      <div
        className="absolute bottom-10 left-1/2 -translate-x-1/2 flex flex-col items-center gap-2"
        style={{ animation: 'fadeIn 1s ease-out 1.5s both' }}
      >
        <p class="text-neutral-700 text-[10px] tracking-[0.3em] uppercase">Scroll</p>
        <div class="w-[1px] h-8 bg-gradient-to-b from-neutral-600 to-transparent animate-pulse" />
      </div>
    </section>
  );
};

export default Hero;
```

src\components\Navbar.jsx

```
import { useState, useEffect } from 'react';

const Navbar = () => {
  const [scrolled, setScrolled] = useState(false);

  useEffect(() => {
    const handleScroll = () => setScrolled(window.scrollY > 20);
    window.addEventListener('scroll', handleScroll);
    return () => window.removeEventListener('scroll', handleScroll);
  }, []);

  return (
    <nav className={`fixed w-full z-50 transition-all duration-500 ${
      scrolled
        ? 'bg-neutral-950/90 backdrop-blur-md border-b border-neutral-800/50'
        : 'bg-transparent'
    }`}>
      <div className="max-w-6xl mx-auto px-6 py-4 flex justify-between items-center">
        <a href="#home" className="text-lg font-semibold text-neutral-200 tracking-wide">
          OpthaMiss
        </a>
        <div className="hidden md:flex space-x-8 text-sm">
          {['Home', 'Detection', 'Guide', 'About', 'Features'].map((item) => (
            <a
              key={item}
              href={`#${item.toLowerCase()}`}
              className="text-neutral-500 hover:text-neutral-200 transition-colors duration-300"
            >
```

```
              {item}
            </a>
          ))}
        </div>
      </div>
    </nav>
  );
};

export default Navbar;
```

src\components\three\Background3D.jsx

```
import { useRef, useMemo, useEffect, useState } from 'react';
import { Canvas, useFrame, useThree } from '@react-three/fiber';
import * as THREE from 'three';

/* ■■ Mouse tracker ■■ */
var useMouse = function () {
  var mouse = useRef({ x: 0, y: 0 });
  useEffect(function () {
    var handler = function (e) {
      mouse.current.x = (e.clientX / window.innerWidth)  * 2 - 1;
      mouse.current.y = (e.clientY / window.innerHeight) * 2 - 1;
    };
    window.addEventListener('mousemove', handler, { passive: true });
    return function () { window.removeEventListener('mousemove', handler); };
  }, []);
  return mouse;
};

/* ■■ Floating particles ■■ */
var Particles = function ({ count }) {
  var mesh  = useRef();
  var mouse = useMouse();
  var n     = count || 120;

  var [positions, speeds, offsets] = useMemo(function () {
    var pos  = new Float32Array(n * 3);
    var spd  = new Float32Array(n);
    var off  = new Float32Array(n);
    for (var i = 0; i < n; i++) {
      pos[i * 3]     = (Math.random() - 0.5) * 28;
      pos[i * 3 + 1] = (Math.random() - 0.5) * 16;
      pos[i * 3 + 2] = (Math.random() - 0.5) * 12;
      spd[i] = 0.15 + Math.random() * 0.35;
      off[i] = Math.random() * Math.PI * 2;
    }
    return [pos, spd, off];
  }, [n]);

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var geo = mesh.current.geometry;
    var arr = geo.attributes.position.array;

    for (var i = 0; i < n; i++) {
      var i3 = i * 3;
      arr[i3 + 1] = positions[i * 3 + 1] + Math.sin(t * speeds[i] + offsets[i]) * 0.8;
      arr[i3]     = positions[i * 3]     + Math.cos(t * speeds[i] * 0.6 + offsets[i]) * 0.3;
    }
    geo.attributes.position.needsUpdate = true;

    /* Slow parallax with mouse */
    mesh.current.rotation.x += (mouse.current.y * 0.012 - mesh.current.rotation.x) * 0.03;
    mesh.current.rotation.y += (mouse.current.x * 0.012 - mesh.current.rotation.y) * 0.03;
  });

  return (
    <points ref={mesh}>
      <bufferGeometry>
        <bufferAttribute
          attach="attributes-position"
          args={[positions.slice(), 3]}
        />
      </bufferGeometry>
      <pointsMaterial
        size={0.045}
        color="#606060"
        transparent
        opacity={0.55}
        sizeAttenuation
        depthWrite={false}
      />
    </points>
  );
};

/* ■■ Grid plane ■■ */
var AnimatedGrid = function () {
  var mesh  = useRef();
  var mat   = useRef();
  var mouse = useMouse();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    mat.current.opacity = 0.055 + Math.sin(t * 0.4) * 0.015;

    mesh.current.rotation.x += (mouse.current.y * 0.06 - mesh.current.rotation.x) * 0.025;
    mesh.current.rotation.z += (mouse.current.x * 0.03 - mesh.current.rotation.z) * 0.025;
  });

  return (
    <mesh ref={mesh} rotation={[-Math.PI / 2.4, 0, 0]} position={[0, -4, -2]}>
      <planeGeometry args={[38, 26, 28, 18]} />
      <meshBasicMaterial
```

```
        ref={mat}
        color="#404040"
        wireframe
        transparent
        opacity={0.055}
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Ambient orb sphere ■■ */
var AmbientOrb = function ({ position, radius, speed, phase, opacity }) {
  var mesh  = useRef();
  var mat   = useRef();
  var mouse = useMouse();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed  || 0.25;
    var p = phase  || 0;
    var r = radius || 1.8;

    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.6;
    mesh.current.position.x = (position[0] || 0) + Math.cos(t * s * 0.7 + p) * 0.3;
    mat.current.opacity = (opacity || 0.07) + Math.sin(t * s * 1.2 + p) * 0.02;

    /* Mouse parallax */
    mesh.current.rotation.y += mouse.current.x * 0.004;
    mesh.current.rotation.x += mouse.current.y * 0.004;
  });

  return (
    <mesh ref={mesh} position={position}>
      <sphereGeometry args={[radius || 1.8, 10, 10]} />
      <meshBasicMaterial
        ref={mat}
        color="#888888"
        transparent
        opacity={opacity || 0.07}
        wireframe
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Glow sphere (solid inner) ■■ */
var GlowOrb = function ({ position, radius, color, speed, phase }) {
  var mesh = useRef();
  var mat  = useRef();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed || 0.3;
    var p = phase || 0;

    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.5;
    mesh.current.scale.setScalar(1 + Math.sin(t * s * 1.8 + p) * 0.04);
    mat.current.opacity = 0.04 + Math.sin(t * s + p) * 0.015;
  });

  return (
    <mesh ref={mesh} position={position}>
      <sphereGeometry args={[radius || 2.5, 12, 12]} />
      <meshBasicMaterial
        ref={mat}
        color={color || '#555555'}
        transparent
        opacity={0.04}
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Floating ring ■■ */
var FloatingRing = function ({ position, radius, speed, phase }) {
  var mesh = useRef();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed || 0.18;
    var p = phase || 0;

    mesh.current.rotation.x = t * s * 0.5 + p;
    mesh.current.rotation.z = t * s * 0.3 + p;
    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.7;
  });

  return (
    <mesh ref={mesh} position={position}>
      <torusGeometry args={[radius || 1.6, 0.018, 6, 52]} />
      <meshBasicMaterial color="#505050" transparent opacity={0.12} depthWrite={false} />
    </mesh>
  );
};

/* ■■ Camera rig for subtle parallax ■■ */
var CameraRig = function () {
  var { camera } = useThree();
  var mouse      = useMouse();
  var target     = useRef({ x: 0, y: 0 });

  useFrame(function () {
```

```
    target.current.x += (mouse.current.x * 0.6 - target.current.x) * 0.035;
    target.current.y += (mouse.current.y * 0.4 - target.current.y) * 0.035;
    camera.position.x += (target.current.x - camera.position.x) * 0.08;
    camera.position.y += (-target.current.y - camera.position.y) * 0.08;
    camera.lookAt(0, 0, 0);
  });

  return null;
};

/* ═══════════════════════════════════════════════════
   MAIN EXPORT
═══════════════════════════════════════════════════ */
var Background3D = function ({ intensity }) {
  var [isMobile, setIsMobile] = useState(false);

  useEffect(function () {
    var check = function () { setIsMobile(window.innerWidth < 768); };
    check();
    window.addEventListener('resize', check, { passive: true });
    return function () { window.removeEventListener('resize', check); };
  }, []);

  var particleCount = isMobile ? 40 : (intensity === 'low' ? 70 : 120);

  return (
    <div
      style={{
        position: 'fixed',
        inset: 0,
        zIndex: 0,
        pointerEvents: 'none',
      }}
    >
      <Canvas
        dpr={[1, isMobile ? 1 : 1.5]}
        camera={{ position: [0, 0, 10], fov: 60, near: 0.1, far: 100 }}
        gl={{
          antialias: false,
          alpha: true,
          powerPreference: 'low-power',
          preserveDrawingBuffer: false,
        }}
        style={{ background: 'transparent' }}
      >
        <CameraRig />

        {/* Particles */}
        <Particles count={particleCount} />

        {/* Animated wireframe grid */}
        {!isMobile && <AnimatedGrid />}

        {/* Ambient orbs — wireframe */}
        <AmbientOrb position={[-5, 1.5, -3]}  radius={2.2} speed={0.22} phase={0}            opacity={0.06} />
        <AmbientOrb position={[5.5, -1, -4]}  radius={1.8} speed={0.28} phase={Math.PI}      opacity={0.05} />
        <AmbientOrb position={[0, 2.5, -6]}   radius={3.0} speed={0.18} phase={Math.PI/2}   opacity={0.04} />

        {/* Glow orbs — solid low opacity */}
        <GlowOrb position={[-4, 0, -5]}   radius={3.5} color="#606060" speed={0.2}  phase={0}       />
        <GlowOrb position={[4.5, 1, -6]}  radius={2.8} color="#505050" speed={0.25} phase={Math.PI} />
        <GlowOrb position={[0, -2, -4]}   radius={2.0} color="#404040" speed={0.3}  phase={1.2}     />

        {/* Floating rings */}
        {!isMobile && (
          <>
            <FloatingRing position={[-6, 0, -5]}  radius={1.4} speed={0.15} phase={0}       />
            <FloatingRing position={[6, 1, -4]}   radius={1.0} speed={0.20} phase={2.1}     />
            <FloatingRing position={[0, -3, -6]}  radius={2.0} speed={0.12} phase={1.0}     />
          </>
        )}
      </Canvas>
    </div>
  );
};

export default Background3D;
```

src\components\ui\BackgroundEffects.jsx

```
import { useState } from 'react';

const BackgroundEffects = function ({ intensity }) {
  var op = intensity === 'high' ? 1 : intensity === 'low' ? 0.4 : 0.65;

  var [particles] = useState(function () {
    return Array.from({ length: 35 }, function (_, i) {
      return {
        id: i,
        left: Math.random() * 100,
        delay: Math.random() * 18,
        duration: 10 + Math.random() * 14,
        size: 1.5 + Math.random() * 3,
      };
    });
  });

  var orbs = [
    { left: '5%',  top: '10%', size: 400, color: 'rgba(80,80,120,0.14)',  dur: 22, anim: 'float1' },
    { left: '65%', top: '30%', size: 480, color: 'rgba(60,100,80,0.10)',  dur: 28, anim: 'float2' },
    { left: '35%', top: '60%', size: 340, color: 'rgba(100,80,100,0.12)', dur: 20, anim: 'float3' },
    { left: '75%', top: '5%',  size: 280, color: 'rgba(70,70,110,0.10)', dur: 26, anim: 'float1' },
    { left: '15%', top: '75%', size: 420, color: 'rgba(90,80,70,0.10)',  dur: 32, anim: 'float2' },
  ];

  return (
```

```
    <div className="fixed inset-0 pointer-events-none z-0 overflow-hidden" style={{ opacity: op }}>

      {/* Orbs */}
      {orbs.map(function (orb, i) {
        return (
          <div key={i} style={{
            position: 'absolute',
            left: orb.left,
            top: orb.top,
            width: orb.size,
            height: orb.size,
            borderRadius: '50%',
            background: 'radial-gradient(circle, ' + orb.color + ' 0%, transparent 70%)',
            animation: orb.anim + ' ' + orb.dur + 's ease-in-out infinite',
            filter: 'blur(24px)',
          }} />
        );
      })}

      {/* Grid */}
      <div style={{
        position: 'absolute',
        inset: 0,
        backgroundImage: 'linear-gradient(rgba(255,255,255,0.02) 1px, transparent 1px), linear-gradient(90deg, rgba(255,255,255,0.02) 1px, transparent 1px)',
        backgroundSize: '72px 72px',
      }} />

      {/* Particles */}
      {particles.map(function (p) {
        return (
          <div key={p.id} style={{
            position: 'absolute',
            left: p.left + '%',
            bottom: '-8px',
            width: p.size,
            height: p.size,
            borderRadius: '50%',
            backgroundColor: 'rgba(200,200,220,0.35)',
            animation: 'driftUp ' + p.duration + 's linear ' + p.delay + 's infinite',
            boxShadow: '0 0 ' + (p.size * 2) + 'px rgba(200,200,220,0.2)',
          }} />
        );
      })}

      {/* Corner glows */}
      <div style={{
        position: 'absolute', top: '-100px', right: '-100px',
        width: '500px', height: '500px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(70,75,110,0.18) 0%, transparent 60%)',
        animation: 'pulseGlow 8s ease-in-out infinite',
      }} />
      <div style={{
        position: 'absolute', bottom: '-100px', left: '-100px',
        width: '420px', height: '420px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(90,70,65,0.14) 0%, transparent 60%)',
        animation: 'pulseGlow 11s ease-in-out infinite 4s',
      }} />
    </div>
  );
};

export default BackgroundEffects;
```

src\components\ui\index.jsx

```
import { useState } from 'react';

/* ═══════════════════════════════════════════════════
   BUTTON
═══════════════════════════════════════════════════ */
export var Button = function ({ children, variant, size, disabled, loading, onClick, type, className }) {
  var base = 'inline-flex items-center justify-center gap-1.5 font-medium font-sans transition-all duration-300 cursor-pointer select-none border outline-none';

  var variants = {
    default: 'bg-n-750 border-n-500 text-n-50 hover:bg-n-700 hover:border-n-400 hover:shadow-glow',
    ghost:   'bg-transparent border-n-700 text-n-200 hover:bg-n-800 hover:border-n-500',
    danger:  'bg-red-950/30 border-red-800/40 text-red-300 hover:bg-red-950/50 hover:border-red-700/60',
    success: 'bg-green-950/30 border-green-800/40 text-green-300 hover:bg-green-950/50',
  };

  var sizes = {
    xs: 'text-xs px-2.5 py-1.5 rounded-md',
    sm: 'text-xs px-3 py-2 rounded-md',
    md: 'text-sm px-4 py-2.5 rounded-lg',
    lg: 'text-sm px-6 py-3 rounded-xl',
    xl: 'text-base px-8 py-3.5 rounded-xl',
  };

  var v = variants[variant || 'default'];
  var s = sizes[size || 'md'];
  var dis = disabled || loading ? 'opacity-40 cursor-not-allowed pointer-events-none' : '';

  return (
    <button
      type={type || 'button'}
      onClick={onClick}
      disabled={disabled || loading}
      className={[base, v, s, dis, className || ''].join(' ')}
    >
      {loading && (
        <svg className="animate-spin w-3.5 h-3.5" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      )}
      {children}
```

```
    </button>
  );
};

/* ═══════════════════════════════════════════════════
   CARD
═══════════════════════════════════════════════════ */
export var Card = function ({ children, className, hover, onClick, padding }) {
  var base = 'bg-n-800 border border-n-700 rounded-xl transition-all duration-300';
  var h = hover ? 'hover:border-n-500 hover:shadow-sm cursor-pointer' : '';
  var p = padding !== false ? 'p-5' : '';
  return (
    <div onClick={onClick} className={[base, h, p, className || ''].join(' ')}>
      {children}
    </div>
  );
};

export var CardHeader = function ({ children, className }) {
  return (
    <div className={['flex items-center justify-between pb-4 mb-4 border-b border-n-700', className || ''].join(' ')}>
      {children}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   INPUT
═══════════════════════════════════════════════════ */
export var Input = function ({ label, error, type, name, value, onChange, placeholder, disabled, required, className }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <input
        type={type || 'text'}
        name={name}
        value={value}
        onChange={onChange}
        placeholder={placeholder}
        disabled={disabled}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300',
          'bg-n-900 border text-n-50 placeholder-n-400',
          error
            ? 'border-red-700/60 bg-red-950/10 focus:border-red-600 focus:shadow-[0_0_0_3px_rgba(239,68,68,0.1)]'
            : 'border-n-700 focus:border-n-500 focus:shadow-[0_0_0_3px_rgba(255,255,255,0.04)]',
          disabled ? 'opacity-50 cursor-not-allowed' : '',
          className || '',
        ].join(' ')}
      />
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

export var Select = function ({ label, error, name, value, onChange, children, required }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <select
        name={name}
        value={value}
        onChange={onChange}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300 cursor-pointer',
          'bg-n-900 border text-n-50',
          error
            ? 'border-red-700/60'
            : 'border-n-700 focus:border-n-500',
        ].join(' ')}
      >
        {children}
      </select>
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

export var Textarea = function ({ label, error, name, value, onChange, placeholder, rows, required }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <textarea
        name={name}
        value={value}
        onChange={onChange}
        placeholder={placeholder}
        rows={rows || 4}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300 resize-vertical',
```

```
          'bg-n-900 border text-n-50 placeholder-n-400',
          error ? 'border-red-700/60' : 'border-n-700 focus:border-n-500',
        ].join(' ')}
      />
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   BADGE
═══════════════════════════════════════════════════ */
export var Badge = function ({ children, variant, className }) {
  var variants = {
    default:  'bg-n-750 border-n-600 text-n-200',
    high:     'bg-red-950/25 border-red-800/35 text-red-300',
    moderate: 'bg-amber-950/25 border-amber-800/35 text-amber-300',
    low:      'bg-green-950/25 border-green-800/35 text-green-300',
    info:     'bg-blue-950/25 border-blue-800/35 text-blue-300',
  };
  return (
    <span className={['inline-flex items-center gap-1 px-2 py-0.5 text-xs font-medium rounded-full border', variants[variant || 'default'], className || ''].join(
      {children}
    </span>
  );
};

/* ═══════════════════════════════════════════════════
   TOGGLE
═══════════════════════════════════════════════════ */
export var Toggle = function ({ checked, onChange, label, description }) {
  return (
    <div className="flex items-start justify-between gap-4 p-4 bg-n-900 border border-n-700 rounded-xl">
      {(label || description) && (
        <div className="flex-1 min-w-0">
          {label && <p className="text-sm font-medium text-n-50">{label}</p>}
          {description && <p className="text-xs text-n-300 mt-0.5 leading-relaxed">{description}</p>}
        </div>
      )}
      <button
        type="button"
        onClick={function () { onChange(!checked); }}
        className={[
          'relative inline-flex h-6 w-11 items-center rounded-full transition-all duration-300 flex-shrink-0 border',
          checked ? 'bg-n-700 border-n-500' : 'bg-n-850 border-n-700',
        ].join(' ')}
      >
        <span className={[
          'inline-block h-4 w-4 rounded-full transition-all duration-300',
          checked ? 'translate-x-6 bg-n-50' : 'translate-x-1 bg-n-400',
        ].join(' ')} />
      </button>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   STAT CARD
═══════════════════════════════════════════════════ */
export var StatCard = function ({ icon, label, value, change, positive }) {
  return (
    <div className="bg-n-800 border border-n-700 rounded-xl p-5 transition-all duration-300 hover:border-n-500 hover:shadow-sm hover:-translate-y-px">
      <div className="flex items-start justify-between mb-4">
        <div className="w-11 h-11 rounded-lg bg-n-900 border border-n-700 flex items-center justify-center text-xl">
          {icon}
        </div>
        {positive !== null && positive !== undefined && (
          <Badge variant={positive ? 'low' : 'high'}>
            {positive ? '↑' : '↓'}
          </Badge>
        )}
      </div>
      <p className="text-xs text-n-300 mb-1 uppercase tracking-wide">{label}</p>
      <p className="text-2xl font-bold text-n-50 mb-1">{value}</p>
      {change && <p className="text-xs text-n-400">{change}</p>}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   DIVIDER
═══════════════════════════════════════════════════ */
export var Divider = function ({ label, className }) {
  if (label) {
    return (
      <div className={['relative flex items-center', className || ''].join(' ')}>
        <div className="flex-1 h-px bg-n-700" />
        <span className="px-4 text-xs text-n-400 uppercase tracking-wider">{label}</span>
        <div className="flex-1 h-px bg-n-700" />
      </div>
    );
  }
  return <div className={['h-px bg-n-700', className || ''].join(' ')} />;
};

/* ═══════════════════════════════════════════════════
   SKELETON
═══════════════════════════════════════════════════ */
export var Skeleton = function ({ className, height }) {
  return (
    <div
      className={['rounded-md animate-shimmer bg-gradient-to-r from-n-800 via-n-750 to-n-800 bg-[length:200%_auto]', className || ''].join(' ')}
      style={{ height: height || '16px' }}
    />
  );
```

```
};

/* ═══════════════════════════════════════════════════
   PROGRESS BAR
═══════════════════════════════════════════════════ */
export var ProgressBar = function ({ value, max, color, label, showPct }) {
  var pct = Math.min(100, Math.round((value / (max || 100)) * 100));
  var barColor = color || 'bg-n-500';

  return (
    <div className="w-full">
      {(label || showPct) && (
        <div className="flex justify-between items-center mb-1.5">
          {label && <span className="text-xs text-n-300">{label}</span>}
          {showPct && <span className="text-xs text-n-200 font-medium">{pct}%</span>}
        </div>
      )}
      <div className="w-full h-2 bg-n-900 rounded-full overflow-hidden">
        <div
          className={['h-full rounded-full transition-all duration-1000', barColor].join(' ')}
          style={{ width: pct + '%', animation: 'progressFill 1s cubic-bezier(0.4,0,0.2,1) both' }}
        />
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   EMPTY STATE
═══════════════════════════════════════════════════ */
export var EmptyState = function ({ icon, title, description, action }) {
  return (
    <div className="flex flex-col items-center justify-center py-16 px-6 text-center animate-fade-in">
      {icon && (
        <div className="w-16 h-16 rounded-2xl bg-n-800 border border-n-700 flex items-center justify-center text-3xl mb-4">
          {icon}
        </div>
      )}
      {title && <p className="text-base font-semibold text-n-100 mb-2">{title}</p>}
      {description && <p className="text-sm text-n-300 max-w-sm leading-relaxed">{description}</p>}
      {action && <div className="mt-5">{action}</div>}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   SOCIAL BUTTONS
═══════════════════════════════════════════════════ */
export var GoogleButton = function ({ onClick, loading, children }) {
  return (
    <button
      type="button"
      onClick={onClick}
      disabled={loading}
      className="ui-social-btn ui-social-btn-google w-full"
      style={{ fontFamily: 'inherit' }}
    >
      {loading ? (
        <svg className="animate-spin w-5 h-5 text-gray-500" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5 flex-shrink-0" viewBox="0 0 24 24">
          <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z"/>
          <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 1
          <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z"/>
          <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.5
        </svg>
      )}
      <span className="text-sm font-medium text-gray-700">
        {loading ? 'Connecting...' : (children || 'Continue with Google')}
      </span>
    </button>
  );
};

export var AppleButton = function ({ onClick, loading, children }) {
  return (
    <button
      type="button"
      onClick={onClick}
      disabled={loading}
      className="ui-social-btn ui-social-btn-apple w-full"
      style={{ fontFamily: 'inherit' }}
    >
      {loading ? (
        <svg className="animate-spin w-5 h-5 text-white" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path class="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5 flex-shrink-0" viewBox="0 0 24 24" fill="white">
          <path d="M18.71 19.5c-.83 1.24-1.71 2.45-3.05 2.47-1.34.03-1.77-.79-3.29-.79-1.53 0-2 .77-3.27.82-1.31.05-2.3-1.32-3.14-2.53C4.25 17 2.94 12.45 4.7 9.39
        </svg>
      )}
      <span className="text-sm font-medium text-white">
        {loading ? 'Connecting...' : (children || 'Continue with Apple')}
      </span>
    </button>
  );
};

/* ═══════════════════════════════════════════════════
   STEP INDICATOR
```

```
■■■
```

```
   BACK BUTTON
■■■
```

```
    setLoading(false);
  };

  verify();

  /* Listen for session expiry */
  var onExpire = function () {
    setUser(null);
    setProfileComplete(false);
    tokenStore.clear();
  };
  window.addEventListener('optha_session_expired', onExpire);
  return function () { window.removeEventListener('optha_session_expired', onExpire); };
}, []);

/* ■■ Register ■■ */
var register = useCallback(async function (email, password, name) {
  var data = await authService.register(email, password, name);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, false);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ Login ■■ */
var login = useCallback(async function (email, password, rememberMe) {
  var data = await authService.login(email, password, rememberMe);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, rememberMe);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ OAuth login ■■ */
var oauthLogin = useCallback(async function (email, name, picture, provider, sub) {
  var data = await authService.oauthLogin(email, name, picture, provider, sub);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, true);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ Logout ■■ */
var logout = useCallback(async function () {
  await authService.logout();
  setUser(null);
  setProfileComplete(false);
}, []);

/* ■■ Update profile ■■ */
var updateProfile = useCallback(async function (profileData) {
  var data = await authService.updateProfile(profileData);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, tokenStore.isRemembered());
  setUser(data.user);
  setProfileComplete(true);
  return data.user;
}, []);

/* ■■ Scan helpers ■■ */
var addScan = useCallback(function (scanData) {
  var scans = [];
  try { scans = JSON.parse(localStorage.getItem('optha_scans') || '[]'); } catch (_) { }
  var newScan = Object.assign({}, scanData, { timestamp: new Date().toISOString(), id: scanData.id || 'SCN-' + Date.now() });
  scans.unshift(newScan);
  localStorage.setItem('optha_scans', JSON.stringify(scans.slice(0, 100)));
  window.dispatchEvent(new CustomEvent('optha_scan_added', { detail: newScan }));
  return newScan;
}, []);

var getScans = useCallback(function () {
  try { return JSON.parse(localStorage.getItem('optha_scans') || '[]'); } catch (_) { return []; }
}, []);

var getLastScan = useCallback(function () {
  var s = getScans();
  return s.length > 0 ? s[0] : null;
}, [getScans]);

/* ■■ Settings ■■ */
var getSettings = useCallback(function () {
  try {
    var s = localStorage.getItem('optha_settings');
    return s ? JSON.parse(s) : {
      emailNotifications: true, smsNotifications: false, highRiskAlerts: true,
      weeklyReports: true, dataSharing: false, anonymizedResearch: true,
      theme: 'dark', compactView: false, language: 'en', timezone: 'UTC-5',
    };
  } catch (_) { return {}; }
}, []);

var saveSettings = useCallback(function (settings) {
  localStorage.setItem('optha_settings', JSON.stringify(settings));
  if (settings.theme === 'light') document.documentElement.setAttribute('data-theme', 'light');
  else document.documentElement.removeAttribute('data-theme');
  window.dispatchEvent(new CustomEvent('optha_settings_changed', { detail: settings }));
}, []);

return (
  <AuthContext.Provider value={{
    user, loading, profileComplete,
    login, register, oauthLogin, logout, updateProfile,
    addScan, getScans, getLastScan,
    getSettings, saveSettings,
    /* Expose remembered email for pre-fill */
    rememberedEmail: tokenStore.getRememberedEmail(),
```

```
      isRemembered: tokenStore.isRemembered(),
    }}>
      {children}
    </AuthContext.Provider>
  );
};
```

src\context\ToastContext.jsx

```
import { createContext, useContext, useState, useCallback } from 'react';

var ToastContext = createContext(null);
export var useToast = function () { return useContext(ToastContext); };

export var ToastProvider = function ({ children }) {
  var [toasts, setToasts] = useState([]);

  var addToast = useCallback(function (message, type, duration) {
    var id = Date.now() + Math.random();
    var t = type || 'info';
    var d = duration || 3500;
    setToasts(function (prev) { return prev.concat([{ id: id, message: message, type: t }]); });
    setTimeout(function () {
      setToasts(function (prev) { return prev.filter(function (x) { return x.id !== id; }); });
    }, d);
  }, []);

  var icons = {
    success: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
      </svg>
    ),
    error: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
      </svg>
    ),
    warning: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 9v2m0 4h.01M10.29 3.86L1.82 18a2 2 0 001.71 3h16.94a2 2 0 001.71-3L13.71 3.86a2
      </svg>
    ),
    info: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13 16h-1v-4h-1m1-4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
      </svg>
    ),
  };

  return (
    <ToastContext.Provider value={{ addToast }}>
      {children}
      <div className="fixed top-4 right-4 z-[9999] flex flex-col gap-2 max-w-sm w-full px-3">
        {toasts.map(function (t) {
          return (
            <div key={t.id} className={'ui-toast ui-toast-' + t.type}>
              {icons[t.type] || icons.info}
              <span className="text-sm font-medium flex-1">{t.message}</span>
            </div>
          );
        })}
      </div>
    </ToastContext.Provider>
  );
};
```

src\hooks\useLastScan.js

```
import { useState, useEffect, useCallback } from 'react';
import { useAuth } from '../context/AuthContext';

var formatTimeAgo = function (isoString) {
  if (!isoString) return 'No scans yet';
  var now = new Date();
  var past = new Date(isoString);
  var diffMs = now - past;
  var diffSec = Math.floor(diffMs / 1000);
  var diffMin = Math.floor(diffSec / 60);
  var diffHr = Math.floor(diffMin / 60);
  var diffDay = Math.floor(diffHr / 24);

  if (diffSec < 10) return 'Just now';
  if (diffSec < 60) return diffSec + ' seconds ago';
  if (diffMin < 60) return diffMin === 1 ? '1 minute ago' : diffMin + ' minutes ago';
  if (diffHr < 24) return diffHr === 1 ? '1 hour ago' : diffHr + ' hours ago';
  if (diffDay < 7) return diffDay === 1 ? '1 day ago' : diffDay + ' days ago';
  return past.toLocaleDateString();
};

export var useLastScan = function () {
  var { getLastScan } = useAuth();
  var [lastScan, setLastScan] = useState(null);
  var [timeAgo, setTimeAgo] = useState('No scans yet');

  var refresh = useCallback(function () {
    var scan = getLastScan();
    setLastScan(scan);
    setTimeAgo(scan ? formatTimeAgo(scan.timestamp) : 'No scans yet');
  }, [getLastScan]);

  useEffect(function () {
    refresh();

    /* Update every 30 seconds */
    var interval = setInterval(function () {
```

```
      var scan = getLastScan();
      setTimeAgo(scan ? formatTimeAgo(scan.timestamp) : 'No scans yet');
    }, 30000);

    /* Listen for new scans */
    var handleNewScan = function (e) {
      setLastScan(e.detail);
      setTimeAgo(formatTimeAgo(e.detail.timestamp));
    };
    window.addEventListener('optha_scan_added', handleNewScan);

    return function () {
      clearInterval(interval);
      window.removeEventListener('optha_scan_added', handleNewScan);
    };
  }, [refresh]);

  return { lastScan: lastScan, timeAgo: timeAgo, refresh: refresh };
};
```

src\pages\CompleteProfile.jsx

```
import { useState } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { useToast } from '../context/ToastContext';

var BLOOD_GROUPS = ['A+', 'A-', 'B+', 'B-', 'AB+', 'AB-', 'O+', 'O-'];

var COUNTRIES = [
  'United States', 'United Kingdom', 'India', 'Canada', 'Australia',
  'Germany', 'France', 'Pakistan', 'Bangladesh', 'Nigeria', 'Other',
];

var OCCUPATIONS = [
  'Healthcare Professional', 'Engineer', 'Teacher / Educator',
  'Student', 'Business / Entrepreneur', 'Government / Public Sector',
  'IT / Software', 'Agriculture', 'Retired', 'Other',
];

var CompleteProfile = function () {
  var navigate = useNavigate();
  var { user, updateProfile } = useAuth();
  var { addToast } = useToast();

  var [form, setForm] = useState({
    phone: '',
    age: '',
    dateOfBirth: '',
    bloodGroup: '',
    occupation: '',
    city: '',
    state: '',
    country: '',
  });
  var [errors, setErrors] = useState({});
  var [loading, setLoading] = useState(false);

  var handleChange = function (e) {
    var name = e.target.name;
    var value = e.target.value;
    setForm(function (prev) {
      var n = {};
      Object.keys(prev).forEach(function (k) { n[k] = prev[k]; });
      n[name] = value;
      return n;
    });
    setErrors(function (prev) {
      var n = {};
      Object.keys(prev).forEach(function (k) { n[k] = prev[k]; });
      n[name] = '';
      return n;
    });
  };

  var validate = function () {
    var e = {};
    if (!form.phone.trim()) {
      e.phone = 'Phone number is required';
    } else if (!/^\+?[\d\s\-()]{7,15}$/.test(form.phone)) {
      e.phone = 'Enter a valid phone number';
    }
    if (!form.age || isNaN(form.age) || Number(form.age) < 1 || Number(form.age) > 120) {
      e.age = 'Enter a valid age (1-120)';
    }
    if (!form.dateOfBirth) {
      e.dateOfBirth = 'Date of birth is required';
    } else {
      var dob = new Date(form.dateOfBirth);
      var today = new Date();
      if (dob >= today) e.dateOfBirth = 'Date of birth must be in the past';
    }
    if (!form.bloodGroup) e.bloodGroup = 'Blood group is required';
    if (!form.occupation) e.occupation = 'Occupation is required';
    if (!form.city.trim()) e.city = 'City is required';
    if (!form.country) e.country = 'Country is required';
    setErrors(e);
    return Object.keys(e).length === 0;
  };

  var handleSubmit = function (e) {
    e.preventDefault();
    if (!validate()) return;
    setLoading(true);
    setTimeout(function () {
      updateProfile({
```

```
      phone: form.phone,
      age: form.age,
      dateOfBirth: form.dateOfBirth,
      bloodGroup: form.bloodGroup,
      occupation: form.occupation,
      location: { city: form.city, state: form.state, country: form.country },
      profileComplete: true,
    });
    addToast('Profile completed successfully! Welcome to OpthaMiss.', 'success');
    navigate('/dashboard');
  }, 1200);
};

var isFormFilled =
  form.phone && form.age && form.dateOfBirth &&
  form.bloodGroup && form.occupation && form.city && form.country;

var inputClass = function (field) {
  return (
    'w-full px-4 py-3 rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none transition-colors ' +
    (errors[field]
      ? 'bg-red-950/20 border border-red-700/50 focus:border-red-600'
      : 'bg-neutral-800/60 border border-neutral-700/50 focus:border-neutral-500')
  );
};

return (
  <div className="min-h-screen flex items-center justify-center px-4 py-12"
    style={{ background: 'var(--bg-primary)' }}>

    {/* Background */}
    <div className="absolute inset-0 pointer-events-none overflow-hidden">
      <div className="absolute top-1/4 left-1/4 w-96 h-96 rounded-full blur-3xl opacity-40"
        style={{ background: 'rgba(59,130,246,0.06)' }} />
      <div className="absolute bottom-1/4 right-1/4 w-96 h-96 rounded-full blur-3xl opacity-40"
        style={{ background: 'rgba(139,92,246,0.06)' }} />
    </div>

    <div className="relative z-10 w-full max-w-lg">

      {/* Progress indicator */}
      <div className="flex items-center justify-between mb-6 px-1">
        <div className="flex items-center gap-2">
          <div className="w-7 h-7 rounded-full bg-green-600 flex items-center justify-center">
            <svg className="w-4 h-4 text-white" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
            </svg>
          </div>
          <span className="text-xs text-neutral-400">Account Created</span>
        </div>
        <div className="flex-1 h-px mx-3" style={{ background: 'var(--border)' }} />
        <div className="flex items-center gap-2">
          <div className="w-7 h-7 rounded-full bg-neutral-700 border-2 border-neutral-500 flex items-center justify-center">
            <span className="text-xs font-bold text-neutral-200">2</span>
          </div>
          <span className="text-xs text-neutral-200 font-medium">Complete Profile</span>
        </div>
      </div>

      {/* Card */}
      <div className="rounded-2xl p-8 shadow-2xl" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>

        {/* Header */}
        <div className="text-center mb-8">
          {user && user.picture && (
            <img src={user.picture} alt="avatar"
              className="w-16 h-16 rounded-full mx-auto mb-3 border-2 object-cover"
              style={{ borderColor: 'var(--border)' }} />
          )}
          {(!user || !user.picture) && (
            <div className="w-16 h-16 rounded-full mx-auto mb-3 flex items-center justify-center text-2xl font-bold"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
              {user && user.name ? user.name.charAt(0).toUpperCase() : 'U'}
            </div>
          )}
          <h1 className="text-xl font-bold mb-1" style={{ color: 'var(--text-h)' }}>
            Complete Your Profile
          </h1>
          <p className="text-sm" style={{ color: 'var(--text-muted)' }}>
            {user && user.name ? 'Hi ' + user.name.split(' ')[0] + '! ' : ''}
            We need a few more details to personalize your experience.
          </p>
        </div>

        <form onSubmit={handleSubmit} className="space-y-5">

          {/* Phone */}
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
              Phone Number <span className="text-red-400">*</span>
            </label>
            <input
              type="tel"
              name="phone"
              value={form.phone}
              onChange={handleChange}
              placeholder="+1 234 567 8900"
              className={inputClass('phone')}
            />
            {errors.phone && <p className="text-red-400 text-xs mt-1">{errors.phone}</p>}
          </div>

          {/* Age + DOB */}
          <div className="grid grid-cols-2 gap-4">
            <div>
```

```
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Age <span className="text-red-400">*</span>
    </label>
    <input
      type="number"
      name="age"
      value={form.age}
      onChange={handleChange}
      placeholder="e.g. 35"
      min="1"
      max="120"
      className={inputClass('age')}
    />
    {errors.age && <p className="text-red-400 text-xs mt-1">{errors.age}</p>}
  </div>
  <div>
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Date of Birth <span className="text-red-400">*</span>
    </label>
    <input
      type="date"
      name="dateOfBirth"
      value={form.dateOfBirth}
      onChange={handleChange}
      className={inputClass('dateOfBirth')}
    />
    {errors.dateOfBirth && <p className="text-red-400 text-xs mt-1">{errors.dateOfBirth}</p>}
  </div>
</div>

{/* Blood Group */}
<div>
  <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
    Blood Group <span className="text-red-400">*</span>
  </label>
  <select
    name="bloodGroup"
    value={form.bloodGroup}
    onChange={handleChange}
    className={inputClass('bloodGroup')}
  >
    <option value="">Select blood group</option>
    {BLOOD_GROUPS.map(function (bg) {
      return <option key={bg} value={bg}>{bg}</option>;
    })}
  </select>
  {errors.bloodGroup && <p className="text-red-400 text-xs mt-1">{errors.bloodGroup}</p>}
</div>

{/* Occupation */}
<div>
  <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
    Occupation <span className="text-red-400">*</span>
  </label>
  <select
    name="occupation"
    value={form.occupation}
    onChange={handleChange}
    className={inputClass('occupation')}
  >
    <option value="">Select occupation</option>
    {OCCUPATIONS.map(function (o) {
      return <option key={o} value={o}>{o}</option>;
    })}
  </select>
  {errors.occupation && <p className="text-red-400 text-xs mt-1">{errors.occupation}</p>}
</div>

{/* Location */}
<div>
  <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
    Location <span className="text-red-400">*</span>
  </label>
  <div className="grid grid-cols-1 gap-3">
    <div className="grid grid-cols-2 gap-3">
      <div>
        <input
          type="text"
          name="city"
          value={form.city}
          onChange={handleChange}
          placeholder="City *"
          className={inputClass('city')}
        />
        {errors.city && <p className="text-red-400 text-xs mt-1">{errors.city}</p>}
      </div>
      <input
        type="text"
        name="state"
        value={form.state}
        onChange={handleChange}
        placeholder="State / Province"
        className="w-full px-4 py-3 rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none bg-neutral-800/60 border border-neu
      />
    </div>
    <div>
      <select
        name="country"
        value={form.country}
        onChange={handleChange}
        className={inputClass('country')}
      >
        <option value="">Select country *</option>
        {COUNTRIES.map(function (c) {
          return <option key={c} value={c}>{c}</option>;
```

```
                  })}
                </select>
                {errors.country && <p className="text-red-400 text-xs mt-1">{errors.country}</p>}
              </div>
            </div>
          </div>

          {/* Submit */}
          <button
            type="submit"
            disabled={loading || !isFormFilled}
            className="w-full py-3.5 rounded-xl text-sm font-semibold transition-all flex items-center justify-center gap-2 mt-2"
            style={{
              background: isFormFilled && !loading ? 'var(--bg-hover)' : 'var(--bg-secondary)',
              border: '1px solid ' + (isFormFilled && !loading ? 'var(--accent-border)' : 'var(--border)'),
              color: isFormFilled && !loading ? 'var(--text-h)' : 'var(--text-subtle)',
              cursor: loading || !isFormFilled ? 'not-allowed' : 'pointer',
              opacity: loading || !isFormFilled ? 0.6 : 1,
            }}
          >
            {loading ? (
              <>
                <svg className="animate-spin w-4 h-4" fill="none" viewBox="0 0 24 24">
                  <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
                  <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
                </svg>
                Saving...
              </>
            ) : 'Complete Profile & Go to Dashboard'}
          </button>

          <p className="text-center text-xs" style={{ color: 'var(--text-subtle)' }}>
            All fields marked with <span className="text-red-400">*</span> are required.
            Your data is encrypted and never sold.
          </p>
        </form>
      </div>
    </div>
  </div>
);
};

export default CompleteProfile;
```

src\pages\Dashboard.jsx

```
import { useState, useEffect, useCallback } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { useLastScan } from '../hooks/useLastScan';

// ═══════════════════════════════════════════════════════════════════
// MAIN DASHBOARD
// ═══════════════════════════════════════════════════════════════════

const Dashboard = () => {
  const navigate = useNavigate();
  const { user, logout, getScans } = useAuth();
  const { timeAgo } = useLastScan();

  const [totalScans, setTotalScans] = useState(0);
  const [recentScans, setRecentScans] = useState([]);
  const [healthScore] = useState(87);

  const refreshScans = useCallback(function () {
    var scans = getScans();
    setTotalScans(scans.length);
    setRecentScans(scans.slice(0, 4));
  }, [getScans]);

  useEffect(function () {
    if (!user) {
      navigate('/login');
      return;
    }
    refreshScans();

    // Listen for new scans added in real time
    var handler = function () { refreshScans(); };
    window.addEventListener('optha_scan_added', handler);
    return function () { window.removeEventListener('optha_scan_added', handler); };
  }, [user, navigate, refreshScans]);

  if (!user) return null;

  var stats = {
    totalScans: totalScans || 47,
    lastScan: timeAgo,
    riskLevel: 'Low',
    accuracy: 98.2,
  };

  return (
    <div className="min-h-screen" style={{ background: 'var(--bg-primary)' }}>

      {/* Sidebar */}
      <Sidebar user={user} onLogout={function () { logout(); navigate('/login'); }} />

      {/* Main Content */}
      <div className="lg:ml-64 min-h-screen">

        {/* Top Navigation */}
        <TopNav user={user} onLogout={function () { logout(); navigate('/login'); }} />

        {/* Dashboard Content */}
        <main className="p-6 lg:p-8 space-y-6">
```

```
          {/* Welcome Banner */}
          <WelcomeBanner user={user} />

          {/* Stats Grid */}
          <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-4">
            <StatCard
              icon="■"
              label="Total Scans"
              value={stats.totalScans}
              change="+12% from last month"
              positive={true}
            />
            <StatCard
              icon="■"
              label="Last Scan"
              value={stats.lastScan}
              change="Most recent screening"
              positive={null}
            />
            <StatCard
              icon="■"
              label="Avg. Accuracy"
              value={stats.accuracy + '%'}
              change={'Based on ' + stats.totalScans + ' scans'}
              positive={true}
            />
            <StatCard
              icon="■"
              label="Overall Risk"
              value={stats.riskLevel}
              change="No urgent findings"
              positive={true}
            />
          </div>

          {/* Main Content Grid */}
          <div className="grid lg:grid-cols-3 gap-6">

            {/* Left Column */}
            <div className="lg:col-span-2 space-y-6">
              <ScanActivityChart />
              <RecentScans scans={recentScans} />
            </div>

            {/* Right Column */}
            <div className="space-y-6">
              <EyeHealthWidget score={healthScore} totalScans={stats.totalScans} />
              <QuickActions />
            </div>
          </div>

        </main>
      </div>
    </div>
  );
};

// ■■■
```

```
          ) : (
            <div className="w-9 h-9 rounded-full flex items-center justify-center font-bold text-sm flex-shrink-0"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
              {user.name ? user.name.charAt(0).toUpperCase() : 'U'}
            </div>
          )}
          <div className="min-w-0">
            <p className="text-sm font-medium truncate" style={{ color: 'var(--text-h)' }}>
              {user.name || 'User'}
            </p>
            <p className="text-xs truncate" style={{ color: 'var(--text-muted)' }}>
              {user.email || 'Patient'}
            </p>
          </div>
        </div>
      </div>
    )}

    {/* Navigation */}
    <nav className="p-3 space-y-1 flex-1 overflow-y-auto">
      {menuItems.map(function (item) {
        var isActive = activeTab === item.id;
        return (
          <button
            key={item.id}
            type="button"
            onClick={function () {
              setActiveTab(item.id);
              navigate(item.path);
            }}
            className="w-full flex items-center gap-3 px-3 py-2.5 rounded-lg transition-all duration-200 text-left"
            style={isActive
              ? { background: 'var(--bg-hover)', border: '1px solid var(--border)', color: 'var(--text-h)' }
              : { color: 'var(--text-muted)', border: '1px solid transparent' }}
          >
            <span className="text-lg flex-shrink-0">{item.icon}</span>
            <span className="text-sm font-medium">{item.label}</span>
            {isActive && (
              <span className="ml-auto w-1.5 h-1.5 rounded-full bg-green-500 flex-shrink-0" />
            )}
          </button>
        );
      })}
    </nav>

    {/* Bottom */}
    <div className="p-3 flex-shrink-0" style={{ borderTop: '1px solid var(--border)' }}>
      {/* AI Status */}
      <div className="p-3 rounded-lg mb-2"
        style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
        <div className="flex items-center gap-2 mb-1">
          <div className="w-2 h-2 rounded-full bg-green-500 animate-pulse" />
          <span className="text-xs font-medium" style={{ color: 'var(--text-muted)' }}>AI Models Active</span>
        </div>
        <p className="text-xs" style={{ color: 'var(--text-subtle)' }}>2 models ready for screening</p>
      </div>

      {/* Logout */}
      <button
        type="button"
        onClick={onLogout}
        className="w-full flex items-center gap-3 px-3 py-2.5 rounded-lg transition-all"
        style={{ color: 'var(--risk-high-text)' }}
      >
        <span class="text-lg">■</span>
        <span class="text-sm font-medium">Logout</span>
      </button>
    </div>
  </aside>
);
};

// ═══════════════════════════════════════════════════════════════════
// TOP NAVIGATION
// ═══════════════════════════════════════════════════════════════════

const TopNav = ({ user, onLogout }) => {
  const navigate = useNavigate();
  const [showUserMenu, setShowUserMenu] = useState(false);
  const [search, setSearch] = useState('');

  // Close menu when clicking outside
  useEffect(function () {
    if (!showUserMenu) return;
    var handler = function (e) {
      if (!e.target.closest('#user-menu-btn')) setShowUserMenu(false);
    };
    document.addEventListener('mousedown', handler);
    return function () { document.removeEventListener('mousedown', handler); };
  }, [showUserMenu]);

  return (
    <header className="h-16 flex items-center justify-between px-6 lg:px-8 flex-shrink-0"
      style={{ background: 'var(--bg-card)', borderBottom: '1px solid var(--border)' }}>

      {/* Mobile logo */}
      <div className="lg:hidden flex items-center gap-2">
        <div className="w-7 h-7 rounded-lg flex items-center justify-center"
          style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
          <span className="font-bold text-xs" style={{ color: 'var(--text-h)' }}>O</span>
        </div>
        <span className="font-semibold text-sm" style={{ color: 'var(--text-h)' }}>OpthaMiss</span>
      </div>

      {/* Search */}
```

```
<div className="hidden sm:flex flex-1 max-w-md ml-4 lg:ml-0">
  <div className="relative w-full">
    <input
      type="text"
      placeholder="Search scans, reports..."
      value={search}
      onChange={function (e) { setSearch(e.target.value); }}
      className="w-full px-4 py-2 pl-9 rounded-lg text-sm focus:outline-none transition-all"
      style={{
        background: 'var(--bg-secondary)',
        border: '1px solid var(--border)',
        color: 'var(--text-h)',
      }}
    />
    <svg className="absolute left-3 top-1/2 -translate-y-1/2 w-3.5 h-3.5"
      style={{ color: 'var(--text-subtle)' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />
    </svg>
  </div>
</div>

{/* Right */}
<div className="flex items-center gap-2">

  {/* New Scan shortcut */}
  <button
    type="button"
    onClick={function () { navigate('/screen'); }}
    className="hidden sm:flex items-center gap-1.5 px-3 py-1.5 rounded-lg text-xs font-medium transition-all"
    style={{ background: 'var(--bg-hover)', border: '1px solid var(--border)', color: 'var(--text-h)' }}
  >
    <span>■</span>
    <span>New Scan</span>
  </button>

  {/* Notification */}
  <button
    type="button"
    className="relative p-2 rounded-lg transition-colors"
    style={{ color: 'var(--text-muted)' }}
    onClick={function () { navigate('/reports'); }}
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002 6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0 .538-.214 1.055-.
    </svg>
    <span className="absolute top-1.5 right-1.5 w-1.5 h-1.5 bg-red-500 rounded-full" />
  </button>

  {/* User menu */}
  <div className="relative" id="user-menu-btn">
    <button
      type="button"
      onClick={function () { setShowUserMenu(function (v) { return !v; }); }}
      className="flex items-center gap-2 p-1.5 rounded-lg transition-colors"
      style={{ color: 'var(--text-h)' }}
    >
      {user && user.picture ? (
        <img src={user.picture} alt="avatar"
          className="w-8 h-8 rounded-full object-cover"
          style={{ border: '1px solid var(--border)' }} />
      ) : (
        <div className="w-8 h-8 rounded-full flex items-center justify-center text-sm font-semibold"
          style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
          {user && user.name ? user.name.charAt(0).toUpperCase() : 'U'}
        </div>
      )}
      <div className="hidden md:block text-left">
        <p className="text-sm font-medium leading-none mb-0.5" style={{ color: 'var(--text-h)' }}>
          {user && user.name ? user.name.split(' ')[0] : 'User'}
        </p>
        <p className="text-xs" style={{ color: 'var(--text-muted)' }}>Patient</p>
      </div>
      <svg className="w-3.5 h-3.5 hidden md:block" style={{ color: 'var(--text-subtle)' }}
        fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 9l-7 7-7-7" />
      </svg>
    </button>

    {showUserMenu && (
      <div className="absolute right-0 top-full mt-2 w-52 rounded-xl shadow-2xl overflow-hidden z-50"
        style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
        {user && (
          <div className="px-4 py-3" style={{ borderBottom: '1px solid var(--border)' }}>
            <p class="text-sm font-medium truncate" style={{ color: 'var(--text-h)' }}>{user.name}</p>
            <p class="text-xs truncate" style={{ color: 'var(--text-muted)' }}>{user.email}</p>
          </div>
        )}
        {[
          { icon: '■', label: 'Profile', path: '/profile' },
          { icon: '■', label: 'Reports', path: '/reports' },
          { icon: '■■', label: 'Settings', path: '/settings' },
        ].map(function (item) {
          return (
            <button key={item.path} type="button"
              onClick={function () { setShowUserMenu(false); navigate(item.path); }}
              className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5 transition-colors"
              style={{ color: 'var(--text-muted)' }}
              onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--bg-hover)'; }}
              onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
              <span>{item.icon}</span>
              <span>{item.label}</span>
            </button>
```

```
              );
            })}
            <div style={{ borderTop: '1px solid var(--border)' }} />
            <button type="button" onClick={function () { setShowUserMenu(false); onLogout(); }}
              className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5 transition-colors"
              style={{ color: 'var(--risk-high-text)' }}
              onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--risk-high-bg)'; }}
              onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}>
              <span>■</span>
              <span>Logout</span>
            </button>
          </div>
        )}
      </div>
    </div>
  </header>
);
};

// ■■■
```

```
            </button>
            <button type="button" onClick={function () { navigate('/profile'); }}
              className="text-sm transition-colors" style={{ color: 'var(--text-muted)' }}>
              Complete your profile first →
            </button>
          </div>

          <p className="text-xs mt-4" style={{ color: 'var(--text-subtle)' }}>
            Your first scan is completely free. No credit card required. Results available instantly.
          </p>
        </div>
      </div>
    );
  }

  return (
    <div className="relative overflow-hidden rounded-xl p-6 md:p-8"
      style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
      <div className="absolute inset-0 pointer-events-none overflow-hidden">
        <div className="absolute top-0 right-0 w-64 h-64 rounded-full blur-3xl opacity-10"
          style={{ background: 'rgba(163,163,163,0.15)' }} />
      </div>
      <div className="relative z-10 flex flex-col md:flex-row items-start md:items-center justify-between gap-4">
        <div className="flex items-center gap-4">
          {user && user.picture ? (
            <img src={user.picture} alt="avatar"
              className="w-14 h-14 rounded-xl object-cover flex-shrink-0"
              style={{ border: '1px solid var(--border)' }} />
          ) : (
            <div className="w-14 h-14 rounded-xl flex items-center justify-center text-2xl font-bold flex-shrink-0"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
              {user && user.name ? user.name.charAt(0).toUpperCase() : 'U'}
            </div>
          )}
          <div>
            <h1 className="text-2xl font-bold mb-1" style={{ color: 'var(--text-h)' }}>
              {greeting}, {user && user.name ? user.name.split(' ')[0] : 'there'}! ■
            </h1>
            <p style={{ color: 'var(--text-muted)' }}>
              Your eye health dashboard is ready.
            </p>
          </div>
        </div>
        <button type="button" onClick={function () { navigate('/screen'); }}
          className="flex items-center gap-2 px-5 py-2.5 rounded-xl text-sm font-semibold transition-all flex-shrink-0"
          style={{ background: 'var(--bg-hover)', border: '1px solid var(--accent-border)', color: 'var(--text-h)' }}>
          <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 4v16m8-8H4" />
          </svg>
          New Scan
        </button>
      </div>
    </div>
  );
};

// ■■■
```

```
      d.setDate(d.getDate() - i);
      var dayStr = d.toDateString();
      var count = scans.filter(function (s) {
        return new Date(s.timestamp).toDateString() === dayStr;
      }).length;
      var label = days <= 7
        ? ['Sun', 'Mon', 'Tue', 'Wed', 'Thu', 'Fri', 'Sat'][d.getDay()]
        : d.getDate() + '/' + (d.getMonth() + 1);
      result.push({ label: label, value: count });
    }

    // If no real data, show sample data
    var hasData = result.some(function (r) { return r.value > 0; });
    if (!hasData) {
      var sample = [12, 19, 15, 25, 22, 30, 28];
      result = result.map(function (r, i) {
        return { label: r.label, value: sample[i % sample.length] };
      });
    }

    return result;
  };

  var data = buildChartData(Number(period));
  var max = Math.max.apply(null, data.map(function (d) { return d.value; })) || 1;

  return (
    <div className="rounded-xl p-6" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
      <div className="flex items-center justify-between mb-6">
        <div>
          <h3 className="text-lg font-semibold mb-0.5" style={{ color: 'var(--text-h)' }}>Scan Activity</h3>
          <p className="text-sm" style={{ color: 'var(--text-muted)' }}>
            {period === '7' ? 'Last 7 days' : period === '30' ? 'Last 30 days' : 'Last 90 days'}
          </p>
        </div>
        <select
          value={period}
          onChange={function (e) { setPeriod(e.target.value); }}
          className="px-3 py-2 rounded-lg text-sm focus:outline-none transition-all"
          style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }}
        >
          <option value="7">Last 7 days</option>
          <option value="30">Last 30 days</option>
          <option value="90">Last 90 days</option>
        </select>
      </div>

      <div className="flex items-end gap-2 h-40">
        {data.map(function (item, i) {
          var heightPct = (item.value / max) * 100;
          return (
            <div key={i} className="flex-1 flex flex-col items-center gap-1.5 group">
              <div className="w-full relative flex items-end" style={{ height: '120px' }}>
                <div
                  className="w-full rounded-t-md transition-all duration-500 cursor-pointer"
                  style={{
                    height: Math.max(heightPct, 8) + '%',
                    background: 'var(--bg-hover)',
                    border: '1px solid var(--border)',
                    borderBottom: 'none',
                  }}
                  onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--accent-bg)'; e.currentTarget.style.borderColor = 'var(--accent-border)'; }
                  onMouseLeave={function (e) { e.currentTarget.style.background = 'var(--bg-hover)'; e.currentTarget.style.borderColor = 'var(--border)'; }}
                />
                {/* Tooltip */}
                <div className="absolute bottom-full mb-1.5 left-1/2 -translate-x-1/2 opacity-0 group-hover:opacity-100 transition-opacity pointer-events-none z-10
                  <span className="text-xs px-2 py-0.5 rounded whitespace-nowrap"
                    style={{ background: 'var(--bg-card)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
                    {item.value}
                  </span>
                </div>
              </div>
              <span className="text-xs" style={{ color: 'var(--text-subtle)' }}>{item.label}</span>
            </div>
          );
        })}
      </div>
    </div>
  );
};

// ═══════════════════════════════════════════════════════════════════════
// RECENT SCANS — Dynamic from AuthContext
// ═══════════════════════════════════════════════════════════════════════

const RecentScans = ({ scans }) => {
  const navigate = useNavigate();
  const { getScans } = useAuth();

  // Fall back to stored scans if prop is empty
  var displayScans = scans && scans.length > 0 ? scans : getScans().slice(0, 4);

  var riskStyle = {
    high: { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' },
    moderate: { background: 'var(--risk-moderate-bg)', border: '1px solid var(--risk-moderate-border)', color: 'var(--risk-moderate-text)' },
    low: { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' },
    HIGH: { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' },
    MODERATE: { background: 'var(--risk-moderate-bg)', border: '1px solid var(--risk-moderate-border)', color: 'var(--risk-moderate-text)' },
    LOW: { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' },
  };

  var formatDate = function (ts) {
    if (!ts) return '';
    try {
      var d = new Date(ts);
```

```
      var now = new Date();
      var diffMs = now - d;
      var diffMin = Math.floor(diffMs / 60000);
      var diffHr = Math.floor(diffMin / 60);
      var diffDay = Math.floor(diffHr / 24);
      if (diffMin < 1) return 'Just now';
      if (diffMin < 60) return diffMin + 'm ago';
      if (diffHr < 24) return diffHr + 'h ago';
      if (diffDay === 1) return 'Yesterday';
      return d.toLocaleDateString();
    } catch (e) { return ts; }
  };

  // Static fallback if no real scans
  var fallbackScans = [
    { id: 'SCN-001', type: 'Anterior', timestamp: null, date: '2 hours ago', result: 'Normal', risk: 'low' },
    { id: 'SCN-002', type: 'Fundus', timestamp: null, date: 'Yesterday', result: 'Detected: Glaucoma', risk: 'high' },
    { id: 'SCN-003', type: 'Anterior', timestamp: null, date: '3 days ago', result: 'Normal', risk: 'low' },
    { id: 'SCN-004', type: 'Fundus', timestamp: null, date: '1 week ago', result: 'Detected: AMD', risk: 'moderate' },
  ];

  var scansToShow = displayScans.length > 0 ? displayScans : fallbackScans;

  return (
    <div className="rounded-xl p-6" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
      <div className="flex items-center justify-between mb-5">
        <h3 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Recent Scans</h3>
        <button type="button" onClick={function () { navigate('/history'); }}
          className="text-sm transition-colors" style={{ color: 'var(--text-muted)' }}>
          View All →
        </button>
      </div>

      {scansToShow.length === 0 ? (
        <div className="text-center py-8">
          <p className="text-sm" style={{ color: 'var(--text-muted)' }}>No scans yet.</p>
          <button type="button" onClick={function () { navigate('/screen'); }}
            className="mt-3 text-sm transition-colors" style={{ color: 'var(--accent)' }}>
            Start your first scan →
          </button>
        </div>
      ) : (
        <div className="space-y-2">
          {scansToShow.map(function (scan, i) {
            var riskKey = (scan.risk || 'low').toUpperCase();
            var rs = riskStyle[riskKey] || riskStyle.low;
            var displayDate = scan.timestamp ? formatDate(scan.timestamp) : (scan.date || '');
            var conditionsText = scan.conditions && scan.conditions.length > 0
              ? 'Detected: ' + scan.conditions.slice(0, 2).join(', ')
              : scan.result || 'Normal';

            return (
              <div
                key={scan.id || i}
                onClick={function () { navigate('/report/' + (scan.id || 'SCN-001')); }}
                className="flex items-center justify-between p-4 rounded-xl transition-all cursor-pointer group"
                style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}
                onMouseEnter={function (e) { e.currentTarget.style.borderColor = 'var(--border-hover)'; }}
                onMouseLeave={function (e) { e.currentTarget.style.borderColor = 'var(--border)'; }}
              >
                <div className="flex items-center gap-3">
                  <div className="w-9 h-9 rounded-lg flex items-center justify-center text-base flex-shrink-0"
                    style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
                    {scan.type === 'Anterior' ? '■■' : '■'}
                  </div>
                  <div>
                    <p className="text-sm font-medium transition-colors" style={{ color: 'var(--text-h)' }}>
                      {scan.type} Eye Scan
                    </p>
                    <p className="text-xs" style={{ color: 'var(--text-subtle)' }}>{displayDate}</p>
                  </div>
                </div>
                <div className="flex items-center gap-2">
                  <span className="text-xs hidden sm:block" style={{ color: 'var(--text-muted)' }}>
                    {conditionsText}
                  </span>
                  <span className="px-2 py-0.5 rounded text-xs font-medium" style={rs}>
                    {riskKey.charAt(0) + riskKey.slice(1).toLowerCase()}
                  </span>
                  <svg className="w-4 h-4 group-hover:translate-x-0.5 transition-transform"
                    style={{ color: 'var(--text-subtle)' }}
                    fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
                  </svg>
                </div>
              </div>
            );
          })}
        </div>
      )}
    </div>
  );
};

// ■■■
```

```
    : healthScore >= 60 ? '#f59e0b'
      : '#ef4444';

  return (
    <div className="rounded-xl p-6" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
      <h3 className="text-lg font-semibold mb-5" style={{ color: 'var(--text-h)' }}>Eye Health Score</h3>

      {/* Eye SVG */}
      <div className="relative h-40 flex items-center justify-center mb-5">
        <div className="absolute inset-0 flex items-center justify-center">
          <div className="w-28 h-28 rounded-full blur-2xl opacity-30 animate-pulse"
            style={{ background: barColor }} />
        </div>
        <div className="relative z-10 animate-float-slow">
          <svg width="110" height="110" viewBox="0 0 120 120">
            <ellipse cx="60" cy="60" rx="50" ry="32" fill="url(#eye-grad-d)"
              stroke="rgba(255,255,255,0.08)" strokeWidth="1.5" />
            <circle cx="60" cy="60" r="22" fill="url(#iris-grad-d)" />
            <circle cx="60" cy="60" r="12" fill="#000" />
            <circle cx="66" cy="54" r="5" fill="rgba(255,255,255,0.85)" />
            <circle cx="55" cy="64" r="2.5" fill="rgba(255,255,255,0.45)" />
            <defs>
              <radialGradient id="eye-grad-d">
                <stop offset="0%" stopColor="#d4d4d4" />
                <stop offset="100%" stopColor="#a3a3a3" />
              </radialGradient>
              <radialGradient id="iris-grad-d">
                <stop offset="0%" stopColor="#737373" />
                <stop offset="50%" stopColor="#525252" />
                <stop offset="100%" stopColor="#404040" />
              </radialGradient>
            </defs>
          </svg>
        </div>
      </div>

      {/* Score */}
      <div className="text-center mb-5">
        <div className="text-4xl font-bold mb-1" style={{ color: scoreColor }}>{healthScore}%</div>
        <p className="text-sm" style={{ color: 'var(--text-muted)' }}>
          Based on {totalScans || 47} scans
        </p>
      </div>

      {/* Bar */}
      <div className="w-full h-2 rounded-full overflow-hidden mb-2"
        style={{ background: 'var(--bg-secondary)' }}>
        <div className="h-full rounded-full transition-all duration-1000"
          style={{ width: healthScore + '%', background: barColor }} />
      </div>
      <div className="flex justify-between text-xs" style={{ color: 'var(--text-subtle)' }}>
        <span>Poor</span>
        <span>Excellent</span>
      </div>

      {/* Insight */}
      <div className="mt-4 p-3 rounded-lg" style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
        <p className="text-xs leading-relaxed" style={{ color: 'var(--text-muted)' }}>
          <span style={{ color: 'var(--risk-low-text)' }}>✓</span>{' '}
          {healthScore >= 80
            ? 'Your eye health looks great! Keep up regular screenings.'
            : healthScore >= 60
              ? 'Some conditions detected. Follow up with your doctor.'
              : 'Urgent attention needed. Please see an ophthalmologist.'}
        </p>
      </div>
    </div>
  );
};

// ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━
// QUICK ACTIONS
// ━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━━

const QuickActions = () => {
  const navigate = useNavigate();
  const { getScans } = useAuth();

  var scanCount = getScans().length;

  var actions = [
    { icon: '■', label: 'New Scan', desc: 'Screen your eyes now', path: '/screen' },
    { icon: '■', label: 'View Reports', desc: scanCount + ' reports available', path: '/reports' },
    { icon: '■', label: 'History', desc: 'Browse past scans', path: '/history' },
    { icon: '■', label: 'Profile', desc: 'Update your details', path: '/profile' },
  ];

  return (
    <div className="rounded-xl p-6" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
      <h3 className="text-lg font-semibold mb-4" style={{ color: 'var(--text-h)' }}>Quick Actions</h3>

      <div className="space-y-2">
        {actions.map(function (action, i) {
          return (
            <button
              key={i}
              type="button"
              onClick={function () { navigate(action.path); }}
              className="w-full flex items-center gap-3 p-3 rounded-xl transition-all group text-left"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}
              onMouseEnter={function (e) {
                e.currentTarget.style.background = 'var(--bg-hover)';
                e.currentTarget.style.borderColor = 'var(--border-hover)';
              }}
              onMouseLeave={function (e) {
```

```
              e.currentTarget.style.background = 'var(--bg-secondary)';
              e.currentTarget.style.borderColor = 'var(--border)';
            }}
          >
            <div className="w-9 h-9 rounded-lg flex items-center justify-center text-lg flex-shrink-0"
              style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
              {action.icon}
            </div>
            <div className="flex-1 min-w-0">
              <p className="text-sm font-medium" style={{ color: 'var(--text-h)' }}>{action.label}</p>
              <p className="text-xs truncate" style={{ color: 'var(--text-muted)' }}>{action.desc}</p>
            </div>
            <svg className="w-4 h-4 flex-shrink-0 group-hover:translate-x-0.5 transition-transform"
              style={{ color: 'var(--text-subtle)' }}
              fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
            </svg>
          </button>
        );
      })}
    </div>
  </div>
);
};

export default Dashboard;
```

src\pages\History.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';

const History = () => {
  const navigate = useNavigate();
  const [view, setView] = useState('list'); // 'list' or 'grid'
  const [filter, setFilter] = useState('all'); // 'all', 'anterior', 'fundus'
  const [sortBy, setSortBy] = useState('date'); // 'date', 'risk', 'type'

  // Mock scan history data
  const [scans] = useState([
    {
      id: 'SCN-2025-001',
      type: 'Fundus',
      date: '2025-01-15',
      time: '14:30',
      conditions: ['Glaucoma'],
      risk: 'high',
      thumbnail: '/api/placeholder/200/150',
    },
    {
      id: 'SCN-2025-002',
      type: 'Anterior',
      date: '2025-01-15',
      time: '09:15',
      conditions: [],
      risk: 'low',
      thumbnail: '/api/placeholder/200/150',
    },
    {
      id: 'SCN-2025-003',
      type: 'Fundus',
      date: '2025-01-14',
      time: '16:45',
      conditions: ['AMD'],
      risk: 'moderate',
      thumbnail: '/api/placeholder/200/150',
    },
    {
      id: 'SCN-2025-004',
      type: 'Anterior',
      date: '2025-01-13',
      time: '11:20',
      conditions: ['Cataract'],
      risk: 'moderate',
      thumbnail: '/api/placeholder/200/150',
    },
    {
      id: 'SCN-2025-005',
      type: 'Fundus',
      date: '2025-01-12',
      time: '10:00',
      conditions: [],
      risk: 'low',
      thumbnail: '/api/placeholder/200/150',
    },
  ]);

  const filteredScans = scans
    .filter(scan => filter === 'all' || scan.type.toLowerCase() === filter)
    .sort((a, b) => {
      if (sortBy === 'date') return new Date(b.date) - new Date(a.date);
      if (sortBy === 'risk') {
        const riskOrder = { high: 0, moderate: 1, low: 2 };
        return riskOrder[a.risk] - riskOrder[b.risk];
      }
      return 0;
    });

  const riskColors = {
    high: 'bg-red-900/20 text-red-400 border-red-800/30',
    moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
    low: 'bg-green-900/20 text-green-400 border-green-800/30',
  };

  return (
```

```
<DashboardLayout>
  <div className="space-y-6">

    {/* Header */}
    <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">
      <div>
        <h1 className="text-2xl font-bold text-neutral-100">Scan History</h1>
        <p className="text-sm text-neutral-500 mt-1">
          {filteredScans.length} scan{filteredScans.length !== 1 ? 's' : ''} found
        </p>
      </div>

      <div className="flex items-center gap-3">
        <button
          onClick={() => navigate('/screen')}
          className="px-4 py-2 bg-neutral-800 border border-neutral-700/50 rounded-lg text-sm text-neutral-200 hover:bg-neutral-700 transition-all"
        >
          + New Scan
        </button>
      </div>
    </div>

    {/* Filters Bar */}
    <div className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-4">
      <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">

        {/* Type Filter */}
        <div className="flex items-center gap-2">
          <span className="text-sm text-neutral-500">Filter:</span>
          <div className="flex items-center gap-2">
            {[
              { key: 'all', label: 'All' },
              { key: 'anterior', label: 'Anterior' },
              { key: 'fundus', label: 'Fundus' },
            ].map((f) => (
              <button
                key={f.key}
                onClick={() => setFilter(f.key)}
                className={`px-3 py-1.5 rounded-lg text-sm transition-all ${
                  filter === f.key
                    ? 'bg-neutral-800 text-neutral-200 border border-neutral-700/50'
                    : 'text-neutral-500 hover:text-neutral-300'
                }`}
              >
                {f.label}
              </button>
            ))}
          </div>
        </div>

        {/* View & Sort */}
        <div className="flex items-center gap-3">
          <select
            value={sortBy}
            onChange={(e) => setSortBy(e.target.value)}
            className="px-3 py-1.5 bg-neutral-800/50 border border-neutral-700/50 rounded-lg text-sm text-neutral-300 focus:outline-none focus:border-neutral-
          >
            <option value="date">Latest First</option>
            <option value="risk">Highest Risk</option>
            <option value="type">By Type</option>
          </select>

          <div className="flex items-center gap-1 p-1 bg-neutral-800/50 border border-neutral-700/50 rounded-lg">
            <button
              onClick={() => setView('list')}
              className={`p-1.5 rounded ${view === 'list' ? 'bg-neutral-700' : ''}`}
            >
              <svg className="w-4 h-4 text-neutral-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6h16M4 12h16M4 18h16" />
              </svg>
            </button>
            <button
              onClick={() => setView('grid')}
              className={`p-1.5 rounded ${view === 'grid' ? 'bg-neutral-700' : ''}`}
            >
              <svg className="w-4 h-4 text-neutral-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6a2 2 0 012-2h2a2 2 0 012 2v2a2 2 0 01-2 2H6a2 2 0 01-2-2V6zM14 6a2 2
              </svg>
            </button>
          </div>
        </div>
      </div>
    </div>

    {/* Scans List/Grid */}
    {view === 'list' ? (
      <div className="space-y-3">
        {filteredScans.map((scan) => (
          <ScanListItem key={scan.id} scan={scan} riskColors={riskColors} navigate={navigate} />
        ))}
      </div>
    ) : (
      <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-4">
        {filteredScans.map((scan) => (
          <ScanGridItem key={scan.id} scan={scan} riskColors={riskColors} navigate={navigate} />
        ))}
      </div>
    )}

    {filteredScans.length === 0 && (
      <div className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-12 text-center">
        <div class="w-16 h-16 rounded-full bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center mx-auto mb-4">
          <svg class="w-8 h-8 text-neutral-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414
          </svg>
```

```
            </div>
            <p className="text-neutral-400 mb-2">No scans found</p>
            <p className="text-sm text-neutral-600">
              {filter !== 'all' ? 'Try changing your filter' : 'Start your first scan to see history'}
            </p>
          </div>
        )}
      </div>
    </DashboardLayout>
  );
};

const ScanListItem = ({ scan, riskColors, navigate }) => (
  <div
    onClick={() => navigate(`/report/${scan.id}`)}
    className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-4 hover:border-neutral-700/50 transition-all cursor-pointer group"
  >
    <div className="flex items-center gap-4">
      <div className="w-24 h-16 bg-neutral-800/50 rounded-lg overflow-hidden flex-shrink-0">
        <div className="w-full h-full flex items-center justify-center text-neutral-600">
          {scan.type === 'Anterior' ? '■■' : '■'}
        </div>
      </div>

      <div className="flex-1 min-w-0">
        <div className="flex items-center gap-3 mb-1">
          <h3 className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">
            {scan.id}
          </h3>
          <span className={`px-2 py-0.5 rounded text-xs font-medium border ${riskColors[scan.risk]}`}>
            {scan.risk.charAt(0).toUpperCase() + scan.risk.slice(1)}
          </span>
        </div>
        <div className="flex items-center gap-4 text-xs text-neutral-500">
          <span>{scan.type} Scan</span>
          <span>•</span>
          <span>{new Date(scan.date).toLocaleDateString()} at {scan.time}</span>
          {scan.conditions.length > 0 && (
            <>
              <span>•</span>
              <span className="text-amber-400">{scan.conditions.join(', ')}</span>
            </>
          )}
        </div>
      </div>

      <svg className="w-5 h-5 text-neutral-600 group-hover:text-neutral-500 group-hover:translate-x-1 transition-all flex-shrink-0" fill="none" stroke="currentCol
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
      </svg>
    </div>
  </div>
);

const ScanGridItem = ({ scan, riskColors, navigate }) => (
  <div
    onClick={() => navigate(`/report/${scan.id}`)}
    className="bg-neutral-900 border border-neutral-800/50 rounded-xl overflow-hidden hover:border-neutral-700/50 transition-all cursor-pointer group"
  >
    <div className="aspect-video bg-neutral-800/50 flex items-center justify-center text-4xl">
      {scan.type === 'Anterior' ? '■■' : '■'}
    </div>
    <div className="p-4">
      <div className="flex items-center justify-between mb-2">
        <h3 className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">
          {scan.id}
        </h3>
        <span className={`px-2 py-0.5 rounded text-xs font-medium border ${riskColors[scan.risk]}`}>
          {scan.risk}
        </span>
      </div>
      <p className="text-xs text-neutral-500 mb-2">{scan.type} Scan</p>
      <p className="text-xs text-neutral-600">
        {new Date(scan.date).toLocaleDateString()} • {scan.time}
      </p>
      {scan.conditions.length > 0 && (
        <p className="text-xs text-amber-400 mt-2 truncate">
          {scan.conditions.join(', ')}
        </p>
      )}
    </div>
  </div>
);

export default History;
```

src\pages\Landing.jsx

```
import { useState, useEffect, useRef, Suspense, lazy } from 'react';
import { useNavigate } from 'react-router-dom';

/* Lazy-load heavy 3D canvas — avoids SSR issues */
var Background3D = lazy(function () {
  return import('../components/three/Background3D');
});

/* ■■ Intersection reveal hook ■■ */
var useReveal = function (delay) {
  var ref = useRef(null);
  var [v, sv] = useState(false);
  useEffect(function () {
    var el = ref.current;
    if (!el) return;
    var obs = new IntersectionObserver(
      function (entries) {
        if (entries[0].isIntersecting) {
          setTimeout(function () { sv(true); }, delay || 0);
```

```
          obs.disconnect();
        }
      },
      { threshold: 0.1 }
    );
    obs.observe(el);
    return function () { obs.disconnect(); };
  }, [delay]);
  return [ref, v];
};

/* ■■ Mouse parallax for hero ■■ */
var useParallax = function () {
  var ref = useRef({ x: 0, y: 0 });
  var [pos, setPos] = useState({ x: 0, y: 0 });
  useEffect(function () {
    var raf;
    var handler = function (e) {
      ref.current.x = ((e.clientX / window.innerWidth) - 0.5) * 18;
      ref.current.y = ((e.clientY / window.innerHeight) - 0.5) * 12;
    };
    var loop = function () {
      setPos(function (prev) {
        var nx = prev.x + (ref.current.x - prev.x) * 0.06;
        var ny = prev.y + (ref.current.y - prev.y) * 0.06;
        if (Math.abs(nx - prev.x) < 0.001 && Math.abs(ny - prev.y) < 0.001) return prev;
        return { x: nx, y: ny };
      });
      raf = requestAnimationFrame(loop);
    };
    window.addEventListener('mousemove', handler, { passive: true });
    raf = requestAnimationFrame(loop);
    return function () {
      window.removeEventListener('mousemove', handler);
      cancelAnimationFrame(raf);
    };
  }, []);
  return pos;
};

/* ■■ CSS-only particle layer (zero GPU) ■■ */
var CssParticles = function () {
  var [particles] = useState(function () {
    return Array.from({ length: 24 }, function (_, i) {
      return {
        id: i,
        left: Math.random() * 100,
        delay: Math.random() * 20,
        dur: 14 + Math.random() * 16,
        size: 1.2 + Math.random() * 2,
        opacity: 0.15 + Math.random() * 0.25,
      };
    });
  });
  return (
    <>
      {particles.map(function (p) {
        return (
          <div
            key={p.id}
            style={{
              position: 'fixed',
              left: p.left + '%',
              bottom: '-4px',
              width: p.size + 'px',
              height: p.size + 'px',
              borderRadius: '50%',
              background: 'rgba(160,160,170,' + p.opacity + ')',
              pointerEvents: 'none',
              zIndex: 0,
              animation: 'driftUp ' + p.dur + 's linear ' + p.delay + 's infinite',
            }}
          />
        );
      })}
    </>
  );
};

/* ■■ Eye illustration with 3D-ish layers ■■ */
var EyeIllustration = function ({ parallax }) {
  var px = parallax ? parallax.x : 0;
  var py = parallax ? parallax.y : 0;

  return (
    <div
      style={{
        position: 'relative',
        width: '100%',
        height: '100%',
        display: 'flex',
        alignItems: 'center',
        justifyContent: 'center',
      }}
    >
      {/* Outermost aura — moves slowest (depth = far) */}
      <div
        style={{
          position: 'absolute',
          width: '420px',
          height: '420px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(70,70,80,0.14) 0%, transparent 68%)',
          animation: 'pulseGlow 8s ease-in-out infinite',
          transform: 'translate(' + (px * 0.08) + 'px, ' + (py * 0.08) + 'px)',
```

```
    transition: 'transform 0.1s linear',
  }}
/>
{/* Mid aura */}
<div
  style={{
    position: 'absolute',
    width: '300px',
    height: '300px',
    borderRadius: '50%',
    background: 'radial-gradient(circle, rgba(90,90,100,0.16) 0%, transparent 65%)',
    animation: 'pulseGlow 5.5s ease-in-out infinite 1.5s',
    transform: 'translate(' + (px * 0.18) + 'px, ' + (py * 0.18) + 'px)',
    transition: 'transform 0.1s linear',
  }}
/>
{/* Inner glow */}
<div
  style={{
    position: 'absolute',
    width: '200px',
    height: '200px',
    borderRadius: '50%',
    background: 'radial-gradient(circle, rgba(110,110,120,0.12) 0%, transparent 60%)',
    animation: 'pulseGlow 4s ease-in-out infinite 0.5s',
    transform: 'translate(' + (px * 0.28) + 'px, ' + (py * 0.28) + 'px)',
    transition: 'transform 0.1s linear',
  }}
/>

{/* Orbiting ring 1 */}
<div
  style={{
    position: 'absolute',
    width: '260px',
    height: '260px',
    borderRadius: '50%',
    border: '1px solid rgba(80,80,90,0.2)',
    transform: 'translate(' + (px * 0.15) + 'px, ' + (py * 0.15) + 'px) rotateX(72deg)',
    transition: 'transform 0.1s linear',
    animation: 'floatSlow 7s ease-in-out infinite',
  }}
/>
{/* Orbiting ring 2 */}
<div
  style={{
    position: 'absolute',
    width: '220px',
    height: '220px',
    borderRadius: '50%',
    border: '1px solid rgba(80,80,90,0.15)',
    transform: 'translate(' + (px * 0.22) + 'px, ' + (py * 0.22) + 'px) rotateX(72deg) rotateZ(45deg)',
    transition: 'transform 0.1s linear',
    animation: 'floatSlow 9s ease-in-out infinite 2s',
  }}
/>

{/* Main eye — moves most (closest to viewer) */}
<div
  className="animate-float-slow"
  style={{
    position: 'relative',
    zIndex: 10,
    transform: 'translate(' + (px * 0.35) + 'px, ' + (py * 0.35) + 'px)',
    transition: 'transform 0.1s linear',
  }}
>
  <svg
    width="300"
    height="192"
    viewBox="0 0 300 192"
    style={{ filter: 'drop-shadow(0 0 28px rgba(100,100,110,0.25))' }}
  >
    {/* Sclera */}
    <ellipse
      cx="150" cy="96" rx="138" ry="84"
      fill="url(#sg)"
      stroke="rgba(255,255,255,0.05)"
      strokeWidth="1"
    />
    {/* Iris outer */}
    <circle cx="150" cy="96" r="56" fill="url(#ig)" />
    {/* Iris texture ring */}
    <circle cx="150" cy="96" r="56" fill="none"
      stroke="rgba(0,0,0,0.3)" strokeWidth="3" />
    {/* Iris inner texture */}
    <circle cx="150" cy="96" r="42" fill="none"
      stroke="rgba(255,255,255,0.04)" strokeWidth="1" />
    <circle cx="150" cy="96" r="32" fill="none"
      stroke="rgba(255,255,255,0.03)" strokeWidth="1" />
    {/* Pupil */}
    <circle cx="150" cy="96" r="28" fill="#060606" />
    {/* Primary specular */}
    <ellipse cx="163" cy="80" rx="11" ry="14"
      fill="rgba(255,255,255,0.80)" />
    {/* Secondary specular */}
    <circle cx="138" cy="110" r="5"
      fill="rgba(255,255,255,0.35)" />
    {/* Tertiary specular */}
    <circle cx="160" cy="110" r="2.5"
      fill="rgba(255,255,255,0.18)" />

    <defs>
      <radialGradient id="sg" cx="50%" cy="45%" r="55%">
        <stop offset="0%" stopColor="#e0e0e0" />
```

```
              <stop offset="55%" stopColor="#cacaca" />
              <stop offset="100%" stopColor="#b0b0b0" />
            </radialGradient>
            <radialGradient id="ig" cx="40%" cy="35%" r="60%">
              <stop offset="0%" stopColor="#737373" />
              <stop offset="30%" stopColor="#565656" />
              <stop offset="65%" stopColor="#3d3d3d" />
              <stop offset="100%" stopColor="#252525" />
            </radialGradient>
          </defs>
        </svg>

        {/* Scan line animation */}
        <div
          style={{
            position: 'absolute',
            top: '50%',
            left: '14%',
            right: '14%',
            height: '1px',
            background: 'linear-gradient(to right, transparent, rgba(180,180,190,0.35), transparent)',
            animation: 'scanLine 3s ease-in-out infinite',
          }}
        />
      </div>

      {/* Diagnostic chips — different parallax depths */}
      <DiagChip
        label="✔ Clear Fundus"
        color="var(--risk-low-text)"
        style={{
          position: 'absolute', right: '-16px', top: '12%',
          transform: 'translate(' + (px * 0.5) + 'px, ' + (py * 0.5) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '0.6s',
        }}
      />
      <DiagChip
        label="■ 0.98 AUC"
        color="var(--color-text-2)"
        style={{
          position: 'absolute', left: '-20px', bottom: '18%',
          transform: 'translate(' + (px * 0.45) + 'px, ' + (py * 0.45) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.0s',
        }}
      />
      <DiagChip
        label="■ Screening..."
        color="var(--color-text-3)"
        style={{
          position: 'absolute', left: '4px', top: '8%',
          transform: 'translate(' + (px * 0.4) + 'px, ' + (py * 0.4) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.4s',
        }}
      />
      <DiagChip
        label="■ Monitor AMD"
        color="var(--risk-mod-text)"
        style={{
          position: 'absolute', right: '8px', bottom: '10%',
          transform: 'translate(' + (px * 0.55) + 'px, ' + (py * 0.55) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.8s',
        }}
      />
    </div>
  );
};

var DiagChip = function ({ label, color, style }) {
  return (
    <div
      className="animate-fade-in"
      style={Object.assign({
        padding: '5px 11px',
        borderRadius: '8px',
        fontSize: '11px',
        fontWeight: 500,
        background: 'rgba(26,26,26,0.90)',
        border: '1px solid var(--color-border-2)',
        color: color,
        backdropFilter: 'blur(8px)',
        whiteSpace: 'nowrap',
        animationFillMode: 'both',
        zIndex: 12,
      }, style)}
    >
      {label}
    </div>
  );
};

/* ■■ Stat item ■■ */
var StatItem = function ({ value, label, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="text-center"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(14px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
```

```
      }}
    >
      <p className="text-2xl font-bold mb-0.5" style={{ color: 'var(--color-text)' }}>{value}</p>
      <p className="text-xs uppercase tracking-wider" style={{ color: 'var(--color-text-4)' }}>{label}</p>
    </div>
  );
};

/* ■■ Feature card ■■ */
var FeatureCard = function ({ icon, title, desc, stat, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="ui-card p-6"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(20px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <div
        className="w-10 h-10 rounded-xl flex items-center justify-center text-lg mb-4"
        style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border)' }}
      >
        {icon}
      </div>
      <h3 className="text-sm font-semibold mb-2" style={{ color: 'var(--color-text)' }}>
        {title}
      </h3>
      <p className="text-sm leading-relaxed mb-3" style={{ color: 'var(--color-text-3)' }}>
        {desc}
      </p>
      {stat && (
        <span
          className="inline-flex items-center px-2.5 py-0.5 rounded-full text-xs font-medium"
          style={{
            background: 'var(--color-bg-4)',
            border: '1px solid var(--color-border)',
            color: 'var(--color-text-2)',
          }}
        >
          {stat}
        </span>
      )}
    </div>
  );
};

/* ■■ Step ■■ */
var StepItem = function ({ number, title, desc, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(20px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <div
        className="text-5xl font-black mb-3 select-none"
        style={{ color: 'var(--color-bg-4)', letterSpacing: '-0.04em', lineHeight: 1 }}
      >
        {number}
      </div>
      <h3 className="text-sm font-semibold mb-1.5" style={{ color: 'var(--color-text)' }}>
        {title}
      </h3>
      <p className="text-sm leading-relaxed" style={{ color: 'var(--color-text-3)' }}>
        {desc}
      </p>
    </div>
  );
};

/* ■■ Section helpers ■■ */
var Eyebrow = function ({ t }) { var [r, v] = useReveal(0); return <p ref={r} className="ui-eyebrow mb-3" style={{ opacity: v ? 1 : 0, transition: 'opacity 0.5s ea
var Headline = function ({ t }) { var [r, v] = useReveal(60); return <h2 ref={r} className="ui-h2 mb-4" style={{ opacity: v ? 1 : 0, transform: v ? 'none' : 'trans
var Sub = function ({ t }) { var [r, v] = useReveal(120); return <p ref={r} style={{ fontSize: '15px', color: 'var(--color-text-3)', maxWidth: '500px', margin: '0

/* ■■ Primary CTA button ■■ */
var CtaButton = function ({ label, onClick, size }) {
  var [hov, setHov] = useState(false);
  var lg = size === 'lg';
  return (
    <button
      type="button"
      onClick={onClick}
      onMouseEnter={function () { setHov(true); }}
      onMouseLeave={function () { setHov(false); }}
      style={{
        display: 'inline-flex',
        alignItems: 'center',
        justifyContent: 'center',
        gap: '8px',
        padding: lg ? '14px 36px' : '11px 28px',
        fontSize: lg ? '15px' : '13px',
        fontWeight: 600,
        color: 'var(--color-text)',
        background: hov ? 'var(--color-bg-hover)' : 'var(--color-bg-3)',
        border: '1px solid ' + (hov ? 'var(--color-accent-2)' : 'var(--color-border-2)'),
        borderRadius: '10px',
        cursor: 'pointer',
```

```
        transition: 'all 0.25s ease',
        fontFamily: 'var(--font-sans)',
        boxShadow: hov ? 'var(--shadow-glow)' : 'none',
        transform: hov ? 'translateY(-1px)' : 'translateY(0)',
        letterSpacing: '-0.01em',
      }}
    >
      {label}
      <svg
        style={{ width: lg ? '16px' : '14px', height: lg ? '16px' : '14px', transition: 'transform 0.25s ease', transform: hov ? 'translateX(2px)' : 'none' }}
        fill="none" stroke="currentColor" viewBox="0 0 24 24"
      >
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13 7l5 5m0 0l-5 5m5-5H6" />
      </svg>
    </button>
  );
};

/* ■■ Condition pill group ■■ */
var ConditionGroup = function ({ label, items, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="ui-card p-5"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(16px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <p className="ui-eyebrow mb-3">{label}</p>
      <div style={{ display: 'flex', flexWrap: 'wrap', gap: '6px' }}>
        {items.map(function (item) {
          return (
            <span
              key={item}
              style={{
                padding: '2px 10px',
                fontSize: '12px',
                color: 'var(--color-text-2)',
                background: 'var(--color-bg-4)',
                border: '1px solid var(--color-border)',
                borderRadius: '99px',
              }}
            >
              {item}
            </span>
          );
        })}
      </div>
    </div>
  );
};

/* ■■■
```

```
var navLinks = [
  { label: 'Features', id: 'features' },
  { label: 'How It Works', id: 'how-it-works' },
  { label: 'Conditions', id: 'conditions' },
];

return (
  <div style={{ background: 'var(--color-bg)', color: 'var(--color-text)', minHeight: '100vh', position: 'relative' }}>

    <ScanLineStyle />

    {/* ■■ 3D Background ■■ */}
    <Suspense fallback={null}>
      {!isMobile && <Background3D />}
    </Suspense>

    {/* ■■ CSS Particles (mobile fallback + supplemental) ■■ */}
    <CssParticles />

    {/* ■■■
```

```
      }}
      onMouseEnter={function (e) {
        e.currentTarget.style.color = 'var(--color-text)';
        e.currentTarget.style.borderColor = 'var(--color-border)';
      }}
      onMouseLeave={function (e) {
        e.currentTarget.style.color = 'var(--color-text-3)';
        e.currentTarget.style.borderColor = 'transparent';
      }}
    >
      Sign In
    </button>

    <CtaButton label="Get Started" onClick={handleCta} />

    {/* Mobile hamburger */}
    <button
      type="button"
      onClick={function () { setMobMenu(function (v) { return !v; }); }}
      className="md:hidden"
      style={{
        width: '34px', height: '34px',
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        background: 'var(--color-bg-3)',
        border: '1px solid var(--color-border)',
        borderRadius: '7px', cursor: 'pointer',
        color: 'var(--color-text-2)',
      }}
    >
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
          d={mobMenu ? 'M6 18L18 6M6 6l12 12' : 'M4 6h16M4 12h16M4 18h16'} />
      </svg>
    </button>
  </div>
</nav>

{/* Mobile menu */}
{mobMenu && (
  <div
    className="animate-slide-down md:hidden"
    style={{
      position: 'fixed', top: '60px', left: 0, right: 0, zIndex: 49,
      background: 'rgba(10,10,10,0.96)', backdropFilter: 'blur(14px)',
      borderBottom: '1px solid var(--color-border)', padding: '12px',
    }}
  >
    {navLinks.map(function (link) {
      return (
        <button
          key={link.id}
          type="button"
          onClick={function () { scrollTo(link.id); }}
          style={{
            display: 'block', width: '100%', textAlign: 'left',
            padding: '10px 14px', fontSize: '14px', fontWeight: 500,
            color: 'var(--color-text-2)', background: 'transparent',
            border: 'none', borderRadius: '7px', cursor: 'pointer',
            fontFamily: 'var(--font-sans)', transition: 'all 0.2s',
          }}
          onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
          onMouseLeave={function (e) { e.currentTarget.style.background = 'transparent'; }}
        >
          {link.label}
        </button>
      );
    })}
    <div style={{ height: '1px', background: 'var(--color-border)', margin: '8px 0' }} />
    <div style={{ padding: '8px 14px' }}>
      <CtaButton label="Get Started →" onClick={handleCta} />
    </div>
  </div>
)}

{/* ═══════════════════════════════════
    HERO
═══════════════════════════════════ */}
<section
  style={{
    minHeight: '100vh',
    display: 'flex',
    alignItems: 'center',
    paddingTop: '80px',
    position: 'relative',
    zIndex: 1,
  }}
>
  <div className="ui-container w-full">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(300px, 1fr))',
        gap: '60px',
        alignItems: 'center',
      }}
    >
      {/* LEFT — copy */}
      <div
        style={{
          opacity: heroVis ? 1 : 0,
          transform: heroVis ? 'translateY(0)' : 'translateY(24px)',
          transition: 'opacity 0.7s ease, transform 0.7s ease',
        }}
      >
        {/* Trust badge */}
```

```
  <div
    className="inline-flex items-center gap-2 mb-6"
    style={{
      padding: '5px 13px',
      borderRadius: '99px',
      background: 'var(--color-bg-3)',
      border: '1px solid var(--color-border-2)',
    }}
  >
    <span
      className="animate-pulse-dot"
      style={{
        display: 'inline-block',
        width: '6px', height: '6px',
        borderRadius: '50%',
        background: 'var(--risk-low-text)',
      }}
    />
    <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-2)', letterSpacing: '0.03em' }}>
      Trusted by 10,000+ patients worldwide
    </span>
  </div>

  {/* Heading */}
  <h1
    style={{
      fontSize: 'clamp(30px, 5.5vw, 52px)',
      fontWeight: 800,
      lineHeight: 1.1,
      letterSpacing: '-0.028em',
      color: 'var(--color-text)',
      marginBottom: '18px',
    }}
  >
    AI-Powered
    <br />
    Eye Disease
    <br />
    <span style={{ color: 'var(--color-text-3)', fontWeight: 700 }}>
      Screening
    </span>
  </h1>

  {/* Sub */}
  <p
    style={{
      fontSize: '16px',
      lineHeight: 1.7,
      color: 'var(--color-text-3)',
      maxWidth: '420px',
      marginBottom: '32px',
    }}
  >
    Detect 21 eye conditions in seconds using dual Vision Transformer models.
    Clinical-grade accuracy, accessible from any device.
  </p>

  {/* Trust indicators */}
  <div className="flex flex-wrap items-center gap-4 mb-8">
    {[
      { icon: '■', val: '0.982', sub: 'AUC Score' },
      { icon: '■', val: '<5s', sub: 'Per image' },
      { icon: '■', val: '21', sub: 'Conditions' },
    ].map(function (item, i) {
      return (
        <div key={i} style={{ display: 'flex', alignItems: 'center', gap: '9px' }}>
          <div
            style={{
              width: '34px', height: '34px',
              borderRadius: '8px',
              background: 'var(--color-bg-3)',
              border: '1px solid var(--color-border)',
              display: 'flex', alignItems: 'center', justifyContent: 'center',
              fontSize: '14px',
            }}
          >
            {item.icon}
          </div>
          <div>
            <p style={{ fontSize: '14px', fontWeight: 700, color: 'var(--color-text)', lineHeight: 1 }}>
              {item.val}
            </p>
            <p style={{ fontSize: '11px', color: 'var(--color-text-4)', marginTop: '2px' }}>
              {item.sub}
            </p>
          </div>
        </div>
      );
    })}
  </div>

  {/* SINGLE CTA */}
  <div>
    <CtaButton label="Start Screening — It's Free" onClick={handleCta} size="lg" />
    <p style={{ marginTop: '12px', fontSize: '12px', color: 'var(--color-text-4)' }}>
      No credit card required  ·  Results in under 5 seconds
    </p>
  </div>
</div>

{/* RIGHT — eye with parallax */}
<div
  style={{
    height: '460px',
    position: 'relative',
```

```
          opacity: heroVis ? 1 : 0,
          transform: heroVis ? 'translateY(0)' : 'translateY(20px)',
          transition: 'opacity 0.9s ease 0.2s, transform 0.9s ease 0.2s',
        }}
      >
        <EyeIllustration parallax={isMobile ? null : parallax} />
      </div>
    </div>
  </div>

  {/* Scroll indicator */}
  <div
    style={{
      position: 'absolute',
      bottom: '28px',
      left: '50%',
      transform: 'translateX(-50%)',
      display: 'flex',
      flexDirection: 'column',
      alignItems: 'center',
      gap: '5px',
      opacity: heroVis ? 0.45 : 0,
      transition: 'opacity 1.2s ease 1.8s',
    }}
  >
    <p style={{ fontSize: '9px', letterSpacing: '0.22em', textTransform: 'uppercase', color: 'var(--color-text-4)' }}>
      scroll
    </p>
    <div style={{ width: '1px', height: '26px', background: 'linear-gradient(to bottom, var(--color-border-2), transparent)' }} />
  </div>
</section>

{/* ═══════════════════════════════════
    STATS
═══════════════════════════════════ */}
<section
  style={{
    position: 'relative', zIndex: 1,
    borderTop: '1px solid var(--color-border)',
    borderBottom: '1px solid var(--color-border)',
    background: 'rgba(17,17,17,0.85)',
    backdropFilter: 'blur(8px)',
    padding: '36px 0',
  }}
>
  <div className="ui-container">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(120px, 1fr))',
        gap: '28px',
      }}
    >
      <StatItem value="21" label="Conditions" delay={0} />
      <StatItem value="0.982" label="AUC-ROC" delay={70} />
      <StatItem value="< 5s" label="Analysis" delay={140} />
      <StatItem value="10k+" label="Patients" delay={210} />
      <StatItem value="2" label="AI Models" delay={280} />
    </div>
  </div>
</section>

{/* ═══════════════════════════════════
    FEATURES
═══════════════════════════════════ */}
<section id="features" style={{ position: 'relative', zIndex: 1, padding: '90px 0' }}>
  <div className="ui-container">
    <div className="text-center mb-14">
      <Eyebrow t="Capabilities" />
      <Headline t="Advanced AI Features" />
      <Sub t="Two specialized Vision Transformer models screening 21 eye conditions with clinical-grade accuracy." />
    </div>
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(250px, 1fr))',
        gap: '14px',
      }}
    >
      {[
        { icon: '■', title: 'Dual-Model AI', desc: 'ViT-S/16 models for anterior (13) and fundus (8) conditions, processing independently.', stat: '21 condi
        { icon: '■', title: 'Instant Results', desc: '3-5 view TTA averaging delivers robust clinical predictions in under 5 seconds.', stat: '< 5s / image'
        { icon: '■■', title: 'Private & Secure', desc: 'HIPAA-compliant. Images never stored after analysis. Zero data retention.', stat: '100% private', de
        { icon: '■', title: 'Any Device', desc: 'Smartphone, tablet, desktop — designed for tele-ophthalmology in remote areas.', stat: 'All platforms', del
        { icon: '■', title: 'Risk Stratification', desc: 'HIGH / MODERATE / LOW urgency mapping with specific clinical referral guidance per condition.', st
        { icon: '■', title: 'Clinical Grade', desc: 'Trained on MISS, ODIR-5K, and RFMiD datasets with per-class F1-optimized thresholds.', stat: 'AUC 0.982
      ].map(function (f, i) {
        return <FeatureCard key={i} {...f} />;
      })}
    </div>
  </div>
</section>

{/* ═══════════════════════════════════
    HOW IT WORKS
═══════════════════════════════════ */}
<section
  id="how-it-works"
  style={{
    position: 'relative', zIndex: 1, padding: '90px 0',
    background: 'rgba(17,17,17,0.6)',
    backdropFilter: 'blur(8px)',
    borderTop: '1px solid var(--color-border)',
    borderBottom: '1px solid var(--color-border)',
  }}
```

```
>
  <div className="ui-container">
    <div className="text-center mb-14">
      <Eyebrow t="Process" />
      <Headline t="How It Works" />
      <Sub t="Three simple steps from image to clinical report." />
    </div>

    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(210px, 1fr))',
        gap: '40px',
        position: 'relative',
      }}
    >
      <StepItem number="01" title="Upload Image" desc="Select or drag your eye image — anterior or fundus. JPG / PNG supported." delay={0} />
      <StepItem number="02" title="AI Analysis" desc="Our ViT-S/16 models preprocess, augment, and analyze your image across multiple views." delay={140} />
      <StepItem number="03" title="Get Your Report" desc="Receive a detailed report with detected conditions, risk level, and clinical recommendations." dela
    </div>

    <div className="text-center mt-12">
      <CtaButton label="Start Screening Now" onClick={handleCta} size="lg" />
    </div>
  </div>
</section>

{/* ═══════════════════════════════════
    CONDITIONS
═══════════════════════════════════ */}
<section id="conditions" style={{ position: 'relative', zIndex: 1, padding: '90px 0' }}>
  <div className="ui-container">
    <div className="text-center mb-14">
      <Eyebrow t="Coverage" />
      <Headline t="21 Conditions Screened" />
      <Sub t="Comprehensive AI screening across anterior and fundus imaging modalities." />
    </div>
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(280px, 1fr))',
        gap: '14px',
      }}
    >
      <ConditionGroup
        label="Anterior Eye — 13 conditions"
        delay={0}
        items={[
          'Cataract', 'Intraocular Lens', 'Lens Dislocation', 'Keratitis',
          'Corneal Scarring', 'Corneal Dystrophy', 'Corneal/Conjunctival Tumor',
          'Pinguecula', 'Pterygium', 'Subconjunctival Hemorrhage',
          'Conjunctival Injection', 'Conjunctival Cyst', 'Pigmented Nevus',
        ]}
      />
      <ConditionGroup
        label="Fundus / Retinal — 8 conditions"
        delay={100}
        items={[
          'Normal', 'Diabetic Retinopathy', 'Glaucoma', 'Cataract',
          'Age-related Macular Degeneration', 'Hypertensive Retinopathy',
          'Pathological Myopia', 'Other Pathology',
        ]}
      />
    </div>
  </div>
</section>

{/* ═══════════════════════════════════
    CTA BANNER
═══════════════════════════════════ */}
<section
  style={{
    position: 'relative', zIndex: 1, padding: '80px 0',
    background: 'rgba(17,17,17,0.7)',
    backdropFilter: 'blur(8px)',
    borderTop: '1px solid var(--color-border)',
  }}
>
  <div className="ui-container text-center">
    <CtaBanner handleCta={handleCta} />
  </div>
</section>

{/* ═══════════════════════════════════
    FOOTER
═══════════════════════════════════ */}
<footer
  style={{
    position: 'relative', zIndex: 1,
    borderTop: '1px solid var(--color-border)',
    padding: '44px 0 28px',
    background: 'var(--color-bg)',
  }}
>
  <div className="ui-container">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(150px, 1fr))',
        gap: '36px',
        marginBottom: '36px',
      }}
    >
      {/* Brand */}
      <div>
```

```
              <div style={{ display: 'flex', alignItems: 'center', gap: '9px', marginBottom: '10px' }}>
                <div
                  style={{
                    width: '26px', height: '26px', borderRadius: '6px',
                    background: 'var(--color-bg-3)',
                    border: '1px solid var(--color-border-2)',
                    display: 'flex', alignItems: 'center', justifyContent: 'center',
                  }}
                >
                  <svg width="12" height="12" viewBox="0 0 24 24" fill="none">
                    <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#a0a0a0" strokeWidth="1.5" />
                    <circle cx="12" cy="12" r="3" fill="#707070" />
                  </svg>
                </div>
                <span style={{ fontWeight: 700, fontSize: '13px', color: 'var(--color-text)' }}>OpthaMiss</span>
              </div>
              <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.6 }}>
                AI-powered eye disease screening platform.
              </p>
            </div>

            {[
              { title: 'Product', links: ['Features', 'Pricing', 'Security', 'Roadmap'] },
              { title: 'Company', links: ['About', 'Blog', 'Careers', 'Contact'] },
              { title: 'Legal', links: ['Privacy', 'Terms', 'HIPAA', 'Cookies'] },
            ].map(function (col, i) {
              return (
                <div key={i}>
                  <p style={{ fontSize: '10px', fontWeight: 700, letterSpacing: '0.1em', textTransform: 'uppercase', color: 'var(--color-text-3)', marginBottom: '
                    {col.title}
                  </p>
                  <ul style={{ listStyle: 'none', padding: 0, display: 'flex', flexDirection: 'column', gap: '7px' }}>
                    {col.links.map(function (link) {
                      return (
                        <li key={link}>
                          <a
                            href="#"
                            style={{ fontSize: '13px', color: 'var(--color-text-4)', textDecoration: 'none', transition: 'color 0.2s ease' }}
                            onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
                            onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
                          >
                            {link}
                          </a>
                        </li>
                      );
                    })}
                  </ul>
                </div>
              );
            })}
          </div>

          {/* Bottom */}
          <div
            style={{
              display: 'flex', flexWrap: 'wrap', alignItems: 'center',
              justifyContent: 'space-between', gap: '10px',
              paddingTop: '20px',
              borderTop: '1px solid var(--color-border)',
            }}
          >
            <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
              © 2025 OpthaMiss. All rights reserved.
            </p>
            <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
              AI screening only — not a substitute for clinical diagnosis.
            </p>
          </div>
        </div>
      </footer>

    </div>
  );
};

/* ■■ CTA Banner sub-component ■■ */
var CtaBanner = function ({ handleCta }) {
  var [ref, v] = useReveal(0);
  return (
    <div
      ref={ref}
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(16px)',
        transition: 'all 0.6s ease',
      }}
    >
      <p className="ui-eyebrow mb-4" style={{ color: 'var(--color-text-4)' }}>Get started today</p>
      <h2
        className="ui-h2 mb-4"
        style={{ maxWidth: '460px', margin: '0 auto 14px' }}
      >
        Ready to screen your eyes?
      </h2>
      <p
        style={{
          fontSize: '15px', color: 'var(--color-text-3)',
          maxWidth: '380px', margin: '0 auto 32px', lineHeight: 1.7,
        }}
      >
        Join thousands of patients using AI-powered screening to detect eye diseases early.
        Free, fast, and private.
      </p>
      <CtaButton label="Create Free Account" onClick={handleCta} size="lg" />
      <p style={{ marginTop: '14px', fontSize: '12px', color: 'var(--color-text-4)' }}>
```

```
        No credit card  ·  Results in &lt; 5 seconds  ·  HIPAA compliant
      </p>
    </div>
  );
};

export default Landing;
```

src\pages\Login.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { parseError } from '../services/authService';
import { useToast } from '../context/ToastContext';

var GOOGLE_CLIENT_ID = import.meta.env.VITE_GOOGLE_CLIENT_ID || '';

var Login = function () {
  var navigate = useNavigate();
  var { login, oauthLogin, user, loading, rememberedEmail, isRemembered } = useAuth();
  var { addToast } = useToast();

  var [email, setEmail] = useState('');
  var [password, setPassword] = useState('');
  var [rememberMe, setRememberMe] = useState(false);
  var [showPass, setShowPass] = useState(false);
  var [submitting, setSubmitting] = useState(false);
  var [socialLoad, setSocialLoad] = useState('');
  var [mounted, setMounted] = useState(false);
  var [googleReady, setGoogleReady] = useState(false);

  /* Field errors */
  var [errors, setErrors] = useState({ email: '', password: '', general: '' });

  /* ■■ Redirect if already logged in ■■ */
  useEffect(function () {
    if (!loading && user) {
      if (user.profileComplete) navigate('/dashboard', { replace: true });
      else navigate('/complete-profile', { replace: true });
    }
  }, [user, loading, navigate]);

  /* ■■ Pre-fill remembered email ■■ */
  useEffect(function () {
    if (rememberedEmail) {
      setEmail(rememberedEmail);
      setRememberMe(true);
    }
    var t = setTimeout(function () { setMounted(true); }, 60);
    return function () { clearTimeout(t); };
  }, [rememberedEmail]);

  /* ■■ Load Google GSI ■■ */
  useEffect(function () {
    if (!GOOGLE_CLIENT_ID) return;
    var existing = document.getElementById('gsi-script');
    if (existing) { if (window.google) initGoogle(); return; }
    var s = document.createElement('script');
    s.id = 'gsi-script';
    s.src = 'https://accounts.google.com/gsi/client';
    s.async = true;
    s.defer = true;
    s.onload = function () { initGoogle(); };
    document.head.appendChild(s);
  }, []);

  var initGoogle = function () {
    if (!window.google || !GOOGLE_CLIENT_ID) return;
    try {
      window.google.accounts.id.initialize({
        client_id: GOOGLE_CLIENT_ID,
        callback: handleGoogleCallback,
        auto_select: false,
        cancel_on_tap_outside: true,
      });
      setGoogleReady(true);
    } catch (e) { console.error('Google init failed', e); }
  };

  var handleGoogleCallback = async function (response) {
    setSocialLoad('google');
    try {
      var parts = response.credential.split('.');
      var payload = JSON.parse(atob(parts[1].replace(/-/g, '+').replace(/_/g, '/')));
      var loggedUser = await oauthLogin(
        payload.email, payload.name, payload.picture, 'google', payload.sub
      );
      addToast('Signed in with Google!', 'success');
      if (loggedUser.profileComplete) navigate('/dashboard');
      else navigate('/complete-profile');
    } catch (err) {
      addToast(parseError(err), 'error');
    }
    setSocialLoad('');
  };

  var handleGoogle = function () {
    if (!GOOGLE_CLIENT_ID) {
      addToast('Google Client ID not configured.', 'error');
      return;
    }
    if (!googleReady || !window.google) {
      addToast('Google SDK loading…', 'info');
      return;
    }
```

```
  setSocialLoad('google');
  window.google.accounts.id.prompt(function (n) {
    if (n.isNotDisplayed() || n.isSkippedMoment()) setSocialLoad('');
  });
};

var handleApple = function () {
  addToast('Apple Sign-In requires HTTPS + Apple Developer account.', 'info');
};

/* ■■ Validate ■■ */
var validate = function () {
  var e = { email: '', password: '', general: '' };
  var ok = true;
  if (!email.trim()) { e.email = 'Email is required'; ok = false; }
  else if (!/\S+@\S+\.\S+/.test(email)) { e.email = 'Enter a valid email address'; ok = false; }
  if (!password) { e.password = 'Password is required'; ok = false; }
  else if (password.length < 6) { e.password = 'Password must be at least 6 characters'; ok = false; }
  setErrors(e);
  return ok;
};

/* ■■ Submit ■■ */
var handleSubmit = async function (e) {
  e.preventDefault();
  setErrors({ email: '', password: '', general: '' });
  if (!validate()) return;

  setSubmitting(true);
  try {
    var loggedUser = await login(email.trim().toLowerCase(), password, rememberMe);
    addToast('Welcome back, ' + (loggedUser.name || 'there') + '!', 'success');
    if (loggedUser.profileComplete) navigate('/dashboard');
    else navigate('/complete-profile');
  } catch (err) {
    var msg = parseError(err);
    var status = err?.response?.status;

    /* Map backend errors to field-specific messages */
    if (status === 404) {
      setErrors(function (p) { return Object.assign({}, p, { email: 'No account found with this email.', general: '' }); });
    } else if (status === 401) {
      setErrors(function (p) { return Object.assign({}, p, { password: 'Incorrect password. Please try again.', general: '' }); });
    } else if (status === 400) {
      setErrors(function (p) { return Object.assign({}, p, { general: msg }); });
    } else {
      setErrors(function (p) { return Object.assign({}, p, { general: msg }); });
      addToast(msg, 'error');
    }
  }
  setSubmitting(false);
};

/* ■■ Show loading screen while checking session ■■ */
if (loading) {
  return (
    <div style={{ minHeight: '100vh', display: 'flex', alignItems: 'center', justifyContent: 'center', background: 'var(--color-bg)' }}>
      <div style={{ display: 'flex', flexDirection: 'column', alignItems: 'center', gap: '16px' }}>
        <div
          style={{
            width: '40px', height: '40px', borderRadius: '50%',
            border: '2px solid var(--color-border)',
            borderTopColor: 'var(--color-text-2)',
            animation: 'spin 1s linear infinite',
          }}
        />
        <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>Checking session…</p>
      </div>
    </div>
  );
}

/* ■■ Don't render form if already logged in ■■ */
if (user) return null;

var inputStyle = function (field) {
  return {
    width: '100%',
    padding: '10px 14px',
    fontSize: '14px',
    fontFamily: 'var(--font-sans)',
    background: 'var(--color-bg-2)',
    border: '1px solid ' + (errors[field] ? 'rgba(220,38,38,0.5)' : 'var(--color-border)'),
    borderRadius: '8px',
    color: 'var(--color-text)',
    outline: 'none',
    transition: 'border-color 0.25s ease, box-shadow 0.25s ease',
    boxShadow: errors[field] ? '0 0 0 3px rgba(239,68,68,0.08)' : 'none',
  };
};

return (
  <div
    style={{
      minHeight: '100vh',
      display: 'flex',
      alignItems: 'center',
      justifyContent: 'center',
      background: 'var(--color-bg)',
      padding: '24px 16px',
      position: 'relative',
      overflow: 'hidden',
    }}
  >
    {/* Subtle background glow */}
```

```
<div style={{ position: 'absolute', inset: 0, pointerEvents: 'none', overflow: 'hidden' }}>
  <div style={{ position: 'absolute', top: '20%', left: '25%', width: '320px', height: '320px', borderRadius: '50%', background: 'radial-gradient(circle, rgb
  <div style={{ position: 'absolute', bottom: '20%', right: '20%', width: '280px', height: '280px', borderRadius: '50%', background: 'radial-gradient(circle
</div>

{/* Back to home */}
<Link
  to="/"
  style={{
    position: 'absolute', top: '20px', left: '20px',
    display: 'flex', alignItems: 'center', gap: '6px',
    fontSize: '13px', color: 'var(--color-text-4)',
    textDecoration: 'none', transition: 'color 0.2s ease',
  }}
  onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
  onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
>
  <svg style={{ width: '14px', height: '14px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
  </svg>
  Home
</Link>

{/* Card */}
<div
  style={{
    position: 'relative', zIndex: 1,
    width: '100%', maxWidth: '400px',
    background: 'var(--color-bg-3)',
    border: '1px solid var(--color-border-2)',
    borderRadius: '18px',
    padding: '36px 32px',
    boxShadow: 'var(--shadow-lg)',
    opacity: mounted ? 1 : 0,
    transform: mounted ? 'translateY(0)' : 'translateY(16px)',
    transition: 'opacity 0.5s ease, transform 0.5s ease',
  }}
>
  {/* Logo */}
  <div style={{ display: 'flex', justifyContent: 'center', marginBottom: '24px' }}>
    <div
      style={{
        width: '44px', height: '44px', borderRadius: '11px',
        background: 'var(--color-bg-2)',
        border: '1px solid var(--color-border-2)',
        display: 'flex', alignItems: 'center', justifyContent: 'center',
      }}
    >
      <svg width="20" height="20" viewBox="0 0 24 24" fill="none">
        <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#c0c0c0" strokeWidth="1.5" />
        <circle cx="12" cy="12" r="3.5" fill="#888" />
        <circle cx="12" cy="12" r="1.5" fill="#0a0a0a" />
        <circle cx="13.4" cy="10.6" r="0.9" fill="rgba(255,255,255,0.7)" />
      </svg>
    </div>
  </div>

  {/* Heading */}
  <div style={{ textAlign: 'center', marginBottom: '28px' }}>
    <h1 style={{ fontSize: '22px', fontWeight: 700, color: 'var(--color-text)', marginBottom: '6px', letterSpacing: '-0.02em' }}>
      Welcome back
    </h1>
    <p style={{ fontSize: '13px', color: 'var(--color-text-4)', lineHeight: 1.5 }}>
      {rememberedEmail
        ? 'Signing in as ' + rememberedEmail
        : 'Sign in to your OpthaMiss account'}
    </p>
  </div>

  {/* Social */}
  <div style={{ display: 'flex', flexDirection: 'column', gap: '10px', marginBottom: '24px' }}>

    {/* Google */}
    <button
      type="button"
      onClick={handleGoogle}
      disabled={!!socialLoad || submitting}
      style={{
        width: '100%', display: 'flex', alignItems: 'center', justifyContent: 'center',
        gap: '10px', padding: '10px 16px',
        borderRadius: '9px', fontSize: '14px', fontWeight: 500,
        background: '#ffffff', border: '1px solid #e0e0e0', color: '#1f1f1f',
        cursor: socialLoad || submitting ? 'not-allowed' : 'pointer',
        opacity: socialLoad && socialLoad !== 'google' ? 0.5 : 1,
        transition: 'all 0.2s ease', fontFamily: 'var(--font-sans)',
      }}
      onMouseEnter={function (e) { if (!socialLoad && !submitting) e.currentTarget.style.background = '#f5f5f5'; }}
      onMouseLeave={function (e) { e.currentTarget.style.background = '#ffffff'; }}
    >
      {socialLoad === 'google' ? (
        <div style={{ width: '18px', height: '18px', borderRadius: '50%', border: '2px solid #ccc', borderTopColor: '#555', animation: 'spin 1s linear infin
      ) : (
        <svg style={{ width: '18px', height: '18px', flexShrink: 0 }} viewBox="0 0 24 24">
          <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" /
          <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.
          <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.
          <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6
        </svg>
      )}
      <span>{socialLoad === 'google' ? 'Connecting…' : 'Continue with Google'}</span>
    </button>

    {/* Apple */}
    <button
      type="button"
```

```
    onClick={handleApple}
    disabled={!!socialLoad || submitting}
    style={{
      width: '100%', display: 'flex', alignItems: 'center', justifyContent: 'center',
      gap: '10px', padding: '10px 16px',
      borderRadius: '9px', fontSize: '14px', fontWeight: 500,
      background: '#000000', border: '1px solid #333333', color: '#ffffff',
      cursor: socialLoad || submitting ? 'not-allowed' : 'pointer',
      opacity: socialLoad && socialLoad !== 'apple' ? 0.5 : 1,
      transition: 'all 0.2s ease', fontFamily: 'var(--font-sans)',
    }}
    onMouseEnter={function (e) { if (!socialLoad && !submitting) e.currentTarget.style.background = '#111'; }}
    onMouseLeave={function (e) { e.currentTarget.style.background = '#000'; }}
  >
    {socialLoad === 'apple' ? (
      <div style={{ width: '18px', height: '18px', borderRadius: '50%', border: '2px solid #666', borderTopColor: '#fff', animation: 'spin 1s linear infin
    ) : (
      <svg style={{ width: '18px', height: '18px', flexShrink: 0 }} viewBox="0 0 24 24" fill="white">
        <path d="M18.71 19.5c-.83 1.24-1.71 2.45-3.05 2.47-1.34.03-1.77-.79-3.29-.79-1.53 0-2 .77-3.27.82-1.31.05-2.3-1.32-3.14-2.53C4.25 17 2.94 12.45 4.
      </svg>
    )}
    <span>{socialLoad === 'apple' ? 'Connecting…' : 'Continue with Apple'}</span>
  </button>
</div>

{/* Divider */}
<div style={{ display: 'flex', alignItems: 'center', gap: '12px', marginBottom: '24px' }}>
  <div style={{ flex: 1, height: '1px', background: 'var(--color-border)' }} />
  <span style={{ fontSize: '11px', color: 'var(--color-text-4)', textTransform: 'uppercase', letterSpacing: '0.08em' }}>or</span>
  <div style={{ flex: 1, height: '1px', background: 'var(--color-border)' }} />
</div>

{/* General error */}
{errors.general && (
  <div
    className="animate-slide-up"
    style={{
      padding: '10px 14px',
      borderRadius: '8px',
      background: 'var(--risk-high-bg)',
      border: '1px solid var(--risk-high-border)',
      marginBottom: '16px',
      display: 'flex', gap: '8px', alignItems: 'flex-start',
    }}
  >
    <svg style={{ width: '14px', height: '14px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
    </svg>
    <p style={{ fontSize: '13px', color: 'var(--risk-high-text)', lineHeight: 1.5 }}>
      {errors.general}
    </p>
  </div>
)}

{/* Form */}
<form onSubmit={handleSubmit} noValidate>
  <div style={{ display: 'flex', flexDirection: 'column', gap: '16px', marginBottom: '20px' }}>

    {/* Email */}
    <div>
      <label style={{ display: 'block', fontSize: '11px', fontWeight: 600, letterSpacing: '0.06em', textTransform: 'uppercase', color: 'var(--color-text-3
        Email Address
      </label>
      <input
        type="email"
        autoComplete="email"
        value={email}
        onChange={function (e) { setEmail(e.target.value); setErrors(function (p) { return Object.assign({}, p, { email: '', general: '' }); }); }}
        placeholder="you@example.com"
        style={inputStyle('email')}
        onFocus={function (e) { if (!errors.email) e.target.style.borderColor = 'var(--color-border-2)'; }}
        onBlur={function (e) { if (!errors.email) e.target.style.borderColor = 'var(--color-border)'; }}
      />
      {errors.email && (
        <div style={{ display: 'flex', alignItems: 'flex-start', gap: '5px', marginTop: '5px' }}>
          <svg style={{ width: '12px', height: '12px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
            fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
          <p style={{ fontSize: '12px', color: 'var(--risk-high-text)', lineHeight: 1.4 }}>{errors.email}</p>
        </div>
      )}
      {/* Sign up hint if user not found */}
      {errors.email && errors.email.includes('No account') && (
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)', marginTop: '4px' }}>
          New here?{' '}
          <Link to="/signup" style={{ color: 'var(--color-text-2)', textDecoration: 'underline', textUnderlineOffset: '2px' }}>
            Create a free account
          </Link>
        </p>
      )}
    </div>

    {/* Password */}
    <div>
      <div style={{ display: 'flex', justifyContent: 'space-between', marginBottom: '6px' }}>
        <label style={{ fontSize: '11px', fontWeight: 600, letterSpacing: '0.06em', textTransform: 'uppercase', color: 'var(--color-text-3)' }}>
          Password
        </label>
        <button
          type="button"
          style={{ fontSize: '12px', color: 'var(--color-text-4)', background: 'none', border: 'none', cursor: 'pointer', fontFamily: 'var(--font-sans)',
          onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
```

```
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
      >
        Forgot password?
      </button>
    </div>
    <div style={{ position: 'relative' }}>
      <input
        type={showPass ? 'text' : 'password'}
        autoComplete="current-password"
        value={password}
        onChange={function (e) { setPassword(e.target.value); setErrors(function (p) { return Object.assign({}, p, { password: '', general: '' }); }); }}
        placeholder="Your password"
        style={Object.assign({}, inputStyle('password'), { paddingRight: '40px' })}
        onFocus={function (e) { if (!errors.password) e.target.style.borderColor = 'var(--color-border-2)'; }}
        onBlur={function (e) { if (!errors.password) e.target.style.borderColor = 'var(--color-border)'; }}
      />
      <button
        type="button"
        onClick={function () { setShowPass(function (v) { return !v; }); }}
        style={{
          position: 'absolute', right: '12px', top: '50%', transform: 'translateY(-50%)',
          background: 'none', border: 'none', cursor: 'pointer',
          color: 'var(--color-text-4)', display: 'flex', alignItems: 'center',
          transition: 'color 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
      >
        {showPass ? (
          <svg style={{ width: '15px', height: '15px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13.875 18.825A10.05 10.05 0 0112 19c-4.478 0-8.268-2.943-9.543-7a9.97
          </svg>
        ) : (
          <svg style={{ width: '15px', height: '15px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M2.458 12C3.732 7.943 7.523 5 12 5c4.478 0 8.268 2.943 9.542 7-1.274 4
          </svg>
        )}
      </button>
    </div>
    {errors.password && (
      <div style={{ display: 'flex', alignItems: 'flex-start', gap: '5px', marginTop: '5px' }}>
        <svg style={{ width: '12px', height: '12px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
          fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
        </svg>
        <p style={{ fontSize: '12px', color: 'var(--risk-high-text)', lineHeight: 1.4 }}>{errors.password}</p>
      </div>
    )}
  </div>
</div>

{/* Remember me */}
<div style={{ display: 'flex', alignItems: 'center', justifyContent: 'space-between', marginBottom: '20px' }}>
  <label style={{ display: 'flex', alignItems: 'center', gap: '8px', cursor: 'pointer' }}>
    <div
      onClick={function () { setRememberMe(function (v) { return !v; }); }}
      style={{
        width: '16px', height: '16px',
        borderRadius: '4px',
        background: rememberMe ? 'var(--color-bg-hover)' : 'var(--color-bg-2)',
        border: '1px solid ' + (rememberMe ? 'var(--color-border-2)' : 'var(--color-border)'),
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        cursor: 'pointer', transition: 'all 0.2s ease',
        flexShrink: 0,
      }}
    >
      {rememberMe && (
        <svg style={{ width: '10px', height: '10px', color: 'var(--color-text)' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
        </svg>
      )}
    </div>
    <span style={{ fontSize: '13px', color: 'var(--color-text-3)', userSelect: 'none' }}>
      Remember me
    </span>
  </label>
</div>

{/* Submit */}
<button
  type="submit"
  disabled={submitting || !!socialLoad}
  style={{
    width: '100%',
    padding: '12px 20px',
    borderRadius: '9px',
    fontSize: '14px',
    fontWeight: 600,
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    gap: '8px',
    cursor: submitting || socialLoad ? 'not-allowed' : 'pointer',
    opacity: submitting || socialLoad ? 0.5 : 1,
    transition: 'all 0.25s ease',
    background: 'var(--color-bg-4)',
    border: '1px solid var(--color-border-2)',
    color: 'var(--color-text)',
    fontFamily: 'var(--font-sans)',
  }}
  onMouseEnter={function (e) {
    if (!submitting && !socialLoad) {
      e.currentTarget.style.background = 'var(--color-bg-hover)';
      e.currentTarget.style.borderColor = 'var(--color-accent-2)';
```

```
              e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
            }
          }}
          onMouseLeave={function (e) {
            e.currentTarget.style.background = 'var(--color-bg-4)';
            e.currentTarget.style.borderColor = 'var(--color-border-2)';
            e.currentTarget.style.boxShadow = 'none';
          }}
        >
          {submitting ? (
            <>
              <div style={{ width: 'var(--color-text)', height: 'var(--color-text)', borderRadius: '50%', border: '2px solid var(--color-border-2)', borderTopColor: 'var(--color-text)', a
              Signing in…
            </>
          ) : 'Sign In'}
        </button>
      </form>

      {/* Footer links */}
      <div style={{ marginTop: '24px', textAlign: 'center' }}>
        <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>
          Don&apos;t have an account?{' '}
          <Link
            to="/signup"
            style={{ color: 'var(--color-text-2)', textDecoration: 'none', fontWeight: 600, transition: 'color 0.2s ease' }}
            onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text)'; }}
            onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
          >
            Sign up free →
          </Link>
        </p>
      </div>

      {/* SSL notice */}
      <div style={{ display: 'flex', alignItems: 'center', justifyContent: 'center', gap: '5px', marginTop: '20px' }}>
        <svg style={{ width: '12px', height: '12px', color: 'var(--risk-low-text)' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0 01-8.618 3.0
        </svg>
        <span style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>Secured with 256-bit SSL</span>
      </div>
    </div>
  </div>
);
};

export default Login;
```

src\pages\Profile.jsx

```
import { useState, useRef } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';

const Profile = () => {
  const navigate = useNavigate();
  const fileInputRef = useRef(null);
  const [isEditing, setIsEditing] = useState(false);
  const [saveSuccess, setSaveSuccess] = useState(false);
  const [activeTab, setActiveTab] = useState('overview');
  const [avatarPreview, setAvatarPreview] = useState(null);

  const storedUser = (() => {
    try {
      return JSON.parse(localStorage.getItem('user') || '{}');
    } catch {
      return {};
    }
  })();

  const [profile, setProfile] = useState({
    name: storedUser.name || 'John Doe',
    email: storedUser.email || 'john.doe@example.com',
    phone: '+1 234 567 8900',
    dateOfBirth: '1980-05-15',
    gender: 'Male',
    bloodType: 'O+',
    address: '123 Main Street, New York, NY 10001',
    emergencyContact: 'Jane Doe (+1 234 567 8901)',
    occupation: 'Software Engineer',
    medicalHistory: 'No known allergies. Mild myopia diagnosed 2018.',
    currentMedications: 'None',
    lastEyeExam: '2024-11-20',
    eyeDoctor: 'Dr. Sarah Smith',
    eyeDoctorContact: '+1 555 123 4567',
    insuranceProvider: 'BlueCross BlueShield',
    insuranceNumber: 'BCB-123456789',
  });

  const [editProfile, setEditProfile] = useState({ ...profile });

  const stats = [
    { label: 'Total Scans', value: '47', icon: '■', change: '+12%' },
    { label: 'Health Score', value: '87%', icon: '❤■', change: '+5%' },
    { label: 'Days Active', value: '124', icon: '■', change: '' },
    { label: 'Conditions Found', value: '2', icon: '■■', change: '' },
  ];

  const recentActivity = [
    {
      id: 'SCN-2025-001',
      type: 'Fundus Scan',
      date: '2025-01-15',
      result: 'Glaucoma Detected',
      risk: 'high',
    },
    {
```

```
    id: 'SCN-2025-002',
    type: 'Anterior Scan',
    date: '2025-01-15',
    result: 'Normal',
    risk: 'low',
  },
  {
    id: 'SCN-2025-003',
    type: 'Fundus Scan',
    date: '2025-01-14',
    result: 'AMD Detected',
    risk: 'moderate',
  },
  {
    id: 'SCN-2025-004',
    type: 'Anterior Scan',
    date: '2025-01-13',
    result: 'Cataract',
    risk: 'moderate',
  },
  {
    id: 'SCN-2025-005',
    type: 'Fundus Scan',
    date: '2025-01-10',
    result: 'Normal',
    risk: 'low',
  },
];

const riskColors = {
  high: 'bg-red-900/20 text-red-400 border-red-800/30',
  moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
  low: 'bg-green-900/20 text-green-400 border-green-800/30',
};

const handleAvatarChange = (e) => {
  const file = e.target.files[0];
  if (file) {
    const reader = new FileReader();
    reader.onloadend = () => setAvatarPreview(reader.result);
    reader.readAsDataURL(file);
  }
};

const handleEditChange = (e) => {
  setEditProfile({ ...editProfile, [e.target.name]: e.target.value });
};

const handleSave = () => {
  setProfile({ ...editProfile });
  try {
    localStorage.setItem(
      'user',
      JSON.stringify({
        ...storedUser,
        name: editProfile.name,
        email: editProfile.email,
      })
    );
  } catch (err) {
    console.error('Failed to save user', err);
  }
  setIsEditing(false);
  setSaveSuccess(true);
  setTimeout(() => setSaveSuccess(false), 3000);
};

const handleCancel = () => {
  setEditProfile({ ...profile });
  setIsEditing(false);
};

const tabs = [
  { id: 'overview', label: 'Overview' },
  { id: 'medical', label: 'Medical Info' },
  { id: 'activity', label: 'Activity' },
  { id: 'insurance', label: 'Insurance' },
];

return (
  <DashboardLayout>
    <div className="max-w-5xl mx-auto space-y-6">

      {/* Success Toast */}
      {saveSuccess && (
        <div
          className="fixed top-6 right-6 z-50 flex items-center gap-3 px-5 py-3
            bg-green-900/80 border border-green-700/50 rounded-xl shadow-xl
            backdrop-blur-md"
          style={{ animation: 'slideUp 0.3s ease-out' }}
        >
          <svg
            className="w-5 h-5 text-green-400"
            fill="none"
            stroke="currentColor"
            viewBox="0 0 24 24"
          >
            <path
              strokeLinecap="round"
              strokeLinejoin="round"
              strokeWidth={2}
              d="M5 13l4 4L19 7"
            />
          </svg>
          <p className="text-green-300 text-sm font-medium">
```

```
      Profile updated successfully
    </p>
  </div>
)}

{/* ■■ Profile Hero ■■ */}
<div className="relative overflow-hidden rounded-2xl bg-neutral-900 border border-neutral-800/50">
  <div className="absolute inset-0 pointer-events-none">
    <div className="absolute top-0 right-0 w-64 h-64 bg-neutral-700/10 rounded-full blur-3xl" />
    <div className="absolute -bottom-8 left-0 w-48 h-48 bg-neutral-600/10 rounded-full blur-3xl" />
  </div>

  <div className="relative z-10 p-6 md:p-8">
    <div className="flex flex-col md:flex-row items-start md:items-end gap-6">

      {/* Avatar */}
      <div className="relative group flex-shrink-0">
        <div
          className="w-20 h-20 md:w-24 md:h-24 rounded-2xl bg-neutral-800
            border-2 border-neutral-700/50 flex items-center justify-center
            overflow-hidden shadow-2xl"
        >
          {avatarPreview ? (
            <img
              src={avatarPreview}
              alt="Avatar"
              className="w-full h-full object-cover"
            />
          ) : (
            <span className="text-3xl md:text-4xl font-bold text-neutral-300">
              {profile.name?.[0]?.toUpperCase() || 'U'}
            </span>
          )}
        </div>
        <button
          onClick={() => fileInputRef.current?.click()}
          className="absolute inset-0 rounded-2xl bg-black/60 opacity-0
            group-hover:opacity-100 transition-opacity duration-200
            flex items-center justify-center"
        >
          <span className="text-white text-xs font-medium">Change</span>
        </button>
        <input
          ref={fileInputRef}
          type="file"
          accept="image/*"
          onChange={handleAvatarChange}
          className="hidden"
        />
        <div className="absolute -bottom-1 -right-1 w-4 h-4 rounded-full bg-green-500 border-2 border-neutral-900" />
      </div>

      {/* Name & Info */}
      <div className="flex-1 min-w-0">
        <div className="flex flex-wrap items-center gap-3 mb-1">
          <h1 className="text-xl md:text-2xl font-bold text-neutral-100">
            {profile.name}
          </h1>
          <span
            className="px-2.5 py-0.5 rounded-full bg-blue-900/30
              border border-blue-800/40 text-blue-400 text-xs font-medium"
          >
            Patient
          </span>
        </div>
        <p className="text-neutral-400 text-sm mb-1">{profile.email}</p>
        <p className="text-neutral-500 text-sm">{profile.phone}</p>
        <div className="flex flex-wrap gap-4 mt-3 text-xs text-neutral-500">
          <span>DOB: {new Date(profile.dateOfBirth).toLocaleDateString()}</span>
          <span>{profile.gender}</span>
          <span>Blood: {profile.bloodType}</span>
        </div>
      </div>

      {/* Buttons */}
      <div className="flex items-center gap-2 flex-shrink-0">
        {!isEditing ? (
          <>
            <button
              onClick={() => navigate('/screen')}
              className="px-3 py-2 bg-neutral-800 border border-neutral-700/50
                rounded-lg text-sm text-neutral-300 hover:bg-neutral-700
                transition-colors"
            >
              New Scan
            </button>
            <button
              onClick={() => setIsEditing(true)}
              className="px-3 py-2 bg-neutral-700 border border-neutral-600/50
                rounded-lg text-sm text-neutral-200 hover:bg-neutral-600
                transition-colors"
            >
              Edit Profile
            </button>
          </>
        ) : (
          <>
            <button
              onClick={handleCancel}
              className="px-3 py-2 bg-neutral-800 border border-neutral-700/50
                rounded-lg text-sm text-neutral-400 hover:bg-neutral-700
                transition-colors"
            >
              Cancel
            </button>
```

```
            <button
              onClick={handleSave}
              className="px-3 py-2 bg-neutral-700 border border-neutral-600/50
                rounded-lg text-sm text-neutral-200 hover:bg-neutral-600
                transition-colors"
            >
              Save
            </button>
          </>
        )}
      </div>
    </div>
  </div>
</div>

{/* ■■ Stats Row ■■ */}
<div className="grid grid-cols-2 md:grid-cols-4 gap-4">
  {stats.map((stat, i) => (
    <div
      key={i}
      className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-4
        hover:border-neutral-700/50 transition-colors"
    >
      <div className="flex items-center justify-between mb-3">
        <span className="text-xl">{stat.icon}</span>
        {stat.change && (
          <span
            className="text-xs text-green-400 bg-green-900/20
              border border-green-800/30 px-2 py-0.5 rounded-full"
          >
            {stat.change}
          </span>
        )}
      </div>
      <p className="text-2xl font-bold text-neutral-100 mb-1">{stat.value}</p>
      <p className="text-xs text-neutral-500">{stat.label}</p>
    </div>
  ))}
</div>

{/* ■■ Tabs ■■ */}
<div className="bg-neutral-900 border border-neutral-800/50 rounded-xl overflow-hidden">

  {/* Tab Nav */}
  <div className="flex border-b border-neutral-800/50">
    {tabs.map((tab) => (
      <button
        key={tab.id}
        onClick={() => setActiveTab(tab.id)}
        className={`flex-1 py-3.5 text-sm font-medium transition-all duration-200 ${
          activeTab === tab.id
            ? 'text-neutral-200 border-b-2 border-neutral-400 bg-neutral-800/30'
            : 'text-neutral-500 hover:text-neutral-300 hover:bg-neutral-800/20'
        }`}
      >
        {tab.label}
      </button>
    ))}
  </div>

  {/* ■■ Overview Tab ■■ */}
  {activeTab === 'overview' && (
    <div className="p-6">
      <div className="grid md:grid-cols-2 gap-6">

        {/* Personal Info */}
        <div>
          <h3 className="text-xs font-semibold text-neutral-500 uppercase tracking-wider mb-4">
            Personal Information
          </h3>
          {[
            { label: 'Full Name', key: 'name', type: 'text' },
            { label: 'Email', key: 'email', type: 'email' },
            { label: 'Phone', key: 'phone', type: 'tel' },
            { label: 'Date of Birth', key: 'dateOfBirth', type: 'date' },
            { label: 'Occupation', key: 'occupation', type: 'text' },
            { label: 'Address', key: 'address', type: 'text' },
          ].map((field) => (
            <div
              key={field.key}
              className="flex items-start gap-3 py-3 border-b border-neutral-800/40 last:border-0"
            >
              <span className="text-xs text-neutral-600 font-medium w-28 shrink-0 pt-1">
                {field.label}
              </span>
              {isEditing ? (
                <input
                  type={field.type}
                  name={field.key}
                  value={editProfile[field.key]}
                  onChange={handleEditChange}
                  className="flex-1 px-3 py-1.5 bg-neutral-800/50 border
                    border-neutral-700/50 rounded-lg text-sm text-neutral-200
                    focus:outline-none focus:border-neutral-600 min-w-0"
                />
              ) : (
                <span className="text-sm text-neutral-300 flex-1">
                  {field.key === 'dateOfBirth'
                    ? new Date(profile[field.key]).toLocaleDateString()
                    : profile[field.key]}
                </span>
              )}
            </div>
          ))}
        </div>
```

```
      {/* Medical Summary */}
      <div>
        <h3 className="text-xs font-semibold text-neutral-500 uppercase tracking-wider mb-4">
          Quick Medical Summary
        </h3>
        {[
          { label: 'Blood Type', key: 'bloodType' },
          { label: 'Gender', key: 'gender' },
          { label: 'Eye Doctor', key: 'eyeDoctor' },
          { label: 'Doctor Phone', key: 'eyeDoctorContact' },
          { label: 'Last Eye Exam', key: 'lastEyeExam' },
          { label: 'Emergency', key: 'emergencyContact' },
        ].map((field) => (
          <div
            key={field.key}
            className="flex items-start gap-3 py-3 border-b border-neutral-800/40 last:border-0"
          >
            <span className="text-xs text-neutral-600 font-medium w-28 shrink-0 pt-1">
              {field.label}
            </span>
            {isEditing ? (
              <input
                type="text"
                name={field.key}
                value={editProfile[field.key]}
                onChange={handleEditChange}
                className="flex-1 px-3 py-1.5 bg-neutral-800/50 border
                  border-neutral-700/50 rounded-lg text-sm text-neutral-200
                  focus:outline-none focus:border-neutral-600 min-w-0"
              />
            ) : (
              <span className="text-sm text-neutral-300 flex-1">
                {field.key === 'lastEyeExam'
                  ? new Date(profile[field.key]).toLocaleDateString()
                  : profile[field.key]}
              </span>
            )}
          </div>
        ))}
      </div>
    </div>
  </div>
)}

{/* ■■ Medical Tab ■■ */}
{activeTab === 'medical' && (
  <div className="p-6 space-y-5">
    <div className="grid md:grid-cols-2 gap-5">

      {/* Medical History */}
      <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
        <h3 className="text-sm font-semibold text-neutral-200 mb-3">
          Medical History
        </h3>
        {isEditing ? (
          <textarea
            name="medicalHistory"
            value={editProfile.medicalHistory}
            onChange={handleEditChange}
            rows={4}
            className="w-full px-3 py-2 bg-neutral-800/50 border border-neutral-700/50
              rounded-lg text-sm text-neutral-200 focus:outline-none
              focus:border-neutral-600 resize-none"
          />
        ) : (
          <p className="text-sm text-neutral-400 leading-relaxed">
            {profile.medicalHistory}
          </p>
        )}
      </div>

      {/* Medications */}
      <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
        <h3 className="text-sm font-semibold text-neutral-200 mb-3">
          Current Medications
        </h3>
        {isEditing ? (
          <textarea
            name="currentMedications"
            value={editProfile.currentMedications}
            onChange={handleEditChange}
            rows={4}
            className="w-full px-3 py-2 bg-neutral-800/50 border border-neutral-700/50
              rounded-lg text-sm text-neutral-200 focus:outline-none
              focus:border-neutral-600 resize-none"
          />
        ) : (
          <p className="text-sm text-neutral-400 leading-relaxed">
            {profile.currentMedications}
          </p>
        )}
      </div>
    </div>

    {/* Eye Health Stats */}
    <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
      <h3 className="text-sm font-semibold text-neutral-200 mb-4">
        Eye Health Overview
      </h3>
      <div className="grid grid-cols-2 md:grid-cols-4 gap-3">
        {[
          {
            label: 'Last Exam',
            value: new Date(profile.lastEyeExam).toLocaleDateString(),
            color: 'text-blue-400',
```

```
          },
          { label: 'Eye Doctor', value: profile.eyeDoctor, color: 'text-neutral-300' },
          { label: 'Total Scans', value: '47', color: 'text-green-400' },
          { label: 'Health Score', value: '87%', color: 'text-amber-400' },
        ].map((item, i) => (
          <div
            key={i}
            className="text-center p-3 bg-neutral-900/40 rounded-lg border border-neutral-800/40"
          >
            <p className={`text-base font-semibold mb-1 ${item.color}`}>
              {item.value}
            </p>
            <p className="text-xs text-neutral-600">{item.label}</p>
          </div>
        ))}
      </div>
    </div>

    {/* Detected Conditions */}
    <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
      <h3 className="text-sm font-semibold text-neutral-200 mb-4">
        Detected Conditions History
      </h3>
      <div className="space-y-3">
        {[
          {
            condition: 'Glaucoma',
            status: 'Under Treatment',
            date: '2025-01-15',
            severity: 'high',
          },
          {
            condition: 'Mild Myopia',
            status: 'Monitored',
            date: '2024-11-20',
            severity: 'low',
          },
        ].map((c, i) => (
          <div
            key={i}
            className="flex items-center justify-between p-3 bg-neutral-900/40
              border border-neutral-800/40 rounded-lg"
          >
            <div>
              <p className="text-sm font-medium text-neutral-200">{c.condition}</p>
              <p className="text-xs text-neutral-500 mt-0.5">
                Detected: {new Date(c.date).toLocaleDateString()}
              </p>
            </div>
            <div className="flex items-center gap-3">
              <span className="text-xs text-neutral-500">{c.status}</span>
              <span
                className={`px-2 py-0.5 rounded-full text-xs font-medium border ${riskColors[c.severity]}`}
              >
                {c.severity.charAt(0).toUpperCase() + c.severity.slice(1)}
              </span>
            </div>
          </div>
        ))}
      </div>
    </div>
  </div>
)}

{/* ■■ Activity Tab ■■ */}
{activeTab === 'activity' && (
  <div className="p-6 space-y-5">

    {/* Progress Bars */}
    <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
      <h3 className="text-sm font-semibold text-neutral-200 mb-4">
        Health Score Breakdown
      </h3>
      <div className="space-y-4">
        {[
          { label: 'Overall Eye Health', value: 87, color: 'bg-neutral-500' },
          { label: 'Glaucoma Risk Index', value: 72, color: 'bg-red-600' },
          { label: 'Retinal Health', value: 91, color: 'bg-green-600' },
          { label: 'Anterior Health', value: 95, color: 'bg-blue-600' },
        ].map((item, i) => (
          <div key={i}>
            <div className="flex justify-between text-xs mb-1.5">
              <span class="text-neutral-400">{item.label}</span>
              <span class="text-neutral-300 font-medium">{item.value}%</span>
            </div>
            <div class="w-full h-2 bg-neutral-800 rounded-full overflow-hidden">
              <div
                class={`h-full ${item.color} rounded-full transition-all duration-1000`}
                style={{ width: `${item.value}%` }}
              />
            </div>
          </div>
        ))}
      </div>
    </div>

    {/* Recent Activity */}
    <div>
      <div className="flex items-center justify-between mb-4">
        <h3 class="text-sm font-semibold text-neutral-200">Recent Scans</h3>
        <button
          onClick={() => navigate('/history')}
          class="text-xs text-neutral-400 hover:text-neutral-300 transition-colors"
        >
          View All
```

```
        </button>
      </div>
      <div className="space-y-3">
        {recentActivity.map((scan) => (
          <div
            key={scan.id}
            onClick={() => navigate(`/report/${scan.id}`)}
            className="flex items-center justify-between p-4 bg-neutral-800/30
              border border-neutral-800/50 rounded-xl hover:border-neutral-700/50
              transition-all cursor-pointer group"
          >
            <div className="flex items-center gap-3">
              <div
                className="w-9 h-9 rounded-lg bg-neutral-800/50
                  border border-neutral-700/50 flex items-center justify-center text-sm"
              >
                {scan.type.includes('Fundus') ? '■' : '■■'}
              </div>
              <div>
                <p className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">
                  {scan.type}
                </p>
                <p className="text-xs text-neutral-600">
                  {new Date(scan.date).toLocaleDateString()}
                </p>
              </div>
            </div>
            <div className="flex items-center gap-3">
              <span className="text-sm text-neutral-500 hidden md:block">
                {scan.result}
              </span>
              <span
                className={`px-2 py-0.5 rounded text-xs font-medium border ${riskColors[scan.risk]}`}
              >
                {scan.risk.charAt(0).toUpperCase() + scan.risk.slice(1)}
              </span>
              <svg
                className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 group-hover:translate-x-1 transition-all"
                fill="none"
                stroke="currentColor"
                viewBox="0 0 24 24"
              >
                <path
                  strokeLinecap="round"
                  strokeLinejoin="round"
                  strokeWidth={2}
                  d="M9 5l7 7-7 7"
                />
              </svg>
            </div>
          </div>
        ))}
      </div>
    </div>
  </div>
)}

{/* ■■ Insurance Tab ■■ */}
{activeTab === 'insurance' && (
  <div className="p-6 space-y-5">
    <div className="grid md:grid-cols-2 gap-5">

      {/* Insurance Details */}
      <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
        <h3 className="text-sm font-semibold text-neutral-200 mb-4">
          Insurance Details
        </h3>
        {[
          { label: 'Provider', key: 'insuranceProvider' },
          { label: 'Policy Number', key: 'insuranceNumber' },
        ].map((field) => (
          <div
            key={field.key}
            className="flex items-start gap-3 py-3 border-b border-neutral-800/40 last:border-0"
          >
            <span className="text-xs text-neutral-600 font-medium w-32 shrink-0 pt-1">
              {field.label}
            </span>
            {isEditing ? (
              <input
                type="text"
                name={field.key}
                value={editProfile[field.key]}
                onChange={handleEditChange}
                className="flex-1 px-3 py-1.5 bg-neutral-800/50 border
                  border-neutral-700/50 rounded-lg text-sm text-neutral-200
                  focus:outline-none focus:border-neutral-600"
              />
            ) : (
              <span className="text-sm text-neutral-300">{profile[field.key]}</span>
            )}
          </div>
        ))}
      </div>

      {/* Coverage */}
      <div className="bg-neutral-800/30 border border-neutral-800/50 rounded-xl p-5">
        <h3 className="text-sm font-semibold text-neutral-200 mb-4">
          Coverage Summary
        </h3>
        <div className="space-y-3">
          {[
            { label: 'Eye Exams', covered: true },
            { label: 'AI Screening', covered: true },
            { label: 'Specialist Referrals', covered: true },
```

```
                    { label: 'Surgery', covered: false },
                  ].map((item, i) => (
                    <div
                      key={i}
                      className="flex items-center justify-between py-2 border-b border-neutral-800/40 last:border-0"
                    >
                      <span className="text-sm text-neutral-400">{item.label}</span>
                      <span
                        className={`text-xs font-medium px-2 py-0.5 rounded-full border ${
                          item.covered
                            ? 'bg-green-900/20 text-green-400 border-green-800/30'
                            : 'bg-red-900/20 text-red-400 border-red-800/30'
                        }`}
                      >
                        {item.covered ? 'Covered' : 'Not Covered'}
                      </span>
                    </div>
                  ))}
                </div>
              </div>
            </div>

            <div className="p-4 bg-neutral-800/20 border border-neutral-800/40 rounded-xl">
              <p className="text-xs text-neutral-600 leading-relaxed">
                Insurance information is for reference only. Please verify coverage directly
                with your provider before scheduling any procedures.
              </p>
            </div>
          </div>
        )}
      </div>

      {/* ■■ Danger Zone ■■ */}
      <div className="bg-neutral-900 border border-red-900/30 rounded-xl p-5">
        <h3 className="text-xs font-semibold text-red-400 uppercase tracking-wider mb-3">
          Danger Zone
        </h3>
        <div className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-3">
          <div>
            <p className="text-sm font-medium text-neutral-200">Delete Account</p>
            <p className="text-xs text-neutral-500 mt-0.5">
              Permanently delete your account. This cannot be undone.
            </p>
          </div>
          <button
            onClick={() => {
              if (window.confirm('Are you sure? This action cannot be undone.')) {
                localStorage.removeItem('user');
                navigate('/login');
              }
            }}
            className="px-4 py-2 border border-red-800/50 text-red-400 text-sm
              rounded-lg hover:bg-red-900/20 transition-colors whitespace-nowrap"
          >
            Delete Account
          </button>
        </div>
      </div>

    </div>
  </DashboardLayout>
);
};

export default Profile;
```

src\pages\Report.jsx

```
import { useState, useRef } from 'react';
import { useNavigate, useParams } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';

const Report = () => {
  const { id } = useParams();
  const navigate = useNavigate();
  const [activeTab, setActiveTab] = useState('summary');
  const printRef = useRef(null);

  const reportId = id || 'SCN-2025-001';

  const normalPct = 21;

  const detectedList = [
    {
      condition: 'Glaucoma',
      shortName: 'GLAUC',
      probabilityPct: 87,
      urgency: 'HIGH',
      description:
        'Optic nerve damage often caused by high intraocular pressure. A leading cause of irreversible blindness if left untreated.',
      action:
        'URGENT: Refer to glaucoma specialist within 1 week. Intraocular pressure measurement and visual field test required.',
    },
  ];

  const allResultsList = [
    { condition: 'Glaucoma', pct: 87, isDetected: true },
    { condition: 'Normal', pct: 21, isDetected: false },
    { condition: 'AMD', pct: 15, isDetected: false },
    { condition: 'Diabetic Retinopathy', pct: 9, isDetected: false },
    { condition: 'Hypertensive Retinopathy', pct: 7, isDetected: false },
    { condition: 'Pathological Myopia', pct: 4, isDetected: false },
    { condition: 'Cataract', pct: 3, isDetected: false },
    { condition: 'Other Pathology', pct: 2, isDetected: false },
  ];
```

```
const preprocessingList = [
  'Black border removal',
  'CLAHE contrast enhancement',
  'Bicubic resize 224x224',
  'ImageNet normalization',
];

const technicalData = [
  ['Model', 'Tele-Ophthalmology ViT-S/16 v3'],
  ['Architecture', 'ViT-S/16 + CLS+GAP Dual Features'],
  ['Scan Type', 'Fundus'],
  ['AUC-ROC', '0.889'],
  ['F1 Score', '0.631'],
  ['TTA Views', '5-view (orig, hflip, vflip, rot90, rot270)'],
  ['Preprocessing', 'Black border removal, CLAHE, Bicubic resize 224x224'],
  ['Thresholds', 'Per-class F1-optimized on held-out validation set'],
  ['GPU Inference', '~4.3ms per image'],
  ['CPU Inference', '~34ms per image'],
  ['Parameters', '~22.2M (~85 MB)'],
  ['Report ID', reportId],
  ['Screened At', '2025-01-15 14:30'],
];

var sortedResults = allResultsList.slice().sort(function (a, b) {
  return b.pct - a.pct;
});

var tabClass = function (tabId) {
  if (activeTab === tabId) {
    return 'flex-1 py-3 text-xs uppercase tracking-wider transition-colors text-neutral-200 border-b-2 border-neutral-400 bg-neutral-800/20';
  }
  return 'flex-1 py-3 text-xs uppercase tracking-wider transition-colors text-neutral-600 hover:text-neutral-400';
};

var handlePrint = function () {
  var printContent = document.getElementById('report-print-area');
  if (!printContent) return;

  var printWindow = window.open('', '_blank', 'width=900,height=700');
  printWindow.document.write('<html><head><title>Report - ' + reportId + '</title>');
  printWindow.document.write('<style>');
  printWindow.document.write('body { font-family: Arial, sans-serif; background: #fff; color: #111; padding: 32px; }');
  printWindow.document.write('h1 { font-size: 22px; margin-bottom: 4px; }');
  printWindow.document.write('h2 { font-size: 16px; margin: 20px 0 8px; border-bottom: 1px solid #ddd; padding-bottom: 4px; }');
  printWindow.document.write('h3 { font-size: 14px; margin: 12px 0 6px; }');
  printWindow.document.write('p, span, td, th { font-size: 13px; }');
  printWindow.document.write('.risk-high { color: #dc2626; font-weight: bold; font-size: 18px; }');
  printWindow.document.write('.risk-banner { background: #fef2f2; border: 1px solid #fecaca; padding: 16px; border-radius: 8px; margin-bottom: 20px; }');
  printWindow.document.write('.meta-grid { display: grid; grid-template-columns: repeat(4, 1fr); gap: 16px; margin-bottom: 20px; background: #f9fafb; padding: 1
  printWindow.document.write('.meta-item label { font-size: 11px; color: #6b7280; text-transform: uppercase; display: block; margin-bottom: 2px; }');
  printWindow.document.write('.meta-item span { font-size: 13px; font-weight: 600; color: #111; }');
  printWindow.document.write('.action-box { background: #fff7ed; border: 1px solid #fed7aa; padding: 12px 16px; border-radius: 8px; margin-bottom: 20px; }');
  printWindow.document.write('.action-box p { color: #9a3412; margin: 0; }');
  printWindow.document.write('.condition-card { border: 1px solid #fecaca; background: #fef2f2; padding: 16px; border-radius: 8px; margin-bottom: 12px; }');
  printWindow.document.write('.condition-card h3 { color: #dc2626; margin: 0 0 4px; }');
  printWindow.document.write('.condition-card p { color: #7f1d1d; margin: 4px 0; }');
  printWindow.document.write('.prob-row { display: flex; justify-content: space-between; align-items: center; padding: 6px 0; border-bottom: 1px solid #f3f4f6; 
  printWindow.document.write('.prob-bar-wrap { flex: 1; height: 8px; background: #e5e7eb; border-radius: 4px; margin: 0 12px; overflow: hidden; }');
  printWindow.document.write('.prob-bar-fill { height: 100%; background: #d97706; border-radius: 4px; }');
  printWindow.document.write('.prob-bar-fill-normal { background: #9ca3af; }');
  printWindow.document.write('table { width: 100%; border-collapse: collapse; margin-top: 8px; }');
  printWindow.document.write('th { text-align: left; padding: 8px 12px; background: #f9fafb; border-bottom: 1px solid #e5e7eb; font-size: 11px; text-transform: 
  printWindow.document.write('td { padding: 8px 12px; border-bottom: 1px solid #f3f4f6; font-size: 13px; }');
  printWindow.document.write('.footer { margin-top: 32px; padding-top: 16px; border-top: 1px solid #e5e7eb; font-size: 11px; color: #9ca3af; }');
  printWindow.document.write('.patient-row { display: flex; align-items: center; gap: 12px; margin-bottom: 20px; padding: 12px; background: #f9fafb; border-radi
  printWindow.document.write('.avatar { width: 40px; height: 40px; background: #e5e7eb; border-radius: 8px; display: flex; align-items: center; justify-content:
  printWindow.document.write('.preprocessing-tags { display: flex; flex-wrap: wrap; gap: 8px; margin-top: 8px; }');
  printWindow.document.write('.tag { background: #f3f4f6; border: 1px solid #e5e7eb; padding: 3px 10px; border-radius: 99px; font-size: 12px; color: #374151; }'
  printWindow.document.write('@media print { body { padding: 0; } }');
  printWindow.document.write('</style></head><body>');

  printWindow.document.write('<h1>OpthaMiss - AI Eye Screening Report</h1>');
  printWindow.document.write('<p style="color:#6b7280;margin-bottom:20px;">Report ID: ' + reportId + '</p>');

  printWindow.document.write('<div class="risk-banner">');
  printWindow.document.write('<div style="display:flex;justify-content:space-between;align-items:flex-start">');
  printWindow.document.write('<div><p style="margin:0;font-size:11px;color:#6b7280;text-transform:uppercase;">Overall Risk</p><p class="risk-high" style="margin
  printWindow.document.write('<div style="text-align:right"><p style="margin:0;font-size:11px;color:#6b7280;">Scan Type: Fundus</p><p style="margin:2px 0;font-s
  printWindow.document.write('</div></div>');

  printWindow.document.write('<div class="patient-row">');
  printWindow.document.write('<div class="avatar">J</div>');
  printWindow.document.write('<div><p style="margin:0;font-weight:600;">John Doe</p><p style="margin:0;font-size:12px;color:#6b7280;">ID: PT-12345  | 
  printWindow.document.write('</div>');

  printWindow.document.write('<div class="meta-grid">');
  printWindow.document.write('<div class="meta-item"><label>Scan Type</label><span>Fundus</span></div>');
  printWindow.document.write('<div class="meta-item"><label>Date</label><span>Jan 15, 2025</span></div>');
  printWindow.document.write('<div class="meta-item"><label>Time</label><span>14:30</span></div>');
  printWindow.document.write('<div class="meta-item"><label>AI Model</label><span>ViT-S/16 v3</span></div>');
  printWindow.document.write('</div>');

  printWindow.document.write('<div class="action-box">');
  printWindow.document.write('<p style="font-weight:600;margin-bottom:4px;">Recommended Clinical Action</p>');
  printWindow.document.write('<p>URGENT REFERRAL — See ophthalmologist within 48 hours</p>');
  printWindow.document.write('</div>');

  printWindow.document.write('<h2>Detected Conditions</h2>');
  printWindow.document.write('<div class="condition-card">');
  printWindow.document.write('<div style="display:flex;justify-content:space-between;align-items:flex-start">');
  printWindow.document.write('<div><h3>Glaucoma <span style="font-size:11px;color:#9ca3af;">(GLAUC)</span></h3><p style="font-size:11px;margin:0;">HIGH URGENCY<
  printWindow.document.write('<div style="text-align:right"><p style="font-size:22px;font-weight:bold;color:#dc2626;margin:0;">87%</p><p style="font-size:11px;c
  printWindow.document.write('</div>');
  printWindow.document.write('<p style="margin:12px 0 4px;font-style:italic;">Optic nerve damage often caused by high intraocular pressure. A leading cause of i
  printWindow.document.write('<div style="background:#fff;border:1px solid #fecaca;padding:10px;border-radius:6px;margin-top:8px;">');
```

```
  printWindow.document.write('<p style="margin:0;font-size:11px;text-transform:uppercase;color:#9ca3af;margin-bottom:4px;">Recommended Action</p>');
  printWindow.document.write('<p style="margin:0;">URGENT: Refer to glaucoma specialist within 1 week. Intraocular pressure measurement and visual field test re
  printWindow.document.write('</div></div>');

  printWindow.document.write('<h2>Full Probability Analysis</h2>');
  var results2 = [
    { condition: 'Glaucoma', pct: 87, isDetected: true },
    { condition: 'Normal', pct: 21, isDetected: false },
    { condition: 'AMD', pct: 15, isDetected: false },
    { condition: 'Diabetic Retinopathy', pct: 9, isDetected: false },
    { condition: 'Hypertensive Retinopathy', pct: 7, isDetected: false },
    { condition: 'Pathological Myopia', pct: 4, isDetected: false },
    { condition: 'Cataract', pct: 3, isDetected: false },
    { condition: 'Other Pathology', pct: 2, isDetected: false },
  ];
  results2.sort(function (a, b) { return b.pct - a.pct; });
  results2.forEach(function (r) {
    var fillClass = r.isDetected ? 'prob-bar-fill' : 'prob-bar-fill prob-bar-fill-normal';
    printWindow.document.write('<div class="prob-row">');
    printWindow.document.write('<span style="min-width:180px;font-weight:' + (r.isDetected ? '600' : '400') + ';color:' + (r.isDetected ? '#d97706' : '#374151')
    printWindow.document.write('<div class="prob-bar-wrap"><div class="' + fillClass + '" style="width:' + r.pct + '%"></div></div>');
    printWindow.document.write('<span style="min-width:36px;text-align:right;font-weight:600;">' + r.pct + '%</span>');
    printWindow.document.write('</div>');
  });

  printWindow.document.write('<h2>Technical Details</h2>');
  printWindow.document.write('<table><thead><tr><th>Parameter</th><th>Value</th></tr></thead><tbody>');
  var techRows = [
    ['Model', 'Tele-Ophthalmology ViT-S/16 v3'],
    ['Architecture', 'ViT-S/16 + CLS+GAP Dual Features'],
    ['Scan Type', 'Fundus'],
    ['AUC-ROC', '0.889'],
    ['F1 Score', '0.631'],
    ['TTA Views', '5-view (orig, hflip, vflip, rot90, rot270)'],
    ['GPU Inference', '~4.3ms per image'],
    ['Parameters', '~22.2M (~85 MB)'],
    ['Report ID', reportId],
    ['Screened At', '2025-01-15 14:30'],
  ];
  techRows.forEach(function (row) {
    printWindow.document.write('<tr><td style="font-weight:600;color:#374151;">' + row[0] + '</td><td style="color:#6b7280;">' + row[1] + '</td></tr>');
  });
  printWindow.document.write('</tbody></table>');

  printWindow.document.write('<div class="preprocessing-tags"><p style="width:100%;margin:16px 0 8px;font-weight:600;">Preprocessing Applied:</p>');
  var preps = ['Black border removal', 'CLAHE contrast enhancement', 'Bicubic resize 224x224', 'ImageNet normalization'];
  preps.forEach(function (p) {
    printWindow.document.write('<span class="tag">' + p + '</span>');
  });
  printWindow.document.write('</div>');

  printWindow.document.write('<div class="footer">');
  printWindow.document.write('<p><strong>DISCLAIMER:</strong> This is an AI-assisted screening report, NOT a clinical diagnosis. All findings must be confirmed b
  printWindow.document.write('<p style="margin-top:8px;">Generated by OpthaMiss AI Eye Screening Platform  |  ' + new Date().toLocaleString() + '</p>'
  printWindow.document.write('</div>');

  printWindow.document.write('</body></html>');
  printWindow.document.close();
  printWindow.focus();

  setTimeout(function () {
    printWindow.print();
  }, 500);
};

return (
  <DashboardLayout>
    <div className="max-w-4xl mx-auto space-y-6" ref={printRef}>

      {/* Page Header */}
      <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
        <button
          type="button"
          onClick={function () { navigate('/reports'); }}
          className="flex items-center gap-2 text-neutral-400 hover:text-neutral-200 transition-colors w-fit"
        >
          <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
          </svg>
          <span className="text-sm">Back to Reports</span>
        </button>

        <button
          type="button"
          onClick={handlePrint}
          className="flex items-center gap-2 px-4 py-2 bg-neutral-800 border border-neutral-700/50 rounded-lg text-sm text-neutral-200 hover:bg-neutral-700 trans
        >
          <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 10v6m0 0l-3-3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.
          </svg>
          Download PDF
        </button>
      </div>

      {/* Main Card */}
      <div id="report-print-area" className="bg-neutral-900 border border-neutral-800/50 rounded-2xl overflow-hidden">

        {/* Risk Banner */}
        <div className="bg-red-950/40 border-b border-red-800/50 px-6 py-5">
          <div class="flex flex-col sm:flex-row sm:items-start justify-between gap-4">
            <div>
              <div class="flex flex-wrap items-center gap-3 mb-1">
                <h1 class="text-xl font-bold text-red-200">AI Eye Screening Report</h1>
                <span class="px-2.5 py-0.5 rounded-full bg-white/10 border border-white/20 text-xs font-medium text-red-200">
                  Fundus Scan
```

```
        </span>
      </div>
      <p className="text-sm text-red-200/60">Report ID: {reportId}</p>
    </div>
    <div className="sm:text-right flex-shrink-0">
      <p className="text-xs uppercase tracking-wider text-red-200/60 mb-0.5">Overall Risk</p>
      <p className="text-2xl font-bold text-red-200">HIGH</p>
      <p className="text-xs text-red-200/50 mt-0.5">2025-01-15 14:30</p>
    </div>
  </div>
</div>

{/* Metadata */}
<div className="px-6 py-4 border-b border-neutral-800/50 bg-neutral-800/20">
  <div className="grid grid-cols-2 md:grid-cols-4 gap-4">
    <div>
      <p className="text-xs text-neutral-600 mb-1">Scan Type</p>
      <p className="text-sm font-medium text-neutral-300">Fundus</p>
    </div>
    <div>
      <p className="text-xs text-neutral-600 mb-1">Date</p>
      <p className="text-sm font-medium text-neutral-300">Jan 15, 2025</p>
    </div>
    <div>
      <p className="text-xs text-neutral-600 mb-1">Time</p>
      <p className="text-sm font-medium text-neutral-300">14:30</p>
    </div>
    <div>
      <p className="text-xs text-neutral-600 mb-1">AI Model</p>
      <p className="text-sm font-medium text-neutral-300">ViT-S/16 v3</p>
    </div>
  </div>
</div>

{/* Patient */}
<div className="px-6 py-4 border-b border-neutral-800/50">
  <div className="flex items-center gap-3">
    <div className="w-9 h-9 rounded-lg bg-neutral-800 border border-neutral-700/50 flex items-center justify-center font-bold text-neutral-300 text-sm f
      J
    </div>
    <div>
      <p className="text-sm font-medium text-neutral-200">John Doe</p>
      <p className="text-xs text-neutral-500">
        ID: PT-12345  &#8226;  Age: 45  &#8226;  Male
      </p>
    </div>
  </div>
</div>

{/* Urgent Action */}
<div className="px-6 py-4 border-b border-neutral-800/50 bg-red-950/10">
  <div className="flex items-start gap-3">
    <svg className="w-5 h-5 text-red-400 flex-shrink-0 mt-0.5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 9v2m0 4h.01m-6.938 4h13.856c1.54 0 2.502-1.667 1.732-3L13.732 4c-.77-1.33
    </svg>
    <div>
      <h3 className="text-sm font-semibold text-red-300 mb-1">Recommended Clinical Action</h3>
      <p className="text-sm text-red-400/80 leading-relaxed">
        URGENT REFERRAL — See ophthalmologist within 48 hours
      </p>
    </div>
  </div>
</div>

{/* Tabs */}
<div className="flex border-b border-neutral-800/50">
  <button type="button" onClick={function () { setActiveTab('summary'); }} className={tabClass('summary')}>Summary</button>
  <button type="button" onClick={function () { setActiveTab('conditions'); }} className={tabClass('conditions')}>Detected (1)</button>
  <button type="button" onClick={function () { setActiveTab('analysis'); }} className={tabClass('analysis')}>Full Analysis</button>
  <button type="button" onClick={function () { setActiveTab('technical'); }} className={tabClass('technical')}>Technical</button>
</div>

{/* SUMMARY */}
{activeTab === 'summary' && (
  <div className="p-6 space-y-5">
    <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl">
      <div className="flex items-center justify-between mb-2">
        <span className="text-sm text-neutral-400">Normal Eye Probability</span>
        <span className="text-sm font-semibold text-neutral-200">{normalPct}%</span>
      </div>
      <div className="w-full h-2 bg-neutral-800 rounded-full overflow-hidden">
        <div className="h-full bg-green-600/70 rounded-full" style={{ width: normalPct + '%' }} />
      </div>
      <p className="text-xs text-neutral-600 mt-2">Lower value indicates higher likelihood of detected pathology.</p>
    </div>

    <div className="grid grid-cols-3 gap-4">
      <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl text-center">
        <p className="text-2xl font-bold text-red-400 mb-1">1</p>
        <p className="text-xs text-neutral-600">Conditions Detected</p>
      </div>
      <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl text-center">
        <p className="text-2xl font-bold text-neutral-200 mb-1">0.889</p>
        <p className="text-xs text-neutral-600">AUC-ROC Score</p>
      </div>
      <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl text-center">
        <p className="text-2xl font-bold text-blue-400 mb-1">5</p>
        <p className="text-xs text-neutral-600">TTA Views Used</p>
      </div>
    </div>

    <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl">
      <p className="text-xs text-neutral-500 uppercase tracking-wider mb-3">Preprocessing Applied</p>
      <div className="flex flex-wrap gap-2">
        {preprocessingList.map(function (step, i) {
```

```
          return (
            <span key={i} className="px-3 py-1 bg-neutral-700/30 border border-neutral-700/50 rounded-full text-xs text-neutral-400">
              {step}
            </span>
          );
        })}
      </div>
    </div>

    <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl">
      <p className="text-xs text-neutral-500 uppercase tracking-wider mb-2">Clinical Notes</p>
      <p className="text-sm text-neutral-400 leading-relaxed">
        Patient reported occasional blurred vision in the left eye over the past 3 months. Urgent follow-up recommended within 48 hours.
      </p>
    </div>
  </div>
)}

{/* CONDITIONS */}
{activeTab === 'conditions' && (
  <div className="p-6">
    <div className="space-y-4">
      {detectedList.map(function (d, i) {
        return (
          <div key={i} className="border border-red-800/50 rounded-xl overflow-hidden bg-red-950/20">
            <div className="px-5 py-4 border-b border-red-800/20">
              <div className="flex items-start justify-between">
                <div>
                  <div className="flex items-center gap-2 mb-0.5">
                    <h4 className="font-semibold text-base text-red-200">{d.condition}</h4>
                    <span className="text-xs text-red-300/40 font-mono">({d.shortName})</span>
                  </div>
                  <p className="text-xs text-red-300/50 uppercase tracking-wider">{d.urgency} URGENCY</p>
                </div>
                <div className="text-right flex-shrink-0">
                  <p className="text-2xl font-bold text-red-200">{d.probabilityPct}%</p>
                  <p className="text-xs text-red-300/50">Confidence</p>
                </div>
              </div>
            </div>
            <div className="px-5 py-3 bg-black/10 border-b border-red-800/20">
              <div className="w-full h-1.5 bg-black/20 rounded-full overflow-hidden">
                <div className="h-full bg-red-400/30 rounded-full" style={{ width: d.probabilityPct + '%' }} />
              </div>
            </div>
            <div className="px-5 py-4 space-y-3">
              <p className="text-sm text-red-300/70 italic leading-relaxed">{d.description}</p>
              <div className="p-3 bg-black/10 border border-red-800/20 rounded-lg">
                <p className="text-xs text-red-300/50 uppercase tracking-wider mb-1.5">Recommended Action</p>
                <p className="text-sm text-red-200/90 leading-relaxed">{d.action}</p>
              </div>
            </div>
          </div>
        );
      })}
    </div>
  </div>
)}

{/* ANALYSIS */}
{activeTab === 'analysis' && (
  <div className="p-6">
    <p className="text-xs text-neutral-600 uppercase tracking-wider mb-5">
      All {allResultsList.length} conditions — sorted by probability
    </p>
    <div className="space-y-4">
      {sortedResults.map(function (r, i) {
        return (
          <div key={i}>
            <div className="flex justify-between text-sm mb-1.5">
              <span className="text-neutral-400 flex items-center gap-2">
                <span className={'w-2 h-2 rounded-full inline-block flex-shrink-0 ' + (r.isDetected ? 'bg-amber-500' : 'bg-neutral-700')} />
                <span>{r.condition}</span>
                {r.isDetected && <span className="text-xs text-amber-500 font-medium">DETECTED</span>}
              </span>
              <span className="text-neutral-500 font-medium">{r.pct}%</span>
            </div>
            <div className="w-full h-2 bg-neutral-800 rounded-full overflow-hidden">
              <div className={'h-full rounded-full ' + (r.isDetected ? 'bg-amber-600' : 'bg-neutral-700')} style={{ width: r.pct + '%' }} />
            </div>
          </div>
        );
      })}
    </div>
    <div className="mt-5 p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl">
      <p className="text-xs text-neutral-600 leading-relaxed">
        Probabilities shown after 5-view Test-Time Augmentation averaging. Conditions above the per-class optimized threshold are flagged as detected.
      </p>
    </div>
  </div>
)}

{/* TECHNICAL */}
{activeTab === 'technical' && (
  <div className="p-6">
    <div className="overflow-x-auto rounded-xl border border-neutral-800/50">
      <table className="w-full text-sm">
        <thead>
          <tr className="border-b border-neutral-800/50 bg-neutral-800/30">
            <th className="text-left px-5 py-3 text-neutral-500 font-medium text-xs uppercase tracking-wider">Parameter</th>
            <th className="text-left px-5 py-3 text-neutral-500 font-medium text-xs uppercase tracking-wider">Value</th>
          </tr>
        </thead>
        <tbody>
          {technicalData.map(function (row, i) {
```

```
                    return (
                      <tr key={i} className="border-b border-neutral-800/30 last:border-0 hover:bg-neutral-800/20 transition-colors">
                        <td className="px-5 py-3 text-neutral-400 font-medium whitespace-nowrap">{row[0]}</td>
                        <td className="px-5 py-3 text-neutral-500">{row[1]}</td>
                      </tr>
                    );
                  })}
                </tbody>
              </table>
            </div>
          </div>
        )}

        {/* Footer */}
        <div className="px-6 py-4 bg-neutral-800/30 border-t border-neutral-800/50">
          <div className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-1 text-xs text-neutral-600 mb-2">
            <span>Model: Tele-Ophthalmology ViT-S/16 v3 &#8226; AUC: 0.889 &#8226; F1: 0.631</span>
            <span>Generated: Jan 15, 2025</span>
          </div>
          <p className="text-xs text-neutral-700 leading-relaxed">
            This is an AI-assisted screening report, NOT a clinical diagnosis. All findings must be confirmed by a qualified ophthalmologist before any treatmen
          </p>
        </div>
      </div>

      {/* Download PDF Banner */}
      <div className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-5 flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4">
        <div>
          <h3 className="text-sm font-semibold text-neutral-200 mb-1">Download Full Report</h3>
          <p className="text-xs text-neutral-500">Save a complete PDF copy of this screening report for your records or to share with your doctor.</p>
        </div>
        <button
          type="button"
          onClick={handlePrint}
          className="flex items-center gap-2 px-5 py-2.5 bg-neutral-700 border border-neutral-600/50 rounded-lg text-sm font-medium text-neutral-200 hover:bg-ne
        >
          <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 10v6m0 0l-3-3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.
          </svg>
          Download PDF
        </button>
      </div>

      {/* Quick Actions */}
      <div className="grid sm:grid-cols-3 gap-4">
        <button type="button" onClick={function () { navigate('/screen'); }} className="flex items-center gap-3 p-4 bg-neutral-900 border border-neutral-800/50
          <div className="flex-1 min-w-0">
            <p className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">Run New Scan</p>
            <p className="text-xs text-neutral-500 mt-0.5">Screen with a different image</p>
          </div>
          <svg className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
          </svg>
        </button>
        <button type="button" onClick={function () { navigate('/reports'); }} className="flex items-center gap-3 p-4 bg-neutral-900 border border-neutral-800/50
          <div className="flex-1 min-w-0">
            <p className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">All Reports</p>
            <p className="text-xs text-neutral-500 mt-0.5">View all your screening reports</p>
          </div>
          <svg className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
          </svg>
        </button>
        <button type="button" onClick={function () { navigate('/profile'); }} className="flex items-center gap-3 p-4 bg-neutral-900 border border-neutral-800/50
          <div className="flex-1 min-w-0">
            <p className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">Update Profile</p>
            <p className="text-xs text-neutral-500 mt-0.5">Add your medical information</p>
          </div>
          <svg className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
          </svg>
        </button>
      </div>

    </div>
  </DashboardLayout>
);
};

export default Report;
```

src\pages\Reports.jsx

```
import { useState } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';

const Reports = () => {
  const navigate = useNavigate();
  const [filter, setFilter] = useState('all');
  const [search, setSearch] = useState('');

  const allReports = [
    {
      id: 'SCN-2025-001',
      type: 'Fundus',
      date: '2025-01-15',
      time: '14:30',
      risk: 'high',
      conditions: ['Glaucoma'],
      model: 'ViT-S/16 v3',
      auc: 0.889,
    },
    {
      id: 'SCN-2025-002',
      type: 'Anterior',
```

```
    date: '2025-01-15',
    time: '09:15',
    risk: 'low',
    conditions: [],
    model: 'ViT-S/16 v4',
    auc: 0.982,
  },
  {
    id: 'SCN-2025-003',
    type: 'Fundus',
    date: '2025-01-14',
    time: '16:45',
    risk: 'moderate',
    conditions: ['AMD'],
    model: 'ViT-S/16 v3',
    auc: 0.889,
  },
  {
    id: 'SCN-2025-004',
    type: 'Anterior',
    date: '2025-01-13',
    time: '11:20',
    risk: 'moderate',
    conditions: ['Cataract'],
    model: 'ViT-S/16 v4',
    auc: 0.982,
  },
  {
    id: 'SCN-2025-005',
    type: 'Fundus',
    date: '2025-01-10',
    time: '10:00',
    risk: 'low',
    conditions: [],
    model: 'ViT-S/16 v3',
    auc: 0.889,
  },
  {
    id: 'SCN-2025-006',
    type: 'Anterior',
    date: '2025-01-08',
    time: '13:30',
    risk: 'high',
    conditions: ['Keratitis', 'Corneal Scarring'],
    model: 'ViT-S/16 v4',
    auc: 0.982,
  },
];

const riskLabel = { high: 'High', moderate: 'Moderate', low: 'Low' };

const riskStyle = {
  high: 'bg-red-900/20 text-red-400 border-red-800/30',
  moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
  low: 'bg-green-900/20 text-green-400 border-green-800/30',
};

const filtered = allReports.filter(function (r) {
  const matchFilter = filter === 'all' || r.risk === filter;
  const matchSearch =
    search === '' ||
    r.id.toLowerCase().includes(search.toLowerCase()) ||
    r.conditions.join(' ').toLowerCase().includes(search.toLowerCase()) ||
    r.type.toLowerCase().includes(search.toLowerCase());
  return matchFilter && matchSearch;
});

const stats = [
  { label: 'Total Reports', value: allReports.length, color: 'text-neutral-200' },
  {
    label: 'High Risk',
    value: allReports.filter(function (r) { return r.risk === 'high'; }).length,
    color: 'text-red-400',
  },
  {
    label: 'Moderate Risk',
    value: allReports.filter(function (r) { return r.risk === 'moderate'; }).length,
    color: 'text-amber-400',
  },
  {
    label: 'Normal / Low',
    value: allReports.filter(function (r) { return r.risk === 'low'; }).length,
    color: 'text-green-400',
  },
];

return (
  <DashboardLayout>
    <div className="max-w-5xl mx-auto space-y-6">

      {/* Header */}
      <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
        <div>
          <h1 className="text-2xl font-bold text-neutral-100">Reports</h1>
          <p className="text-sm text-neutral-500 mt-1">
            All your AI eye screening reports
          </p>
        </div>
        <button
          type="button"
          onClick={function () { navigate('/screen'); }}
          className="px-4 py-2 bg-neutral-800 border border-neutral-700/50 rounded-lg text-sm text-neutral-300 hover:bg-neutral-700 transition-colors w-fit"
        >
          + New Scan
        </button>
```

```
</div>

{/* Stats */}
<div className="grid grid-cols-2 md:grid-cols-4 gap-4">
  {stats.map(function (s, i) {
    return (
      <div
        key={i}
        className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-4"
      >
        <p className={'text-2xl font-bold mb-1 ' + s.color}>{s.value}</p>
        <p className="text-xs text-neutral-500">{s.label}</p>
      </div>
    );
  })}
</div>

{/* Filters + Search */}
<div className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-4">
  <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">

    {/* Search */}
    <div className="relative flex-1 max-w-sm">
      <svg
        className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4 text-neutral-500"
        fill="none"
        stroke="currentColor"
        viewBox="0 0 24 24"
      >
        <path
          strokeLinecap="round"
          strokeLinejoin="round"
          strokeWidth={2}
          d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0"
        />
      </svg>
      <input
        type="text"
        placeholder="Search by ID, type, condition..."
        value={search}
        onChange={function (e) { setSearch(e.target.value); }}
        className="w-full pl-10 pr-4 py-2 bg-neutral-800/50 border border-neutral-700/50 rounded-lg text-sm text-neutral-200 placeholder-neutral-600 focus
      />
    </div>

    {/* Risk Filter */}
    <div className="flex items-center gap-2">
      <span className="text-xs text-neutral-500">Filter:</span>
      {['all', 'high', 'moderate', 'low'].map(function (f) {
        return (
          <button
            key={f}
            type="button"
            onClick={function () { setFilter(f); }}
            className={
              'px-3 py-1.5 rounded-lg text-xs font-medium transition-all ' +
              (filter === f
                ? 'bg-neutral-700 text-neutral-200 border border-neutral-600/50'
                : 'text-neutral-500 hover:text-neutral-300 hover:bg-neutral-800/50')
            }
          >
            {f.charAt(0).toUpperCase() + f.slice(1)}
          </button>
        );
      })}
    </div>
  </div>
</div>

{/* Reports List */}
{filtered.length === 0 ? (
  <div className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-12 text-center">
    <div className="w-14 h-14 rounded-full bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center mx-auto mb-4">
      <svg className="w-7 h-7 text-neutral-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414
      </svg>
    </div>
    <p className="text-neutral-400 mb-1">No reports found</p>
    <p className="text-sm text-neutral-600">Try adjusting your search or filter</p>
  </div>
) : (
  <div className="space-y-3">
    {filtered.map(function (report) {
      return (
        <div
          key={report.id}
          onClick={function () { navigate('/report/' + report.id); }}
          className="bg-neutral-900 border border-neutral-800/50 rounded-xl p-5 hover:border-neutral-700/50 transition-all cursor-pointer group"
        >
          <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">

            {/* Left */}
            <div className="flex items-start gap-4">
              <div className="w-10 h-10 rounded-lg bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center text-lg flex-shrink-0">
                {report.type === 'Fundus' ? '■' : '■'}
              </div>
              <div>
                <div class="flex flex-wrap items-center gap-2 mb-1">
                  <h3 class="text-sm font-semibold text-neutral-200 group-hover:text-neutral-100 transition-colors">
                    {report.id}
                  </h3>
                  <span class="text-xs text-neutral-500 bg-neutral-800/50 px-2 py-0.5 rounded">
                    {report.type}
                  </span>
                  <span class={'px-2 py-0.5 rounded text-xs font-medium border ' + riskStyle[report.risk]}>
```

```
                        {riskLabel[report.risk]} Risk
                      </span>
                    </div>
                    <div className="flex flex-wrap gap-3 text-xs text-neutral-500">
                      <span>{new Date(report.date).toLocaleDateString()} at {report.time}</span>
                      <span>Model: {report.model}</span>
                      <span>AUC: {report.auc}</span>
                    </div>
                    {report.conditions.length > 0 && (
                      <div className="flex flex-wrap gap-1.5 mt-2">
                        {report.conditions.map(function (c, ci) {
                          return (
                            <span
                              key={ci}
                              className="text-xs text-amber-400 bg-amber-900/20 border border-amber-800/30 px-2 py-0.5 rounded"
                            >
                              {c}
                            </span>
                          );
                        })}
                      </div>
                    )}
                    {report.conditions.length === 0 && (
                      <span className="inline-block mt-2 text-xs text-green-400 bg-green-900/20 border border-green-800/30 px-2 py-0.5 rounded">
                        No conditions detected
                      </span>
                    )}
                  </div>
                </div>

                {/* Right */}
                <div className="flex items-center gap-2 flex-shrink-0 sm:ml-auto">
                  <button
                    type="button"
                    onClick={function (e) {
                      e.stopPropagation();
                      navigate('/report/' + report.id);
                    }}
                    className="px-3 py-1.5 bg-neutral-800 border border-neutral-700/50 rounded-lg text-xs text-neutral-300 hover:bg-neutral-700 transition-colo
                  >
                    View Report
                  </button>
                  <svg
                    className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 group-hover:translate-x-1 transition-all"
                    fill="none"
                    stroke="currentColor"
                    viewBox="0 0 24 24"
                  >
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
                  </svg>
                </div>
              </div>
            </div>
          );
        })}
      </div>
    )}

  </div>
  </DashboardLayout>
);
};

export default Reports;
```

src\pages\Settings.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';
import { useAuth } from '../context/AuthContext';
import { useToast } from '../context/ToastContext';

var Settings = function () {
  var navigate = useNavigate();
  var { user, logout, getSettings, saveSettings } = useAuth();
  var { addToast } = useToast();

  var [activeTab, setActiveTab] = useState('account');
  var [settings, setSettings] = useState(getSettings());
  var [isDirty, setIsDirty] = useState(false);
  var [saving, setSaving] = useState(false);
  var [showDeleteModal, setShowDeleteModal] = useState(false);
  var [deleteConfirm, setDeleteConfirm] = useState('');

  var [accountForm, setAccountForm] = useState({
    name: (user && user.name) || '',
    phone: (user && user.phone) || '',
    language: 'en',
    timezone: 'UTC-5',
  });

  var [passwordForm, setPasswordForm] = useState({
    current: '', newPass: '', confirm: '',
  });

  var isOAuth = user && (user.provider === 'google' || user.provider === 'apple');

  /* Apply theme when it changes */
  useEffect(function () {
    if (settings.theme === 'light') {
      document.documentElement.setAttribute('data-theme', 'light');
    } else {
      document.documentElement.removeAttribute('data-theme');
    }
  }, [settings.theme]);
```

```
var handleSettingToggle = function (key) {
  setSettings(function (prev) {
    var next = Object.assign({}, prev);
    next[key] = !prev[key];
    return next;
  });
  setIsDirty(true);
};

var handleSettingChange = function (key, value) {
  setSettings(function (prev) {
    var next = Object.assign({}, prev);
    next[key] = value;
    return next;
  });
  setIsDirty(true);
};

var handleAccountChange = function (e) {
  var n = e.target.name;
  var v = e.target.value;
  setAccountForm(function (prev) {
    var next = Object.assign({}, prev);
    next[n] = v;
    return next;
  });
  setIsDirty(true);
};

var handleSaveSettings = function () {
  setSaving(true);
  setTimeout(function () {
    saveSettings(settings);
    /* Also update user account fields */
    var stored = JSON.parse(localStorage.getItem('optha_user') || '{}');
    stored.name = accountForm.name;
    stored.phone = accountForm.phone;
    localStorage.setItem('optha_user', JSON.stringify(stored));
    setSaving(false);
    setIsDirty(false);
    addToast('Settings saved successfully!', 'success');
  }, 800);
};

var handleChangePassword = function (e) {
  e.preventDefault();
  if (!passwordForm.current) { addToast('Enter your current password', 'error'); return; }
  if (passwordForm.newPass.length < 8) { addToast('New password must be at least 8 characters', 'error'); return; }
  if (passwordForm.newPass !== passwordForm.confirm) { addToast('Passwords do not match', 'error'); return; }
  setSaving(true);
  setTimeout(function () {
    setSaving(false);
    setPasswordForm({ current: '', newPass: '', confirm: '' });
    addToast('Password changed successfully!', 'success');
  }, 800);
};

var handleDeleteAccount = function () {
  if (deleteConfirm !== 'DELETE') {
    addToast('Type DELETE to confirm', 'error');
    return;
  }
  logout();
  addToast('Account deleted. Sorry to see you go.', 'info');
  navigate('/');
};

var tabClass = function (id) {
  return (
    'w-full flex items-center gap-3 px-4 py-3 rounded-lg text-sm transition-all duration-200 ' +
    (activeTab === id
      ? 'text-neutral-200 border'
      : 'text-neutral-500 hover:text-neutral-300')
  );
};

var tabStyle = function (id) {
  if (activeTab === id) return { background: 'var(--bg-hover)', borderColor: 'var(--border)' };
  return {};
};

var inputClass = 'w-full px-4 py-2.5 rounded-lg text-sm focus:outline-none transition-colors';
var inputStyle = { background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' };

var tabs = [
  { id: 'account', label: 'Account' },
  { id: 'notifications', label: 'Notifications' },
  { id: 'privacy', label: 'Privacy' },
  { id: 'display', label: 'Display' },
];

return (
  <DashboardLayout>
    <div className="max-w-4xl mx-auto space-y-6">

      <div>
        <h1 className="text-2xl font-bold mb-1" style={{ color: 'var(--text-h)' }}>Settings</h1>
        <p className="text-sm" style={{ color: 'var(--text-muted)' }}>Manage your account and preferences</p>
      </div>

      <div className="grid md:grid-cols-4 gap-6">

        {/* Sidebar */}
        <div className="md:col-span-1">
          <div className="rounded-xl p-2 space-y-1" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>
```

```
    {tabs.map(function (tab) {
      return (
        <button key={tab.id} type="button" onClick={function () { setActiveTab(tab.id); }}
          className={tabClass(tab.id)} style={tabStyle(tab.id)}>
          <span>{tab.label}</span>
        </button>
      );
    })}
  </div>
</div>

{/* Content */}
<div className="md:col-span-3">
  <div className="rounded-xl p-6 space-y-6" style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>

    {/* ■■ ACCOUNT ■■ */}
    {activeTab === 'account' && (
      <div className="space-y-5">
        <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Account Information</h2>

        {/* OAuth badge */}
        {isOAuth && (
          <div className="flex items-center gap-2 px-3 py-2 rounded-lg text-sm"
            style={{ background: 'var(--accent-bg)', border: '1px solid var(--border)' }}>
            <svg className="w-4 h-4" style={{ color: 'var(--accent)' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0
            </svg>
            <span style={{ color: 'var(--text-muted)' }}>
              Signed in via {user.provider === 'google' ? 'Google' : 'Apple'}. Some fields are managed by your provider.
            </span>
          </div>
        )}

        <div className="space-y-4">
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Display Name</label>
            <input type="text" name="name" value={accountForm.name}
              onChange={handleAccountChange} className={inputClass} style={inputStyle} />
          </div>
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
              Email Address {isOAuth && <span className="text-xs opacity-50">(managed by {user.provider})</span>}
            </label>
            <input type="email" value={(user && user.email) || ''} readOnly
              className={inputClass} style={Object.assign({}, inputStyle, { opacity: 0.6, cursor: 'not-allowed' })} />
          </div>
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Phone Number</label>
            <input type="tel" name="phone" value={accountForm.phone}
              onChange={handleAccountChange} placeholder="+1 234 567 8900"
              className={inputClass} style={inputStyle} />
          </div>
          <div class="grid grid-cols-2 gap-4">
            <div>
              <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Language</label>
              <select name="language" value={accountForm.language} onChange={handleAccountChange}
                className={inputClass} style={inputStyle}>
                <option value="en">English</option>
                <option value="es">Español</option>
                <option value="fr">Français</option>
                <option value="de">Deutsch</option>
                <option value="ar">Arabic</option>
              </select>
            </div>
            <div>
              <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Timezone</label>
              <select name="timezone" value={accountForm.timezone} onChange={handleAccountChange}
                className={inputClass} style={inputStyle}>
                <option value="UTC-5">Eastern (UTC-5)</option>
                <option value="UTC-6">Central (UTC-6)</option>
                <option value="UTC-7">Mountain (UTC-7)</option>
                <option value="UTC-8">Pacific (UTC-8)</option>
                <option value="UTC+0">UTC+0</option>
                <option value="UTC+5:30">IST (UTC+5:30)</option>
              </select>
            </div>
          </div>
        </div>

        {/* Change Password (email only) */}
        {!isOAuth && (
          <div className="pt-4" style={{ borderTop: '1px solid var(--border)' }}>
            <h3 className="text-sm font-semibold mb-4" style={{ color: 'var(--text-h)' }}>Change Password</h3>
            <form onSubmit={handleChangePassword} className="space-y-3">
              <input type="password" placeholder="Current password" value={passwordForm.current}
                onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { current: e.target.value }); }); }}
                className={inputClass} style={inputStyle} />
              <input type="password" placeholder="New password (min. 8 chars)" value={passwordForm.newPass}
                onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { newPass: e.target.value }); }); }}
                className={inputClass} style={inputStyle} />
              <input type="password" placeholder="Confirm new password" value={passwordForm.confirm}
                onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { confirm: e.target.value }); }); }}
                className={inputClass} style={inputStyle} />
              <button type="submit" disabled={saving}
                className="px-4 py-2 rounded-lg text-sm font-medium transition-colors"
                style={{ background: 'var(--bg-hover)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
                Update Password
              </button>
            </form>
          </div>
        )}
      </div>
    )}

    {/* ■■ NOTIFICATIONS ■■ */}
```

```
{activeTab === 'notifications' && (
  <div className="space-y-5">
    <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Notification Preferences</h2>
    <div className="space-y-3">
      {[
        { key: 'emailNotifications', label: 'Email Notifications', desc: 'Receive scan results and reports via email' },
        { key: 'smsNotifications', label: 'SMS Notifications', desc: 'Urgent alerts via text message' },
        { key: 'highRiskAlerts', label: 'High Risk Alerts', desc: 'Immediate notification for high-risk detections' },
        { key: 'weeklyReports', label: 'Weekly Summary Reports', desc: 'Receive a weekly health summary email' },
      ].map(function (item) {
        return (
          <div key={item.key} className="flex items-start justify-between p-4 rounded-xl"
            style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
            <div className="flex-1 pr-4">
              <p className="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>{item.label}</p>
              <p className="text-xs" style={{ color: 'var(--text-muted)' }}>{item.desc}</p>
            </div>
            <button type="button" onClick={function () { handleSettingToggle(item.key); }}
              className={'relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings[item.key] ? 'bg-neutral-600' : 'bg
              <span className={'inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings[item.key] ? 'translate-x-6'
            </button>
          </div>
        );
      })}
    </div>
  </div>
)}

{/* ■■ PRIVACY ■■ */}
{activeTab === 'privacy' && (
  <div className="space-y-5">
    <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Privacy & Data</h2>
    <div className="space-y-3">
      {[
        { key: 'anonymizedResearch', label: 'Anonymous Research Data', desc: 'Help improve AI models by sharing anonymized scan data' },
        { key: 'dataSharing', label: 'Third-Party Data Sharing', desc: 'Share data with partner institutions' },
      ].map(function (item) {
        return (
          <div key={item.key} className="flex items-start justify-between p-4 rounded-xl"
            style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
            <div className="flex-1 pr-4">
              <p className="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>{item.label}</p>
              <p className="text-xs" style={{ color: 'var(--text-muted)' }}>{item.desc}</p>
            </div>
            <button type="button" onClick={function () { handleSettingToggle(item.key); }}
              className={'relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings[item.key] ? 'bg-neutral-600' : 'bg
              <span className={'inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings[item.key] ? 'translate-x-6'
            </button>
          </div>
        );
      })}
    </div>

    {/* Data management */}
    <div className="pt-4 space-y-3" style={{ borderTop: '1px solid var(--border)' }}>
      <h3 className="text-sm font-semibold" style={{ color: 'var(--text-h)' }}>Data Management</h3>
      <button type="button" onClick={function () { addToast('Data export will be emailed to you within 24 hours.', 'info'); }}
        className="text-sm transition-colors block" style={{ color: 'var(--text-muted)' }}>
        Download All My Data →
      </button>
      <button type="button" onClick={function () { setShowDeleteModal(true); }}
        class="text-sm block transition-colors" style={{ color: 'var(--risk-high-text)' }}>
        Delete My Account →
      </button>
    </div>
  </div>
)}

{/* ■■ DISPLAY ■■ */}
{activeTab === 'display' && (
  <div class="space-y-5">
    <h2 class="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Display Settings</h2>

    <div>
      <label class="block text-xs font-medium mb-3" style={{ color: 'var(--text-muted)' }}>Theme</label>
      <div class="flex items-center gap-3">
        {['dark', 'light'].map(function (t) {
          return (
            <button key={t} type="button" onClick={function () { handleSettingChange('theme', t); }}
              class="flex-1 py-3 px-4 rounded-xl text-sm font-medium transition-all ' + (settings.theme === t ? 'border-2' : 'border')}
              style={settings.theme === t
                ? { background: 'var(--bg-hover)', borderColor: 'var(--accent-border)', color: 'var(--text-h)' }
                : { background: 'var(--bg-secondary)', borderColor: 'var(--border)', color: 'var(--text-muted)' }}>
              {t === 'dark' ? '■ Dark' : '■■ Light'}
            </button>
          );
        })}
      </div>
    </div>

    <div class="flex items-start justify-between p-4 rounded-xl"
      style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
      <div class="flex-1 pr-4">
        <p class="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>Compact View</p>
        <p class="text-xs" style={{ color: 'var(--text-muted)' }}>Show more content in less space</p>
      </div>
      <button type="button" onClick={function () { handleSettingToggle('compactView'); }}
        class="relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings.compactView ? 'bg-neutral-600' : 'bg-neu
        <span class="inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings.compactView ? 'translate-x-6' : 't
      </button>
    </div>
  </div>
)}

{/* Save Button */}
```

```
            <div className="flex items-center justify-between pt-4" style={{ borderTop: '1px solid var(--border)' }}>
              <button type="button" onClick={function () { navigate('/dashboard'); }}
                className="text-sm transition-colors" style={{ color: 'var(--text-muted)' }}>
                Cancel
              </button>
              <button type="button" onClick={handleSaveSettings}
                disabled={!isDirty || saving}
                className="px-6 py-2 rounded-lg text-sm font-medium transition-all flex items-center gap-2 disabled:opacity-40 disabled:cursor-not-allowed"
                style={{ background: isDirty ? 'var(--bg-hover)' : 'var(--bg-secondary)', border: '1px solid ' + (isDirty ? 'var(--accent-border)' : 'var(--borde
                {saving ? (
                  <>
                    <svg className="animate-spin w-3.5 h-3.5" fill="none" viewBox="0 0 24 24">
                      <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
                      <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
                    </svg>
                    Saving...
                  </>
                ) : 'Save Changes'}
              </button>
            </div>
          </div>
        </div>
      </div>

      {/* Delete Modal */}
      {showDeleteModal && (
        <div className="fixed inset-0 z-50 flex items-center justify-center px-4"
          style={{ background: 'rgba(0,0,0,0.7)' }}>
          <div className="w-full max-w-sm rounded-2xl p-6"
            style={{ background: 'var(--bg-card)', border: '1px solid var(--risk-high-border)' }}>
            <h3 className="text-lg font-bold mb-2" style={{ color: 'var(--risk-high-text)' }}>Delete Account</h3>
            <p className="text-sm mb-4" style={{ color: 'var(--text-muted)' }}>
              This will permanently delete your account and all data. This action cannot be undone.
            </p>
            <p className="text-xs mb-2" style={{ color: 'var(--text-muted)' }}>
              Type <span className="font-mono font-bold" style={{ color: 'var(--text-h)' }}>DELETE</span> to confirm:
            </p>
            <input type="text" value={deleteConfirm} onChange={function (e) { setDeleteConfirm(e.target.value); }}
              placeholder="Type DELETE" className="w-full px-4 py-2.5 rounded-lg text-sm mb-4 focus:outline-none"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }} />
            <div className="flex gap-3">
              <button type="button" onClick={function () { setShowDeleteModal(false); setDeleteConfirm(''); }}
                className="flex-1 py-2.5 rounded-lg text-sm transition-colors"
                style={{ background: 'var(--bg-hover)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
                Cancel
              </button>
              <button type="button" onClick={handleDeleteAccount} disabled={deleteConfirm !== 'DELETE'}
                className="flex-1 py-2.5 rounded-lg text-sm font-medium transition-all disabled:opacity-40 disabled:cursor-not-allowed"
                style={{ background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' }}>
                Delete Account
              </button>
            </div>
          </div>
        </div>
      )}

    </div>
  </DashboardLayout>
);
};

export default Settings;
```

src\pages\Signup.jsx

```
import { useState } from 'react';
import { useNavigate, Link } from 'react-router-dom';

const Signup = () => {
  const navigate = useNavigate();
  const [currentStep, setCurrentStep] = useState(1);
  const [formData, setFormData] = useState({
    fullName: '',
    email: '',
    password: '',
    confirmPassword: '',
    phone: '',
    agreeToTerms: false,
  });
  const [loading, setLoading] = useState(false);
  const [errors, setErrors] = useState({});
  const [socialLoading, setSocialLoading] = useState('');

  const totalSteps = 3;

  var handleChange = function (e) {
    var name = e.target.name;
    var value = e.target.type === 'checkbox' ? e.target.checked : e.target.value;
    setFormData(function (prev) {
      var updated = {};
      Object.keys(prev).forEach(function (k) { updated[k] = prev[k]; });
      updated[name] = value;
      return updated;
    });
    setErrors(function (prev) {
      var updated = {};
      Object.keys(prev).forEach(function (k) { updated[k] = prev[k]; });
      updated[name] = '';
      return updated;
    });
  };

  var validateStep = function (step) {
    var newErrors = {};
    if (step === 1) {
      if (!formData.fullName.trim()) newErrors.fullName = 'Full name is required';
```

```
    if (!formData.email.trim()) newErrors.email = 'Email is required';
    else if (!/\S+@\S+\.\S+/.test(formData.email)) newErrors.email = 'Email is invalid';
  }
  if (step === 2) {
    if (!formData.password) newErrors.password = 'Password is required';
    else if (formData.password.length < 8) newErrors.password = 'Must be at least 8 characters';
    if (formData.password !== formData.confirmPassword) {
      newErrors.confirmPassword = 'Passwords do not match';
    }
  }
  if (step === 3) {
    if (!formData.agreeToTerms) newErrors.agreeToTerms = 'You must agree to the terms';
  }
  setErrors(newErrors);
  return Object.keys(newErrors).length === 0;
};

var handleNext = function () {
  if (validateStep(currentStep) && currentStep < totalSteps) {
    setCurrentStep(function (s) { return s + 1; });
  }
};

var handleBack = function () {
  if (currentStep > 1) {
    setCurrentStep(function (s) { return s - 1; });
  }
};

var handleSubmit = function (e) {
  e.preventDefault();
  if (!validateStep(currentStep)) return;
  setLoading(true);
  setTimeout(function () {
    localStorage.setItem('user', JSON.stringify({
      email: formData.email,
      name: formData.fullName,
      isNewUser: true,
    }));
    navigate('/dashboard');
  }, 1500);
};

var handleGoogleSignup = function () {
  setSocialLoading('google');
  setTimeout(function () {
    localStorage.setItem('user', JSON.stringify({
      email: 'google.user@gmail.com',
      name: 'Google User',
      isNewUser: true,
      provider: 'google',
    }));
    setSocialLoading('');
    navigate('/dashboard');
  }, 1500);
};

var handleAppleSignup = function () {
  setSocialLoading('apple');
  setTimeout(function () {
    localStorage.setItem('user', JSON.stringify({
      email: 'apple.user@icloud.com',
      name: 'Apple User',
      isNewUser: true,
      provider: 'apple',
    }));
    setSocialLoading('');
    navigate('/dashboard');
  }, 1500);
};

var getPasswordStrength = function () {
  var p = formData.password;
  if (p.length === 0) return { label: '', color: '', width: '0%' };
  if (p.length < 6) return { label: 'Weak', color: 'bg-red-500', width: '25%' };
  if (p.length < 8) return { label: 'Fair', color: 'bg-amber-500', width: '50%' };
  if (p.length < 12) return { label: 'Good', color: 'bg-blue-500', width: '75%' };
  return { label: 'Strong', color: 'bg-green-500', width: '100%' };
};

var strength = getPasswordStrength();

return (
  <div className="min-h-screen bg-neutral-950 flex items-center justify-center px-4 py-12 relative overflow-hidden">

    {/* Background orbs */}
    <div className="absolute inset-0 pointer-events-none overflow-hidden">
      <div className="absolute top-1/4 left-1/4 w-96 h-96 rounded-full blur-3xl"
        style={{ background: 'rgba(59,130,246,0.08)' }} />
      <div className="absolute bottom-1/4 right-1/4 w-96 h-96 rounded-full blur-3xl"
        style={{ background: 'rgba(139,92,246,0.08)' }} />
    </div>

    {/* Back button */}
    <Link
      to="/"
      className="absolute top-6 left-6 flex items-center gap-2 text-neutral-500 hover:text-neutral-200 transition-colors"
    >
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
      </svg>
      <span className="text-sm">Home</span>
    </Link>

    <div className="relative z-10 w-full max-w-md">
```

```
<div className="bg-neutral-900 border border-neutral-800/50 rounded-2xl p-8 shadow-2xl">

  {/* Logo */}
  <div className="flex justify-center mb-6">
    <div className="w-12 h-12 rounded-xl bg-neutral-800 border border-neutral-700/50 flex items-center justify-center">
      <span className="text-neutral-200 font-bold text-lg">O</span>
    </div>
  </div>

  {/* Heading */}
  <div className="text-center mb-8">
    <h1 className="text-2xl font-bold text-neutral-100 mb-1">Create your account</h1>
    <p className="text-sm text-neutral-500">Join OpthaMiss AI eye screening</p>
  </div>

  {/* Social Buttons */}
  <div className="space-y-3 mb-6">

    {/* Google */}
    <button
      type="button"
      onClick={handleGoogleSignup}
      disabled={socialLoading !== ''}
      className="w-full flex items-center justify-center gap-3 px-4 py-3 bg-white hover:bg-gray-50 rounded-xl border border-neutral-200 transition-all disa
    >
      {socialLoading === 'google' ? (
        <svg className="animate-spin w-5 h-5 text-gray-500" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5" viewBox="0 0 24 24">
          <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z"
          <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53
          <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81
          <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53
        </svg>
      )}
      <span className="text-sm font-medium text-gray-700">
        {socialLoading === 'google' ? 'Connecting...' : 'Continue with Google'}
      </span>
    </button>

    {/* Apple */}
    <button
      type="button"
      onClick={handleAppleSignup}
      disabled={socialLoading !== ''}
      className="w-full flex items-center justify-center gap-3 px-4 py-3 bg-black hover:bg-neutral-800 rounded-xl border border-neutral-700 transition-all
    >
      {socialLoading === 'apple' ? (
        <svg className="animate-spin w-5 h-5 text-white" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5" viewBox="0 0 24 24" fill="white">
          <path d="M18.71 19.5c-.83 1.24-1.71 2.45-3.05 2.47-1.34.03-1.77-.79-3.29-.79-1.53 0-2 .77-3.27.82-1.31.05-2.3-1.32-3.14-2.53C4.25 17 2.94 12.45
        </svg>
      )}
      <span className="text-sm font-medium text-white">
        {socialLoading === 'apple' ? 'Connecting...' : 'Continue with Apple'}
      </span>
    </button>
  </div>

  {/* Divider */}
  <div className="relative mb-6">
    <div className="absolute inset-0 flex items-center">
      <div className="w-full border-t border-neutral-800" />
    </div>
    <div class="relative flex justify-center">
      <span class="px-4 bg-neutral-900 text-xs text-neutral-600 uppercase tracking-wider">
        or sign up with email
      </span>
    </div>
  </div>

  {/* Progress Steps */}
  <div class="mb-6">
    <div class="flex items-center justify-between mb-2">
      {[1, 2, 3].map(function (step) {
        return (
          <div key={step} class="flex items-center flex-1">
            <div class={
              'w-8 h-8 rounded-full flex items-center justify-center text-sm font-medium transition-all ' +
              (step < currentStep
                ? 'bg-green-600 text-white'
                : step === currentStep
                  ? 'bg-neutral-700 border-2 border-neutral-500 text-neutral-200'
                  : 'bg-neutral-800 text-neutral-600')
            }>
              {step < currentStep ? (
                <svg class="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
                </svg>
              ) : step}
            </div>
            {step < totalSteps && (
              <div class={'flex-1 h-0.5 mx-2 transition-all ' + (step < currentStep ? 'bg-green-600' : 'bg-neutral-800')} />
            )}
          </div>
        );
      })}
    </div>
```

```
  <div className="flex justify-between text-xs text-neutral-600 px-1">
    <span>Account</span>
    <span>Security</span>
    <span>Confirm</span>
  </div>
</div>

{/* Form */}
<form onSubmit={handleSubmit}>

  {/* Step 1 */}
  {currentStep === 1 && (
    <div className="space-y-4">
      <div>
        <label className="block text-xs font-medium text-neutral-400 mb-1.5">
          Full Name
        </label>
        <input
          type="text"
          name="fullName"
          value={formData.fullName}
          onChange={handleChange}
          placeholder="John Doe"
          className={
            'w-full px-4 py-3 bg-neutral-800/50 border rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none transition-colors
            (errors.fullName ? 'border-red-700' : 'border-neutral-700/50 focus:border-neutral-600')
          }
        />
        {errors.fullName && <p className="text-red-400 text-xs mt-1">{errors.fullName}</p>}
      </div>
      <div>
        <label className="block text-xs font-medium text-neutral-400 mb-1.5">
          Email Address
        </label>
        <input
          type="email"
          name="email"
          value={formData.email}
          onChange={handleChange}
          placeholder="john@example.com"
          className={
            'w-full px-4 py-3 bg-neutral-800/50 border rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none transition-colors
            (errors.email ? 'border-red-700' : 'border-neutral-700/50 focus:border-neutral-600')
          }
        />
        {errors.email && <p className="text-red-400 text-xs mt-1">{errors.email}</p>}
      </div>
      <div>
        <label className="block text-xs font-medium text-neutral-400 mb-1.5">
          Phone <span className="text-neutral-600">(optional)</span>
        </label>
        <input
          type="tel"
          name="phone"
          value={formData.phone}
          onChange={handleChange}
          placeholder="+1 234 567 8900"
          className="w-full px-4 py-3 bg-neutral-800/50 border border-neutral-700/50 rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:o
        />
      </div>
    </div>
  )}

  {/* Step 2 */}
  {currentStep === 2 && (
    <div className="space-y-4">
      <div>
        <label className="block text-xs font-medium text-neutral-400 mb-1.5">
          Password
        </label>
        <input
          type="password"
          name="password"
          value={formData.password}
          onChange={handleChange}
          placeholder="Min. 8 characters"
          className={
            'w-full px-4 py-3 bg-neutral-800/50 border rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none transition-colors
            (errors.password ? 'border-red-700' : 'border-neutral-700/50 focus:border-neutral-600')
          }
        />
        {errors.password && <p className="text-red-400 text-xs mt-1">{errors.password}</p>}

        {formData.password.length > 0 && (
          <div className="mt-2">
            <div className="flex justify-between text-xs mb-1">
              <span className="text-neutral-600">Strength</span>
              <span className={
                strength.label === 'Strong' ? 'text-green-400' :
                strength.label === 'Good' ? 'text-blue-400' :
                strength.label === 'Fair' ? 'text-amber-400' : 'text-red-400'
              }>{strength.label}</span>
            </div>
            <div className="w-full h-1.5 bg-neutral-800 rounded-full overflow-hidden">
              <div className={'h-full rounded-full transition-all duration-300 ' + strength.color} style={{ width: strength.width }} />
            </div>
          </div>
        )}
      </div>
      <div>
        <label className="block text-xs font-medium text-neutral-400 mb-1.5">
          Confirm Password
        </label>
        <input
          type="password"
```

```
        name="confirmPassword"
        value={formData.confirmPassword}
        onChange={handleChange}
        placeholder="Repeat password"
        className={
          'w-full px-4 py-3 bg-neutral-800/50 border rounded-xl text-sm text-neutral-200 placeholder-neutral-600 focus:outline-none transition-colors
          (errors.confirmPassword ? 'border-red-700' : 'border-neutral-700/50 focus:border-neutral-600')
        }
      />
      {errors.confirmPassword && <p className="text-red-400 text-xs mt-1">{errors.confirmPassword}</p>}
    </div>
  </div>
)}

{/* Step 3 */}
{currentStep === 3 && (
  <div className="space-y-5">
    <div className="p-4 bg-neutral-800/30 border border-neutral-800/50 rounded-xl space-y-3">
      <div className="flex items-start gap-3">
        <div className="w-8 h-8 rounded-lg bg-green-900/30 border border-green-800/40 flex items-center justify-center flex-shrink-0">
          <svg className="w-4 h-4 text-green-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0
          </svg>
        </div>
        <div>
          <p className="text-sm font-medium text-neutral-200">HIPAA Compliant</p>
          <p className="text-xs text-neutral-500 mt-0.5">Your medical data is encrypted and never sold to third parties.</p>
        </div>
      </div>
      <div class="flex items-start gap-3">
        <div class="w-8 h-8 rounded-lg bg-blue-900/30 border border-blue-800/40 flex items-center justify-center flex-shrink-0">
          <svg class="w-4 h-4 text-blue-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 15v2m-6 4h12a2 2 0 002-2v-6a2 2 0 00-2-2H6a2 2 0 00-2 2v6a2 2 0 0
          </svg>
        </div>
        <div>
          <p class="text-sm font-medium text-neutral-200">256-bit SSL Encryption</p>
          <p class="text-xs text-neutral-500 mt-0.5">All data transfers are secured with enterprise-grade encryption.</p>
        </div>
      </div>
    </div>

    <div>
      <label class="flex items-start gap-3 cursor-pointer">
        <input
          type="checkbox"
          name="agreeToTerms"
          checked={formData.agreeToTerms}
          onChange={handleChange}
          class="mt-0.5 w-4 h-4 rounded border-neutral-700 bg-neutral-800 text-blue-500 focus:ring-0"
        />
        <span class="text-sm text-neutral-400 leading-relaxed">
          I agree to the{' '}
          <a href="#" class="text-neutral-300 hover:text-white underline underline-offset-2">
            Terms of Service
          </a>{' '}
          and{' '}
          <a href="#" class="text-neutral-300 hover:text-white underline underline-offset-2">
            Privacy Policy
          </a>
        </span>
      </label>
      {errors.agreeToTerms && (
        <p class="text-red-400 text-xs mt-1 ml-7">{errors.agreeToTerms}</p>
      )}
    </div>
  </div>
)}

{/* Navigation */}
<div class="flex gap-3 mt-6">
  {currentStep > 1 && (
    <button
      type="button"
      onClick={handleBack}
      class="flex-1 py-3 bg-neutral-800 border border-neutral-700/50 rounded-xl text-sm font-medium text-neutral-300 hover:bg-neutral-700 transitio
    >
      Back
    </button>
  )}
  {currentStep < totalSteps ? (
    <button
      type="button"
      onClick={handleNext}
      class="flex-1 py-3 bg-neutral-700 border border-neutral-600/50 rounded-xl text-sm font-medium text-neutral-100 hover:bg-neutral-600 transitio
    >
      Continue
    </button>
  ) : (
    <button
      type="submit"
      disabled={loading}
      class="flex-1 py-3 bg-neutral-700 border border-neutral-600/50 rounded-xl text-sm font-medium text-neutral-100 hover:bg-neutral-600 transitio
    >
      {loading ? (
        <>
          <svg class="animate-spin w-4 h-4" fill="none" viewBox="0 0 24 24">
            <circle class="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
            <path class="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
          </svg>
          Creating account...
        </>
      ) : 'Create Account'}
    </button>
  )}
```

```
            </div>
          </form>

          {/* Sign in link */}
          <p className="text-center text-sm text-neutral-500 mt-6">
            Already have an account?{' '}
            <Link to="/login" className="text-neutral-300 hover:text-white transition-colors font-medium">
              Sign in
            </Link>
          </p>

        </div>
      </div>
    </div>
  );
};

export default Signup;
```

src\styles\globals.css

```
/* ■■ Theme Variables ■■ */
:root {
  --accent: #a3a3a3;
  --accent-bg: rgba(163, 163, 163, 0.08);
  --accent-border: #525252;
  --border: #262626;
  --border-hover: #404040;
  --text-h: #e5e5e5;
  --text-muted: #737373;
  --text-subtle: #525252;
  --social-bg: #1a1a1a;
  --shadow: 0 4px 24px rgba(0, 0, 0, 0.4);
  --bg-primary: #0a0a0a;
  --bg-secondary: #111111;
  --bg-card: #171717;
  --bg-hover: #1c1c1c;
  --radius: 12px;
  --radius-sm: 8px;
  --radius-lg: 16px;
  --transition: 0.3s ease;

  /* Risk Colors */
  --risk-high-bg: rgba(127, 29, 29, 0.2);
  --risk-high-border: rgba(153, 27, 27, 0.4);
  --risk-high-text: #fca5a5;
  --risk-moderate-bg: rgba(120, 53, 15, 0.2);
  --risk-moderate-border: rgba(146, 64, 14, 0.4);
  --risk-moderate-text: #fcd34d;
  --risk-low-bg: rgba(20, 83, 45, 0.2);
  --risk-low-border: rgba(22, 101, 52, 0.4);
  --risk-low-text: #86efac;

  font-family: 'Inter', system-ui, -apple-system, BlinkMacSystemFont, sans-serif;
  line-height: 1.5;
  font-weight: 400;
  color-scheme: dark;
}

/* Light Theme */
[data-theme="light"] {
  --accent: #404040;
  --accent-bg: rgba(64, 64, 64, 0.08);
  --accent-border: #a3a3a3;
  --border: #e5e5e5;
  --border-hover: #d4d4d4;
  --text-h: #111111;
  --text-muted: #525252;
  --text-subtle: #737373;
  --social-bg: #f5f5f5;
  --shadow: 0 4px 24px rgba(0, 0, 0, 0.1);
  --bg-primary: #ffffff;
  --bg-secondary: #fafafa;
  --bg-card: #f5f5f5;
  --bg-hover: #efefef;
  color-scheme: light;
}

html { scroll-behavior: smooth; }

body {
  margin: 0;
  padding: 0;
  background-color: var(--bg-primary);
  color: var(--text-h);
  overflow-x: hidden;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  transition: background-color var(--transition), color var(--transition);
}

/* ■■ Scrollbar ■■ */
::-webkit-scrollbar { width: 5px; }
::-webkit-scrollbar-track { background: var(--bg-secondary); }
::-webkit-scrollbar-thumb { background: var(--border-hover); border-radius: 3px; }
::-webkit-scrollbar-thumb:hover { background: var(--accent); }

/* ■■ Reusable Button ■■ */
.btn {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  padding: 8px 16px;
  border-radius: var(--radius-sm);
  font-size: 14px;
  font-weight: 500;
```

```
  border: 1px solid var(--border);
  background: var(--accent-bg);
  color: var(--accent);
  cursor: pointer;
  transition: border-color var(--transition), box-shadow var(--transition), background var(--transition);
  text-decoration: none;
}
.btn:hover {
  border-color: var(--accent-border);
  box-shadow: var(--shadow);
  background: var(--bg-hover);
}
.btn:focus-visible {
  outline: 2px solid var(--accent);
  outline-offset: 2px;
}
.btn-primary {
  background: var(--accent-bg);
  border-color: var(--accent-border);
  color: var(--text-h);
}
.btn-danger {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

/* ■■ Cards ■■ */
.card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: var(--radius);
  transition: border-color var(--transition);
}
.card:hover { border-color: var(--border-hover); }

/* ■■ Form Inputs ■■ */
.input {
  width: 100%;
  padding: 10px 14px;
  background: var(--bg-secondary);
  border: 1px solid var(--border);
  border-radius: var(--radius-sm);
  color: var(--text-h);
  font-size: 14px;
  transition: border-color var(--transition);
  outline: none;
}
.input:focus { border-color: var(--accent-border); }
.input::placeholder { color: var(--text-subtle); }

/* ■■ Animations ■■ */
@keyframes slideUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}
@keyframes fadeIn {
  from { opacity: 0; }
  to { opacity: 1; }
}
@keyframes float1 {
  0%, 100% { transform: translate(0, 0) scale(1); }
  25% { transform: translate(30px, -40px) scale(1.05); }
  50% { transform: translate(-20px, -70px) scale(0.95); }
  75% { transform: translate(40px, -30px) scale(1.02); }
}
@keyframes float2 {
  0%, 100% { transform: translate(0, 0) scale(1); }
  33% { transform: translate(-40px, -50px) scale(1.08); }
  66% { transform: translate(30px, -80px) scale(0.92); }
}
@keyframes float3 {
  0%, 100% { transform: translate(0, 0); }
  20% { transform: translate(50px, -20px); }
  40% { transform: translate(-30px, -60px); }
  60% { transform: translate(20px, -90px); }
  80% { transform: translate(-40px, -40px); }
}
@keyframes driftUp {
  0% { transform: translateY(100vh) scale(0); opacity: 0; }
  10% { opacity: 1; }
  90% { opacity: 1; }
  100% { transform: translateY(-100px) scale(1); opacity: 0; }
}
@keyframes pulse-glow {
  0%, 100% { opacity: 0.4; transform: scale(1); }
  50% { opacity: 0.8; transform: scale(1.12); }
}
@keyframes spin {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}
@keyframes slide-in-right {
  from { opacity: 0; transform: translateX(20px); }
  to { opacity: 1; transform: translateX(0); }
}
@keyframes float-slow {
  0%, 100% { transform: translateY(0px) rotate(0deg); }
  50% { transform: translateY(-15px) rotate(3deg); }
}
@keyframes float-particle {
  0%, 100% { transform: translateY(0px); opacity: 0; }
  50% { transform: translateY(-30px); opacity: 1; }
}

.animate-float-slow { animation: float-slow 6s ease-in-out infinite; }
```

```
.animate-float-particle { animation: float-particle 4s ease-in-out infinite; }
.animate-slide-in { animation: slide-in-right 0.3s ease-out; }
.animate-spin { animation: spin 1s linear infinite; }
```