eslint.config.js

```
import js from '@eslint/js'
import globals from 'globals'
import reactHooks from 'eslint-plugin-react-hooks'
import reactRefresh from 'eslint-plugin-react-refresh'
import { defineConfig, globalIgnores } from 'eslint/config'

export default defineConfig([
  globalIgnores(['dist']),
  {
    files: ['**/*.{js,jsx}'],
    extends: [
      js.configs.recommended,
      reactHooks.configs.flat.recommended,
      reactRefresh.configs.vite,
    ],
    languageOptions: {
      ecmaVersion: 2020,
      globals: globals.browser,
      parserOptions: {
        ecmaVersion: 'latest',
        ecmaFeatures: { jsx: true },
        sourceType: 'module',
      },
    },
    rules: {
      'no-unused-vars': ['error', { varsIgnorePattern: '^[A-Z_]' }],
    },
  },
])
```

index.html

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>OpthaMiss - AI-Powered Tele-Ophthalmology</title>
  <meta name="description"
    content="OpthaMiss is an AI-powered platform for early detection of eye diseases using deep learning and medical imaging." />
  <meta name="keywords" content="AI eye detection, retina analysis, healthcare AI, eye disease detection" />
  <meta name="robots" content="index, follow" />
  <meta name="author" content="OpthaMiss" />
  <meta property="og:title" content="OpthaMiss - AI Eye Disease Detection Platform" />
  <meta property="og:description"
    content="OpthaMiss is an AI-powered platform for early detection of eye diseases using deep learning and medical imaging." />
  <meta property="og:url" content="https://www.OpthaMiss.com" />
  <meta property="og:type" content="website" />
  <meta property="og:site_name" content="OpthaMiss" />
  <link rel="canonical" href="https://www.OpthaMiss.com" />
  <meta name="google-site-verification" content="zAfQxuyhhPWMKt-AjVX242Y_1EHEQkwhx19mzIGLtXc" />
</head>

<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>

</html>
```

package-lock.json


```
{
  "name": "frontend",
  "version": "0.0.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "frontend",
      "version": "0.0.0",
      "dependencies": {
        "@react-three/drei": "^9.122.0",
        "@react-three/fiber": "^8.18.0",
        "axios": "^1.14.0",
        "framer-motion": "^10.18.0",
        "react": "^18.3.1",
        "react-dom": "^18.3.1",
        "react-dropzone": "^14.4.1",
        "react-router-dom": "^7.13.2",
        "three": "^0.160.1"
      },
      "devDependencies": {
        "@types/react": "^18.2.37",
        "@types/react-dom": "^18.2.15",
        "@vitejs/plugin-react": "^4.7.0",
        "autoprefixer": "^10.4.27",
        "postcss": "^8.5.8",
        "tailwindcss": "^3.4.19",
        "vite": "^4.5.14"
      }
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfdGQ85jglMW6juS3+z5TsKLw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      },
      "funding": {
        "url": "https://github.com/sponsors/sindresorhus"
```

```
    }
  },
  "node_modules/@babel/code-frame": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
    "integrity": "sha512-9NhCeYjq9+3uxgdtp20LSiJXJvN0FeCtNGpJxuMFZ1Kv3cWUNb6DOhJwUvcVCzKGR66cw4njwM6hrJLqgOwbcw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-validator-identifier": "^7.28.5",
      "js-tokens": "^4.0.0",
      "picocolors": "^1.1.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/compat-data": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.0.tgz",
    "integrity": "sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsafi68MRv8yzkYSapBnFA6L3U2VSc02ciDzoAJhJg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/core": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
    "integrity": "sha512-CGOfOJqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1XTYED2Rni5f95npYeuwMDQA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.0",
      "@babel/generator": "^7.29.0",
      "@babel/helper-compilation-targets": "^7.28.6",
      "@babel/helper-module-transforms": "^7.28.6",
      "@babel/helpers": "^7.28.6",
      "@babel/parser": "^7.29.0",
      "@babel/template": "^7.28.6",
      "@babel/traverse": "^7.29.0",
      "@babel/types": "^7.29.0",
      "@jridgewell/remapping": "^2.3.5",
      "convert-source-map": "^2.0.0",
      "debug": "^4.1.0",
      "gensync": "^1.0.0-beta.2",
      "json5": "^2.2.3",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/babel"
    }
  },
  "node_modules/@babel/generator": {
    "version": "7.29.1",
    "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
    "integrity": "sha512-qsaF+9Qcm2Qv8SRIMMscAvG4O3lJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs4ls/oPz9v+Bsmzbkbe+0dUw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/parser": "^7.29.0",
      "@babel/types": "^7.29.0",
      "@jridgewell/gen-mapping": "^0.3.12",
      "@jridgewell/trace-mapping": "^0.3.28",
      "jsesc": "^3.0.2"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-compilation-targets": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.28.6.tgz",
    "integrity": "sha512-JYtls3hqi15fcx5GaSNL7SCTJ2MNmjrkHXg4FSpOA/grxK8KwyZ5bubHsCq8FXCkua6xhuaaBit+3b7+VZRfcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/compat-data": "^7.28.6",
      "@babel/helper-validator-option": "^7.27.1",
      "browserslist": "^4.24.0",
      "lru-cache": "^5.1.1",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-globals": {
    "version": "7.28.0",
    "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
    "integrity": "sha512-+W6cISkXFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuYfSWopkLQ4hw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-imports": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.28.6.tgz",
```

```
    "integrity": "sha512-l5XkZK7r7wa9LucGw9LwZyyCUscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK25jmvubfpw2dnAMdbw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/traverse": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-transforms": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.6.tgz",
    "integrity": "sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/wOzUByWWTJvEDVNIUGcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-module-imports": "^7.28.6",
      "@babel/helper-validator-identifier": "^7.28.5",
      "@babel/traverse": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0"
    }
  },
  "node_modules/@babel/helper-plugin-utils": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-plugin-utils/-/helper-plugin-utils-7.28.6.tgz",
    "integrity": "sha512-S9gzZ/bz83GRysI7gAD4wPT/AI3uCnY+9xn+Mx/KPs2JwHJIz1W8PZkg2cqyt3RNOBM8ejcXhV6y8Og7ly/Dug==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-string-parser": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
    "integrity": "sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-identifier": {
    "version": "7.28.5",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
    "integrity": "sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03sOh2OcHF9UHfVPqWWALUsNUVzhSBiItjRZoLHx7nIarVjqKVusUZ1Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-option": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz",
    "integrity": "sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEaWJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJYbYd9JSg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helpers": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
    "integrity": "sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XUo4NGjNl3VOtSjEKNzqfFgKw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/parser": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.2.tgz",
    "integrity": "sha512-4GgRzy/+fsBa72/RZVJmGKPmZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud6Zwl0RZIcgiLD7Uq7ySFuDLA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.29.0"
    },
    "bin": {
      "parser": "bin/babel-parser.js"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@babel/plugin-transform-react-jsx-self": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-self/-/plugin-transform-react-jsx-self-7.27.1.tgz",
    "integrity": "sha512-6UzkCs+ejGdZ5mFFC/OCUrv028ab2fp1znZmCZjAOBKiBK2jXD1O+BPSfX8X2qjJ75fZBMSnQn3Rq2mrBJK2mw==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "@babel/helper-plugin-utils": "^7.27.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0-0"
    }
  },
  "node_modules/@babel/plugin-transform-react-jsx-source": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/plugin-transform-react-jsx-source/-/plugin-transform-react-jsx-source-7.27.1.tgz",
    "integrity": "sha512-zbwoTsBruTeKB9hSq73ha66iFeJHuaFkUbwvqElnygoNbj/jHRsSeokowZFN3CZ64IvEqcmmkVe89OPXc7ldAw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-plugin-utils": "^7.27.1"
    },
    "engines": {
      "node": ">=6.9.0"
    },
    "peerDependencies": {
      "@babel/core": "^7.0.0-0"
    }
  },
  "node_modules/@babel/runtime": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/runtime/-/runtime-7.29.2.tgz",
    "integrity": "sha512-JiDShH45zKHWyGe4ZNVRrCjBz8Nh9TMmZG1kh4QTK8hCBTWBi8Da+i7s1fJw7/lYpM4ccepSNfqzZ/QvABBi5g==",
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/template": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
    "integrity": "sha512-YA6Ma2KsCdGb+WC6UpBVFJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXXyU84/IhRw/2D1Os1B/giz+BQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.28.6",
      "@babel/parser": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/traverse": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
    "integrity": "sha512-4HPiQr0X7+waHfyXPZpWPfWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHddJE9fhNE7+lxdnlyemKfJRuA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.0",
      "@babel/generator": "^7.29.0",
      "@babel/helper-globals": "^7.28.0",
      "@babel/parser": "^7.29.0",
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0",
      "debug": "^4.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/types": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
    "integrity": "sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUuO6BGrbyQ2mYV11W0U8j5mBhd14dd3B0A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-string-parser": "^7.27.1",
      "@babel/helper-validator-identifier": "^7.28.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@dimforge/rapier3d-compat": {
    "version": "0.12.0",
    "resolved": "https://registry.npmjs.org/@dimforge/rapier3d-compat/-/rapier3d-compat-0.12.0.tgz",
    "integrity": "sha512-uekIGetywIgopfD97oDL5PfeezkFpNhwlzlaEYNOA0N6ghdsOvh/HYjSMek5Q2O1PYvRSDFcqFVJl4r4ZBwOow==",
    "license": "Apache-2.0"
  },
  "node_modules/@emotion/is-prop-valid": {
    "version": "0.8.8",
    "resolved": "https://registry.npmjs.org/@emotion/is-prop-valid/-/is-prop-valid-0.8.8.tgz",
    "integrity": "sha512-u5WtneEAr5IDG2Wv65yhunPSMLIpuKsbuOktRojfrEiEvRyC85LgPMZI63cr7NUqT8ZIGdSVg8ZKGxIug4lXcA==",
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emotion/memoize": "0.7.4"
    }
  },
  "node_modules/@emotion/memoize": {
    "version": "0.7.4",
    "resolved": "https://registry.npmjs.org/@emotion/memoize/-/memoize-0.7.4.tgz",
    "integrity": "sha512-Ja/Vfqe3HpuzRsG1oBtWTHk2PGZ7GR+2Vz5iYGelAw8dx32K0y7PjVuxK6z1nMpZOqAFsRUPCkK1YjJ56qJlgw==",
    "license": "MIT",
    "optional": true
```

```
  },
  "node_modules/@esbuild/android-arm": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm/-/android-arm-0.18.20.tgz",
    "integrity": "sha512-fyi7TDI/ijKKNZTUJAQqiG5T7YjJXgnzkURqmGj13C6dCqckZBLdl4h7bkhHt/t0WP+zO9/zwroDvANaOqO5Sw==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-arm64/-/android-arm64-0.18.20.tgz",
    "integrity": "sha512-Nz4rJcchGDtENV0eMKUNa6L12zz2zBDXuhj/Vjh18zGqB44Bi7MBMSXjgunJgjRhCmKOjnPuZp4Mb6OKqtMHLQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/android-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/android-x64/-/android-x64-0.18.20.tgz",
    "integrity": "sha512-8GDdlePJA8D6zlZYJV/jnrRAi6rOiNaCC/JclcXpB+KIuvfBN4owLtgzY2bsxnx666XjJx2kDPUmnTtR8qKQUg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/darwin-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-arm64/-/darwin-arm64-0.18.20.tgz",
    "integrity": "sha512-bxRHW5kHU38zS2lPTPOyuyTm+S+eobPUnTNkdJEfAddYgEcll4xkT8DB9d2008DtTbl7uJag2HuE5NZAZgnNEA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/darwin-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/darwin-x64/-/darwin-x64-0.18.20.tgz",
    "integrity": "sha512-pc5gxlMDxzm513qPGbCbDukOdsGtKhfxD1zJKXjCCcU7ju50O7MeAZ8c4krSJcOIJGFR+qx21yMMVYwiQvyTyQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/freebsd-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-arm64/-/freebsd-arm64-0.18.20.tgz",
    "integrity": "sha512-yqDQHy4QHevpMAaxhhIwYPMv1NECwOvIpGCZkECn8w2WFHXjEwrBn3CeNIYsibZ/iZEUemj++M26W3cNR5h+Tw==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/freebsd-x64": {
    "version": "0.18.20",
```

```
    "resolved": "https://registry.npmjs.org/@esbuild/freebsd-x64/-/freebsd-x64-0.18.20.tgz",
    "integrity": "sha512-tgWRPPuQsd3RmBZwarGVHZQvtzfEBOreNuxEMKFcd5DaDn2PbBxfwLcj4+aenoh7ctXcbXmOQIn8HI6mCSw5MQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-arm": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm/-/linux-arm-0.18.20.tgz",
    "integrity": "sha512-/5bHkMWnq1EgKr1V+Ybz3s1hWXok7mDFUMQ4cG10AfW3wL02PSZi5kFpYKrptDsgb2WAJIvRcDm+qIvXf/apvg==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-arm64/-/linux-arm64-0.18.20.tgz",
    "integrity": "sha512-2YbscF+UL7SQAVIpnWvYwM+3LskyDmPhe31pE7/aoTMFKKzIc9lLbyGUpmmb8a8AixOL61sQ/mFh3jEjHYFvdA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-ia32": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-ia32/-/linux-ia32-0.18.20.tgz",
    "integrity": "sha512-P4etWwq6IsReT0E1KHU40bOnzMHoH73aXp96Fs8TIT6z9Hu8G6+0SHSw9i2isWrD2nbx2qo5yUqACgdfVGx7TA==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-loong64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-loong64/-/linux-loong64-0.18.20.tgz",
    "integrity": "sha512-nXW8nqBTrOpDLPgPY9uV+/1DjxoQ7DoB2N8eocyq8I9XuqJ7BiAMDMf9n1xZM9TgW0J8zrquIb/A7s3BJv7rjg==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-mips64el": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-mips64el/-/linux-mips64el-0.18.20.tgz",
    "integrity": "sha512-d5NeaXZcHp8PzYy5VnXV3VSd2D328Zb+9dEq5HE6bw6+N86JVPExrA6O68OPwobntbNJ0pzCpUFZTo3w0GyetQ==",
    "cpu": [
      "mips64el"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/linux-ppc64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/linux-ppc64/-/linux-ppc64-0.18.20.tgz",
    "integrity": "sha512-WHPyeScRNcmANnLQkq6AfyXRFr5D6N2sKgkFo2FqguP44Nw2eyDlbTdZwd9GYk98DZG9QItIiTlFLHJHjxP3FA==",
    "cpu": [
```

```
    "ppc64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-riscv64": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-riscv64/-/linux-riscv64-0.18.20.tgz",
  "integrity": "sha512-WSxo6h5ecI5XH34KC7w5veNnKkju3zBRLEQNY7mv5mtBmrP/MjNBCAlsM2u5hDBlS3NGcTQpoBvRzqBcRtpq1A==",
  "cpu": [
    "riscv64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-s390x": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-s390x/-/linux-s390x-0.18.20.tgz",
  "integrity": "sha512-+8231GMs3mAEth6Ja1iK0a1sQ3ohfcpzpRLH8uuc5/KVDFneH6jtAJLFGafpzpMRO6DzJ6AvXKze9LfFMrIHVQ==",
  "cpu": [
    "s390x"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/linux-x64": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/linux-x64/-/linux-x64-0.18.20.tgz",
  "integrity": "sha512-UYqiqemphJcNsFEskc73jQ7B9jgwjWrSayxawS6UVFZGWrAAtkzjxSqnoclCXxWtfwLdzU+vTpcNYhpn43uP1w==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/netbsd-x64": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/netbsd-x64/-/netbsd-x64-0.18.20.tgz",
  "integrity": "sha512-iO1c++VP6xUBUmltHZoMtCUdPlnPGdBom6IrO4gyKPFFVBKioIImVooR5I83nTew5UOYrk3gIJhbZh8X44y06A==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "netbsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/openbsd-x64": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/openbsd-x64/-/openbsd-x64-0.18.20.tgz",
  "integrity": "sha512-e5e4YSsuQfX4cxcygw/UCPIEP6wbIL+se3sxPdCiMbFLBWu0eiZOJ7WoD+ptCLrmjZBK1Wk7I6D/I3NglUGOxg==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "openbsd"
  ],
  "engines": {
    "node": ">=12"
  }
},
"node_modules/@esbuild/sunos-x64": {
  "version": "0.18.20",
  "resolved": "https://registry.npmjs.org/@esbuild/sunos-x64/-/sunos-x64-0.18.20.tgz",
  "integrity": "sha512-kDbFRFp0YpTQVVrqUd5FTYmWo45zGaXe0X8E1G/LKFC0v8x0vWrhOWSLITcCn63lmZIxfOMXtCfti/RxN/0wnQ==",
  "cpu": [
    "x64"
  ],
  "dev": true,
```

```
    "license": "MIT",
    "optional": true,
    "os": [
      "sunos"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-arm64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-arm64/-/win32-arm64-0.18.20.tgz",
    "integrity": "sha512-ddYFR6ItYgoaq4v4JmQQaAI5s7npztfV4Ag6NrhiaW0RrnOXqBkgwZLofVTlq1daVTQNhtI5oieTvkRPfZrePg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-ia32": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-ia32/-/win32-ia32-0.18.20.tgz",
    "integrity": "sha512-Wv7QBi3ID/rROT08SABTS7eV4hX26sVduqDOTe1MvGMjNd3EjOz4b7zeexIR62GTIEKrfJXKL9LFxTYgkyeu7g==",
    "cpu": [
      "ia32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@esbuild/win32-x64": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/@esbuild/win32-x64/-/win32-x64-0.18.20.tgz",
    "integrity": "sha512-kTdfRcSiDfQca/y9QIkng02avJ+NCaQvrMejlsB3RRv5sE9rRoeBPISaZpKxHELzRxZyLvNts1P27W3wV+8geQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">=12"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBbA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
    "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOwi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
    "integrity": "sha512-cYQ9310grqxueWbl+WuIUIaiUaDcj7WOq5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8Sl70VScFbICvJnLKB0Og==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-zzNR+SdQSDJzc8joaeP8QQoCQr8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCMtmfV8Nu1twOLAw==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "@jridgewell/resolve-uri": "^3.1.0",
      "@jridgewell/sourcemap-codec": "^1.4.14"
    }
  },
  "node_modules/@mediapipe/tasks-vision": {
    "version": "0.10.17",
    "resolved": "https://registry.npmjs.org/@mediapipe/tasks-vision/-/tasks-vision-0.10.17.tgz",
    "integrity": "sha512-CZWV/q6TTe8ta61cZXjfnnHsfWIdFhms03M9T7Cnd5y2mdpylJM0rF1qRq+wsQVRMLz1OYPVEBU9ph2Bx8cxrg==",
    "license": "Apache-2.0"
  },
  "node_modules/@monogrid/gainmap-js": {
    "version": "3.4.0",
    "resolved": "https://registry.npmjs.org/@monogrid/gainmap-js/-/gainmap-js-3.4.0.tgz",
    "integrity": "sha512-2Z0FATFHaoYJ8b+Y4y4Hgfn3FRFwuU5zRrk+9dFWp4uGAdHGqVEdP7HP+gLA3X469KXHmfupJaUbKo1b/aDKIg==",
    "license": "MIT",
    "dependencies": {
      "promise-worker-transferable": "^1.0.4"
    },
    "peerDependencies": {
      "three": ">= 0.159.0"
    }
  },
  "node_modules/@nodelib/fs.scandir": {
    "version": "2.1.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
    "integrity": "sha512-vq24Bq3ym5HEQm2NKCr3yXDwjc7vTsEThRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "2.0.5",
      "run-parallel": "^1.1.9"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.stat": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
    "integrity": "sha512-RkhPPp2zrqDAQA/2jNhnztcPAlv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.walk": {
    "version": "1.2.8",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
    "integrity": "sha512-oGB+UxlgWcgQkgwo8GcEGwemoTFt3FIO9ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.scandir": "2.1.5",
      "fastq": "^1.6.0"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@react-spring/animated": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/animated/-/animated-9.7.5.tgz",
    "integrity": "sha512-Tqrwz7pIlsSDITzxoLS3n/v/YCUHQdOIKtOJf4yL6kYVSDTSmVK1LI1Q3M/uu2Sx4X3pIWF3xLUhlsA6SPNTNg==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/shared": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/@react-spring/core": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/core/-/core-9.7.5.tgz",
    "integrity": "sha512-rmEqcxRcu7dWh7MnCcMXLvrf6/SDlSokLaLTxiPlAYi11nN3B5oiCUAblO72o+9z/87j2uzxa2Inm8UbLjXA+w==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/animated": "~9.7.5",
      "@react-spring/shared": "~9.7.5",
      "@react-spring/types": "~9.7.5"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/react-spring/donate"
    },
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
    }
  },
  "node_modules/@react-spring/rafz": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/rafz/-/rafz-9.7.5.tgz",
    "integrity": "sha512-5ZenDQMC48wjUzPAm1EtwQ5Ot3bLIAwwqP2w2owG5KoNdNHpEJV263nGhCeKKmuA3vG2zLLOdu3or6kuDjA6Aw==",
    "license": "MIT"
  },
  "node_modules/@react-spring/shared": {
    "version": "9.7.5",
    "resolved": "https://registry.npmjs.org/@react-spring/shared/-/shared-9.7.5.tgz",
    "integrity": "sha512-wdtoJrhUeeyD/PP/zo+np2s1Z820Ohr/BbuVYv+3dVLW7WctoiN7std8rISoYoHpUXtbkpesSKuPIw/6U1w1Pw==",
    "license": "MIT",
    "dependencies": {
      "@react-spring/rafz": "~9.7.5",
```

```
    "@react-spring/types": "~9.7.5"
  },
  "peerDependencies": {
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0"
  }
},
"node_modules/@react-spring/three": {
  "version": "9.7.5",
  "resolved": "https://registry.npmjs.org/@react-spring/three/-/three-9.7.5.tgz",
  "integrity": "sha512-RxIsCoQfUqOS3POmhVHa1wdWS0wyHAUway73uRLp3GAL5U2iYVNdnzQsep6M2NZ994BlW8TcKuMtQHUqOsy6WA==",
  "license": "MIT",
  "dependencies": {
    "@react-spring/animated": "~9.7.5",
    "@react-spring/core": "~9.7.5",
    "@react-spring/shared": "~9.7.5",
    "@react-spring/types": "~9.7.5"
  },
  "peerDependencies": {
    "@react-three/fiber": ">=6.0",
    "react": "^16.8.0 || ^17.0.0 || ^18.0.0",
    "three": ">=0.126"
  }
},
"node_modules/@react-spring/types": {
  "version": "9.7.5",
  "resolved": "https://registry.npmjs.org/@react-spring/types/-/types-9.7.5.tgz",
  "integrity": "sha512-HVj7LrZ4ReHWBimBvu2SKND3cDVUPWKLqRTmWe/fNY6o1owGOX0cAHbdPDTMelgBlVbrTKrre6lFkhqGZErK/g==",
  "license": "MIT"
},
"node_modules/@react-three/drei": {
  "version": "9.122.0",
  "resolved": "https://registry.npmjs.org/@react-three/drei/-/drei-9.122.0.tgz",
  "integrity": "sha512-SEO/F/rBCTjlLez7WAlpys+iGe9hty4rNgjZvgkQeXFSiwqD4Hbk/wNHMAbdd8vprO2Aj81mihv4dF5bC7D0CA==",
  "license": "MIT",
  "dependencies": {
    "@babel/runtime": "^7.26.0",
    "@mediapipe/tasks-vision": "0.10.17",
    "@monogrid/gainmap-js": "^3.0.6",
    "@react-spring/three": "~9.7.5",
    "@use-gesture/react": "^10.3.1",
    "camera-controls": "^2.9.0",
    "cross-env": "^7.0.3",
    "detect-gpu": "^5.0.56",
    "glsl-noise": "^0.0.0",
    "hls.js": "^1.5.17",
    "maath": "^0.10.8",
    "meshline": "^3.3.1",
    "react-composer": "^5.0.3",
    "stats-gl": "^2.2.8",
    "stats.js": "^0.17.0",
    "suspend-react": "^0.1.3",
    "three-mesh-bvh": "^0.7.8",
    "three-stdlib": "^2.35.6",
    "troika-three-text": "^0.52.0",
    "tunnel-rat": "^0.1.2",
    "utility-types": "^3.11.0",
    "zustand": "^5.0.1"
  },
  "peerDependencies": {
    "@react-three/fiber": "^8",
    "react": "^18",
    "react-dom": "^18",
    "three": ">=0.137"
  },
  "peerDependenciesMeta": {
    "react-dom": {
      "optional": true
    }
  }
},
"node_modules/@react-three/fiber": {
  "version": "8.18.0",
  "resolved": "https://registry.npmjs.org/@react-three/fiber/-/fiber-8.18.0.tgz",
  "integrity": "sha512-FYZZqD0UUHUswKz3LQl2Z7H24AhD14XGTsIRw3SJaXUxyfVMi+1yiZGmqTcPt/CkPpdU7rrxqcyQ1zJE5DjvIQ==",
  "license": "MIT",
  "dependencies": {
    "@babel/runtime": "^7.17.8",
    "@types/react-reconciler": "^0.26.7",
    "@types/webxr": "*",
    "base64-js": "^1.5.1",
    "buffer": "^6.0.3",
    "its-fine": "^1.0.6",
    "react-reconciler": "^0.27.0",
    "react-use-measure": "^2.1.7",
    "scheduler": "^0.21.0",
    "suspend-react": "^0.1.3",
    "zustand": "^3.7.1"
  },
  "peerDependencies": {
    "expo": ">=43.0",
    "expo-asset": ">=8.4",
    "expo-file-system": ">=11.0",
    "expo-gl": ">=11.0",
    "react": ">=18 <19",
    "react-dom": ">=18 <19",
    "react-native": ">=0.64",
    "three": ">=0.133"
  },
  "peerDependenciesMeta": {
    "expo": {
      "optional": true
    },
    "expo-asset": {
      "optional": true
    },
```

```
    "expo-file-system": {
      "optional": true
    },
    "expo-gl": {
      "optional": true
    },
    "react-dom": {
      "optional": true
    },
    "react-native": {
      "optional": true
    }
  }
},
"node_modules/@react-three/fiber/node_modules/zustand": {
  "version": "3.7.2",
  "resolved": "https://registry.npmjs.org/zustand/-/zustand-3.7.2.tgz",
  "integrity": "sha512-PIJDIZKtokhof+9+60cpockVOq05sJzHCriyvaLBmEJixseQ1a5Kdov6fWZfWOu5SK9c+FhH1jU0tntLxRJYMA==",
  "license": "MIT",
  "engines": {
    "node": ">=12.7.0"
  },
  "peerDependencies": {
    "react": ">=16.8"
  },
  "peerDependenciesMeta": {
    "react": {
      "optional": true
    }
  }
},
"node_modules/@rolldown/pluginutils": {
  "version": "1.0.0-beta.27",
  "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-beta.27.tgz",
  "integrity": "sha512-+d0F4MKMCbeVUJwG96uQ4SgAznZNSq93I3V+9NHA4Opvq68mRCpGdKmK8l/dl02h2CCDHwW2FqilnTyDcAnqjA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@tweenjs/tween.js": {
  "version": "23.1.3",
  "resolved": "https://registry.npmjs.org/@tweenjs/tween.js/-/tween.js-23.1.3.tgz",
  "integrity": "sha512-vJmvvwFxYuGnF2axRtPYocag6Clbb5YS7kLL+SO/TeVFzHqDIWrNKYtcsPMibjDx9O+bu+psAy9NKfWklassUA==",
  "license": "MIT"
},
"node_modules/@types/babel__core": {
  "version": "7.20.5",
  "resolved": "https://registry.npmjs.org/@types/babel__core/-/babel__core-7.20.5.tgz",
  "integrity": "sha512-qoQprZvz5wQFJwMDqeseRXWv3rqMvhgpbXFfVyWhbx9X47POIA6i/+dXefEmZKoAgOaTdaIgNSMqMIU61yRyzA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.20.7",
    "@babel/types": "^7.20.7",
    "@types/babel__generator": "*",
    "@types/babel__template": "*",
    "@types/babel__traverse": "*"
  }
},
"node_modules/@types/babel__generator": {
  "version": "7.27.0",
  "resolved": "https://registry.npmjs.org/@types/babel__generator/-/babel__generator-7.27.0.tgz",
  "integrity": "sha512-ufFd2Xi92OAVPYsy+P4n7/U7e68fex0+Ee8gSG9KX7eo084CWiQ4sdxktvdl0bOPupXtVJPY19zk6EwWqUQ8lg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__template": {
  "version": "7.4.4",
  "resolved": "https://registry.npmjs.org/@types/babel__template/-/babel__template-7.4.4.tgz",
  "integrity": "sha512-h/NUaSyG5EyxBIp8YRxo4RMe2/qQgvyowRwVMzhYhBCONbW8PUsg4lkFMrhgZhUe5z3L3MiLDuvyJ/CaPa2A8A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.1.0",
    "@babel/types": "^7.0.0"
  }
},
"node_modules/@types/babel__traverse": {
  "version": "7.28.0",
  "resolved": "https://registry.npmjs.org/@types/babel__traverse/-/babel__traverse-7.28.0.tgz",
  "integrity": "sha512-8PvcXf70gTDZBgt9ptxJ8elBeBjcLOAcOtoO/mPJjtji1+CdGbHgm77om1GrsPxsiE+uXIpNSK64UYaIwQXd4Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/types": "^7.28.2"
  }
},
"node_modules/@types/draco3d": {
  "version": "1.4.10",
  "resolved": "https://registry.npmjs.org/@types/draco3d/-/draco3d-1.4.10.tgz",
  "integrity": "sha512-AX22jp8Y7wwaBgAixaSvkoG4M/+PlAcm3Qs4OW8yT9DM4xUpWKeFhLueTAyZF39pviAdcDdeJoACapiAceqNcw==",
  "license": "MIT"
},
"node_modules/@types/offscreencanvas": {
  "version": "2019.7.3",
  "resolved": "https://registry.npmjs.org/@types/offscreencanvas/-/offscreencanvas-2019.7.3.tgz",
  "integrity": "sha512-ieXiYmgSRXUDeOntE1InxjWyvElZGP63M+cGuquuRLuIKKT1osnkXjxev9B7d1nXSug5vpunx+gNlbVxMlC9A==",
  "license": "MIT"
},
"node_modules/@types/prop-types": {
  "version": "15.7.15",
  "resolved": "https://registry.npmjs.org/@types/prop-types/-/prop-types-15.7.15.tgz",
  "integrity": "sha512-F6bEyamV9jKGAFBEmlQnesRPGOQqS2+Uwi0Em15xenOxHaf2hv6L8YCVn3rPdPJOiJfPiCnLIRyvwVaqMY3MIw==",
```

```
    "license": "MIT"
  },
  "node_modules/@types/react": {
    "version": "18.3.28",
    "resolved": "https://registry.npmjs.org/@types/react/-/react-18.3.28.tgz",
    "integrity": "sha512-z9VXpC7MWrhfWipitjNdgCauoMLRdIILQsAEV+ZesIzBq/oUlxk0m3ApZuMFCXdnS4U7KrI+l3WRUEGQ8K1QKw==",
    "license": "MIT",
    "dependencies": {
      "@types/prop-types": "*",
      "csstype": "^3.2.2"
    }
  },
  "node_modules/@types/react-dom": {
    "version": "18.3.7",
    "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-18.3.7.tgz",
    "integrity": "sha512-MEe3UeoENYVFXzoXEWsvcpg6ZvlrFNlOQ7EOsvhI3CfAXwzPfO8Qwuxd40nepsYKqyyVQnTdEfv68q91yLcKrQ==",
    "dev": true,
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "^18.0.0"
    }
  },
  "node_modules/@types/react-reconciler": {
    "version": "0.26.7",
    "resolved": "https://registry.npmjs.org/@types/react-reconciler/-/react-reconciler-0.26.7.tgz",
    "integrity": "sha512-mBDYl8x+oyPX/VBb3E638N0B7xG+SPk/EAMcVPeexqus/5aTpTphQi0curhhshOqRrc9t6OPoJfEUkbymse/lQ==",
    "license": "MIT",
    "dependencies": {
      "@types/react": "*"
    }
  },
  "node_modules/@types/stats.js": {
    "version": "0.17.4",
    "resolved": "https://registry.npmjs.org/@types/stats.js/-/stats.js-0.17.4.tgz",
    "integrity": "sha512-jIBvWWShCvlBqBNIZt0KAshWpvSjhkwkEu4ZUcASoAvhmrgAUI2t1dXrjSL4xXVLB4FznPrIsX3nKXFl/Dt4vA==",
    "license": "MIT"
  },
  "node_modules/@types/three": {
    "version": "0.183.1",
    "resolved": "https://registry.npmjs.org/@types/three/-/three-0.183.1.tgz",
    "integrity": "sha512-f2Pu5Hrepfgavttdye3PsH5RWyY/AvdZQwIVhrc4uNtvF7nOWJacQKcoVJn0S4f0yYbmAE6AR+ve7xDcuYtMGw==",
    "license": "MIT",
    "dependencies": {
      "@dimforge/rapier3d-compat": "~0.12.0",
      "@tweenjs/tween.js": "~23.1.3",
      "@types/stats.js": "*",
      "@types/webxr": ">=0.5.17",
      "@webgpu/types": "*",
      "fflate": "~0.8.2",
      "meshoptimizer": "~1.0.1"
    }
  },
  "node_modules/@types/webxr": {
    "version": "0.5.24",
    "resolved": "https://registry.npmjs.org/@types/webxr/-/webxr-0.5.24.tgz",
    "integrity": "sha512-h8fgEd/DpoS9CBrjEQXR+dIDraopAEfu4wYVNY2tEPwk60stPWhvZMf4Foo5FakuQ7HFZoa8WceaWFervK2Ovg==",
    "license": "MIT"
  },
  "node_modules/@use-gesture/core": {
    "version": "10.3.1",
    "resolved": "https://registry.npmjs.org/@use-gesture/core/-/core-10.3.1.tgz",
    "integrity": "sha512-WcINiDt8WjqBdUXye25anHiNxPc0VOrlT8F6LLkU6cycrOGUDyY/yyFmsg3k8i5OLvv25llc0QC45GhR/C8llw==",
    "license": "MIT"
  },
  "node_modules/@use-gesture/react": {
    "version": "10.3.1",
    "resolved": "https://registry.npmjs.org/@use-gesture/react/-/react-10.3.1.tgz",
    "integrity": "sha512-Yy19y6O2GJq8f7CHf7L0nxL8bf4PZCPaVOCgJrusOeFHY1LvHgYXnmnXg6N5iwAnbgbZCDjo60SiM6IPJi9C5g==",
    "license": "MIT",
    "dependencies": {
      "@use-gesture/core": "10.3.1"
    },
    "peerDependencies": {
      "react": ">= 16.8.0"
    }
  },
  "node_modules/@vitejs/plugin-react": {
    "version": "4.7.0",
    "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-4.7.0.tgz",
    "integrity": "sha512-gUu9hwfWvvEDBBmgtAowQCojwZmJ5mcLn3aufeCsitijs3+f2NsrPtlAWIR6OPiqljl96GVCUbLe0HyqIpVaoA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/core": "^7.28.0",
      "@babel/plugin-transform-react-jsx-self": "^7.27.1",
      "@babel/plugin-transform-react-jsx-source": "^7.27.1",
      "@rolldown/pluginutils": "1.0.0-beta.27",
      "@types/babel__core": "^7.20.5",
      "react-refresh": "^0.17.0"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "peerDependencies": {
      "vite": "^4.2.0 || ^5.0.0 || ^6.0.0 || ^7.0.0"
    }
  },
  "node_modules/@webgpu/types": {
    "version": "0.1.69",
    "resolved": "https://registry.npmjs.org/@webgpu/types/-/types-0.1.69.tgz",
    "integrity": "sha512-RPmm6kgRbI8e98zSD3RVACvnuktIja5+yLgDAkTmxLr90BEwdTXRQWNLF3ETTTyH/8mKhznZuN5AveXYFEsMGQ==",
    "license": "BSD-3-Clause"
  },
  "node_modules/any-promise": {
    "version": "1.3.0",
```

```
    "resolved": "https://registry.npmjs.org/any-promise/-/any-promise-1.3.0.tgz",
    "integrity": "sha512-7UvmKalWRt1wgjL1RrGxoSJW/0QZFIegpeGvZG9kjp8vrRu55XTHbwnqq2GpXm9uLbcuhxm3IqX9OB4MZR1b2A==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/anymatch": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
    "integrity": "sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSzO55UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQXvTr1Rw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "normalize-path": "^3.0.0",
      "picomatch": "^2.0.4"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/arg": {
    "version": "5.0.2",
    "resolved": "https://registry.npmjs.org/arg/-/arg-5.0.2.tgz",
    "integrity": "sha512-PYjyFOLKQ9y57JvQ6QLo8dAgNqswh8M1RMJYdQduT6xbWSgK36P/Z/v+p888pM69jMMfS8Xd8F6I1kQ/I9HUGg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/asynckit": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/asynckit/-/asynckit-0.4.0.tgz",
    "integrity": "sha512-Oei9OH4tRh0YqU3GxhX79dM/mwVgvbZJaSNaRk+bshkj0S5cfHcgYakreBjrHwatXKbz+IoIdYLxrKim2MjW0Q==",
    "license": "MIT"
  },
  "node_modules/attr-accept": {
    "version": "2.2.5",
    "resolved": "https://registry.npmjs.org/attr-accept/-/attr-accept-2.2.5.tgz",
    "integrity": "sha512-0bDNnY/u6pPwHDMoF0FieU354oBi0a8rD9FcsLwzcGWbc8KS8KPIi7y+s13OlVY+gMWc/9xEMUgNE6Qm8ZllYQ==",
    "license": "MIT",
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/autoprefixer": {
    "version": "10.4.27",
    "resolved": "https://registry.npmjs.org/autoprefixer/-/autoprefixer-10.4.27.tgz",
    "integrity": "sha512-NP9APE+tO+LuJGn7/9+cohklunJsXWiaWEfV3si4Gi/XHDwVNgkwr1J3RQYFIvPy76GmJ9/bW8vyoU1LcxwKHA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/autoprefixer"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "browserslist": "^4.28.1",
      "caniuse-lite": "^1.0.30001774",
      "fraction.js": "^5.3.4",
      "picocolors": "^1.1.1",
      "postcss-value-parser": "^4.2.0"
    },
    "bin": {
      "autoprefixer": "bin/autoprefixer"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    },
    "peerDependencies": {
      "postcss": "^8.1.0"
    }
  },
  "node_modules/axios": {
    "version": "1.14.0",
    "resolved": "https://registry.npmjs.org/axios/-/axios-1.14.0.tgz",
    "integrity": "sha512-3Y8yrqLSwjuzpXuZ0oIYZ/XGgLwUIBU3uLvbcpb0pidD9ctpShJd43KSlEEkVQg6DS0G9NKyzOvBfUtDKEyHvQ==",
    "license": "MIT",
    "dependencies": {
      "follow-redirects": "^1.15.11",
      "form-data": "^4.0.5",
      "proxy-from-env": "^2.1.0"
    }
  },
  "node_modules/base64-js": {
    "version": "1.5.1",
    "resolved": "https://registry.npmjs.org/base64-js/-/base64-js-1.5.1.tgz",
    "integrity": "sha512-AKpaYlHn8t4SVbOHCy+b5+KKgvR4vrsD8vbvrbiQJps7fKDTkjkDry6ji0rUJjC0kzbNePLwzxq8iypo41qeWA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
```

```
      }
    ],
    "license": "MIT"
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.10",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.10.tgz",
    "integrity": "sha512-sUoJ3IMxx4AyRqO4MLeHlnGDkyXRoUG0/AI9fjK+vS72ekpV0yWVY7O0BVjmBcRtkNcsAO2QDZ4tdKKGoI6YaQ==",
    "dev": true,
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/bidi-js": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/bidi-js/-/bidi-js-1.0.3.tgz",
    "integrity": "sha512-RKshQI1R3YQ+n9YJz2QQ147P66ELpa1FQEg20Dk8oW9t2KgLbpDLLp9aGZ7y8WHSshDknG0bknqGw5/tyCs5tw==",
    "license": "MIT",
    "dependencies": {
      "require-from-string": "^2.0.2"
    }
  },
  "node_modules/binary-extensions": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
    "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRUeyL2VYghZwfpkNIy/+8Ocg0a3UuSoYzavmylwuLWQOf3hl0jjMMIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/braces": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
    "integrity": "sha512-yQbXgO/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8gO/lxc1BzfMpxvA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fill-range": "^7.1.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/browserslist": {
    "version": "4.28.1",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.1.tgz",
    "integrity": "sha512-ZC5Bd0LgJXgwGqUknZY/vkUQ04r8NXnJZ3yYi4vDmSiZmC/pdSN0NbNRPxZpbtO4uAfDUAFffO8IZoM3Gj8IkA==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "baseline-browser-mapping": "^2.9.0",
      "caniuse-lite": "^1.0.30001759",
      "electron-to-chromium": "^1.5.263",
      "node-releases": "^2.0.27",
      "update-browserslist-db": "^1.2.0"
    },
    "bin": {
      "browserslist": "cli.js"
    },
    "engines": {
      "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
    }
  },
  "node_modules/buffer": {
    "version": "6.0.3",
    "resolved": "https://registry.npmjs.org/buffer/-/buffer-6.0.3.tgz",
    "integrity": "sha512-FTiCpNxtwiZZHEZbcbTIcZjERVICn9yq/pDFkTl95/AxzD1naBctN7YO68riM/gLSDY7sdrMby8hofADYuuqOA==",
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT",
```

```
    "dependencies": {
      "base64-js": "^1.3.1",
      "ieee754": "^1.2.1"
    }
  },
  "node_modules/call-bind-apply-helpers": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz",
    "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuTObmuMQ==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "function-bind": "^1.1.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/camelcase-css": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/camelcase-css/-/camelcase-css-2.0.1.tgz",
    "integrity": "sha512-QOSvevhslijgYwRx6Rv7zKdMF8lbRmx+uQGx2+vDc+KI/eBnsy9kit5aj23AgGu3pa4t9AgwbnXWqS+iOY+2aA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/camera-controls": {
    "version": "2.10.1",
    "resolved": "https://registry.npmjs.org/camera-controls/-/camera-controls-2.10.1.tgz",
    "integrity": "sha512-KnaKdcvkBJ1Irbrzl8XD6WtZltkRjp869Jx8c0ujs9K+9WD+1D7ryBsCiVqJYUqt6i/HR5FxT7RLASieUD+Q5w==",
    "license": "MIT",
    "peerDependencies": {
      "three": ">=0.126.1"
    }
  },
  "node_modules/caniuse-lite": {
    "version": "1.0.30001781",
    "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001781.tgz",
    "integrity": "sha512-RdwNCyMsNBftLjW6w01z8bKEvT6e/5tpPVEgtn22TiLGlstHOVecsX2KHFkD5e/vRnIE4EGzpuIODb3mtswtkw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "CC-BY-4.0"
  },
  "node_modules/chokidar": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
    "integrity": "sha512-7VT13fmjotKpGipCW9JEQAusEPE+Ei8nl6/g4FBAmIm0GOOLMua9NDDo/DWp0ZAxCr3cPq5ZpBqmPAQgDda2Pw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "anymatch": "~3.1.2",
      "braces": "~3.0.2",
      "glob-parent": "~5.1.2",
      "is-binary-path": "~2.1.0",
      "is-glob": "~4.0.1",
      "normalize-path": "~3.0.0",
      "readdirp": "~3.6.0"
    },
    "engines": {
      "node": ">= 8.10.0"
    },
    "funding": {
      "url": "https://paulmillr.com/funding/"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/chokidar/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/combined-stream": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/combined-stream/-/combined-stream-1.0.8.tgz",
    "integrity": "sha512-FQN4MRfuJeHf7cBbBMJFXhKSDq+2kAArBlmRBvcvFE5BB1HZKXtSFASDhdlz9zOYwxh8lDdnvmMOe/+5cdoEdg==",
    "license": "MIT",
    "dependencies": {
      "delayed-stream": "~1.0.0"
    },
    "engines": {
```

```
      "node": ">= 0.8"
    }
  },
  "node_modules/commander": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/commander/-/commander-4.1.1.tgz",
    "integrity": "sha512-NOKm8xhkzAjzFx8B2v5OAHT+u5pRQc2UCa2Vq9jYL/31o2wi9mxBA7LIFs3sV5VSC49z6pEhfbMULvShKj26WA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/convert-source-map": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
    "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/cookie": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
    "integrity": "sha512-ei8Aos7ja0weRpFzJnEA9UHJ/7XQmqglbRwnf2ATjcB9Wq874VKH9kfjjirM6UhU2/E5fFYadylyhFldcqSidQ==",
    "license": "MIT",
    "engines": {
      "node": ">=18"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/express"
    }
  },
  "node_modules/cross-env": {
    "version": "7.0.3",
    "resolved": "https://registry.npmjs.org/cross-env/-/cross-env-7.0.3.tgz",
    "integrity": "sha512-+/HKd6EgcQCJGh2PSjZuUitQBQynKor4wrFbRg4DtAgS1aWO+gU52xpH7M9ScGgXSYmAVS9bIJ8EzuaGw0oNAw==",
    "license": "MIT",
    "dependencies": {
      "cross-spawn": "^7.0.1"
    },
    "bin": {
      "cross-env": "src/bin/cross-env.js",
      "cross-env-shell": "src/bin/cross-env-shell.js"
    },
    "engines": {
      "node": ">=10.14",
      "npm": ">=6",
      "yarn": ">=1"
    }
  },
  "node_modules/cross-spawn": {
    "version": "7.0.6",
    "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
    "integrity": "sha512-uV2QOWP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB9OiTGEyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca3OzKUd3vA==",
    "license": "MIT",
    "dependencies": {
      "path-key": "^3.1.0",
      "shebang-command": "^2.0.0",
      "which": "^2.0.1"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/cssesc": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/cssesc/-/cssesc-3.0.0.tgz",
    "integrity": "sha512-/Tb/JcjK111nNScGob5MNtsntNM1aCNUDipB/TkwZFhyDrrE47SOx/18wF2bbjgc3ZzCSKW1T5nt5EbFoAz/Vg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "cssesc": "bin/cssesc"
    },
    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/csstype": {
    "version": "3.2.3",
    "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
    "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLFC8KusUX8T/0kCiOYpAIQ==",
    "license": "MIT"
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvkVfavKVt22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3kO4stgYryrTlLpuvgI9GiijltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/delayed-stream": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/delayed-stream/-/delayed-stream-1.0.0.tgz",
```

```
    "integrity": "sha512-ZySD7Nf91aLB0RxL4KGrKHBXl7Eds1DAmEdcoVawXnLD7SDhpNgtuII2aAkg7a7QS41jxPSZ17p4VdGnMHk3MQ==",
    "license": "MIT",
    "engines": {
      "node": ">=0.4.0"
    }
  },
  "node_modules/detect-gpu": {
    "version": "5.0.70",
    "resolved": "https://registry.npmjs.org/detect-gpu/-/detect-gpu-5.0.70.tgz",
    "integrity": "sha512-bqerEP1Ese6nt3rFkwPnGbsUF9a4q+gMmpTVVOEzoCyeCc+y7/RvJnQZJx1JwhgQI5Ntg0Kgat8Uu7XpBqnz1w==",
    "license": "MIT",
    "dependencies": {
      "webgl-constants": "^1.1.1"
    }
  },
  "node_modules/didyoumean": {
    "version": "1.2.2",
    "resolved": "https://registry.npmjs.org/didyoumean/-/didyoumean-1.2.2.tgz",
    "integrity": "sha512-gxtyfqMg7GKyhQmb056K7M3xszy/myH8w+B4RT+QXBQsvAOdc3XymqDDPHx1BgPgsdAA5SIifona89YtRATDzw==",
    "dev": true,
    "license": "Apache-2.0"
  },
  "node_modules/dlv": {
    "version": "1.1.3",
    "resolved": "https://registry.npmjs.org/dlv/-/dlv-1.1.3.tgz",
    "integrity": "sha512-+HlytyjlPKnIG8XuRG8WvmBP8xs8P71y+SKKS6ZXWoEgLuePxtDoUEiH7WkdePWrQ5JBpE6aoVqfZfJUQkjXwA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/draco3d": {
    "version": "1.5.7",
    "resolved": "https://registry.npmjs.org/draco3d/-/draco3d-1.5.7.tgz",
    "integrity": "sha512-m6WCKt/erDXcw+70IJXnG7M3awwQPAsZvJGX5zY7beBqpELw6RDGkYVU0W43AFxye4pDZ5i2Lbyc/NNGqwjUVQ==",
    "license": "Apache-2.0"
  },
  "node_modules/dunder-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
    "integrity": "sha512-KIN/nDJBQRcXw0MLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZuOeOt0zdeRe4UY7ct+A==",
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.1",
      "es-errors": "^1.3.0",
      "gopd": "^1.2.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/electron-to-chromium": {
    "version": "1.5.325",
    "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.325.tgz",
    "integrity": "sha512-PwfIw7WQSt3xX7yOf5OE/unLzsK9CaN2f/FvV3WjPR1Knoc1T9vePRVV4W1EM301JzzysK51K7FNKcusCr0zYA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/es-define-property": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
    "integrity": "sha512-e3nRfgfUZ4rNGL232gUgX06QNyyez04KdjFrF+LTRoOXmrOgFKDg4BCdsjW8EnT69eqdYGmRpJwiPVYNrCaW3g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-errors": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
    "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLEICxA6j+hAmMzIlypy4xcBg1vKVnx89Wy0GbS+kf5cwCVFFzdCFh2XSCFNULS6csw==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-object-atoms": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
    "integrity": "sha512-FGgH2h8zKNim9ljj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrLODihIorn+Pe6FGJzWhXQotPv73jTaldXA==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/es-set-tostringtag": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
    "integrity": "sha512-j6vWzfrGVfyXxge+O0x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+tOAngRO8cODMNWbVRdVlmGZQL2YS3yR8bIUA==",
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6",
      "has-tostringtag": "^1.0.2",
      "hasown": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/esbuild": {
    "version": "0.18.20",
    "resolved": "https://registry.npmjs.org/esbuild/-/esbuild-0.18.20.tgz",
    "integrity": "sha512-ceqxoedUrcayh7Y7ZX6NdbbDzGROiyVBgC4PriJThBKSVPWnnFHZAkfI1lJT8QFkOwH4qOS2SJkS4wvpGl8BpA==",
```

```
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "bin": {
      "esbuild": "bin/esbuild"
    },
    "engines": {
      "node": ">=12"
    },
    "optionalDependencies": {
      "@esbuild/android-arm": "0.18.20",
      "@esbuild/android-arm64": "0.18.20",
      "@esbuild/android-x64": "0.18.20",
      "@esbuild/darwin-arm64": "0.18.20",
      "@esbuild/darwin-x64": "0.18.20",
      "@esbuild/freebsd-arm64": "0.18.20",
      "@esbuild/freebsd-x64": "0.18.20",
      "@esbuild/linux-arm": "0.18.20",
      "@esbuild/linux-arm64": "0.18.20",
      "@esbuild/linux-ia32": "0.18.20",
      "@esbuild/linux-loong64": "0.18.20",
      "@esbuild/linux-mips64el": "0.18.20",
      "@esbuild/linux-ppc64": "0.18.20",
      "@esbuild/linux-riscv64": "0.18.20",
      "@esbuild/linux-s390x": "0.18.20",
      "@esbuild/linux-x64": "0.18.20",
      "@esbuild/netbsd-x64": "0.18.20",
      "@esbuild/openbsd-x64": "0.18.20",
      "@esbuild/sunos-x64": "0.18.20",
      "@esbuild/win32-arm64": "0.18.20",
      "@esbuild/win32-ia32": "0.18.20",
      "@esbuild/win32-x64": "0.18.20"
    }
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxaQtO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAiiOKotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/fast-glob": {
    "version": "3.3.3",
    "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.3.tgz",
    "integrity": "sha512-7MptL8U0cqcFdzIzwOTHoilX9x5BrNqye7Z/LuC7kCMRio1EMSyqRK3BEAUD7sXRq4iT4AzTVuZdhgQ2TCvYLg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "^2.0.2",
      "@nodelib/fs.walk": "^1.2.3",
      "glob-parent": "^5.1.2",
      "merge2": "^1.3.0",
      "micromatch": "^4.0.8"
    },
    "engines": {
      "node": ">=8.6.0"
    }
  },
  "node_modules/fast-glob/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-AOIgSQCepiJYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fastq": {
    "version": "1.20.1",
    "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
    "integrity": "sha512-GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13lOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFThxXxw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "reusify": "^1.0.4"
    }
  },
  "node_modules/fflate": {
    "version": "0.8.2",
    "resolved": "https://registry.npmjs.org/fflate/-/fflate-0.8.2.tgz",
    "integrity": "sha512-cPJU47OaAoCbg0pBvzsgpTPhmhqI5eJjh/JIu8tPj5q+T7iLvW/JAYUqmE7KOB4R1ZyEhzBaIQpQpardBF5z8A==",
    "license": "MIT"
  },
  "node_modules/file-selector": {
    "version": "2.1.2",
    "resolved": "https://registry.npmjs.org/file-selector/-/file-selector-2.1.2.tgz",
    "integrity": "sha512-QgXo+mXTe8ljeqUFaX3QVHc5osSItJ/Km+xpocx0aSqWGMSCf6qYs/VnzZgS864Pjn5iceMRFigeAV7AfTlaig==",
    "license": "MIT",
    "dependencies": {
      "tslib": "^2.7.0"
    },
    "engines": {
      "node": ">= 12"
    }
  },
  "node_modules/fill-range": {
    "version": "7.1.1",
    "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
```

```
    "integrity": "sha512-YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitivtQvaI9KaLyKrc+hBW0yg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "to-regex-range": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/follow-redirects": {
    "version": "1.15.11",
    "resolved": "https://registry.npmjs.org/follow-redirects/-/follow-redirects-1.15.11.tgz",
    "integrity": "sha512-deG2P0JfjrTxl50XGCDyfI97ZGVCxIpfKYmfyrQ54n5FO/0gfIES8C/Psl6kWVDolizcaaxZJnTS0QSMxvnsBQ==",
    "funding": [
      {
        "type": "individual",
        "url": "https://github.com/sponsors/RubenVerborgh"
      }
    ],
    "license": "MIT",
    "engines": {
      "node": ">=4.0"
    },
    "peerDependenciesMeta": {
      "debug": {
        "optional": true
      }
    }
  },
  "node_modules/form-data": {
    "version": "4.0.5",
    "resolved": "https://registry.npmjs.org/form-data/-/form-data-4.0.5.tgz",
    "integrity": "sha512-8RipRLol37bNs2bhoV67fiTEvdTrbMUYcFTiy3+wuuOnUog2QBHCZWXDRijWQfAkhBj2Uf5UnVaiWwA5vdd82w==",
    "license": "MIT",
    "dependencies": {
      "asynckit": "^0.4.0",
      "combined-stream": "^1.0.8",
      "es-set-tostringtag": "^2.1.0",
      "hasown": "^2.0.2",
      "mime-types": "^2.1.12"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fraction.js": {
    "version": "5.3.4",
    "resolved": "https://registry.npmjs.org/fraction.js/-/fraction.js-5.3.4.tgz",
    "integrity": "sha512-1X1NTtiJphryn/uLQz3whtY6jK3fTqoE3ohKs0tT+Ujr1W59oopxmoEh7Lu5p6vBaPbgoM0bzveAW4Qi5RyWDQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "*"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/rawify"
    }
  },
  "node_modules/framer-motion": {
    "version": "10.18.0",
    "resolved": "https://registry.npmjs.org/framer-motion/-/framer-motion-10.18.0.tgz",
    "integrity": "sha512-oGlDh1Q1XqYPksuTD/usb0I70hq95OUzmL9+6Zd+Hs4XV0oaISBa/UUMSjYiq6m8EUF32132mOJ8xVZS+I0S6w==",
    "license": "MIT",
    "dependencies": {
      "tslib": "^2.4.0"
    },
    "optionalDependencies": {
      "@emotion/is-prop-valid": "^0.8.2"
    },
    "peerDependencies": {
      "react": "^18.0.0",
      "react-dom": "^18.0.0"
    },
    "peerDependenciesMeta": {
      "react": {
        "optional": true
      },
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/fsevents": {
    "version": "2.3.3",
    "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
    "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k0212XNoJwzlhffQw==",
    "dev": true,
    "hasInstallScript": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
    }
  },
  "node_modules/function-bind": {
    "version": "1.1.2",
    "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
    "integrity": "sha512-7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHp6MrRlN7FBSFpCpr+oVO0F744iUgR82nJMfG2SA==",
    "license": "MIT",
    "funding": {
```

```
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/gensync": {
  "version": "1.0.0-beta.2",
  "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
  "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYYeqFo/TlYz6eQiFcp1HcsCZO+nGgS8zg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/get-intrinsic": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
  "integrity": "sha512-9fSjSaos/fRIVIp+xSJlE6lfwhES7LNtKaCBIamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98CQ==",
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "function-bind": "^1.1.2",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/get-proto": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
  "integrity": "sha512-sTSfBjoXBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFPNc9IcoOC4ODfKHfxFmp0g==",
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.1",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/glob-parent": {
  "version": "6.0.2",
  "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
  "integrity": "sha512-XxwI8EOhVQgWp6iDL+3b0r86f4d6AX6zSU55HfB4ydCEuXLXc5FcYeOu+nnGftS4TEju/11rt4KJPTMgbfmv4A==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "is-glob": "^4.0.3"
  },
  "engines": {
    "node": ">=10.13.0"
  }
},
"node_modules/glsl-noise": {
  "version": "0.0.0",
  "resolved": "https://registry.npmjs.org/glsl-noise/-/glsl-noise-0.0.0.tgz",
  "integrity": "sha512-b/ZCF6amfAUb7dJM/MxRs7AetQEahYzJ8PtgfrmEdtw6uyGOr+ZSGtgjFm6mfsBkxJ4d2W7kg+Nlqzqvn3Bc0w==",
  "license": "MIT"
},
"node_modules/gopd": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
  "integrity": "sha512-ZUKRh6/kUFoAiTAtTYPZJ3hw9wNxx+BIBOijnlG9PnrJsCcSjs1wyyD6vJpaYtgnzDrKYRSqf3OO6Rfa93xsRg==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-symbols": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
  "integrity": "sha512-1cDNdwJ2Jaohmb3sg4OmKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6RyuOHe4hT0ULCW68iomhjUoKUqlPQ==",
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/has-tostringtag": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/has-tostringtag/-/has-tostringtag-1.0.2.tgz",
  "integrity": "sha512-NqADB8VjPFLM2V0VvHUewwwsw0ZWBaIdgo+ieHtK3hasLz4qeCRjYcqfB6AQrBggRKppKF8L52/VqdVsO47Dlw==",
  "license": "MIT",
  "dependencies": {
    "has-symbols": "^1.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
```

```
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/hasown": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.2.tgz",
  "integrity": "sha512-0hJU9SCPvmMzIBdZFqNPXWa6dqh7WdH0cII9y+CyS8rG3nL48Bclra9HmKhVVUHyPWNH5Y7xDwAB7bfgSjkUMQ==",
  "license": "MIT",
  "dependencies": {
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/hls.js": {
  "version": "1.6.15",
  "resolved": "https://registry.npmjs.org/hls.js/-/hls.js-1.6.15.tgz",
  "integrity": "sha512-E3a5VwgXimGHwpRGV+WxRTKeSp2DW5DI5MWv34ulL3t5UNmyJWCQ1KmLEHbYzcfThfXG8amBL+fCYPneGHC4VA==",
  "license": "Apache-2.0"
},
"node_modules/ieee754": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/ieee754/-/ieee754-1.2.1.tgz",
  "integrity": "sha512-dcyqhDvX1C46lXZcVqCpK+FtMRQVdIMN6/Df5js2zouUsqG7I6sFxitIC+7KYK29KdXOLHdu9zL4sFnoVQnqaA==",
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "BSD-3-Clause"
},
"node_modules/immediate": {
  "version": "3.0.6",
  "resolved": "https://registry.npmjs.org/immediate/-/immediate-3.0.6.tgz",
  "integrity": "sha512-XXOFtyqDjNDAQxVfYxuF7g9Il/IbWmmlQg2MYKOH8ExIT1qg6xc4zyS3HaEEATgs1btfzxq15ciUiY7gjSXRGQ==",
  "license": "MIT"
},
"node_modules/is-binary-path": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
  "integrity": "sha512-ZMERYes6pDydyuGidse7OsHxtbI7WVeUEozgR/g7rd0xUimYNlvZRE/K2MgZTjWy725IfelLeVcEM97mmtRGXw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "binary-extensions": "^2.0.0"
  },
  "engines": {
    "node": ">=8"
  }
},
"node_modules/is-core-module": {
  "version": "2.16.1",
  "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.1.tgz",
  "integrity": "sha512-UfoeMA6fIJ8wTYFEUjelnaGI67v6+N7qXJEvQuIGa99l4xsCruSYOVSQ0uPANn4dAzm8lkYPaKLrrijLq7x23w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-extglob": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
  "integrity": "sha512-SbKbANkN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfhGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/is-glob": {
  "version": "4.0.3",
  "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
  "integrity": "sha512-xelSayHH36ZgE7ZWhli7pW34hNbNl8Ojv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-extglob": "^2.1.1"
  },
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/is-number": {
  "version": "7.0.0",
  "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
  "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlK9cGvNp6NZWZUBlbGXYxxng==",
  "dev": true,
  "license": "MIT",
```

```
    "engines": {
      "node": ">=0.12.0"
    }
  },
  "node_modules/is-promise": {
    "version": "2.2.2",
    "resolved": "https://registry.npmjs.org/is-promise/-/is-promise-2.2.2.tgz",
    "integrity": "sha512-+lP4/6lKUBfQjZ2pdxThZvLUAafmZb8OAxFb8XXtiQmS35INgr85hdOGoEs124ez1FCnZJt6jau/T+alh58QFQ==",
    "license": "MIT"
  },
  "node_modules/isexe": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
    "integrity": "sha512-RHxMLp9lnKHGHRng9QFhRCMbYAcVpn69smSGcq3f36xjgVVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2lKsyQeIw==",
    "license": "ISC"
  },
  "node_modules/its-fine": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/its-fine/-/its-fine-1.2.5.tgz",
    "integrity": "sha512-fXtDA0X0t0eBYAGLVM5YsgJGsJ5jEmqZEPrGbzdf5awjv0xE7nqv3TVnvtUF060Tkes15DbDAKW/I48vsb6SyA==",
    "license": "MIT",
    "dependencies": {
      "@types/react-reconciler": "^0.28.0"
    },
    "peerDependencies": {
      "react": ">=18.0"
    }
  },
  "node_modules/its-fine/node_modules/@types/react-reconciler": {
    "version": "0.28.9",
    "resolved": "https://registry.npmjs.org/@types/react-reconciler/-/react-reconciler-0.28.9.tgz",
    "integrity": "sha512-HHM3nxyUZ3zAylX8ZEyrDNd2XZOnQ0D5XfunJF5FLQnZbHHYq4UWvW1QfelQNXv1ICNkwYhfxjwfnqivYB6bFg==",
    "license": "MIT",
    "peerDependencies": {
      "@types/react": "*"
    }
  },
  "node_modules/jiti": {
    "version": "1.21.7",
    "resolved": "https://registry.npmjs.org/jiti/-/jiti-1.21.7.tgz",
    "integrity": "sha512-/imKNG4EbWNrVjoNC/1H5/9GFy+tqjGBHCaSsN+P2RnPqjsLmv6UD3Ej+Kj8nBWaRAwyk7kK5ZUc+OEatnTR3A==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jiti": "bin/jiti.js"
    }
  },
  "node_modules/js-tokens": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
    "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcxOpYBtpD2kCM6Sbzg4CausW/PKQ==",
    "license": "MIT"
  },
  "node_modules/jsesc": {
    "version": "3.1.0",
    "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
    "integrity": "sha512-/sM3dO2FOzXjKQhJuo0Q173wf2KOo8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnykfqnC2xRxOnVw5XuGIaA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "jsesc": "bin/jsesc"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/json5": {
    "version": "2.2.3",
    "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
    "integrity": "sha512-XmOWe7eyHYH14cLdVPoyg+GOH3rYX++KpzrylJwSW98t3Nk+U8XOl8FWKOgwtzdb8lXGf6zYwDUzeHMWfxasyg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "json5": "lib/cli.js"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/lie": {
    "version": "3.3.0",
    "resolved": "https://registry.npmjs.org/lie/-/lie-3.3.0.tgz",
    "integrity": "sha512-UaiMJzeWRlEujzAuw5LokY1L5ecNQYZKfmyZ9L7wDHb/p5etKaxXhohBcrw0EYby+G/NA52vRSN4N39dxHAIwQ==",
    "license": "MIT",
    "dependencies": {
      "immediate": "~3.0.5"
    }
  },
  "node_modules/lilconfig": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/lilconfig/-/lilconfig-3.1.3.tgz",
    "integrity": "sha512-/vlFKAoH5Cgt3Ie+JLhRbwOsCQePABiU3tJ1egGvyQ+33R/vcwM2Zl2QR/LzjsBeItPt3oSVXapn+m4nQDvpzw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=14"
    },
    "funding": {
      "url": "https://github.com/sponsors/antonk52"
    }
  },
  "node_modules/lines-and-columns": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/lines-and-columns/-/lines-and-columns-1.2.4.tgz",
    "integrity": "sha512-7ylylesZQ/PV29jhEDl3Ufjo6ZX7gCqJr5F7PKrqc93v7fzSymt1BpwEU8nAUXs8qzzvqhbjhK5QZg6Mt/HkBg==",
```

```
    "dev": true,
    "license": "MIT"
  },
  "node_modules/loose-envify": {
    "version": "1.4.0",
    "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
    "integrity": "sha512-lyuxPGr/Wfhrlem2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+fRLevlw1HgMySw7f611UIY408EtxRSoK3Q==",
    "license": "MIT",
    "dependencies": {
      "js-tokens": "^3.0.0 || ^4.0.0"
    },
    "bin": {
      "loose-envify": "cli.js"
    }
  },
  "node_modules/lru-cache": {
    "version": "5.1.1",
    "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
    "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52DlcH4WP2n6gI8vN1aesBFgo9w==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "yallist": "^3.0.2"
    }
  },
  "node_modules/maath": {
    "version": "0.10.8",
    "resolved": "https://registry.npmjs.org/maath/-/maath-0.10.8.tgz",
    "integrity": "sha512-tRvbDF0Pgqz+9XUa4jjfgAQ8/aPKmQdWXilFu2tMy4GWj4NOsx99HlULO4IeREfbO3a0sA145DZYyvXPkybm0g==",
    "license": "MIT",
    "peerDependencies": {
      "@types/three": ">=0.134.0",
      "three": ">=0.134.0"
    }
  },
  "node_modules/math-intrinsics": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
    "integrity": "sha512-/IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6Xl9LHu1g==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/merge2": {
    "version": "1.4.1",
    "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
    "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA3O8tPzpczCCDgv+P2P5y00ZJOOg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/meshline": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/meshline/-/meshline-3.3.1.tgz",
    "integrity": "sha512-/TQj+JdZkeSUOl5Mk2J7eLcYTLiQm2IDzmlSvYm7ov15anEcDJ92GHqqazxTSreeNgfnYu24kiEvvv0WlbCdFQ==",
    "license": "MIT",
    "peerDependencies": {
      "three": ">=0.137"
    }
  },
  "node_modules/meshoptimizer": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/meshoptimizer/-/meshoptimizer-1.0.1.tgz",
    "integrity": "sha512-Vix+QlA1YYT3FwmBBZ+49cE5y/b+pRrcXKqGpS5ouh33d3lSp2PoTpCw19E0cKDFWalembrHnIaZetf27a+W2g==",
    "license": "MIT"
  },
  "node_modules/micromatch": {
    "version": "4.0.8",
    "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
    "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+WDYb7af3dSLVWKi3HGv84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "braces": "^3.0.3",
      "picomatch": "^2.3.1"
    },
    "engines": {
      "node": ">=8.6"
    }
  },
  "node_modules/mime-db": {
    "version": "1.52.0",
    "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.52.0.tgz",
    "integrity": "sha512-sPU4uV7dYlvtWJxwwxHD0PuihVNiE7TyAbQ5SWxDCB9mUYvOgroQOwYQQOKPJ8CIbE+1ETVlOoK1UC2nU3gYvg==",
    "license": "MIT",
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/mime-types": {
    "version": "2.1.35",
    "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-2.1.35.tgz",
    "integrity": "sha512-ZDY+bPm5zTTF+YpCrAU9nK0UgICYPT0QtT1NZWFv4s++TNkcgVaT0g6+4R2uI4MjQjzysHB1zxuWL50hzaeXiw==",
    "license": "MIT",
    "dependencies": {
      "mime-db": "1.52.0"
    },
    "engines": {
      "node": ">= 0.6"
    }
  },
  "node_modules/ms": {
```

```
    "version": "2.1.3",
    "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
    "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xAOtHnSO/tXtF3WRTlA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/mz": {
    "version": "2.7.0",
    "resolved": "https://registry.npmjs.org/mz/-/mz-2.7.0.tgz",
    "integrity": "sha512-z81GNO7nnYMEhrGh9LeymoE4+Yr0Wn5McHIZMK5cfQCl+NDX08sCZgUc9/6MHni9IWuFLm1Z3HTCXu2z9fN62Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0",
      "object-assign": "^4.0.1",
      "thenify-all": "^1.0.0"
    }
  },
  "node_modules/nanoid": {
    "version": "3.3.11",
    "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
    "integrity": "sha512-N8SpfPUnUp1bK+PMYW8qSWdl9U+wwNWI4QKxOYDy9JAro3WMX7p2OeVRF9v+347pnakNevPmiHhNmZ2HbFA76w==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "bin": {
      "nanoid": "bin/nanoid.cjs"
    },
    "engines": {
      "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
    }
  },
  "node_modules/node-releases": {
    "version": "2.0.36",
    "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.36.tgz",
    "integrity": "sha512-TdC8FSgHz8Mwtw9g5L4gR/Sh9XhSP/0DEkQxfEFXOpiul5IiHgHan2VhYYb6agDSfp4KuvltmGApc8HMgUrIkA==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/normalize-path": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
    "integrity": "sha512-6eZs5Ls3WtCisHWp9S2GUy8dqkpGi4BVSz3GaqiE6ezub0512ESztXUwUB6C6IKbQkY2Pnb/mD4WYojCRwcwLA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-assign": {
    "version": "4.1.1",
    "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
    "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoXfklElbLJSnc3FUQHVe4cU5hj+BcUg==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/object-hash": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/object-hash/-/object-hash-3.0.0.tgz",
    "integrity": "sha512-RSn9F68PjH9HqtltsSnqYC1XXoWe9Bju5+213R98cNGttag9q9yAOTzdbsqvIa7aNm5WffBZFpWYr2aWrklWAw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/path-key": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
    "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-parse": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
    "integrity": "sha512-LDJzPVEEEPR+y48z93A0Ed0yXb8pAByGWo/k5YYdYgpY2/2EsOsksJrq7lOHxryrVOn1ejG6oAp8ahvOIQD8sw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/picocolors": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
    "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNFyegNul7eNslCXP9FDj/Lcu0X8KEyMceP2ntpaHrDEVA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-V7+vQEJ06Z+c5tSye8S+nHUfI51xoXIXjHQ99cQtKUkQqqO1kO/KCJUfZXuB47h/YBlDhah2H3hdUGXn8ie0oA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    },
```

```
    "funding": {
      "url": "https://github.com/sponsors/jonschlinkert"
    }
  },
  "node_modules/pify": {
    "version": "2.3.0",
    "resolved": "https://registry.npmjs.org/pify/-/pify-2.3.0.tgz",
    "integrity": "sha512-udgsAY+fTnvv7kI7aaxbqwWNb0AHiB0qBO89PZKPkoTmGOgdbrHDKD+0B2X4uTfJ/FT1R09r9gTsjUjNJotuog==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/pirates": {
    "version": "4.0.7",
    "resolved": "https://registry.npmjs.org/pirates/-/pirates-4.0.7.tgz",
    "integrity": "sha512-TfySrs/5nm8fQJDcBDuUng3VOUKsd7S+zqvbOTiGXHfxX4wK31ard+hoNuvkicM/2YFzlpDgABOevKSsB4G/FA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.8",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.8.tgz",
    "integrity": "sha512-OW/rX8O/jXnm82Ey1k44pObPtdblfiuWnrd8X7GJ7emImCOstunGbXUpp7HdBrFQX6rJzn3sPT397Wp5aCwCHg==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.11",
      "picocolors": "^1.1.1",
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/postcss-import": {
    "version": "15.1.0",
    "resolved": "https://registry.npmjs.org/postcss-import/-/postcss-import-15.1.0.tgz",
    "integrity": "sha512-hpr+J05B2FVYUAXHeK1YyI267J/dDDhMU6B6civm8hSY1jYJnBXxzKDKDswzJmtLHryrjhnDjqqp/49t8FALew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "postcss-value-parser": "^4.0.0",
      "read-cache": "^1.0.0",
      "resolve": "^1.1.7"
    },
    "engines": {
      "node": ">=14.0.0"
    },
    "peerDependencies": {
      "postcss": "^8.0.0"
    }
  },
  "node_modules/postcss-js": {
    "version": "4.1.0",
    "resolved": "https://registry.npmjs.org/postcss-js/-/postcss-js-4.1.0.tgz",
    "integrity": "sha512-oIAOTqgIo7q2EOwbhb8UalYePMvYoIeRY2YKntdpFQXNosSu3vLrniGgmH9OKs/qAkfoj5oB3le/7mINW1LCfw==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "camelcase-css": "^2.0.1"
    },
    "engines": {
      "node": "^12 || ^14 || >= 16"
    },
    "peerDependencies": {
      "postcss": "^8.4.21"
    }
  },
  "node_modules/postcss-load-config": {
    "version": "6.0.1",
    "resolved": "https://registry.npmjs.org/postcss-load-config/-/postcss-load-config-6.0.1.tgz",
    "integrity": "sha512-oPtTM4oerL+UXmx+93ytZVN82RrlY/wPUV8IeDxFrzIjXOLF1pN+EmKPLbubvKHT2HC20xXsCAH2Z+CKV6Oz/g==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
```

```
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "lilconfig": "^3.1.1"
  },
  "engines": {
    "node": ">= 18"
  },
  "peerDependencies": {
    "jiti": ">=1.21.0",
    "postcss": ">=8.0.9",
    "tsx": "^4.8.1",
    "yaml": "^2.4.2"
  },
  "peerDependenciesMeta": {
    "jiti": {
      "optional": true
    },
    "postcss": {
      "optional": true
    },
    "tsx": {
      "optional": true
    },
    "yaml": {
      "optional": true
    }
  }
},
"node_modules/postcss-nested": {
  "version": "6.2.0",
  "resolved": "https://registry.npmjs.org/postcss-nested/-/postcss-nested-6.2.0.tgz",
  "integrity": "sha512-HQbt28KulC5AJzG+cZtj9kvKB93CFCdLvog1WFLf1D+xmMvPGlBstkpTEZfK5+AN9hfJocyBFCNiqyS48bpgzQ==",
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "postcss-selector-parser": "^6.1.1"
  },
  "engines": {
    "node": ">=12.0"
  },
  "peerDependencies": {
    "postcss": "^8.2.14"
  }
},
"node_modules/postcss-selector-parser": {
  "version": "6.1.2",
  "resolved": "https://registry.npmjs.org/postcss-selector-parser/-/postcss-selector-parser-6.1.2.tgz",
  "integrity": "sha512-Q8qQfPiZ+THO/3ZrOrO0cJJKfpYCagtMUkXbnEfmgUjwXg6z/WBeOyS9APBBPCTSiDV+s4SwQGu8yFsiMRIudg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "cssesc": "^3.0.0",
    "util-deprecate": "^1.0.2"
  },
  "engines": {
    "node": ">=4"
  }
},
"node_modules/postcss-value-parser": {
  "version": "4.2.0",
  "resolved": "https://registry.npmjs.org/postcss-value-parser/-/postcss-value-parser-4.2.0.tgz",
  "integrity": "sha512-1NNCs6uurfkVbeXG4S8JFT9t19m45ICnif8zWLd5oPSZ50QnwMfK+H3jv408d4jw/7Bttv5axS5IiHoLaVNHeQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/potpack": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/potpack/-/potpack-1.0.2.tgz",
  "integrity": "sha512-choctRBIV9EMT9WGAZHn3V7t0Z2pMQyl0EZE6pFc/6ml3ssw7Dlf/oAOvFwjm1HVsqfQN8GfeFyJ+d8tRzqueQ==",
  "license": "ISC"
},
"node_modules/promise-worker-transferable": {
  "version": "1.0.4",
  "resolved": "https://registry.npmjs.org/promise-worker-transferable/-/promise-worker-transferable-1.0.4.tgz",
  "integrity": "sha512-bN+0ehEnrXfxV2ZQvU2PetO0n4gqBD4ulq3MI1WOPLgr7/Mg9yRQkX5+0v1vagr74ZTsl7XtzlaYDo2EuCeYJw==",
  "license": "Apache-2.0",
  "dependencies": {
    "is-promise": "^2.1.0",
    "lie": "^3.0.2"
  }
},
"node_modules/prop-types": {
  "version": "15.8.1",
  "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
  "integrity": "sha512-oj87CgZICdulUohogVAR7AjlC0327U4el4L6eAvOqCeudMDVU0NThNaV+b9Df4dXgSP1gXMTnPdhfe/2qDH5cg==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.4.0",
```

```
    "object-assign": "^4.1.1",
    "react-is": "^16.13.1"
  }
},
"node_modules/proxy-from-env": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/proxy-from-env/-/proxy-from-env-2.1.0.tgz",
  "integrity": "sha512-cJ+oHTW1VAEa8cJslgmUZrc+sjRKgAKl3Zyse6+PV38hZe/V6Z14TbCuXcan9F9ghlz4QrFr2c92TNF82UkYHA==",
  "license": "MIT",
  "engines": {
    "node": ">=10"
  }
},
"node_modules/queue-microtask": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
  "integrity": "sha512-NuaNSa6flKT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
  "dev": true,
  "funding": [
    {
      "type": "github",
      "url": "https://github.com/sponsors/feross"
    },
    {
      "type": "patreon",
      "url": "https://www.patreon.com/feross"
    },
    {
      "type": "consulting",
      "url": "https://feross.org/support"
    }
  ],
  "license": "MIT"
},
"node_modules/react": {
  "version": "18.3.1",
  "resolved": "https://registry.npmjs.org/react/-/react-18.3.1.tgz",
  "integrity": "sha512-wS+hAgJShR0KhEvPJArfuPVN1+Hz1t0Y6n5jLrGQbkb4urgPE/0Rve+1kMB1v/oWgHgm4WIcV+i7F2pTVj+2iQ==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0"
  },
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/react-composer": {
  "version": "5.0.3",
  "resolved": "https://registry.npmjs.org/react-composer/-/react-composer-5.0.3.tgz",
  "integrity": "sha512-1uWd07EME6XZvMfapwZmc7NgCZqDemcvicRi3wMJzXsQLvZ3L7fTHVyPy1bZdnWXM4iPjYuNE+uJ41MLKeTtnA==",
  "license": "MIT",
  "dependencies": {
    "prop-types": "^15.6.0"
  },
  "peerDependencies": {
    "react": "^15.0.0 || ^16.0.0 || ^17.0.0 || ^18.0.0"
  }
},
"node_modules/react-dom": {
  "version": "18.3.1",
  "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-18.3.1.tgz",
  "integrity": "sha512-5m4nQKp+rZRb09LNH59GM4BxTh9251/ylbKIbpe7TpGxfJ+9kv6BLkLBXIjjspbgbnIBNqlI23tRnTWT0snUIw==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0",
    "scheduler": "^0.23.2"
  },
  "peerDependencies": {
    "react": "^18.3.1"
  }
},
"node_modules/react-dom/node_modules/scheduler": {
  "version": "0.23.2",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.23.2.tgz",
  "integrity": "sha512-UOShsPwz7NrMUqhR6t0hWjFduvOzbtv7toDH1/hIrfRNIDBnnBWd0CwJTGvTpngVlmwGCdP9/Zl/tVrDqcuYzQ==",
  "license": "MIT",
  "dependencies": {
    "loose-envify": "^1.1.0"
  }
},
"node_modules/react-dropzone": {
  "version": "14.4.1",
  "resolved": "https://registry.npmjs.org/react-dropzone/-/react-dropzone-14.4.1.tgz",
  "integrity": "sha512-QDuV76v3uKbHiH34SpwifZ+gOLi1+RdsCO1kl5vxMT4wW8R82+sthjvBw4th3NHF/XX6FBsqDYZVNN+pnhaw0g==",
  "license": "MIT",
  "dependencies": {
    "attr-accept": "^2.2.4",
    "file-selector": "^2.1.0",
    "prop-types": "^15.8.1"
  },
  "engines": {
    "node": ">= 10.13"
  },
  "peerDependencies": {
    "react": ">= 16.8 || 18.0.0"
  }
},
"node_modules/react-is": {
  "version": "16.13.1",
  "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
  "integrity": "sha512-24e6ynE2H+OKt4kqsOvNd8kBpV65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCCTZBuOcfZs70kR8bQ==",
  "license": "MIT"
},
"node_modules/react-reconciler": {
  "version": "0.27.0",
```

```
    "resolved": "https://registry.npmjs.org/react-reconciler/-/react-reconciler-0.27.0.tgz",
    "integrity": "sha512-HmMDKciQjYmBRGuuhIaKA1ba/7a+UsM5FzOZsMO2JYHt9Jh8reCb7j1eDC95NOyUlKM9KRyvdx0flBuDvYSBoA==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0",
      "scheduler": "^0.21.0"
    },
    "engines": {
      "node": ">=0.10.0"
    },
    "peerDependencies": {
      "react": "^18.0.0"
    }
  },
  "node_modules/react-refresh": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/react-refresh/-/react-refresh-0.17.0.tgz",
    "integrity": "sha512-z6F7K9bV85EfseRCp2bzrpyQ0Gkw1uLoCel9XBVWPg/TjRj94SkJzUTGfOa4bs7iJvBWtQG0Wq7wnI0syw3EBQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-router": {
    "version": "7.13.2",
    "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.13.2.tgz",
    "integrity": "sha512-tX1Aee+ArlKQP+NIUd7SE6Li+CiGKwQtbS+FfRxPX6Pe4vHOo6nr9d++u5cwg+Z8K/x8tP+7qLmujDtfrAoUJA==",
    "license": "MIT",
    "dependencies": {
      "cookie": "^1.0.1",
      "set-cookie-parser": "^2.6.0"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/react-router-dom": {
    "version": "7.13.2",
    "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.13.2.tgz",
    "integrity": "sha512-aR7SUORwTqAW0JDeiWF07e9SBE9qGpByR9I8kJT5h/FrBKxPMS6TiC7rmVO+gC0q52Bx7JnjWe8Z1sR9faN4YA==",
    "license": "MIT",
    "dependencies": {
      "react-router": "7.13.2"
    },
    "engines": {
      "node": ">=20.0.0"
    },
    "peerDependencies": {
      "react": ">=18",
      "react-dom": ">=18"
    }
  },
  "node_modules/react-use-measure": {
    "version": "2.1.7",
    "resolved": "https://registry.npmjs.org/react-use-measure/-/react-use-measure-2.1.7.tgz",
    "integrity": "sha512-KrvcAo13I/60HpwGO5jpW7E9DfusKyLPLvuHlUyP5zqnmAPhNc6qTRjUQrdTADl0lpPpDVU2/Gg51UlOGHXbdg==",
    "license": "MIT",
    "peerDependencies": {
      "react": ">=16.13",
      "react-dom": ">=16.13"
    },
    "peerDependenciesMeta": {
      "react-dom": {
        "optional": true
      }
    }
  },
  "node_modules/read-cache": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/read-cache/-/read-cache-1.0.0.tgz",
    "integrity": "sha512-Owdv/Ft7IjOgm/i0xvNDZ1LrRANRfew4b2prF3OWMQLxLfu3bS8FVhCsrSCMK4lR56Y9ya+AThoTpDCTxCmpRA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "pify": "^2.3.0"
    }
  },
  "node_modules/readdirp": {
    "version": "3.6.0",
    "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
    "integrity": "sha512-hOS089on8RduqdbhvQ5Z37A0ESjsqz6qnRcffsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To9VRlMzA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "picomatch": "^2.2.1"
    },
    "engines": {
      "node": ">=8.10.0"
    }
  },
  "node_modules/require-from-string": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/require-from-string/-/require-from-string-2.0.2.tgz",
    "integrity": "sha512-Xf0nWe6RseziFMu+Ap9biiUbmplq6S9/p+7w7YXP/JBHhrUDDUhwa+vANyubuqfZWTveU//DYVGsDG7RKL/vEw==",
    "license": "MIT",
```

```
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/resolve": {
    "version": "1.22.11",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-1.22.11.tgz",
    "integrity": "sha512-RfqAvLnMl313r7c9oclB1HhUEAezcpLjz95wFH4LVuhk9JF/r22qmVP9AMmOU4vMX7Q8pN8jwNg/CSpdFnMjTQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-core-module": "^2.16.1",
      "path-parse": "^1.0.7",
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
      "resolve": "bin/resolve"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/reusify": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
    "integrity": "sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQOdpAWWspMh55TZfVQDPaN3NQJfbVRAxdIw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "iojs": ">=1.0.0",
      "node": ">=0.10.0"
    }
  },
  "node_modules/rollup": {
    "version": "3.30.0",
    "resolved": "https://registry.npmjs.org/rollup/-/rollup-3.30.0.tgz",
    "integrity": "sha512-kQvGasUgN+AlWGliFn2POSajRQEsULVYFGTvOZmK06d7vCD+YhZztt70kGk3qaeAXeWYL5eO7zx+rAubBc55eA==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "rollup": "dist/bin/rollup"
    },
    "engines": {
      "node": ">=14.18.0",
      "npm": ">=8.0.0"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    }
  },
  "node_modules/run-parallel": {
    "version": "1.2.0",
    "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
    "integrity": "sha512-5l4VyZR86LZ/lDxZTR6jqL8AFE2S0IFLMP26AbjsLVADxHdhB/c0GUsH+y39UfCi3dzz8OlQuPmnaJOMoDHQBA==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "queue-microtask": "^1.2.2"
    }
  },
  "node_modules/scheduler": {
    "version": "0.21.0",
    "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.21.0.tgz",
    "integrity": "sha512-1r87x5fz9MXqswA2ERLo0EbOAU74DpIUO090gIasYTqlVoJeMcl+Z1Rg7WHz+qtPujhS/hGIt9kxZOYBV3faRQ==",
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.1.0"
    }
  },
  "node_modules/semver": {
    "version": "6.3.1",
    "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
    "integrity": "sha512-BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
    "dev": true,
    "license": "ISC",
    "bin": {
      "semver": "bin/semver.js"
    }
  },
  "node_modules/set-cookie-parser": {
    "version": "2.7.2",
    "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
    "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+bdurlvw==",
    "license": "MIT"
  },
  "node_modules/shebang-command": {
    "version": "2.0.0",
    "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
```

```
    "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
    "license": "MIT",
    "dependencies": {
      "shebang-regex": "^3.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/shebang-regex": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
    "integrity": "sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQOhmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
    "integrity": "sha512-UXWMKhLOwVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrhOpwvzDBwj0QhSL7MQc7vIsISBG8VQ8+IDQxpfQA==",
    "dev": true,
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/stats-gl": {
    "version": "2.4.2",
    "resolved": "https://registry.npmjs.org/stats-gl/-/stats-gl-2.4.2.tgz",
    "integrity": "sha512-g5O9B0hm9CvnM36+v7SFl39T7hmAlv541tU81ME8YeSb3i1CIP5/QdDeSB3A0la0bKNHpxpwxOVRo2wFTYEosQ==",
    "license": "MIT",
    "dependencies": {
      "@types/three": "*",
      "three": "^0.170.0"
    },
    "peerDependencies": {
      "@types/three": "*",
      "three": "*"
    }
  },
  "node_modules/stats-gl/node_modules/three": {
    "version": "0.170.0",
    "resolved": "https://registry.npmjs.org/three/-/three-0.170.0.tgz",
    "integrity": "sha512-FQK+LEpYc0fBD+J8g6oSEyyNzjp+Q7Ks1C568WWaoMRLW+TkNNWmenWeGgJjV105Gd+p/2ql1ZcjYvNiPZBhuQ==",
    "license": "MIT"
  },
  "node_modules/stats.js": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/stats.js/-/stats.js-0.17.0.tgz",
    "integrity": "sha512-hNKz8phvYLPEcRkeG1rsGmV5ChMjKDAWU7/OJJdDErPBNChQXxCo3WZurGpnWc6gZhAzEPFad1aVgyOANH1sMw==",
    "license": "MIT"
  },
  "node_modules/sucrase": {
    "version": "3.35.1",
    "resolved": "https://registry.npmjs.org/sucrase/-/sucrase-3.35.1.tgz",
    "integrity": "sha512-DhuTmvZWux4H1UOnWMB3sk0sbaCVOoQZjv8u1rDoTV0HTdGem9hkAZtl4JZy8P2z4Bg0nT+YMeOFyVr4zcG5Tw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.2",
      "commander": "^4.0.0",
      "lines-and-columns": "^1.1.6",
      "mz": "^2.7.0",
      "pirates": "^4.0.1",
      "tinyglobby": "^0.2.11",
      "ts-interface-checker": "^0.1.9"
    },
    "bin": {
      "sucrase": "bin/sucrase",
      "sucrase-node": "bin/sucrase-node"
    },
    "engines": {
      "node": ">=16 || 14 >=14.17"
    }
  },
  "node_modules/supports-preserve-symlinks-flag": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
    "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHNk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MAt0w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/suspend-react": {
    "version": "0.1.3",
    "resolved": "https://registry.npmjs.org/suspend-react/-/suspend-react-0.1.3.tgz",
    "integrity": "sha512-aqldKgX9aZqpoDp3e8/BZ8Dm7x1pJl+qI3ZKxDN0i/IQTWUwBx/ManmlVJ3wowqbno6c2bmiIfs+Um6LbsjJyQ==",
    "license": "MIT",
    "peerDependencies": {
      "react": ">=17.0"
    }
  },
  "node_modules/tailwindcss": {
    "version": "3.4.19",
    "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-3.4.19.tgz",
    "integrity": "sha512-3ofp+LL8E+pK/JuPLPggVAIaEuhvIz4qNcf3nA1Xn2o/7fb7s/TYpHhwGDv1ZU3PkBluUVaF8PyCHcm48cKLWQ==",
    "dev": true,
    "license": "MIT",
```

```
    "dependencies": {
      "@alloc/quick-lru": "^5.2.0",
      "arg": "^5.0.2",
      "chokidar": "^3.6.0",
      "didyoumean": "^1.2.2",
      "dlv": "^1.1.3",
      "fast-glob": "^3.3.2",
      "glob-parent": "^6.0.2",
      "is-glob": "^4.0.3",
      "jiti": "^1.21.7",
      "lilconfig": "^3.1.3",
      "micromatch": "^4.0.8",
      "normalize-path": "^3.0.0",
      "object-hash": "^3.0.0",
      "picocolors": "^1.1.1",
      "postcss": "^8.4.47",
      "postcss-import": "^15.1.0",
      "postcss-js": "^4.0.1",
      "postcss-load-config": "^4.0.2 || ^5.0 || ^6.0",
      "postcss-nested": "^6.2.0",
      "postcss-selector-parser": "^6.1.2",
      "resolve": "^1.22.8",
      "sucrase": "^3.35.0"
    },
    "bin": {
      "tailwind": "lib/cli.js",
      "tailwindcss": "lib/cli.js"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "node_modules/thenify": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/thenify/-/thenify-3.3.1.tgz",
    "integrity": "sha512-RVZSIV5IG10Hk3enotrhvz0T9em6cyHBLkH/YAZuKqd8hRkKhSfCGIcP2KUY0EPxndzANBmNllzWPwak+bheSw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "any-promise": "^1.0.0"
    }
  },
  "node_modules/thenify-all": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/thenify-all/-/thenify-all-1.6.0.tgz",
    "integrity": "sha512-RNxQH/qI8/t3thXJDwcstUO4zeqo64+Uy/+sNVRBx4Xn2OX+OZ9oP+iJnNFqplFra2ZUVeKCSa2oVWi3T4uVmA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "thenify": ">= 3.1.0 < 4"
    },
    "engines": {
      "node": ">=0.8"
    }
  },
  "node_modules/three": {
    "version": "0.160.1",
    "resolved": "https://registry.npmjs.org/three/-/three-0.160.1.tgz",
    "integrity": "sha512-Bgl2wPJypDOZ1stAxwfWAcJ0WQf7QzlptsxkjYiURPz+n5k4RBDLsq+6f9Y75TYxn6aHLcWz+JNmwTOXWrQTBQ==",
    "license": "MIT"
  },
  "node_modules/three-mesh-bvh": {
    "version": "0.7.8",
    "resolved": "https://registry.npmjs.org/three-mesh-bvh/-/three-mesh-bvh-0.7.8.tgz",
    "integrity": "sha512-BGEZTOIC14U0XIRw3tO4jY7IjP7n7v24nv9JXS1CyeVRWOCkcOMhRnmENUjuV39gktAw4Ofhr0OvIAiTspQrrw==",
    "deprecated": "Deprecated due to three.js version incompatibility. Please use v0.8.0, instead.",
    "license": "MIT",
    "peerDependencies": {
      "three": ">= 0.151.0"
    }
  },
  "node_modules/three-stdlib": {
    "version": "2.36.1",
    "resolved": "https://registry.npmjs.org/three-stdlib/-/three-stdlib-2.36.1.tgz",
    "integrity": "sha512-XyGQrFmNQ5O/IoKm556ftwKsBg11TIb301MB5dWNicziQBEs2g3gtOYIf7pFiLa0zI2gUwhtCjv9fmjnxKZ1Cg==",
    "license": "MIT",
    "dependencies": {
      "@types/draco3d": "^1.4.0",
      "@types/offscreencanvas": "^2019.6.4",
      "@types/webxr": "^0.5.2",
      "draco3d": "^1.4.1",
      "fflate": "^0.6.9",
      "potpack": "^1.0.1"
    },
    "peerDependencies": {
      "three": ">=0.128.0"
    }
  },
  "node_modules/three-stdlib/node_modules/fflate": {
    "version": "0.6.10",
    "resolved": "https://registry.npmjs.org/fflate/-/fflate-0.6.10.tgz",
    "integrity": "sha512-IQrh3lEPM93wVCEczc9SaAOvkmcoQn/G8Bo1e8ZPlY3X3bnAxWaBdvTdvM1hP62iZp0BXWDy4vTAy4fF0+Dlpg==",
    "license": "MIT"
  },
  "node_modules/tinyglobby": {
    "version": "0.2.15",
    "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
    "integrity": "sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZOzKOINmWurp3smXu3y5wDcJrptwpSjgXHzIQxR0omXljQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fdir": "^6.5.0",
      "picomatch": "^4.0.3"
    },
    "engines": {
```

```
    "node": ">=12.0.0"
  },
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
},
"node_modules/tinyglobby/node_modules/fdir": {
  "version": "6.5.0",
  "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
  "integrity": "sha512-tIbYtZbucOs0BRGqPJkshJUYdL+SDH7dVM8gjy+ERp3WAUjLEFJE+02kanyHtwjWOnwrKYBiwAmM0p4kLJAnXg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12.0.0"
  },
  "peerDependencies": {
    "picomatch": "^3 || ^4"
  },
  "peerDependenciesMeta": {
    "picomatch": {
      "optional": true
    }
  }
},
"node_modules/tinyglobby/node_modules/picomatch": {
  "version": "4.0.4",
  "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
  "integrity": "sha512-QP88BAKvMam/3NxH6vj2o21R6MjxZUAd6nlwAS/pnGvN9IVLocLHxGYIzFhg6fUQ+5th6P4dv4eW9jX3DSIj7A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12"
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/to-regex-range": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
  "integrity": "sha512-65P7iz6X5yEr1cwcgvQxbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-number": "^7.0.0"
  },
  "engines": {
    "node": ">=8.0"
  }
},
"node_modules/troika-three-text": {
  "version": "0.52.4",
  "resolved": "https://registry.npmjs.org/troika-three-text/-/troika-three-text-0.52.4.tgz",
  "integrity": "sha512-V50EwcYGruV5rUZ9F4aNsrytGdKcXKALjEtQXIOBfhVoZU9VAqZNIoGQ3TMiooVqFAbR1w15T+f+8gkzoFzawg==",
  "license": "MIT",
  "dependencies": {
    "bidi-js": "^1.0.2",
    "troika-three-utils": "^0.52.4",
    "troika-worker-utils": "^0.52.0",
    "webgl-sdf-generator": "1.1.1"
  },
  "peerDependencies": {
    "three": ">=0.125.0"
  }
},
"node_modules/troika-three-utils": {
  "version": "0.52.4",
  "resolved": "https://registry.npmjs.org/troika-three-utils/-/troika-three-utils-0.52.4.tgz",
  "integrity": "sha512-NORAStSVa/BDiG52Mfudk4j1FG4jC4ILutB3foPnfGbOeIs9+G5vZLa0pnmnaftZUGm4UwSoqEpWdqvC7zms3A==",
  "license": "MIT",
  "peerDependencies": {
    "three": ">=0.125.0"
  }
},
"node_modules/troika-worker-utils": {
  "version": "0.52.0",
  "resolved": "https://registry.npmjs.org/troika-worker-utils/-/troika-worker-utils-0.52.0.tgz",
  "integrity": "sha512-W1CpvTHykaPH5brv5VHLfQo9D1OYuo0cSBEUQFFT/nBUzM8iD6Lq2/tgG/f1OelbAS1WtaTPQzE5uM49egnngw==",
  "license": "MIT"
},
"node_modules/ts-interface-checker": {
  "version": "0.1.13",
  "resolved": "https://registry.npmjs.org/ts-interface-checker/-/ts-interface-checker-0.1.13.tgz",
  "integrity": "sha512-Y/arvbn+rrz3JCKl9C4kVNfTfSm2/mEp5FSz5EsZSANGPSlQrpRI5M4PKF+mJnE52jOO90PnPSc3Ur3bTQw0gA==",
  "dev": true,
  "license": "Apache-2.0"
},
"node_modules/tslib": {
  "version": "2.8.1",
  "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
  "integrity": "sha512-oJFu94HQb+KVduSUQL7wnpmqnfmLsOA/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==",
  "license": "0BSD"
},
"node_modules/tunnel-rat": {
  "version": "0.1.2",
  "resolved": "https://registry.npmjs.org/tunnel-rat/-/tunnel-rat-0.1.2.tgz",
  "integrity": "sha512-lR5VHmkPhzdhrM092lI2nACsLO4QubF0/yoOhzX7c+wIpbN1GjHNzCc91QlpxBi+cnx8vVJ+Ur6vL5cEoQPFpQ==",
  "license": "MIT",
  "dependencies": {
    "zustand": "^4.3.2"
  }
},
"node_modules/tunnel-rat/node_modules/zustand": {
  "version": "4.5.7",
  "resolved": "https://registry.npmjs.org/zustand/-/zustand-4.5.7.tgz",
```

```
    "integrity": "sha512-CHOUy7mu3lbD6o6LJLfllpjkzhHXSBlX8B9+qPddUsIfeF5S/UZ5q0kmCsnRqT1UHFQZchNFDDzMbQsuesHWlw==",
    "license": "MIT",
    "dependencies": {
      "use-sync-external-store": "^1.2.2"
    },
    "engines": {
      "node": ">=12.7.0"
    },
    "peerDependencies": {
      "@types/react": ">=16.8",
      "immer": ">=9.0.6",
      "react": ">=16.8"
    },
    "peerDependenciesMeta": {
      "@types/react": {
        "optional": true
      },
      "immer": {
        "optional": true
      },
      "react": {
        "optional": true
      }
    }
  },
  "node_modules/update-browserslist-db": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
    "integrity": "sha512-Js0m9cx+qOgDxo0eMiFGEueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/browserslist"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/browserslist"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "escalade": "^3.2.0",
      "picocolors": "^1.1.1"
    },
    "bin": {
      "update-browserslist-db": "cli.js"
    },
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/use-sync-external-store": {
    "version": "1.6.0",
    "resolved": "https://registry.npmjs.org/use-sync-external-store/-/use-sync-external-store-1.6.0.tgz",
    "integrity": "sha512-Pp6GSwGP/NrPIrxVFAIkOQeyw8lFenOHijQWkUTrDvrF4ALqylP2C/KCkeS9dpUM3KvYRQhna5vt7IL95+ZQ9w==",
    "license": "MIT",
    "peerDependencies": {
      "react": "^16.8.0 || ^17.0.0 || ^18.0.0 || ^19.0.0"
    }
  },
  "node_modules/util-deprecate": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/util-deprecate/-/util-deprecate-1.0.2.tgz",
    "integrity": "sha512-EPD5q1uXyFxJpCrLnCc1nHnq3gOa6DZBocAIiI2TaSCA7VCJ1UJDMagCzIkXNsUYfD1daK//LTEQ8xiIbrHtcw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/utility-types": {
    "version": "3.11.0",
    "resolved": "https://registry.npmjs.org/utility-types/-/utility-types-3.11.0.tgz",
    "integrity": "sha512-6Z7Ma2aVEWisaL6TvBCy7P8rm2LQoPv6dJ7ecIaIixHcwfbJ0x7mWdbcwlIM5IGQxPZSFYeqRCqlOOeKoJYMkw==",
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/vite": {
    "version": "4.5.14",
    "resolved": "https://registry.npmjs.org/vite/-/vite-4.5.14.tgz",
    "integrity": "sha512-+v57oAaoYNnO3hIu5Z/tJRZjq5aHM2zDve9YZ8HngVHbhk66RStobhb1sqPMIPEleV6cNKYK4eGrAbE9Ulbl2g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "esbuild": "^0.18.10",
      "postcss": "^8.4.27",
      "rollup": "^3.27.1"
    },
    "bin": {
      "vite": "bin/vite.js"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://github.com/vitejs/vite?sponsor=1"
    },
    "optionalDependencies": {
      "fsevents": "~2.3.2"
    },
    "peerDependencies": {
```

```
        "@types/node": ">= 14",
        "less": "*",
        "lightningcss": "^1.21.0",
        "sass": "*",
        "stylus": "*",
        "sugarss": "*",
        "terser": "^5.4.0"
      },
      "peerDependenciesMeta": {
        "@types/node": {
          "optional": true
        },
        "less": {
          "optional": true
        },
        "lightningcss": {
          "optional": true
        },
        "sass": {
          "optional": true
        },
        "stylus": {
          "optional": true
        },
        "sugarss": {
          "optional": true
        },
        "terser": {
          "optional": true
        }
      }
    },
    "node_modules/webgl-constants": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/webgl-constants/-/webgl-constants-1.1.1.tgz",
      "integrity": "sha512-LkBXKjU5r9vAW7Gcu3T5u+5cvSvh5WwINdr0C+9jpzVB41cjQAP5ePArDtk/WHYdVj0GefCgM73BA7FlIiNtdg=="
    },
    "node_modules/webgl-sdf-generator": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/webgl-sdf-generator/-/webgl-sdf-generator-1.1.1.tgz",
      "integrity": "sha512-9Z0JcMTFxeE+b2x1LJTdnaT8rT8aEp7MVxkNwoycNmJWwPdzoXzMh0BjJSh/AEFP+KPYZUli814h8bJZFIZ2jA==",
      "license": "MIT"
    },
    "node_modules/which": {
      "version": "2.0.2",
      "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
      "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpwXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
      "license": "ISC",
      "dependencies": {
        "isexe": "^2.0.0"
      },
      "bin": {
        "node-which": "bin/node-which"
      },
      "engines": {
        "node": ">= 8"
      }
    },
    "node_modules/yallist": {
      "version": "3.1.1",
      "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
      "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUNn2pb7RoXx4g==",
      "dev": true,
      "license": "ISC"
    },
    "node_modules/zustand": {
      "version": "5.0.12",
      "resolved": "https://registry.npmjs.org/zustand/-/zustand-5.0.12.tgz",
      "integrity": "sha512-i77ae3aZq4dhMlRhJVCYgMLKuSiZAaUPAct2AksxQ+gOtimhGMdXljRT21P5BNpeT4kXlLIckvkPM029OljD7g==",
      "license": "MIT",
      "engines": {
        "node": ">=12.20.0"
      },
      "peerDependencies": {
        "@types/react": ">=18.0.0",
        "immer": ">=9.0.6",
        "react": ">=18.0.0",
        "use-sync-external-store": ">=1.2.0"
      },
      "peerDependenciesMeta": {
        "@types/react": {
          "optional": true
        },
        "immer": {
          "optional": true
        },
        "react": {
          "optional": true
        },
        "use-sync-external-store": {
          "optional": true
        }
      }
    }
  }
}
```


package.json


```
{
  "name": "frontend",
  "private": true,
  "version": "0.0.0",
  "type": "module",
  "scripts": {
    "dev": "vite",
```

```
    "build": "vite build",
    "preview": "vite preview"
  },
  "dependencies": {
    "@react-three/drei": "^9.122.0",
    "@react-three/fiber": "^8.18.0",
    "axios": "^1.14.0",
    "framer-motion": "^10.18.0",
    "react": "^18.3.1",
    "react-dom": "^18.3.1",
    "react-dropzone": "^14.4.1",
    "react-router-dom": "^7.13.2",
    "three": "^0.160.1"
  },
  "devDependencies": {
    "@types/react": "^18.2.37",
    "@types/react-dom": "^18.2.15",
    "@vitejs/plugin-react": "^4.7.0",
    "autoprefixer": "^10.4.27",
    "postcss": "^8.5.8",
    "tailwindcss": "^3.4.19",
    "vite": "^4.5.14"
  }
}
```

postcss.config.js

```
export default {
  plugins: {
    tailwindcss: {},
    autoprefixer: {},
  },
}
```

tailwind.config.js

```
/** @type {import('tailwindcss').Config} */
export default {
  content: ['./index.html', './src/**/*.{js,ts,jsx,tsx}'],
  theme: {
    extend: {
      fontFamily: {
        sans: ['Inter', 'system-ui', '-apple-system', 'BlinkMacSystemFont', 'Segoe UI', 'sans-serif'],
      },
      colors: {
        /* Core dark palette */
        n: {
          950: '#0a0a0a',
          900: '#111111',
          850: '#161616',
          800: '#1a1a1a',
          750: '#222222',
          700: '#2a2a2a',
          600: '#333333',
          500: '#404040',
          400: '#525252',
          300: '#737373',
          200: '#a3a3a3',
          100: '#d4d4d4',
          50:  '#e5e5e5',
        },
        /* Risk */
        risk: {
          'high-text':   '#fca5a5',
          'high-border': 'rgba(220,38,38,0.35)',
          'mod-text':    '#fcd34d',
          'mod-border':  'rgba(245,158,11,0.35)',
          'low-text':    '#86efac',
          'low-border':  'rgba(34,197,94,0.35)',
        },
      },
      borderColor: {
        DEFAULT: '#2a2a2a',
      },
      backgroundColor: {
        base:  '#0a0a0a',
        card:  '#1a1a1a',
        hover: '#2a2a2a',
      },
      borderRadius: {
        sm:  '6px',
        md:  '10px',
        lg:  '14px',
        xl:  '18px',
        '2xl': '22px',
      },
      boxShadow: {
        'sm':   '0 1px 3px rgba(0,0,0,0.4)',
        'md':   '0 4px 16px rgba(0,0,0,0.5)',
        'lg':   '0 8px 32px rgba(0,0,0,0.6)',
        'glow': '0 0 20px rgba(212,212,212,0.08)',
        'none': 'none',
      },
      transitionDuration: {
        DEFAULT: '300ms',
      },
      transitionTimingFunction: {
        DEFAULT: 'cubic-bezier(0.4,0,0.2,1)',
      },
      animation: {
        'slide-up':        'slideUp 0.5s cubic-bezier(0.4,0,0.2,1) both',
        'slide-down':      'slideDown 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'slide-in-left':   'slideInLeft 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'slide-in-right':  'slideInRight 0.4s cubic-bezier(0.4,0,0.2,1) both',
        'fade-in':         'fadeIn 0.4s ease both',
        'scale-in':        'scaleIn 0.3s cubic-bezier(0.4,0,0.2,1) both',
```

```
        'float-slow':      'floatSlow 6s ease-in-out infinite',
        'float-particle':  'floatParticle 4s ease-in-out infinite',
        'pulse-glow':      'pulseGlow 3s ease-in-out infinite',
        'pulse-dot':       'pulseDot 1.5s ease-in-out infinite',
        'shimmer':         'shimmer 1.5s linear infinite',
        'shake':           'shake 0.5s ease-out',
        'drift-up':        'driftUp linear infinite',
        'eye-open':        'eyeOpen 1.6s cubic-bezier(0.22,1,0.36,1) forwards',
        'spin-slow':       'spin 3s linear infinite',
      },
      keyframes: {
        slideUp:       { from: { opacity: '0', transform: 'translateY(32px)' }, to: { opacity: '1', transform: 'translateY(0)' } },
        slideDown:     { from: { opacity: '0', transform: 'translateY(-16px)' }, to: { opacity: '1', transform: 'translateY(0)' } },
        slideInLeft:   { from: { opacity: '0', transform: 'translateX(-24px)' }, to: { opacity: '1', transform: 'translateX(0)' } },
        slideInRight:  { from: { opacity: '0', transform: 'translateX(24px)' }, to: { opacity: '1', transform: 'translateX(0)' } },
        fadeIn:        { from: { opacity: '0' }, to: { opacity: '1' } },
        scaleIn:       { from: { opacity: '0', transform: 'scale(0.95)' }, to: { opacity: '1', transform: 'scale(1)' } },
        floatSlow:     { '0%,100%': { transform: 'translateY(0) rotate(0deg)' }, '50%': { transform: 'translateY(-16px) rotate(4deg)' } },
        floatParticle: { '0%,100%': { transform: 'translateY(0)', opacity: '0' }, '50%': { transform: 'translateY(-28px)', opacity: '1' } },
        pulseGlow:     { '0%,100%': { opacity: '0.4', transform: 'scale(1)' }, '50%': { opacity: '0.8', transform: 'scale(1.1)' } },
        pulseDot:      { '0%,100%': { opacity: '1', transform: 'scale(1)' }, '50%': { opacity: '0.5', transform: 'scale(0.85)' } },
        shimmer:       { from: { backgroundPosition: '-200% center' }, to: { backgroundPosition: '200% center' } },
        shake:         { '0%,100%': { transform: 'translateX(0)' }, '10%,30%,50%,70%,90%': { transform: 'translateX(-4px)' }, '20%,40%,60%,80%': { transform: 'tra
        driftUp:       { '0%': { transform: 'translateY(100vh) scale(0)', opacity: '0' }, '10%': { opacity: '1' }, '90%': { opacity: '1' }, '100%': { transform: '
        eyeOpen:       { '0%': { transform: 'scaleY(0.05)' }, '60%': { transform: 'scaleY(0.65)' }, '100%': { transform: 'scaleY(1)' } },
        progressFill:  { from: { width: '0%' } },
      },
      spacing: {
        '4.5': '18px',
        '18':  '72px',
        '22':  '88px',
      },
    },
  },
  plugins: [],
};
```

vercel.json

```
{
  "rewrites": [
    {
      "source": "/(.*)",
      "destination": "/index.html"
    }
  ]
}
```

vite.config.js

```
import { defineConfig } from 'vite'
import react from '@vitejs/plugin-react'

export default defineConfig({
  plugins: [react()],
  base: '/',
  build: {
    outDir: 'dist',
    rollupOptions: {
      output: {
        manualChunks: {
          vendor: ['react', 'react-dom', 'react-router-dom'],
        },
      },
    },
  },
  server: {
    proxy: {
      '/predict': {
        target: 'http://localhost:8000',
        changeOrigin: true,
      },
      '/health': {
        target: 'http://localhost:8000',
        changeOrigin: true,
      },
    },
  },
})
```

public\googleb5875af5dd9383cd.html

```
google-site-verification: googleb5875af5dd9383cd.html
```

src\App.css

```
.counter {
  font-size: 16px;
  padding: 5px 10px;
  border-radius: 5px;
  color: var(--accent);
  background: var(--accent-bg);
  border: 2px solid transparent;
  transition: border-color 0.3s;
  margin-bottom: 24px;

  &:hover {
    border-color: var(--accent-border);
  }
  &:focus-visible {
    outline: 2px solid var(--accent);
    outline-offset: 2px;
  }
}

.hero {
  position: relative;
```

```
  .base,
  .framework,
  .vite {
    inset-inline: 0;
    margin: 0 auto;
  }

  .base {
    width: 170px;
    position: relative;
    z-index: 0;
  }

  .framework,
  .vite {
    position: absolute;
  }

  .framework {
    z-index: 1;
    top: 34px;
    height: 28px;
    transform: perspective(2000px) rotateZ(300deg) rotateX(44deg) rotateY(39deg)
      scale(1.4);
  }

  .vite {
    z-index: 0;
    top: 107px;
    height: 26px;
    width: auto;
    transform: perspective(2000px) rotateZ(300deg) rotateX(40deg) rotateY(39deg)
      scale(0.8);
  }
}

#center {
  display: flex;
  flex-direction: column;
  gap: 25px;
  place-content: center;
  place-items: center;
  flex-grow: 1;

  @media (max-width: 1024px) {
    padding: 32px 20px 24px;
    gap: 18px;
  }
}

#next-steps {
  display: flex;
  border-top: 1px solid var(--border);
  text-align: left;

  & > div {
    flex: 1 1 0;
    padding: 32px;
    @media (max-width: 1024px) {
      padding: 24px 20px;
    }
  }

  .icon {
    margin-bottom: 16px;
    width: 22px;
    height: 22px;
  }

  @media (max-width: 1024px) {
    flex-direction: column;
    text-align: center;
  }
}

#docs {
  border-right: 1px solid var(--border);

  @media (max-width: 1024px) {
    border-right: none;
    border-bottom: 1px solid var(--border);
  }
}

#next-steps ul {
  list-style: none;
  padding: 0;
  display: flex;
  gap: 8px;
  margin: 32px 0 0;

  .logo {
    height: 18px;
  }

  a {
    color: var(--text-h);
    font-size: 16px;
    border-radius: 6px;
    background: var(--social-bg);
    display: flex;
    padding: 6px 12px;
    align-items: center;
    gap: 8px;
    text-decoration: none;
```

```
    transition: box-shadow 0.3s;

    &:hover {
      box-shadow: var(--shadow);
    }
    .button-icon {
      height: 18px;
      width: 18px;
    }
  }

  @media (max-width: 1024px) {
    margin-top: 20px;
    flex-wrap: wrap;
    justify-content: center;

    li {
      flex: 1 1 calc(50% - 8px);
    }

    a {
      width: 100%;
      justify-content: center;
      box-sizing: border-box;
    }
  }
}

#spacer {
  height: 88px;
  border-top: 1px solid var(--border);
  @media (max-width: 1024px) {
    height: 48px;
  }
}

.ticks {
  position: relative;
  width: 100%;

  &::before,
  &::after {
    content: '';
    position: absolute;
    top: -4.5px;
    border: 5px solid transparent;
  }

  &::before {
    left: 0;
    border-left-color: var(--border);
  }
  &::after {
    right: 0;
    border-right-color: var(--border);
  }
}
```

src\App.jsx

```
import { BrowserRouter as Router, Routes, Route, Navigate } from 'react-router-dom';
import { useState, useEffect } from 'react';
import { useAuth } from './context/AuthContext';
import CinematicIntro from './animations/CinematicIntro';
import LoadingScreen from './animations/LoadingScreen';
import BackgroundEffects from './animations/BackgroundEffects';
import Navbar from './components/Navbar';
import Hero from './components/Hero';
import AIDetection from './components/AIDetection';
import About from './components/About';
import Features from './components/Features';
import EyeGuide from './components/EyeGuide';
import Landing from './pages/Landing';
import Login from './pages/Login';
import Signup from './pages/Signup';
import CompleteProfile from './pages/CompleteProfile';
import Dashboard from './pages/Dashboard';
import History from './pages/History';
import Reports from './pages/Reports';
import Report from './pages/Report';
import Settings from './pages/Settings';
import Profile from './pages/Profile';
import './styles/globals.css';

/* Apply saved theme on load */
var saved = localStorage.getItem('optha_settings');
if (saved) {
  try {
    var s = JSON.parse(saved);
    if (s.theme === 'light') document.documentElement.setAttribute('data-theme', 'light');
  } catch (e) { }
}

var ProtectedRoute = function ({ children }) {
  var { user, loading, profileComplete } = useAuth();
  if (loading) return <LoadingScreen />;
  if (!user) return <Navigate to="/login" replace />;
  if (!profileComplete) return <Navigate to="/complete-profile" replace />;
  return children;
};

var ProfileGuard = function ({ children }) {
  var { user, loading } = useAuth();
  if (loading) return <LoadingScreen />;
  if (!user) return <Navigate to="/login" replace />;
  return children;
```

```
};

var HomePage = function () {
  return (
    <div
      className="page-3d-wrapper"
      style={{ color: 'var(--color-text)' }}
    >
      <div className="page-3d-content">
        <BackgroundEffects />
        <Navbar />
        <Hero />
        <AIDetection />
        <EyeGuide />
        <About />
        <Features />
        <footer
          className="py-8 text-center border-t relative z-10"
          style={{ color: 'var(--color-text-3)', borderColor: 'var(--color-border)' }}
        >
          <p>© 2025 OpthaMiss. AI-Powered Eye Disease Detection.</p>
        </footer>
      </div>
    </div>
  );
};

function App() {
  var { loading } = useAuth();
  var [introComplete, setIntroComplete] = useState(false);
  var [showLoading, setShowLoading] = useState(true);

  useEffect(function () {
    var hasSeenIntro = sessionStorage.getItem('hasSeenIntro');
    if (hasSeenIntro) {
      setShowLoading(false);
      setIntroComplete(true);
    } else {
      setTimeout(function () { setShowLoading(false); }, 1200);
    }
  }, []);

  var handleIntroComplete = function () {
    setIntroComplete(true);
    sessionStorage.setItem('hasSeenIntro', 'true');
  };

  if (loading || showLoading) return <LoadingScreen />;
  if (!introComplete) return <CinematicIntro onComplete={handleIntroComplete} />;

  return (
    <Router>
      <Routes>
        <Route path="/" element={<Landing />} />
        <Route path="/screen" element={<HomePage />} />
        <Route path="/upload" element={<HomePage />} />
        <Route path="/login" element={<Login />} />
        <Route path="/signup" element={<Signup />} />

        {/* Profile completion — requires login but not completed profile */}
        <Route path="/complete-profile" element={
          <ProfileGuard><CompleteProfile /></ProfileGuard>
        } />

        {/* Protected routes — require login + completed profile */}
        <Route path="/dashboard" element={<ProtectedRoute><Dashboard /></ProtectedRoute>} />
        <Route path="/history" element={<ProtectedRoute><History /></ProtectedRoute>} />
        <Route path="/reports" element={<ProtectedRoute><Reports /></ProtectedRoute>} />
        <Route path="/report/:id" element={<ProtectedRoute><Report /></ProtectedRoute>} />
        <Route path="/settings" element={<ProtectedRoute><Settings /></ProtectedRoute>} />
        <Route path="/profile" element={<ProtectedRoute><Profile /></ProtectedRoute>} />

        <Route path="*" element={<Navigate to="/" replace />} />
      </Routes>
    </Router>
  );
}

export default App;
```

src\index.css

```
  /* ■■■ Google Font — MUST be first ■■■ */
  @import url('https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700;800&display=swap');

  @tailwind base;
  @tailwind components;
  @tailwind utilities;

  /* ■■■
```

```
    --color-text-4: #525252;

    /* Accent */
    --color-accent: #d4d4d4;
    --color-accent-2: #a3a3a3;

    /* Semantic */
    --color-success: #22c55e;
    --color-warning: #f59e0b;
    --color-danger: #ef4444;
    --color-info: #3b82f6;

    /* Risk */
    --risk-high-bg: rgba(127, 29, 29, 0.25);
    --risk-high-border: rgba(220, 38, 38, 0.35);
    --risk-high-text: #fca5a5;
    --risk-mod-bg: rgba(120, 53, 15, 0.25);
    --risk-mod-border: rgba(245, 158, 11, 0.35);
    --risk-mod-text: #fcd34d;
    --risk-low-bg: rgba(20, 83, 45, 0.25);
    --risk-low-border: rgba(34, 197, 94, 0.35);
    --risk-low-text: #86efac;

    /* Shadows */
    --shadow-sm: 0 1px 3px rgba(0, 0, 0, 0.4);
    --shadow-md: 0 4px 16px rgba(0, 0, 0, 0.5);
    --shadow-lg: 0 8px 32px rgba(0, 0, 0, 0.6);
    --shadow-glow: 0 0 20px rgba(212, 212, 212, 0.08);

    /* Radius */
    --radius-sm: 6px;
    --radius-md: 10px;
    --radius-lg: 14px;
    --radius-xl: 18px;

    /* Transition */
    --ease: 0.3s cubic-bezier(0.4, 0, 0.2, 1);
  }

  /* ═══════════════════════════════════════════════════
   HTML / BODY
═══════════════════════════════════════════════════ */
  html {
    scroll-behavior: smooth;
    font-size: 16px;
  }

  *,
  *::before,
  *::after {
    box-sizing: border-box;
    margin: 0;
    padding: 0;
  }

  body {
    font-family: var(--font-sans);
    background-color: var(--color-bg);
    color: var(--color-text);
    line-height: 1.6;
    -webkit-font-smoothing: antialiased;
    -moz-osx-font-smoothing: grayscale;
    overflow-x: hidden;
  }

  /* ═══════════════════════════════════════════════════
   SCROLLBAR
═══════════════════════════════════════════════════ */
  ::-webkit-scrollbar {
    width: 6px;
    height: 6px;
  }

  ::-webkit-scrollbar-track {
    background: var(--color-bg-3);
  }

  ::-webkit-scrollbar-thumb {
    background: var(--color-border-2);
    border-radius: 3px;
  }

  ::-webkit-scrollbar-thumb:hover {
    background: var(--color-accent-2);
  }

  * {
    scrollbar-width: thin;
    scrollbar-color: var(--color-border-2) var(--color-bg-3);
  }

  /* ═══════════════════════════════════════════════════
   SELECTION
═══════════════════════════════════════════════════ */
  ::selection {
    background: rgba(212, 212, 212, 0.15);
    color: var(--color-text);
  }

  /* ═══════════════════════════════════════════════════
   KEYFRAME ANIMATIONS
═══════════════════════════════════════════════════ */

  @keyframes slideUp {
    from {
```

```
    opacity: 0;
    transform: translateY(32px);
  }

  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes slideDown {
  from {
    opacity: 0;
    transform: translateY(-16px);
  }

  to {
    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes slideInLeft {
  from {
    opacity: 0;
    transform: translateX(-24px);
  }

  to {
    opacity: 1;
    transform: translateX(0);
  }
}

@keyframes slideInRight {
  from {
    opacity: 0;
    transform: translateX(24px);
  }

  to {
    opacity: 1;
    transform: translateX(0);
  }
}

@keyframes fadeIn {
  from {
    opacity: 0;
  }

  to {
    opacity: 1;
  }
}

@keyframes fadeOut {
  from {
    opacity: 1;
  }

  to {
    opacity: 0;
  }
}

@keyframes scaleIn {
  from {
    opacity: 0;
    transform: scale(0.95);
  }

  to {
    opacity: 1;
    transform: scale(1);
  }
}

@keyframes zoomIn {
  from {
    transform: scale(1);
    opacity: 1;
  }

  to {
    transform: scale(8);
    opacity: 0;
  }
}

@keyframes float1 {

  0%,
  100% {
    transform: translate(0, 0) scale(1);
  }

  25% {
    transform: translate(30px, -40px) scale(1.05);
  }

  50% {
    transform: translate(-20px, -70px) scale(0.95);
  }

  75% {
```

```
    transform: translate(40px, -30px) scale(1.02);
  }
}

@keyframes float2 {

  0%,
  100% {
    transform: translate(0, 0) scale(1);
  }

  33% {
    transform: translate(-40px, -50px) scale(1.08);
  }

  66% {
    transform: translate(30px, -80px) scale(0.92);
  }
}

@keyframes float3 {

  0%,
  100% {
    transform: translate(0, 0);
  }

  20% {
    transform: translate(50px, -20px);
  }

  40% {
    transform: translate(-30px, -60px);
  }

  60% {
    transform: translate(20px, -90px);
  }

  80% {
    transform: translate(-40px, -40px);
  }
}

@keyframes driftUp {
  0% {
    transform: translateY(100vh) scale(0);
    opacity: 0;
  }

  10% {
    opacity: 1;
  }

  90% {
    opacity: 1;
  }

  100% {
    transform: translateY(-100px) scale(1);
    opacity: 0;
  }
}

@keyframes floatParticle {

  0%,
  100% {
    transform: translateY(0);
    opacity: 0;
  }

  50% {
    transform: translateY(-28px);
    opacity: 1;
  }
}

@keyframes floatSlow {

  0%,
  100% {
    transform: translateY(0) rotate(0deg);
  }

  50% {
    transform: translateY(-16px) rotate(4deg);
  }
}

@keyframes pulseGlow {

  0%,
  100% {
    opacity: 0.4;
    transform: scale(1);
  }

  50% {
    opacity: 0.8;
    transform: scale(1.1);
  }
}

@keyframes pulseDot {
```

```
  0%,
  100% {
    opacity: 1;
    transform: scale(1);
  }

  50% {
    opacity: 0.5;
    transform: scale(0.85);
  }
}

@keyframes shimmer {
  from {
    background-position: -200% center;
  }

  to {
    background-position: 200% center;
  }
}

@keyframes eyeOpen {
  0% {
    transform: scaleY(0.05);
  }

  60% {
    transform: scaleY(0.65);
  }

  100% {
    transform: scaleY(1);
  }
}

@keyframes shake {

  0%,
  100% {
    transform: translateX(0);
  }

  10%,
  30%,
  50%,
  70%,
  90% {
    transform: translateX(-4px);
  }

  20%,
  40%,
  60%,
  80% {
    transform: translateX(4px);
  }
}

@keyframes spin {
  from {
    transform: rotate(0deg);
  }

  to {
    transform: rotate(360deg);
  }
}

@keyframes progressFill {
  from {
    width: 0%;
  }
}

/* ━━━
```

```
.animate-float-particle {
  animation: floatParticle 4s ease-in-out infinite;
}

.animate-pulse-glow {
  animation: pulseGlow 3s ease-in-out infinite;
}

.animate-pulse-dot {
  animation: pulseDot 1.5s ease-in-out infinite;
}

.animate-shimmer {
  animation: shimmer 1.5s linear infinite;
}

.animate-shake {
  animation: shake 0.5s ease-out;
}

.animate-spin {
  animation: spin 1s linear infinite;
}

.animate-zoom-in {
  animation: zoomIn 1.2s ease-in-out forwards;
}

.animate-eye-open {
  animation: eyeOpen 1.6s cubic-bezier(0.22, 1, 0.36, 1) forwards;
}

.animate-drift-up {
  animation: driftUp linear infinite;
}

.delay-75 {
  animation-delay: 75ms;
}

.delay-100 {
  animation-delay: 100ms;
}

.delay-150 {
  animation-delay: 150ms;
}

.delay-200 {
  animation-delay: 200ms;
}

.delay-300 {
  animation-delay: 300ms;
}

.delay-500 {
  animation-delay: 500ms;
}

.delay-700 {
  animation-delay: 700ms;
}

/* ■■■
```

```
  background: var(--color-bg-4);
  color: var(--color-text);
  cursor: pointer;
  transition: all var(--ease);
  text-decoration: none;
  white-space: nowrap;
  outline: none;
  user-select: none;
}

.ui-btn:hover {
  background: var(--color-bg-hover);
  border-color: var(--color-accent-2);
  box-shadow: var(--shadow-glow);
}

.ui-btn:focus-visible {
  outline: 2px solid var(--color-accent-2);
  outline-offset: 2px;
}

.ui-btn:active {
  transform: scale(0.98);
}

.ui-btn:disabled {
  opacity: 0.4;
  cursor: not-allowed;
  pointer-events: none;
}

.ui-btn-sm {
  padding: 5px 12px;
  font-size: 12px;
  border-radius: var(--radius-sm);
}

.ui-btn-lg {
  padding: 12px 28px;
  font-size: 15px;
  border-radius: var(--radius-lg);
}

.ui-btn-icon {
  padding: 8px;
  width: 36px;
  height: 36px;
  border-radius: var(--radius-md);
}

.ui-btn-danger {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

.ui-btn-danger:hover {
  background: rgba(127, 29, 29, 0.4);
  border-color: rgba(220, 38, 38, 0.6);
  box-shadow: 0 0 16px rgba(239, 68, 68, 0.15);
}

.ui-btn-success {
  background: var(--risk-low-bg);
  border-color: var(--risk-low-border);
  color: var(--risk-low-text);
}

/* ■■ Input ■■ */
.ui-input {
  width: 100%;
  padding: 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease), box-shadow var(--ease);
  outline: none;
  appearance: none;
}

.ui-input::placeholder {
  color: var(--color-text-4);
}

.ui-input:focus {
  border-color: var(--color-border-2);
  box-shadow: 0 0 0 3px rgba(255, 255, 255, 0.04);
}

.ui-input:disabled {
  opacity: 0.5;
  cursor: not-allowed;
}

.ui-input-error {
  border-color: rgba(220, 38, 38, 0.5);
  background: rgba(127, 29, 29, 0.08);
}

.ui-input-error:focus {
  box-shadow: 0 0 0 3px rgba(239, 68, 68, 0.1);
}
```

```
.ui-select {
  width: 100%;
  padding: 10px 36px 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease);
  outline: none;
  appearance: none;
  cursor: pointer;
  background-image: url("data:image/svg+xml,%3Csvg xmlns='http://www.w3.org/2000/svg' fill='none' viewBox='0 0 24 24' stroke='%23737373'%3E%3Cpath stroke-linecap
  background-repeat: no-repeat;
  background-position: right 10px center;
  background-size: 16px;
}

.ui-select:focus {
  border-color: var(--color-border-2);
}

.ui-textarea {
  width: 100%;
  padding: 10px 14px;
  font-size: 14px;
  font-family: var(--font-sans);
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-md);
  color: var(--color-text);
  transition: border-color var(--ease);
  outline: none;
  resize: vertical;
  min-height: 90px;
  line-height: 1.6;
}

.ui-textarea:focus {
  border-color: var(--color-border-2);
}

/* ■■ Label ■■ */
.ui-label {
  display: block;
  font-size: 11px;
  font-weight: 600;
  color: var(--color-text-3);
  margin-bottom: 6px;
  letter-spacing: 0.06em;
  text-transform: uppercase;
}

/* ■■ Badge ■■ */
.ui-badge {
  display: inline-flex;
  align-items: center;
  gap: 4px;
  padding: 2px 8px;
  font-size: 11px;
  font-weight: 500;
  border-radius: 99px;
  border: 1px solid var(--color-border);
  background: var(--color-bg-4);
  color: var(--color-text-2);
}

.ui-badge-high {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

.ui-badge-moderate {
  background: var(--risk-mod-bg);
  border-color: var(--risk-mod-border);
  color: var(--risk-mod-text);
}

.ui-badge-low {
  background: var(--risk-low-bg);
  border-color: var(--risk-low-border);
  color: var(--risk-low-text);
}

/* ■■ Toggle ■■ */
.ui-toggle {
  position: relative;
  display: inline-flex;
  width: 44px;
  height: 24px;
  border-radius: 12px;
  background: var(--color-bg-hover);
  border: 1px solid var(--color-border);
  cursor: pointer;
  transition: all var(--ease);
  flex-shrink: 0;
}

.ui-toggle.on {
  background: var(--color-bg-4);
  border-color: var(--color-border-2);
}

.ui-toggle-knob {
```

```
  position: absolute;
  top: 2px;
  left: 2px;
  width: 18px;
  height: 18px;
  border-radius: 50%;
  background: var(--color-text-4);
  transition: all var(--ease);
}

.ui-toggle.on .ui-toggle-knob {
  left: 22px;
  background: var(--color-text);
}

/* ■■ Divider ■■ */
.ui-divider {
  width: 100%;
  height: 1px;
  background: var(--color-border);
  margin: 20px 0;
}

/* ■■ Container ■■ */
.ui-container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-sm {
  max-width: 480px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-md {
  max-width: 720px;
  margin: 0 auto;
  padding: 0 24px;
}

.ui-container-lg {
  max-width: 960px;
  margin: 0 auto;
  padding: 0 24px;
}

/* ■■ Section ■■ */
.ui-section {
  padding: 80px 0;
}

.ui-section-sm {
  padding: 48px 0;
}

/* ■■ Heading ■■ */
.ui-h1 {
  font-size: clamp(28px, 5vw, 48px);
  font-weight: 700;
  line-height: 1.15;
  color: var(--color-text);
  letter-spacing: -0.02em;
}

.ui-h2 {
  font-size: clamp(22px, 3.5vw, 36px);
  font-weight: 600;
  line-height: 1.25;
  color: var(--color-text);
  letter-spacing: -0.015em;
}

.ui-h3 {
  font-size: clamp(17px, 2.5vw, 22px);
  font-weight: 600;
  line-height: 1.35;
  color: var(--color-text);
}

.ui-h4 {
  font-size: 16px;
  font-weight: 600;
  color: var(--color-text);
}

.ui-eyebrow {
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.12em;
  text-transform: uppercase;
  color: var(--color-text-3);
}

/* ■■ Text ■■ */
.ui-text {
  font-size: 14px;
  color: var(--color-text-2);
  line-height: 1.6;
}

.ui-text-sm {
  font-size: 13px;
  color: var(--color-text-3);
```

```
  line-height: 1.5;
}

.ui-text-xs {
  font-size: 11px;
  color: var(--color-text-4);
}

/* ■■ Table ■■ */
.ui-table {
  width: 100%;
  border-collapse: collapse;
  font-size: 14px;
}

.ui-table th {
  padding: 10px 16px;
  text-align: left;
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.06em;
  text-transform: uppercase;
  color: var(--color-text-3);
  background: var(--color-bg-2);
  border-bottom: 1px solid var(--color-border);
}

.ui-table td {
  padding: 12px 16px;
  color: var(--color-text-2);
  border-bottom: 1px solid var(--color-border);
  transition: background var(--ease);
}

.ui-table tr:last-child td {
  border-bottom: none;
}

.ui-table tr:hover td {
  background: var(--color-bg-2);
}

/* ■■ Progress bar ■■ */
.ui-progress {
  width: 100%;
  height: 6px;
  background: var(--color-bg-2);
  border-radius: 99px;
  overflow: hidden;
}

.ui-progress-fill {
  height: 100%;
  border-radius: 99px;
  background: var(--color-accent-2);
  transition: width 1s cubic-bezier(0.4, 0, 0.2, 1);
  animation: progressFill 1s cubic-bezier(0.4, 0, 0.2, 1) both;
}

/* ■■ Skeleton ■■ */
.ui-skeleton {
  background: linear-gradient(90deg, var(--color-bg-3) 25%, var(--color-bg-4) 50%, var(--color-bg-3) 75%);
  background-size: 200% auto;
  border-radius: var(--radius-sm);
  animation: shimmer 1.5s linear infinite;
}

/* ■■ Tooltip ■■ */
.ui-tooltip-wrap {
  position: relative;
  display: inline-flex;
}

.ui-tooltip {
  position: absolute;
  bottom: calc(100% + 8px);
  left: 50%;
  transform: translateX(-50%);
  padding: 5px 10px;
  font-size: 12px;
  white-space: nowrap;
  background: var(--color-bg-4);
  border: 1px solid var(--color-border-2);
  color: var(--color-text);
  border-radius: var(--radius-sm);
  pointer-events: none;
  opacity: 0;
  transition: opacity var(--ease);
  z-index: 50;
  box-shadow: var(--shadow-md);
}

.ui-tooltip-wrap:hover .ui-tooltip {
  opacity: 1;
}

/* ■■ Modal overlay ■■ */
.ui-overlay {
  position: fixed;
  inset: 0;
  background: rgba(0, 0, 0, 0.72);
  backdrop-filter: blur(4px);
  z-index: 100;
  display: flex;
  align-items: center;
```

```
  justify-content: center;
  padding: 16px;
  animation: fadeIn 0.2s ease;
}

.ui-modal {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border-2);
  border-radius: var(--radius-xl);
  padding: 28px;
  width: 100%;
  max-width: 440px;
  animation: scaleIn 0.25s cubic-bezier(0.4, 0, 0.2, 1);
  box-shadow: var(--shadow-lg);
}

/* ■■ Toast ■■ */
.ui-toast {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 12px 16px;
  border-radius: var(--radius-lg);
  border: 1px solid var(--color-border);
  background: rgba(26, 26, 26, 0.96);
  backdrop-filter: blur(12px);
  color: var(--color-text);
  font-size: 14px;
  font-weight: 500;
  box-shadow: var(--shadow-lg);
  animation: slideInRight 0.3s cubic-bezier(0.4, 0, 0.2, 1);
  max-width: 360px;
}

.ui-toast-success {
  border-color: var(--risk-low-border);
  background: rgba(20, 83, 45, 0.92);
  color: var(--risk-low-text);
}

.ui-toast-error {
  border-color: var(--risk-high-border);
  background: rgba(127, 29, 29, 0.92);
  color: var(--risk-high-text);
}

.ui-toast-warning {
  border-color: var(--risk-mod-border);
  background: rgba(120, 53, 15, 0.92);
  color: var(--risk-mod-text);
}

.ui-toast-info {
  border-color: var(--color-border-2);
  background: rgba(26, 26, 26, 0.96);
  color: var(--color-text);
}

/* ■■ Navigation item ■■ */
.ui-nav-item {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 9px 12px;
  border-radius: var(--radius-md);
  font-size: 14px;
  font-weight: 500;
  color: var(--color-text-3);
  border: 1px solid transparent;
  cursor: pointer;
  transition: all var(--ease);
  text-decoration: none;
  user-select: none;
  width: 100%;
  text-align: left;
  background: transparent;
  font-family: var(--font-sans);
}

.ui-nav-item:hover {
  background: var(--color-bg-4);
  color: var(--color-text-2);
}

.ui-nav-item.active {
  background: var(--color-bg-4);
  border-color: var(--color-border);
  color: var(--color-text);
}

/* ■■ Stat card ■■ */
.ui-stat-card {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-lg);
  padding: 20px;
  transition: all var(--ease);
}

.ui-stat-card:hover {
  border-color: var(--color-border-2);
  box-shadow: var(--shadow-sm);
  transform: translateY(-1px);
}

/* ■■ Social buttons ■■ */
```

```
.ui-social-btn {
  width: 100%;
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 12px;
  padding: 11px 20px;
  border-radius: var(--radius-md);
  font-size: 14px;
  font-weight: 500;
  cursor: pointer;
  transition: all var(--ease);
  border: 1px solid;
  outline: none;
  font-family: var(--font-sans);
}

.ui-social-btn:disabled {
  opacity: 0.55;
  cursor: not-allowed;
}

.ui-social-btn-google {
  background: #ffffff;
  border-color: #e0e0e0;
  color: #1f1f1f;
}

.ui-social-btn-google:hover:not(:disabled) {
  background: #f5f5f5;
  box-shadow: 0 2px 8px rgba(0, 0, 0, 0.2);
}

.ui-social-btn-apple {
  background: #000000;
  border-color: #333333;
  color: #ffffff;
}

.ui-social-btn-apple:hover:not(:disabled) {
  background: #111111;
  box-shadow: 0 2px 8px rgba(0, 0, 0, 0.4);
}

/* ■■ Auth card ■■ */
.ui-auth-card {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border-2);
  border-radius: var(--radius-xl);
  padding: 36px;
  width: 100%;
  max-width: 440px;
  box-shadow: var(--shadow-lg);
}

/* ■■ Sidebar ■■ */
.ui-sidebar {
  position: fixed;
  left: 0;
  top: 0;
  height: 100vh;
  width: 256px;
  background: var(--color-bg-2);
  border-right: 1px solid var(--color-border);
  display: flex;
  flex-direction: column;
  z-index: 40;
}

/* ■■ Header ■■ */
.ui-header {
  height: 64px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 0 24px;
  background: var(--color-bg-2);
  border-bottom: 1px solid var(--color-border);
  position: sticky;
  top: 0;
  z-index: 30;
}

.ui-app-shell {
  min-height: 100vh;
  background:
    linear-gradient(180deg, rgba(255, 255, 255, 0.015), transparent 18%),
    radial-gradient(circle at top left, rgba(148, 163, 184, 0.08), transparent 28%),
    radial-gradient(circle at top right, rgba(71, 85, 105, 0.12), transparent 24%),
    var(--color-bg);
  position: relative;
  overflow-x: clip;
}

.ui-app-shell::before {
  content: '';
  position: fixed;
  inset: 0;
  pointer-events: none;
  background-image:
    linear-gradient(rgba(255, 255, 255, 0.02) 1px, transparent 1px),
    linear-gradient(90deg, rgba(255, 255, 255, 0.02) 1px, transparent 1px);
  background-size: 36px 36px;
  mask-image: linear-gradient(180deg, rgba(0, 0, 0, 0.5), transparent 90%);
  z-index: 0;
```

```
}

.ui-app-glow {
  position: fixed;
  inset: 0;
  pointer-events: none;
  z-index: 0;
}

.ui-app-glow::before,
.ui-app-glow::after {
  content: '';
  position: absolute;
  border-radius: 999px;
  filter: blur(72px);
  opacity: 0.45;
}

.ui-app-glow::before {
  width: 340px;
  height: 340px;
  top: 72px;
  left: -80px;
  background: rgba(148, 163, 184, 0.12);
}

.ui-app-glow::after {
  width: 280px;
  height: 280px;
  right: -70px;
  top: 180px;
  background: rgba(71, 85, 105, 0.16);
}

/* ■■ Layout ■■ */
.ui-main {
  flex: 1;
  margin-left: 256px;
  display: flex;
  flex-direction: column;
}

.ui-page-content {
  padding: 28px 32px;
  flex: 1;
  position: relative;
  z-index: 1;
}

.ui-page-stack {
  max-width: 1180px;
  margin: 0 auto;
  display: flex;
  flex-direction: column;
  gap: 24px;
}

.ui-page-hero {
  position: relative;
  overflow: hidden;
  border-radius: 24px;
  padding: 24px;
  background: linear-gradient(180deg, rgba(26, 26, 26, 0.92), rgba(17, 17, 17, 0.94));
  border: 1px solid rgba(255, 255, 255, 0.06);
  box-shadow: var(--shadow-lg);
}

.ui-page-hero::before {
  content: '';
  position: absolute;
  inset: 0;
  background:
    radial-gradient(circle at top right, rgba(255, 255, 255, 0.04), transparent 28%),
    radial-gradient(circle at bottom left, rgba(148, 163, 184, 0.06), transparent 28%);
  pointer-events: none;
}

.ui-page-header {
  position: relative;
  z-index: 1;
  display: flex;
  flex-direction: column;
  gap: 14px;
}

.ui-page-header-row {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  gap: 16px;
  flex-wrap: wrap;
}

.ui-page-kicker {
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.14em;
  text-transform: uppercase;
  color: var(--color-text-4);
}

.ui-page-title {
  font-size: clamp(26px, 3.5vw, 38px);
  line-height: 1.05;
  letter-spacing: -0.03em;
```

```
  font-weight: 800;
  color: var(--color-text);
}

.ui-page-description {
  max-width: 720px;
  font-size: 14px;
  line-height: 1.7;
  color: var(--color-text-3);
}

.ui-page-actions {
  display: flex;
  align-items: center;
  gap: 10px;
  flex-wrap: wrap;
}

.ui-back-btn {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  padding: 8px 14px;
  border-radius: 999px;
  border: 1px solid var(--color-border-2);
  background: rgba(34, 34, 34, 0.72);
  color: var(--color-text-2);
  font-size: 13px;
  font-weight: 600;
  transition: all var(--ease);
  backdrop-filter: blur(10px);
}

.ui-back-btn:hover {
  color: var(--color-text);
  border-color: var(--color-accent-2);
  background: rgba(42, 42, 42, 0.9);
  box-shadow: var(--shadow-glow);
  transform: translateY(-1px);
}

.ui-panel {
  background: rgba(26, 26, 26, 0.9);
  border: 1px solid rgba(255, 255, 255, 0.06);
  border-radius: 20px;
  box-shadow: var(--shadow-md);
  backdrop-filter: blur(12px);
}

.ui-panel-muted {
  background: rgba(17, 17, 17, 0.82);
  border: 1px solid rgba(255, 255, 255, 0.05);
  border-radius: 18px;
  box-shadow: var(--shadow-sm);
}

/* ■■ Grid helpers ■■ */
.ui-grid-2 {
  display: grid;
  grid-template-columns: repeat(2, 1fr);
  gap: 16px;
}

.ui-grid-3 {
  display: grid;
  grid-template-columns: repeat(3, 1fr);
  gap: 16px;
}

.ui-grid-4 {
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 16px;
}

@media (max-width: 1024px) {
  .ui-grid-4 {
    grid-template-columns: repeat(2, 1fr);
  }

  .ui-grid-3 {
    grid-template-columns: repeat(2, 1fr);
  }

  .ui-main {
    margin-left: 0;
  }

  .ui-page-content {
    padding: 20px 16px;
  }

  .ui-page-hero {
    padding: 20px;
    border-radius: 20px;
  }
}

@media (max-width: 640px) {

  .ui-grid-4,
  .ui-grid-3,
  .ui-grid-2 {
    grid-template-columns: 1fr;
  }
```

```
    .ui-auth-card {
      padding: 24px 20px;
    }

    .ui-modal {
      padding: 20px;
    }

    .ui-page-header-row {
      flex-direction: column;
      align-items: stretch;
    }
  }

  /* ═══════════════════════════════════════════════════
   AUTOFILL OVERRIDE
═══════════════════════════════════════════════════ */
  input:-webkit-autofill,
  input:-webkit-autofill:hover,
  input:-webkit-autofill:focus {
    -webkit-box-shadow: 0 0 0 1000px var(--color-bg-2) inset !important;
    -webkit-text-fill-color: var(--color-text) !important;
    caret-color: var(--color-text);
  }

  /* Number spinners off */
  input[type=number]::-webkit-inner-spin-button,
  input[type=number]::-webkit-outer-spin-button {
    -webkit-appearance: none;
  }

  input[type=number] {
    -moz-appearance: textfield;
  }

  /* Date picker dark */
  input[type=date]::-webkit-calendar-picker-indicator {
    filter: invert(0.7);
    cursor: pointer;
  }

  /* Focus ring */
  button:focus-visible,
  a:focus-visible,
  input:focus-visible,
  select:focus-visible,
  textarea:focus-visible {
    outline: 2px solid var(--color-border-2);
    outline-offset: 2px;
  }

  /* Tap highlight off */
  * {
    -webkit-tap-highlight-color: transparent;
  }

  /* ═══════════════════════════════════════════════════
   PRINT
═══════════════════════════════════════════════════ */
  @media print {
    body {
      background: white !important;
      color: black !important;
    }

    .ui-sidebar,
    .ui-header,
    .no-print {
      display: none !important;
    }

    .ui-main {
      margin-left: 0 !important;
    }
  }

  /* ═══════════════════════════════════════════
   BACK BUTTON ENHANCEMENT
═══════════════════════════════════════════ */
  .ui-back-btn {
    display: inline-flex;
    align-items: center;
    gap: 8px;
    padding: 7px 14px;
    border-radius: 999px;
    border: 1px solid var(--color-border-2);
    background: rgba(34, 34, 34, 0.72);
    color: var(--color-text-2);
    font-size: 13px;
    font-weight: 600;
    cursor: pointer;
    transition: all var(--ease);
    backdrop-filter: blur(10px);
    font-family: var(--font-sans);
    text-decoration: none;
    user-select: none;
  }

  .ui-back-btn:hover {
    color: var(--color-text);
    border-color: var(--color-accent-2);
    background: rgba(42, 42, 42, 0.9);
    box-shadow: var(--shadow-glow);
    transform: translateY(-1px);
  }
```

```
  .ui-back-btn svg {
    transition: transform 0.25s ease;
  }

  .ui-back-btn:hover svg {
    transform: translateX(-2px);
  }

  /* ═══════════════════════════════════════════
   PAGE LAYOUT — CONSISTENT SHELL
═══════════════════════════════════════════ */
  .page-shell {
    min-height: 100vh;
    display: flex;
    flex-direction: column;
    background: var(--color-bg);
  }

  /* Content area that sits next to sidebar */
  .page-content-area {
    flex: 1;
    display: flex;
    flex-direction: column;
    min-height: 100vh;
  }

  /* Standard page top bar (back + actions) */
  .page-top-bar {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 16px;
    margin-bottom: 8px;
    flex-wrap: wrap;
  }

  /* ═══════════════════════════════════════════
   CARD VARIANTS — GLASSMORPHISM
═══════════════════════════════════════════ */
  .ui-card-glass {
    background: rgba(26, 26, 26, 0.85);
    border: 1px solid rgba(255, 255, 255, 0.07);
    border-radius: var(--radius-lg);
    backdrop-filter: blur(16px);
    box-shadow: 0 4px 24px rgba(0, 0, 0, 0.4);
    transition: border-color var(--ease), box-shadow var(--ease);
  }

  .ui-card-glass:hover {
    border-color: rgba(255, 255, 255, 0.12);
    box-shadow: 0 8px 32px rgba(0, 0, 0, 0.5);
  }

  /* Elevated card — for hero sections */
  .ui-card-elevated {
    background: linear-gradient(135deg,
        rgba(30, 30, 30, 0.95) 0%,
        rgba(20, 20, 20, 0.98) 100%);
    border: 1px solid rgba(255, 255, 255, 0.08);
    border-radius: 20px;
    box-shadow:
      0 0 0 1px rgba(255, 255, 255, 0.04) inset,
      0 8px 32px rgba(0, 0, 0, 0.5);
  }

  /* ═══════════════════════════════════════════
   STAT PILL — INLINE METRIC DISPLAY
═══════════════════════════════════════════ */
  .ui-stat-pill {
    display: inline-flex;
    align-items: center;
    gap: 6px;
    padding: 4px 12px;
    border-radius: 99px;
    background: var(--color-bg-4);
    border: 1px solid var(--color-border);
    font-size: 12px;
    color: var(--color-text-2);
    font-weight: 500;
  }

  /* ═══════════════════════════════════════════
   GLOW LINE — DECORATIVE SEPARATOR
═══════════════════════════════════════════ */
  .ui-glow-line {
    height: 1px;
    background: linear-gradient(to right,
        transparent,
        rgba(255, 255, 255, 0.08) 30%,
        rgba(255, 255, 255, 0.08) 70%,
        transparent);
    margin: 24px 0;
  }

  /* ═══════════════════════════════════════════
   EMPTY STATE PANEL
═══════════════════════════════════════════ */
  .ui-empty {
    display: flex;
    flex-direction: column;
    align-items: center;
    justify-content: center;
    padding: 64px 24px;
    text-align: center;
    background: rgba(17, 17, 17, 0.6);
```

```
  border: 1px dashed var(--color-border);
  border-radius: var(--radius-lg);
}

.ui-empty-icon {
  width: 56px;
  height: 56px;
  border-radius: 14px;
  background: var(--color-bg-3);
  border: 1px solid var(--color-border);
  display: flex;
  align-items: center;
  justify-content: center;
  margin-bottom: 16px;
  font-size: 22px;
}

/* ═══════════════════════════════════════════
 SECTION LABEL — UPPERCASE CATEGORY
═══════════════════════════════════════════ */
.ui-section-label {
  font-size: 10px;
  font-weight: 700;
  letter-spacing: 0.12em;
  text-transform: uppercase;
  color: var(--color-text-4);
  margin-bottom: 12px;
}

/* ═══════════════════════════════════════════
 INFO ROW — LABEL + VALUE PAIR
═══════════════════════════════════════════ */
.ui-info-row {
  display: flex;
  align-items: flex-start;
  gap: 12px;
  padding: 10px 0;
  border-bottom: 1px solid var(--color-border);
}

.ui-info-row:last-child {
  border-bottom: none;
}

.ui-info-row-label {
  font-size: 11px;
  font-weight: 600;
  color: var(--color-text-4);
  text-transform: uppercase;
  letter-spacing: 0.06em;
  width: 120px;
  flex-shrink: 0;
  padding-top: 1px;
}

.ui-info-row-value {
  font-size: 13px;
  color: var(--color-text-2);
  flex: 1;
  line-height: 1.5;
}

/* ═══════════════════════════════════════════
 GRID LAYOUT HELPERS
═══════════════════════════════════════════ */
.ui-stats-grid {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(180px, 1fr));
  gap: 14px;
}

.ui-stat-block {
  background: var(--color-bg-3);
  border: 1px solid var(--color-border);
  border-radius: var(--radius-lg);
  padding: 20px;
  transition: border-color var(--ease), transform var(--ease);
}

.ui-stat-block:hover {
  border-color: var(--color-border-2);
  transform: translateY(-1px);
}

.ui-stat-block-label {
  font-size: 11px;
  font-weight: 600;
  text-transform: uppercase;
  letter-spacing: 0.08em;
  color: var(--color-text-4);
  margin-bottom: 10px;
}

.ui-stat-block-value {
  font-size: 28px;
  font-weight: 800;
  color: var(--color-text);
  line-height: 1;
  letter-spacing: -0.02em;
  margin-bottom: 4px;
}

.ui-stat-block-note {
  font-size: 12px;
  color: var(--color-text-3);
```

```
    line-height: 1.4;
  }

  /* ═══════════════════════════════════════════
   FORM FIELD GROUP
═══════════════════════════════════════════ */
  .ui-field {
    display: flex;
    flex-direction: column;
    gap: 6px;
  }

  .ui-field-label {
    font-size: 11px;
    font-weight: 600;
    text-transform: uppercase;
    letter-spacing: 0.06em;
    color: var(--color-text-3);
  }

  .ui-field-hint {
    font-size: 11px;
    color: var(--color-text-4);
    line-height: 1.4;
  }

  .ui-field-error {
    font-size: 11px;
    color: var(--risk-high-text);
    display: flex;
    align-items: center;
    gap: 4px;
  }

  /* ═══════════════════════════════════════════
   RESPONSIVE ADJUSTMENTS
═══════════════════════════════════════════ */
  @media (max-width: 768px) {
    .ui-stats-grid {
      grid-template-columns: repeat(2, 1fr);
    }

    .ui-stat-block-value {
      font-size: 22px;
    }

    .ui-page-title {
      font-size: clamp(20px, 6vw, 28px);
    }

    .page-top-bar {
      flex-direction: column;
      align-items: flex-start;
    }
  }

  @media (max-width: 480px) {
    .ui-stats-grid {
      grid-template-columns: 1fr;
    }

    .ui-info-row {
      flex-direction: column;
      gap: 4px;
    }

    .ui-info-row-label {
      width: auto;
    }
  }

  /* ═══════════════════════════════════════════════
   3D BACKGROUND SYSTEM — Global
═══════════════════════════════════════════════ */

  /* Global 3D page wrapper — use on every page */
  .page-3d-wrapper {
    position: relative;
    min-height: 100vh;
    background: var(--color-bg);
    overflow-x: hidden;
  }

  /* Fixed animated grid behind all content */
  .page-3d-wrapper::before {
    content: '';
    position: fixed;
    inset: 0;
    pointer-events: none;
    z-index: 0;
    background-image:
      linear-gradient(rgba(255, 255, 255, 0.025) 1px, transparent 1px),
      linear-gradient(90deg, rgba(255, 255, 255, 0.025) 1px, transparent 1px);
    background-size: 44px 44px;
    mask-image: linear-gradient(180deg, rgba(0, 0, 0, 0.6) 0%, transparent 85%);
  }

  /* Ambient corner glows */
  .page-3d-wrapper::after {
    content: '';
    position: fixed;
    inset: 0;
    pointer-events: none;
    z-index: 0;
    background:
```

```
      radial-gradient(ellipse 60% 40% at 10% 10%, rgba(100, 100, 140, 0.12), transparent),
      radial-gradient(ellipse 50% 35% at 90% 15%, rgba(80, 100, 120, 0.10), transparent),
      radial-gradient(ellipse 40% 50% at 50% 90%, rgba(80, 70, 100, 0.08), transparent);
  }

  /* Content sits above the background */
  .page-3d-content {
    position: relative;
    z-index: 1;
  }

  /* ═══════════════════════════════════════════════
   SCAN PAGE — Premium Layout Classes
═══════════════════════════════════════════════ */

  .scan-page-wrapper {
    min-height: 100vh;
    background: var(--color-bg);
    position: relative;
    overflow-x: hidden;
  }

  .scan-page-header {
    text-align: center;
    padding: 56px 24px 40px;
  }

  .scan-page-eyebrow {
    font-size: 11px;
    font-weight: 700;
    letter-spacing: 0.16em;
    text-transform: uppercase;
    color: var(--color-text-4);
    margin-bottom: 12px;
  }

  .scan-page-title {
    font-size: clamp(28px, 4.5vw, 44px);
    font-weight: 800;
    line-height: 1.1;
    letter-spacing: -0.025em;
    color: var(--color-text);
    margin-bottom: 14px;
  }

  .scan-page-subtitle {
    font-size: 16px;
    line-height: 1.65;
    color: var(--color-text-3);
    max-width: 480px;
    margin: 0 auto;
  }

  /* ═══════════════════════════════════════════════
   GLASSMORPHISM UPGRADES
═══════════════════════════════════════════════ */

  .glass-card {
    background: rgba(22, 22, 28, 0.82);
    border: 1px solid rgba(255, 255, 255, 0.08);
    border-radius: 18px;
    backdrop-filter: blur(20px);
    -webkit-backdrop-filter: blur(20px);
    box-shadow:
      0 4px 24px rgba(0, 0, 0, 0.35),
      0 0 0 1px rgba(255, 255, 255, 0.04) inset;
    transition: border-color var(--ease), box-shadow var(--ease), transform var(--ease);
  }

  .glass-card:hover {
    border-color: rgba(255, 255, 255, 0.14);
    box-shadow:
      0 8px 40px rgba(0, 0, 0, 0.45),
      0 0 0 1px rgba(255, 255, 255, 0.06) inset;
    transform: translateY(-2px);
  }

  .glass-card-sm {
    background: rgba(18, 18, 22, 0.78);
    border: 1px solid rgba(255, 255, 255, 0.06);
    border-radius: 14px;
    backdrop-filter: blur(16px);
    -webkit-backdrop-filter: blur(16px);
    box-shadow: 0 2px 16px rgba(0, 0, 0, 0.3);
  }

  /* ═══════════════════════════════════════════════
   ENHANCED BUTTON SYSTEM
═══════════════════════════════════════════════ */

  .btn-glow {
    display: inline-flex;
    align-items: center;
    justify-content: center;
    gap: 8px;
    padding: 10px 22px;
    font-size: 14px;
    font-weight: 600;
    font-family: var(--font-sans);
    border-radius: var(--radius-md);
    border: 1px solid var(--color-border-2);
    background: var(--color-bg-4);
    color: var(--color-text);
    cursor: pointer;
    transition: all 0.25s cubic-bezier(0.4, 0, 0.2, 1);
```

```
  text-decoration: none;
  white-space: nowrap;
  outline: none;
  user-select: none;
  position: relative;
  overflow: hidden;
}

.btn-glow::before {
  content: '';
  position: absolute;
  inset: 0;
  background: linear-gradient(135deg, rgba(255, 255, 255, 0.06), transparent);
  opacity: 0;
  transition: opacity 0.25s ease;
}

.btn-glow:hover {
  border-color: var(--color-accent-2);
  box-shadow: 0 0 24px rgba(212, 212, 212, 0.10), 0 4px 16px rgba(0, 0, 0, 0.4);
  transform: translateY(-1px);
}

.btn-glow:hover::before {
  opacity: 1;
}

.btn-glow:active {
  transform: scale(0.98) translateY(0);
}

.btn-glow-lg {
  padding: 13px 32px;
  font-size: 15px;
  border-radius: var(--radius-lg);
}

.btn-glow-sm {
  padding: 6px 14px;
  font-size: 12px;
  border-radius: var(--radius-sm);
}

/* ═══════════════════════════════════════════════
 BACK BUTTON — Pill style
═══════════════════════════════════════════════ */

.back-btn-pill {
  display: inline-flex;
  align-items: center;
  gap: 7px;
  padding: 8px 16px;
  border-radius: 100px;
  border: 1px solid var(--color-border-2);
  background: rgba(30, 30, 36, 0.72);
  color: var(--color-text-2);
  font-size: 13px;
  font-weight: 600;
  font-family: var(--font-sans);
  cursor: pointer;
  transition: all 0.22s ease;
  backdrop-filter: blur(12px);
  text-decoration: none;
  user-select: none;
}

.back-btn-pill:hover {
  color: var(--color-text);
  border-color: var(--color-accent-2);
  background: rgba(42, 42, 50, 0.88);
  box-shadow: 0 0 20px rgba(212, 212, 212, 0.09);
  transform: translateX(-2px);
}

.back-btn-pill svg {
  transition: transform 0.2s ease;
  flex-shrink: 0;
}

.back-btn-pill:hover svg {
  transform: translateX(-3px);
}

/* ═══════════════════════════════════════════════
 STEP INDICATOR — Scan flow
═══════════════════════════════════════════════ */

.step-bar {
  display: flex;
  align-items: center;
  justify-content: center;
  gap: 0;
  margin-bottom: 48px;
}

.step-item {
  display: flex;
  flex-direction: column;
  align-items: center;
  gap: 8px;
}

.step-circle {
  width: 36px;
  height: 36px;
```

```
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 13px;
  font-weight: 700;
  transition: all 0.3s ease;
}

.step-circle.done {
  background: var(--risk-low-bg);
  border: 2px solid var(--risk-low-border);
  color: var(--risk-low-text);
}

.step-circle.active {
  background: var(--color-bg-4);
  border: 2px solid var(--color-border-2);
  color: var(--color-text);
  box-shadow: 0 0 16px rgba(212, 212, 212, 0.12);
}

.step-circle.inactive {
  background: var(--color-bg-2);
  border: 2px solid var(--color-border);
  color: var(--color-text-4);
}

.step-label {
  font-size: 11px;
  font-weight: 500;
  white-space: nowrap;
  transition: color 0.3s ease;
}

.step-label.active {
  color: var(--color-text);
  font-weight: 700;
}

.step-label.inactive {
  color: var(--color-text-4);
}

.step-connector {
  width: 72px;
  height: 2px;
  margin-bottom: 24px;
  transition: background 0.4s ease;
  flex-shrink: 0;
}

.step-connector.done {
  background: var(--risk-low-border);
}

.step-connector.pending {
  background: var(--color-border);
}

/* ═══════════════════════════════════════════════
 MODEL SELECTION CARD
═══════════════════════════════════════════════ */

.model-card {
  width: 100%;
  padding: 26px 22px;
  border-radius: 16px;
  text-align: left;
  cursor: pointer;
  transition: all 0.25s ease;
  background: var(--color-bg-3);
  border: 2px solid var(--color-border);
  font-family: var(--font-sans);
  display: flex;
  flex-direction: column;
  gap: 16px;
  position: relative;
  overflow: hidden;
}

.model-card::before {
  content: '';
  position: absolute;
  inset: 0;
  background: linear-gradient(135deg, rgba(255, 255, 255, 0.04), transparent 60%);
  opacity: 0;
  transition: opacity 0.25s ease;
}

.model-card:hover {
  background: var(--color-bg-4);
  border-color: var(--color-border-2);
  box-shadow: 0 0 28px rgba(212, 212, 212, 0.09), 0 8px 32px rgba(0, 0, 0, 0.4);
  transform: translateY(-3px);
}

.model-card:hover::before {
  opacity: 1;
}

.model-card-icon {
  width: 52px;
  height: 52px;
  border-radius: 13px;
```

```
  background: var(--color-bg-2);
  border: 1px solid var(--color-border);
  display: flex;
  align-items: center;
  justify-content: center;
  color: var(--color-text-3);
  transition: all 0.25s ease;
  flex-shrink: 0;
}

.model-card:hover .model-card-icon {
  color: var(--color-text);
  border-color: var(--color-border-2);
}

/* ═══════════════════════════════════════════════
 DROPZONE
═══════════════════════════════════════════════ */

.dropzone-area {
  border-radius: 16px;
  border: 2px dashed var(--color-border);
  background: var(--color-bg-2);
  cursor: pointer;
  transition: all 0.25s ease;
  overflow: hidden;
  position: relative;
  min-height: 240px;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  margin-bottom: 16px;
}

.dropzone-area.active {
  border-color: var(--color-border-2);
  background: var(--color-bg-4);
  box-shadow: 0 0 32px rgba(212, 212, 212, 0.06);
}

.dropzone-area:hover {
  border-color: var(--color-border-2);
  background: var(--color-bg-3);
}

.dropzone-icon-wrap {
  width: 56px;
  height: 56px;
  border-radius: 14px;
  background: var(--color-bg-3);
  border: 1px solid var(--color-border);
  display: flex;
  align-items: center;
  justify-content: center;
  margin: 0 auto 18px;
}

/* ═══════════════════════════════════════════════
 RISK RESULT BANNER
═══════════════════════════════════════════════ */

.risk-banner {
  border-radius: 16px;
  overflow: hidden;
  margin-bottom: 18px;
}

.risk-banner-inner {
  padding: 20px 24px;
}

/* ═══════════════════════════════════════════════
 RESPONSIVE — Scan page
═══════════════════════════════════════════════ */

@media (max-width: 640px) {
  .scan-page-title {
    font-size: 26px;
  }

  .scan-page-header {
    padding: 40px 20px 28px;
  }

  .step-connector {
    width: 44px;
  }
}

/* src/index.css */
@import 'tailwindcss';

@theme {
  --color-bg: #0a0a0a;
  --color-bg-2: #111111;
  --color-bg-3: #1a1a1a;
  --color-bg-4: #222222;
  --color-text: #f5f5f5;
  --color-text-2: #d1d1d1;
  --color-text-3: #a3a3a3;
  --color-text-4: #777777;
  --color-border: #333333;
  --color-border-2: #222222;
  --risk-high-bg: #3a1a1a;
```

```
    --risk-high-text: #ff6b6b;
    --risk-moderate-bg: #3a2e1a;
    --risk-moderate-text: #ffcc66;
    --risk-low-bg: #1a2a1a;
    --risk-low-text: #66ff99;
  }

  body {
    background: var(--color-bg);
    color: var(--color-text);
    font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, sans-serif;
  }

  /* Glassmorphism + Glow */
  .ui-card {
    background: rgba(26, 26, 26, 0.75);
    border: 1px solid var(--color-border);
    box-shadow: 0 8px 32px -4px rgba(0, 0, 0, 0.4),
      0 0 0 1px rgba(255, 255, 255, 0.05) inset;
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
  }

  .ui-card:hover {
    transform: translateY(-2px);
    box-shadow: 0 20px 40px -8px rgba(100, 100, 255, 0.15),
      0 0 0 1px rgba(255, 255, 255, 0.1) inset;
  }

  /* Global 3D background container */
  #root>div:first-child {
    position: relative;
    z-index: 1;
  }
```

src\main.jsx

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import App from './App.jsx';
import { AuthProvider } from './context/AuthContext.jsx';
import { ToastProvider } from './context/ToastContext.jsx';
import './index.css';

ReactDOM.createRoot(document.getElementById('root')).render(
  <React.StrictMode>
    <AuthProvider>
      <ToastProvider>
        <App />
      </ToastProvider>
    </AuthProvider>
  </React.StrictMode>
);
```

src\animations\BackgroundEffects.jsx

```
import { useState } from 'react';

const BackgroundEffects = () => {
  const [particles] = useState(() =>
    Array.from({ length: 50 }, (_, i) => ({
      id: i,
      left: Math.random() * 100,
      delay: Math.random() * 15,
      duration: 8 + Math.random() * 14,
      size: 2 + Math.random() * 4,
      opacity: 0.25 + Math.random() * 0.45,
    }))
  );

  const [orbs] = useState(() => [
    { left: '5%',  top: '15%', size: 420, color: 'rgba(80,80,120,0.18)',  duration: 22, anim: 'float1' },
    { left: '65%', top: '35%', size: 520, color: 'rgba(60,100,80,0.14)',  duration: 28, anim: 'float2' },
    { left: '35%', top: '65%', size: 360, color: 'rgba(100,80,100,0.16)', duration: 20, anim: 'float3' },
    { left: '75%', top: '5%',  size: 300, color: 'rgba(70,70,110,0.13)',  duration: 26, anim: 'float1' },
    { left: '15%', top: '80%', size: 450, color: 'rgba(90,80,70,0.15)',   duration: 32, anim: 'float2' },
    { left: '50%', top: '45%', size: 280, color: 'rgba(75,95,85,0.12)',   duration: 18, anim: 'float3' },
  ]);

  return (
    <div className="fixed inset-0 pointer-events-none z-0 overflow-hidden">

      {/* Gradient orbs — more visible */}
      {orbs.map((orb, i) => (
        <div
          key={`orb-${i}`}
          style={{
            position: 'absolute',
            left: orb.left,
            top: orb.top,
            width: orb.size,
            height: orb.size,
            borderRadius: '50%',
            background: `radial-gradient(circle, ${orb.color} 0%, transparent 70%)`,
            animation: `${orb.anim} ${orb.duration}s ease-in-out infinite`,
            filter: 'blur(30px)',
          }}
        />
      ))}

      {/* Floating particles — more visible */}
      {particles.map((p) => (
        <div
          key={`p-${p.id}`}
          style={{
            position: 'absolute',
            left: `${p.left}%`,
```

```
            bottom: '-10px',
            width: p.size,
            height: p.size,
            borderRadius: '50%',
            backgroundColor: `rgba(200, 200, 220, ${p.opacity})`,
            animation: `driftUp ${p.duration}s linear ${p.delay}s infinite`,
            boxShadow: `0 0 ${p.size * 2}px rgba(200,200,220,${p.opacity * 0.5})`,
          }}
        />
      ))}

      {/* Subtle grid overlay — slightly more visible */}
      <div
        style={{
          position: 'absolute',
          inset: 0,
          backgroundImage: `
            linear-gradient(rgba(255,255,255,0.03) 1px, transparent 1px),
            linear-gradient(90deg, rgba(255,255,255,0.03) 1px, transparent 1px)
          `,
          backgroundSize: '80px 80px',
        }}
      />

      {/* Corner accent glow — top right */}
      <div
        style={{
          position: 'absolute',
          top: '-150px',
          right: '-150px',
          width: '600px',
          height: '600px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(70,75,110,0.22) 0%, transparent 60%)',
          animation: 'pulse-glow 8s ease-in-out infinite',
        }}
      />

      {/* Corner accent glow — bottom left */}
      <div
        style={{
          position: 'absolute',
          bottom: '-150px',
          left: '-150px',
          width: '500px',
          height: '500px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(90,70,65,0.18) 0%, transparent 60%)',
          animation: 'pulse-glow 10s ease-in-out infinite 3s',
        }}
      />

      {/* Centre ambient glow */}
      <div
        style={{
          position: 'absolute',
          top: '30%',
          left: '40%',
          width: '400px',
          height: '400px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(60,80,90,0.10) 0%, transparent 70%)',
          animation: 'pulse-glow 14s ease-in-out infinite 6s',
        }}
      />
    </div>
  );
};

export default BackgroundEffects;
```

src\animations\CinematicIntro.jsx

```
import { useState, useEffect } from 'react';

const CinematicIntro = ({ onComplete }) => {
  const [stage, setStage] = useState(0);

  useEffect(() => {
    const timers = [
      setTimeout(() => setStage(1), 400),
      setTimeout(() => setStage(2), 2200),
      setTimeout(() => setStage(3), 4000),
      setTimeout(() => setStage(4), 5800),
      setTimeout(() => onComplete(), 6800),
    ];
    return () => timers.forEach(clearTimeout);
  }, [onComplete]);

  const eyeOpenAmount = stage >= 1 ? 1 : 0;
  const isZooming = stage >= 3;
  const isFading = stage >= 4;

  return (
    <div
      className="fixed inset-0 z-50 bg-black flex items-center justify-center"
      style={{
        opacity: isFading ? 0 : 1,
        transition: 'opacity 1s ease-in',
      }}
    >
      {/* Centered eye wrapper */}
      <div
        style={{
          transform: isZooming ? 'scale(6)' : 'scale(1)',
          opacity: isZooming ? 0 : 1,
```

```
    transition: isZooming
      ? 'transform 1.8s cubic-bezier(0.4, 0, 0.2, 1), opacity 1.6s ease-in'
      : 'transform 0.3s ease',
  }}
>
  {/* Eye almond shape container */}
  <div style={{ position: 'relative', width: '280px', height: '120px' }}>

    {/* Sclera (white of eye) — almond via border-radius */}
    <div
      style={{
        position: 'absolute',
        inset: 0,
        background: 'radial-gradient(ellipse at 50% 50%, #f2efe9 0%, #e6e0d6 50%, #d6cec4 100%)',
        borderRadius: '50%',
        overflow: 'hidden',
        transform: `scaleY(${eyeOpenAmount})`,
        transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
        boxShadow: 'inset 0 0 20px rgba(0,0,0,0.08)',
      }}
    >
      {/* Subtle veins */}
      <svg width="280" height="120" style={{ position: 'absolute', inset: 0, opacity: 0.12 }}>
        <path d="M20,55 Q60,48 90,58" stroke="#c4756e" strokeWidth="0.6" fill="none" />
        <path d="M15,65 Q55,72 85,62" stroke="#b8696a" strokeWidth="0.5" fill="none" />
        <path d="M195,50 Q225,44 260,54" stroke="#c4756e" strokeWidth="0.6" fill="none" />
        <path d="M200,68 Q230,75 258,66" stroke="#b8696a" strokeWidth="0.5" fill="none" />
      </svg>

      {/* Iris */}
      <div
        style={{
          position: 'absolute',
          width: '76px',
          height: '76px',
          top: '50%',
          left: '50%',
          transform: 'translate(-50%, -50%)',
          borderRadius: '50%',
          background: 'radial-gradient(circle at 45% 40%, #6b7c5a 0%, #556b47 25%, #495e3d 50%, #3d5233 75%, #2f4228 100%)',
          boxShadow: 'inset 0 0 12px rgba(0,0,0,0.35), 0 0 8px rgba(60,70,50,0.2)',
        }}
      >
        {/* Iris fiber texture */}
        <div
          style={{
            position: 'absolute',
            inset: '3px',
            borderRadius: '50%',
            background: 'conic-gradient(from 30deg, rgba(100,120,80,0.15) 0deg, transparent 30deg, rgba(80,100,65,0.1) 60deg, transparent 90deg, rgba(100,12
          }}
        />
        {/* Limbal ring */}
        <div
          style={{
            position: 'absolute',
            inset: 0,
            borderRadius: '50%',
            border: '2px solid rgba(40,50,30,0.4)',
          }}
        />

        {/* Pupil */}
        <div
          style={{
            position: 'absolute',
            width: '28px',
            height: '28px',
            top: '50%',
            left: '50%',
            transform: `translate(-50%, -50%) scale(${stage >= 1 ? 1 : 0.4})`,
            transition: 'transform 1.2s cubic-bezier(0.22, 1, 0.36, 1) 0.3s',
            borderRadius: '50%',
            background: 'radial-gradient(circle, #000 0%, #0a0a08 70%, #151510 100%)',
            boxShadow: 'inset 0 0 4px rgba(0,0,0,0.8)',
          }}
        />

        {/* Main light reflection */}
        <div
          style={{
            position: 'absolute',
            width: '14px',
            height: '16px',
            top: '18%',
            right: '22%',
            borderRadius: '50%',
            background: 'radial-gradient(ellipse, rgba(255,255,255,0.85) 0%, rgba(255,255,255,0.3) 60%, transparent 100%)',
          }}
        />
        {/* Secondary reflection */}
        <div
          style={{
            position: 'absolute',
            width: '6px',
            height: '6px',
            bottom: '25%',
            left: '28%',
            borderRadius: '50%',
            background: 'radial-gradient(circle, rgba(255,255,255,0.45) 0%, transparent 100%)',
          }}
        />
      </div>
    </div>

    {/* Upper eyelid */}
```

```
          <div
            style={{
              position: 'absolute',
              width: '280px',
              height: '70px',
              top: '-5px',
              left: 0,
              background: 'linear-gradient(180deg, #0c0a08 0%, #1a1714 50%, #25221e 100%)',
              borderRadius: '0 0 50% 50% / 0 0 100% 100%',
              transform: `translateY(${eyeOpenAmount ? '-55px' : '0px'})`,
              transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
              zIndex: 2,
              boxShadow: '0 3px 12px rgba(0,0,0,0.6)',
            }}
          />

          {/* Lower eyelid */}
          <div
            style={{
              position: 'absolute',
              width: '280px',
              height: '40px',
              bottom: '-5px',
              left: 0,
              background: 'linear-gradient(0deg, #0c0a08 0%, #1a1714 50%, #25221e 100%)',
              borderRadius: '50% 50% 0 0 / 100% 100% 0 0',
              transform: `translateY(${eyeOpenAmount ? '30px' : '0px'})`,
              transition: 'transform 1.6s cubic-bezier(0.22, 1, 0.36, 1)',
              zIndex: 2,
              boxShadow: '0 -2px 8px rgba(0,0,0,0.4)',
            }}
          />
        </div>
      </div>

      {/* Text overlay */}
      <div
        className="absolute bottom-16 left-1/2 -translate-x-1/2 text-center"
        style={{
          opacity: stage >= 2 && stage < 4 ? 1 : 0,
          transition: 'opacity 0.8s ease',
        }}
      >
        <p className="text-neutral-500 text-sm tracking-[0.3em] uppercase">OpthaMiss</p>
        <p className="text-neutral-600 text-xs mt-2 tracking-widest">AI Eye Disease Detection</p>
      </div>
    </div>
  );
};

export default CinematicIntro;
```

src\animations\LoadingScreen.jsx

```
var LoadingScreen = function () {
  return (
    <div className="fixed inset-0 flex flex-col items-center justify-center z-50"
      style={{ background: 'var(--color-bg)' }}>

      {/* Spinner ring */}
      <div className="relative mb-8">
        <div className="w-14 h-14 rounded-full border-2 animate-spin"
          style={{ borderColor: 'var(--color-border)', borderTopColor: 'var(--color-text-2)' }} />
        <div className="absolute inset-0 flex items-center justify-center">
          <div className="w-5 h-5 rounded-full animate-pulse-glow"
            style={{ background: 'var(--color-bg-4)' }} />
        </div>
      </div>

      <p className="text-xs tracking-[0.3em] uppercase animate-fade-in"
        style={{ color: 'var(--color-text-3)' }}>
        OpthaMiss
      </p>
    </div>
  );
};

export default LoadingScreen;
```

src\components\AIDetection.jsx

```
  import { useState, useCallback, useRef, useEffect } from 'react';
  import { useDropzone } from 'react-dropzone';
  import axios from 'axios';
  import { useNavigate } from 'react-router-dom';

  /* ■■ API helpers ■■ */
  var API_BASE = (import.meta.env.VITE_API_URL || '').trim().replace(/\/$/, '');
  var buildUrl = function (ep) { return API_BASE + ep; };

  var diagnoseError = async function (ep) {
    try {
      await axios.get(buildUrl('/health'), { timeout: 8000 });
      return 'Backend reachable but upload failed. Check the server logs.';
    } catch {
      return API_BASE
        ? 'Cannot connect to ' + API_BASE + '. Ensure the backend is running.'
        : 'Cannot connect to backend. Make sure the dev server proxy is configured.';
    }
  };

  /* ■■ Model config ■■ */
  var MODELS = {
    anterior: {
      label: 'Anterior Eye',
      subtitle: 'External eye surface',
```

```
    desc: 'Cornea, lens, conjunctiva, anterior segment',
    endpoint: '/predict/anterior',
    icon: (
      <svg width="32" height="32" viewBox="0 0 32 32" fill="none">
        <ellipse cx="16" cy="16" rx="14" ry="9" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="5.5" fill="currentColor" fillOpacity="0.15" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="2.5" fill="currentColor" />
        <circle cx="18" cy="14" r="1" fill="currentColor" fillOpacity="0.5" />
      </svg>
    ),
    stats: [
      { label: 'Conditions', value: '13' },
      { label: 'AUC-ROC', value: '0.982' },
      { label: 'mAP', value: '0.922' },
    ],
    tta: '3-view TTA',
    hint: 'Use the rear camera close-up with flash. Crop tightly around the eye.',
  },
  fundus: {
    label: 'Fundus (Posterior)',
    subtitle: 'Retinal imaging',
    desc: 'Optic disc, macula, retinal vessels',
    endpoint: '/predict/fundus',
    icon: (
      <svg width="32" height="32" viewBox="0 0 32 32" fill="none">
        <circle cx="16" cy="16" r="13" stroke="currentColor" strokeWidth="1.5" />
        <circle cx="16" cy="16" r="7" stroke="currentColor" strokeWidth="1.2" strokeDasharray="2 2" />
        <circle cx="22" cy="12" r="2.5" fill="currentColor" fillOpacity="0.3" stroke="currentColor" strokeWidth="1" />
        <line x1="4" y1="16" x2="28" y2="16" stroke="currentColor" strokeWidth="0.8" strokeOpacity="0.3" />
        <line x1="16" y1="4" x2="16" y2="28" stroke="currentColor" strokeWidth="0.8" strokeOpacity="0.3" />
      </svg>
    ),
    stats: [
      { label: 'Conditions', value: '8' },
      { label: 'AUC-ROC', value: '0.889' },
      { label: 'F1', value: '0.631' },
    ],
    tta: '5-view TTA',
    hint: 'Use a retinal fundus photograph. Well-focused with optic disc visible.',
  },
};

/* ■■ Risk helpers ■■ */
var riskBadgeClass = function (risk) {
  if (risk === 'HIGH') return 'ui-badge ui-badge-high';
  if (risk === 'MODERATE') return 'ui-badge ui-badge-moderate';
  return 'ui-badge ui-badge-low';
};

var urgencyBg = function (urgency) {
  if (urgency === 'HIGH') return { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' };
  if (urgency === 'MODERATE') return { background: 'var(--risk-mod-bg)', border: '1px solid var(--risk-mod-border)', color: 'var(--risk-mod-text)' };
  return { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' };
};

var overallBg = function (risk) {
  if (risk === 'HIGH') return { background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' };
  if (risk === 'MODERATE') return { background: 'var(--risk-mod-bg)', border: '1px solid var(--risk-mod-border)', color: 'var(--risk-mod-text)' };
  return { background: 'var(--risk-low-bg)', border: '1px solid var(--risk-low-border)', color: 'var(--risk-low-text)' };
};

var getNow = function () {
  var d = new Date();
  var pad = function (n) { return String(n).padStart(2, '0'); };
  return (
    d.getFullYear() + '-' + pad(d.getMonth() + 1) + '-' + pad(d.getDate()) +
    ' ' + pad(d.getHours()) + ':' + pad(d.getMinutes())
  );
};

/* ■■ Step indicator ■■ */
var StepBar = function ({ step }) {
  var steps = ['Select Type', 'Upload Image', 'Results'];
  return (
    <div
      style={{
        display: 'flex',
        alignItems: 'center',
        justifyContent: 'center',
        gap: 0,
        marginBottom: '40px',
      }}
    >
      {steps.map(function (label, i) {
        var idx = i + 1;
        var isDone = step > idx;
        var isActive = step === idx;
        return (
          <div key={idx} style={{ display: 'flex', alignItems: 'center' }}>
            {/* Step circle */}
            <div style={{ display: 'flex', flexDirection: 'column', alignItems: 'center', gap: '6px' }}>
              <div
                style={{
                  width: '32px',
                  height: '32px',
                  borderRadius: '50%',
                  display: 'flex',
                  alignItems: 'center',
                  justifyContent: 'center',
                  fontSize: '13px',
                  fontWeight: 600,
                  transition: 'all 0.3s ease',
                  background: isDone
                    ? 'var(--risk-low-bg)'
                    : isActive
```

```
                    ? 'var(--color-bg-4)'
                    : 'var(--color-bg-2)',
                border: isDone
                  ? '2px solid var(--risk-low-border)'
                  : isActive
                    ? '2px solid var(--color-border-2)'
                    : '2px solid var(--color-border)',
                color: isDone
                  ? 'var(--risk-low-text)'
                  : isActive
                    ? 'var(--color-text)'
                    : 'var(--color-text-4)',
              }}
            >
              {isDone ? (
                <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M5 13l4 4L19 7" />
                </svg>
              ) : idx}
            </div>
            <span
              style={{
                fontSize: '11px',
                fontWeight: isActive ? 600 : 400,
                color: isActive ? 'var(--color-text)' : 'var(--color-text-4)',
                transition: 'color 0.3s ease',
                whiteSpace: 'nowrap',
              }}
            >
              {label}
            </span>
          </div>

          {/* Connector */}
          {i < steps.length - 1 && (
            <div
              style={{
                width: '80px',
                height: '2px',
                marginBottom: '22px',
                background: step > idx ? 'var(--risk-low-border)' : 'var(--color-border)',
                transition: 'background 0.4s ease',
              }}
            />
          )}
        </div>
      );
    })}
  </div>
);
};

/* ■■ Prob bar ■■ */
var ProbBar = function ({ condition, probability, detected }) {
  var pct = Math.round((probability || 0) * 100);
  return (
    <div style={{ marginBottom: '12px' }}>
      <div style={{ display: 'flex', justifyContent: 'space-between', alignItems: 'center', marginBottom: '5px' }}>
        <span style={{ fontSize: '13px', display: 'flex', alignItems: 'center', gap: '6px', color: 'var(--color-text-2)' }}>
          {detected && (
            <span style={{ width: '6px', height: '6px', borderRadius: '50%', background: 'var(--risk-high-text)', display: 'inline-block', flexShrink: 0 }} />
          )}
          {!detected && (
            <span style={{ width: '6px', height: '6px', borderRadius: '50%', background: 'var(--color-border-2)', display: 'inline-block', flexShrink: 0 }} />
          )}
          {condition}
        </span>
        <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-3)' }}>
          {pct}%
        </span>
      </div>
      <div className="ui-progress">
        <div
          className="ui-progress-fill"
          style={{
            width: pct + '%',
            background: detected ? 'var(--risk-high-text)' : 'var(--color-border-2)',
          }}
        />
      </div>
    </div>
  );
};

/* ■■■
```

```
  return function () { clearTimeout(t); };
}, []);

/* Step 1 → 2 */
var handleSelectModel = function (mode) {
  setModelMode(mode);
  setImage(null);
  setPreview(null);
  setResult(null);
  setError(null);
  setTimeout(function () { setStep(2); }, 120);
};

/* Step 2 → upload */
var onDrop = useCallback(function (accepted) {
  var file = accepted[0];
  if (!file) return;
  setImage(file);
  setPreview(URL.createObjectURL(file));
  setResult(null);
  setError(null);
}, []);

var { getRootProps, getInputProps, isDragActive } = useDropzone({
  onDrop,
  accept: { 'image/*': [] },
  maxFiles: 1,
});

var handleRemoveImage = function (e) {
  e.stopPropagation();
  setImage(null);
  setPreview(null);
  setResult(null);
  setError(null);
};

/* Step 2 → 3 (scan) */
var handleScan = async function () {
  if (!image) return;
  setLoading(true);
  setError(null);
  setResult(null);

  var config = MODELS[modelMode];
  var formData = new FormData();
  formData.append('file', image);

  try {
    var res = await axios.post(buildUrl(config.endpoint), formData, {
      headers: { 'Content-Type': 'multipart/form-data' },
      timeout: 90000,
    });

    /* Save to localStorage for dashboard / reports */
    var scanId = res.data.scan_id || ('SCN-' + Date.now());
    var scans = [];
    try { scans = JSON.parse(localStorage.getItem('optha_scans') || '[]'); } catch (_) { }
    scans.unshift({
      id: scanId, type: modelMode === 'anterior' ? 'Anterior' : 'Fundus',
      timestamp: new Date().toISOString(),
      risk: res.data.overall_risk || 'LOW',
      conditions: (res.data.detected || []).map(function (d) { return d.condition; }),
    });
    localStorage.setItem('optha_scans', JSON.stringify(scans.slice(0, 100)));
    window.dispatchEvent(new CustomEvent('optha_scan_added', { detail: scans[0] }));

    setResult({ ...res.data, scan_id: scanId });
    setTab('detected');
    setStep(3);
  } catch (err) {
    var msg = '';
    if (err.code === 'ERR_NETWORK' || err.message === 'Network Error') {
      msg = await diagnoseError(config.endpoint);
    } else if (err.code === 'ECONNABORTED') {
      msg = 'Request timed out. Model may still be loading — try again.';
    } else if (err.response?.status === 500) {
      msg = 'Server error: ' + (err.response?.data?.detail || 'Inference failed.');
    } else {
      msg = err.response?.data?.detail || err.message || 'Unknown error.';
    }
    setError(msg);
    setShakeErr(true);
    setTimeout(function () { setShakeErr(false); }, 600);
  }
  setLoading(false);
};

/* Reset all */
var handleReset = function () {
  setStep(1);
  setModelMode(null);
  setImage(null);
  setPreview(null);
  setResult(null);
  setError(null);
  setTab('detected');
};

var handleGoBack = function () {
  if (step === 2) { setStep(1); setModelMode(null); setImage(null); setPreview(null); setError(null); }
  if (step === 3) { setStep(2); setResult(null); setError(null); }
};

var config = modelMode ? MODELS[modelMode] : null;
```

```
return (
  <section
    id="detection"
    style={{
      minHeight: '100vh',
      padding: '60px 0 80px',
      background: 'var(--color-bg)',
      position: 'relative',
    }}
  >
    <div
      className="ui-container-md"
      style={{
        opacity: mounted ? 1 : 0,
        transform: mounted ? 'translateY(0)' : 'translateY(24px)',
        transition: 'opacity 0.6s ease, transform 0.6s ease',
      }}
    >
      {/* ■■ Page header ■■ */}
      <div style={{ textAlign: 'center', marginBottom: '48px' }}>
        <p className="ui-eyebrow" style={{ marginBottom: '10px' }}>AI Screening</p>
        <h1 className="ui-h2" style={{ marginBottom: '10px' }}>Eye Disease Detection</h1>
        <p className="ui-text" style={{ maxWidth: '440px', margin: '0 auto' }}>
          Upload an eye image for instant AI-powered screening across 21 conditions.
        </p>
      </div>

      {/* ■■ Step indicator ■■ */}
      <StepBar step={step} />

      {/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
          STEP 1 — Select model
      ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
      {step === 1 && (
        <div
          className="animate-slide-up"
          style={{ maxWidth: '600px', margin: '0 auto' }}
        >
          <p
            style={{
              textAlign: 'center',
              fontSize: '13px',
              color: 'var(--color-text-3)',
              marginBottom: '20px',
            }}
          >
            Choose the type of eye image you want to screen:
          </p>

          <div
            style={{
              display: 'grid',
              gridTemplateColumns: 'repeat(auto-fit, minmax(220px, 1fr))',
              gap: '14px',
            }}
          >
            {Object.entries(MODELS).map(function ([key, cfg]) {
              return (
                <SelectionCard
                  key={key}
                  cfg={cfg}
                  onSelect={function () { handleSelectModel(key); }}
                />
              );
            })}
          </div>

          {/* Disclaimer */}
          <div
            style={{
              marginTop: '28px',
              padding: '14px 16px',
              borderRadius: '10px',
              background: 'var(--color-bg-2)',
              border: '1px solid var(--color-border)',
              fontSize: '12px',
              color: 'var(--color-text-4)',
              lineHeight: 1.6,
              textAlign: 'center',
            }}
          >
            AI-assisted screening only — not a substitute for clinical diagnosis.
            All findings must be confirmed by a qualified ophthalmologist.
          </div>
        </div>
      )}

      {/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
          STEP 2 — Upload
      ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
      {step === 2 && config && (
        <div className="animate-slide-up" style={{ maxWidth: '560px', margin: '0 auto' }}>

          {/* Back + model label */}
          <div
            style={{
              display: 'flex',
              alignItems: 'center',
              justifyContent: 'space-between',
              marginBottom: '20px',
            }}
          >
            <button type="button" onClick={handleGoBack}
              style={{
                display: 'flex', alignItems: 'center', gap: '6px',
```

```
      fontSize: '13px', color: 'var(--color-text-3)',
      background: 'none', border: 'none', cursor: 'pointer',
      fontFamily: 'var(--font-sans)', transition: 'color 0.2s ease',
    }}
    onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text)'; }}
    onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-3)'; }}
  >
    <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
    </svg>
    Back
  </button>

  <div
    style={{
      display: 'flex', alignItems: 'center', gap: '8px',
      padding: '5px 12px', borderRadius: '99px',
      background: 'var(--color-bg-3)',
      border: '1px solid var(--color-border-2)',
    }}
  >
    <span style={{ color: 'var(--color-text-2)', display: 'flex' }}>{config.icon}</span>
    <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-2)' }}>
      {config.label}
    </span>
  </div>
</div>

{/* Stats row */}
<div
  style={{
    display: 'grid',
    gridTemplateColumns: 'repeat(3, 1fr)',
    gap: '10px',
    marginBottom: '20px',
  }}
>
  {config.stats.map(function (s, i) {
    return (
      <div
        key={i}
        style={{
          padding: '12px',
          textAlign: 'center',
          borderRadius: '10px',
          background: 'var(--color-bg-3)',
          border: '1px solid var(--color-border)',
        }}
      >
        <p style={{ fontSize: '16px', fontWeight: 700, color: 'var(--color-text)' }}>
          {s.value}
        </p>
        <p style={{ fontSize: '10px', color: 'var(--color-text-4)', marginTop: '2px', textTransform: 'uppercase', letterSpacing: '0.04em' }}>
          {s.label}
        </p>
      </div>
    );
  })}
</div>

{/* Dropzone */}
<div
  {...getRootProps()}
  style={{
    borderRadius: '14px',
    border: '2px dashed ' + (isDragActive ? 'var(--color-border-2)' : 'var(--color-border)'),
    background: isDragActive ? 'var(--color-bg-4)' : 'var(--color-bg-2)',
    cursor: 'pointer',
    transition: 'all 0.25s ease',
    overflow: 'hidden',
    position: 'relative',
    minHeight: '220px',
    display: 'flex',
    flexDirection: 'column',
    alignItems: 'center',
    justifyContent: 'center',
    marginBottom: '14px',
  }}
  onMouseEnter={function (e) {
    if (!preview) {
      e.currentTarget.style.borderColor = 'var(--color-border-2)';
      e.currentTarget.style.background = 'var(--color-bg-3)';
    }
  }}
  onMouseLeave={function (e) {
    if (!preview) {
      e.currentTarget.style.borderColor = 'var(--color-border)';
      e.currentTarget.style.background = 'var(--color-bg-2)';
    }
  }}
>
  <input {...getInputProps()} />

  {preview ? (
    /* Image preview */
    <div style={{ width: '100%', position: 'relative' }}>
      <img
        src={preview}
        alt="Preview"
        loading="lazy"
        decoding="async"
        style={{
          maxHeight: '260px',
          width: '100%',
          objectFit: 'contain',
```

```
          display: 'block',
        }}
      />
      {/* Remove button */}
      <button
        type="button"
        onClick={handleRemoveImage}
        style={{
          position: 'absolute',
          top: '10px',
          right: '10px',
          width: '30px',
          height: '30px',
          borderRadius: '50%',
          background: 'rgba(10,10,10,0.75)',
          border: '1px solid var(--color-border-2)',
          color: 'var(--color-text-2)',
          cursor: 'pointer',
          display: 'flex',
          alignItems: 'center',
          justifyContent: 'center',
          backdropFilter: 'blur(4px)',
          transition: 'all 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.background = 'rgba(127,29,29,0.7)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.background = 'rgba(10,10,10,0.75)'; }}
      >
        <svg className="w-3.5 h-3.5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
        </svg>
      </button>
      <div
        style={{
          position: 'absolute',
          bottom: 0, left: 0, right: 0,
          padding: '8px 12px',
          background: 'linear-gradient(to top, rgba(0,0,0,0.7), transparent)',
          textAlign: 'center',
        }}
      >
        <p style={{ fontSize: '11px', color: 'var(--color-text-3)' }}>
          Click or drag to replace
        </p>
      </div>
    </div>
  ) : (
    /* Empty state */
    <div style={{ padding: '36px 24px', textAlign: 'center' }}>
      <div
        style={{
          width: '52px', height: '52px',
          borderRadius: '12px',
          background: 'var(--color-bg-3)',
          border: '1px solid var(--color-border)',
          display: 'flex', alignItems: 'center', justifyContent: 'center',
          margin: '0 auto 16px',
        }}
      >
        <svg
          style={{ width: '24px', height: '24px', color: 'var(--color-text-4)' }}
          fill="none" stroke="currentColor" viewBox="0 0 24 24"
        >
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5}
            d="M4 16l4.586-4.586a2 2 0 012.828 0L16 16m-2-2l1.586-1.586a2 2 0 012.828 0L20 14m-6-6h.01M6 20h12a2 2 0 002-2V6a2 2 0 00-2-2H6a2 2 0 00
        </svg>
      </div>
      <p style={{ fontSize: '14px', fontWeight: 500, color: 'var(--color-text-2)', marginBottom: '6px' }}>
        {isDragActive ? 'Drop your image here' : 'Drag & drop or click to browse'}
      </p>
      <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
        JPG, PNG — {config.label} images
      </p>
    </div>
  )}
</div>

{/* Tip */}
<div
  style={{
    padding: '12px 14px',
    borderRadius: '10px',
    background: 'var(--color-bg-2)',
    border: '1px solid var(--color-border)',
    display: 'flex',
    gap: '10px',
    marginBottom: '20px',
  }}
>
  <svg style={{ width: '15px', height: '15px', color: 'var(--color-text-4)', flexShrink: 0, marginTop: '1px' }}
    fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
      d="M13 16h-1v-4h-1m1-4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
  </svg>
  <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.6 }}>
    <strong style={{ color: 'var(--color-text-3)' }}>Tip:</strong> {config.hint}
  </p>
</div>

{/* Error */}
{error && (
  <div
    ref={errorRef}
    className={shakeErr ? 'animate-shake' : ''}
    style={{
      padding: '12px 14px',
```

```
      borderRadius: '10px',
      background: 'var(--risk-high-bg)',
      border: '1px solid var(--risk-high-border)',
      marginBottom: '16px',
      display: 'flex',
      gap: '10px',
      alignItems: 'flex-start',
    }}
  >
    <svg style={{ width: '15px', height: '15px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
    </svg>
    <p style={{ fontSize: '13px', color: 'var(--risk-high-text)', lineHeight: 1.5 }}>{error}</p>
  </div>
)}

{/* Scan button */}
<button
  type="button"
  onClick={handleScan}
  disabled={!image || loading}
  style={{
    width: '100%',
    padding: '13px 24px',
    borderRadius: '10px',
    fontSize: '14px',
    fontWeight: 600,
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    gap: '8px',
    cursor: !image || loading ? 'not-allowed' : 'pointer',
    opacity: !image || loading ? 0.45 : 1,
    transition: 'all 0.25s ease',
    background: 'var(--color-bg-3)',
    border: '1px solid var(--color-border-2)',
    color: 'var(--color-text)',
    fontFamily: 'var(--font-sans)',
  }}
  onMouseEnter={function (e) {
    if (image && !loading) {
      e.currentTarget.style.background = 'var(--color-bg-hover)';
      e.currentTarget.style.borderColor = 'var(--color-accent-2)';
      e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
    }
  }}
  onMouseLeave={function (e) {
    e.currentTarget.style.background = 'var(--color-bg-3)';
    e.currentTarget.style.borderColor = 'var(--color-border-2)';
    e.currentTarget.style.boxShadow = 'none';
  }}
>
  {loading ? (
    <>
      <svg className="animate-spin w-4 h-4" fill="none" viewBox="0 0 24 24">
        <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
        <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
      </svg>
      Analysing — {config.tta}…
    </>
  ) : (
    <>
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
          d="M9 5H7a2 2 0 00-2 2v12a2 2 0 002 2h10a2 2 0 002-2V7a2 2 0 00-2-2h-2M9 5a2 2 0 002 2h2a2 2 0 002-2M9 5a2 2 0 012-2h2a2 2 0 012 2" />
      </svg>
      {image ? 'Scan Image' : 'Upload an image first'}
    </>
  )}
</button>

{/* Loading details */}
{loading && (
  <div
    className="animate-fade-in"
    style={{
      marginTop: '16px',
      padding: '14px',
      borderRadius: '10px',
      background: 'var(--color-bg-2)',
      border: '1px solid var(--color-border)',
      textAlign: 'center',
    }}
  >
    <div
      className="animate-pulse-glow"
      style={{
        width: '48px', height: '48px',
        borderRadius: '50%',
        background: 'var(--color-bg-4)',
        border: '2px solid var(--color-border-2)',
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        margin: '0 auto 12px',
        fontSize: '20px',
      }}
    >
      ■■
    </div>
    <p style={{ fontSize: '13px', fontWeight: 500, color: 'var(--color-text-2)', marginBottom: '4px' }}>
      Analysing image…
    </p>
    <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
      Running {config.tta} inference on ViT-S/16
```

```
        </p>
      </div>
    )}
  </div>
)}

{/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
    STEP 3 — Results
■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
{step === 3 && result && config && (
  <div className="animate-scale-in" style={{ maxWidth: '640px', margin: '0 auto' }}>

    {/* Back */}
    <div style={{ display: 'flex', alignItems: 'center', justifyContent: 'space-between', marginBottom: '20px' }}>
      <button type="button" onClick={handleGoBack}
        style={{
          display: 'flex', alignItems: 'center', gap: '6px',
          fontSize: '13px', color: 'var(--color-text-3)',
          background: 'none', border: 'none', cursor: 'pointer',
          fontFamily: 'var(--font-sans)', transition: 'color 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-3)'; }}
      >
        <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
        </svg>
        Back to Upload
      </button>

      <button
        type="button"
        onClick={handleReset}
        style={{
          fontSize: '12px', color: 'var(--color-text-4)',
          background: 'none', border: 'none', cursor: 'pointer',
          fontFamily: 'var(--font-sans)', transition: 'color 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
      >
        New Scan ■
      </button>
    </div>

    {/* Overall risk banner */}
    <div
      style={{
        borderRadius: '14px',
        overflow: 'hidden',
        marginBottom: '16px',
        border: overallBg(result.overall_risk).border,
        background: overallBg(result.overall_risk).background,
      }}
    >
      <div style={{ padding: '18px 20px' }}>
        <div style={{ display: 'flex', alignItems: 'flex-start', justifyContent: 'space-between', gap: '12px', marginBottom: '8px' }}>
          <div>
            <p style={{ fontSize: '11px', textTransform: 'uppercase', letterSpacing: '0.08em', color: overallBg(result.overall_risk).color, opacity: 0.7
              Overall Risk
            </p>
            <p style={{ fontSize: '24px', fontWeight: 700, color: overallBg(result.overall_risk).color }}>
              {result.overall_risk}
            </p>
          </div>
          <div style={{ textAlign: 'right', flexShrink: 0 }}>
            <p style={{ fontSize: '11px', opacity: 0.6, color: overallBg(result.overall_risk).color }}>
              {result.screened_at || getNow()}
            </p>
            <p style={{ fontSize: '11px', opacity: 0.6, color: overallBg(result.overall_risk).color, marginTop: '2px' }}>
              {config.label}
            </p>
          </div>
        </div>
        {result.risk_action && (
          <p style={{ fontSize: '13px', opacity: 0.85, color: overallBg(result.overall_risk).color, lineHeight: 1.5, paddingTop: '10px', borderTop: '1px
            {result.risk_action}
          </p>
        )}
      </div>

      {/* Normal probability (fundus) */}
      {result.normal_probability !== undefined && (
        <div style={{ padding: '12px 20px', background: 'rgba(0,0,0,0.15)', borderTop: '1px solid rgba(255,255,255,0.06)' }}>
          <div style={{ display: 'flex', justifyContent: 'space-between', marginBottom: '6px' }}>
            <span style={{ fontSize: '12px', opacity: 0.7, color: overallBg(result.overall_risk).color }}>Normal Eye Probability</span>
            <span style={{ fontSize: '12px', fontWeight: 600, color: overallBg(result.overall_risk).color }}>
              {Math.round(result.normal_probability * 100)}%
            </span>
          </div>
          <div style={{ width: '100%', height: '4px', background: 'rgba(0,0,0,0.25)', borderRadius: '2px', overflow: 'hidden' }}>
            <div style={{ height: '100%', background: 'rgba(255,255,255,0.4)', borderRadius: '2px', width: Math.round(result.normal_probability * 100) +
          </div>
        </div>
      )}
    </div>

    {/* Results card */}
    <div
      style={{
        borderRadius: '14px',
        overflow: 'hidden',
        background: 'var(--color-bg-3)',
        border: '1px solid var(--color-border)',
        marginBottom: '14px',
```

```
    }}
  >
    {/* Tabs */}
    <div style={{ display: 'flex', borderBottom: '1px solid var(--color-border)' }}>
      {['detected', 'all'].map(function (t) {
        var label = t === 'detected'
          ? 'Detected (' + (result.detected?.length || 0) + ')'
          : 'All Results';
        return (
          <button
            key={t}
            type="button"
            onClick={function () { setTab(t); }}
            style={{
              flex: 1,
              padding: '12px 16px',
              fontSize: '12px',
              fontWeight: tab === t ? 600 : 400,
              textTransform: 'uppercase',
              letterSpacing: '0.06em',
              background: 'transparent',
              border: 'none',
              borderBottom: tab === t ? '2px solid var(--color-border-2)' : '2px solid transparent',
              color: tab === t ? 'var(--color-text)' : 'var(--color-text-4)',
              cursor: 'pointer',
              transition: 'all 0.2s ease',
              fontFamily: 'var(--font-sans)',
            }}
          >
            {label}
          </button>
        );
      })}
    </div>

    {/* Tab content */}
    <div style={{ padding: '20px', maxHeight: '400px', overflowY: 'auto' }}>

      {/* Detected */}
      {tab === 'detected' && (
        <div>
          {!result.detected || result.detected.length === 0 ? (
            <div style={{ textAlign: 'center', padding: '32px 0' }}>
              <div style={{ fontSize: '36px', marginBottom: '12px' }}>■</div>
              <p style={{ fontWeight: 600, color: 'var(--color-text)', marginBottom: '6px' }}>
                No significant conditions detected
              </p>
              <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>
                Routine screening recommended in 12 months
              </p>
            </div>
          ) : (
            <div style={{ display: 'flex', flexDirection: 'column', gap: '12px' }}>
              {result.detected.map(function (d, i) {
                var ubs = urgencyBg(d.urgency);
                return (
                  <div
                    key={i}
                    style={{
                      borderRadius: '10px',
                      overflow: 'hidden',
                      border: ubs.border,
                      background: ubs.background,
                    }}
                  >
                    <div style={{ padding: '14px 16px', borderBottom: '1px solid rgba(255,255,255,0.06)' }}>
                      <div style={{ display: 'flex', alignItems: 'flex-start', justifyContent: 'space-between' }}>
                        <div>
                          <div style={{ display: 'flex', alignItems: 'center', gap: '8px', marginBottom: '3px' }}>
                            <span style={{ fontSize: '14px', fontWeight: 600, color: ubs.color }}>
                              {d.condition}
                            </span>
                            {d.short_name && (
                              <span style={{ fontSize: '11px', color: ubs.color, opacity: 0.5 }}>
                                ({d.short_name})
                              </span>
                            )}
                          </div>
                          <span style={{ fontSize: '10px', textTransform: 'uppercase', letterSpacing: '0.08em', opacity: 0.6, color: ubs.color }}>
                            {d.urgency} urgency
                          </span>
                        </div>
                        <div style={{ textAlign: 'right', flexShrink: 0 }}>
                          <p style={{ fontSize: '20px', fontWeight: 700, color: ubs.color }}>
                            {Math.round(d.probability * 100)}%
                          </p>
                          <p style={{ fontSize: '10px', opacity: 0.6, color: ubs.color }}>confidence</p>
                        </div>
                      </div>
                    </div>
                    <div style={{ padding: '12px 16px' }}>
                      {d.description && (
                        <p style={{ fontSize: '12px', fontStyle: 'italic', opacity: 0.7, color: ubs.color, marginBottom: '8px', lineHeight: 1.5 }}>
                          {d.description}
                        </p>
                      )}
                      <div
                        style={{
                          padding: '10px 12px',
                          borderRadius: '8px',
                          background: 'rgba(0,0,0,0.15)',
                        }}
                      >
                        <p style={{ fontSize: '11px', opacity: 0.55, color: ubs.color, textTransform: 'uppercase', letterSpacing: '0.06em', marginBott
                          Recommended Action
```

```
                      </p>
                      <p style={{ fontSize: '13px', opacity: 0.9, color: ubs.color, lineHeight: 1.5 }}>
                        {d.action}
                      </p>
                    </div>
                  </div>
                </div>
              );
            })}
          </div>
        )}
      </div>
    )}

    {/* All results */}
    {tab === 'all' && (
      <div>
        <p style={{ fontSize: '11px', color: 'var(--color-text-4)', textTransform: 'uppercase', letterSpacing: '0.06em', marginBottom: '16px' }}>
          All {result.all_results?.length || 0} conditions — probability scores
        </p>
        {result.all_results
          ? [...result.all_results]
            .sort(function (a, b) { return b.probability - a.probability; })
            .map(function (r, i) {
              return <ProbBar key={i} {...r} />;
            })
          : (
            <p style={{ color: 'var(--color-text-4)', fontSize: '13px', textAlign: 'center', padding: '20px 0' }}>
              No detailed results available.
            </p>
          )
        }
      </div>
    )}
  </div>

  {/* Footer */}
  <div
    style={{
      padding: '12px 20px',
      borderTop: '1px solid var(--color-border)',
      background: 'var(--color-bg-2)',
      display: 'flex',
      flexWrap: 'wrap',
      justifyContent: 'space-between',
      gap: '4px',
    }}
  >
    <p style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>
      {config.label} · AUC {config.stats.find(function (s) { return s.label === 'AUC-ROC'; })?.value} · {config.tta}
    </p>
    <p style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>
      {result.screened_at || getNow()}
    </p>
  </div>
</div>

{/* Action buttons */}
<div style={{ display: 'flex', gap: '10px' }}>
  <button
    type="button"
    onClick={function () {
      var scanId = result.scan_id || 'SCN-' + Date.now();
      navigate('/report/' + scanId);
    }}
    style={{
      flex: 1,
      padding: '12px 20px',
      borderRadius: '10px',
      fontSize: '13px',
      fontWeight: 600,
      display: 'flex',
      alignItems: 'center',
      justifyContent: 'center',
      gap: '7px',
      cursor: 'pointer',
      transition: 'all 0.25s ease',
      background: 'var(--color-bg-3)',
      border: '1px solid var(--color-border-2)',
      color: 'var(--color-text)',
      fontFamily: 'var(--font-sans)',
    }}
    onMouseEnter={function (e) {
      e.currentTarget.style.background = 'var(--color-bg-hover)';
      e.currentTarget.style.borderColor = 'var(--color-accent-2)';
      e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
    }}
    onMouseLeave={function (e) {
      e.currentTarget.style.background = 'var(--color-bg-3)';
      e.currentTarget.style.borderColor = 'var(--color-border-2)';
      e.currentTarget.style.boxShadow = 'none';
    }}
  >
    <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z" />
    </svg>
    View Full Report
  </button>

  <button
    type="button"
    onClick={handleReset}
    style={{
      flex: 1,
```

```
                  padding: '12px 20px',
                  borderRadius: '10px',
                  fontSize: '13px',
                  fontWeight: 500,
                  display: 'flex',
                  alignItems: 'center',
                  justifyContent: 'center',
                  gap: '7px',
                  cursor: 'pointer',
                  transition: 'all 0.25s ease',
                  background: 'transparent',
                  border: '1px solid var(--color-border)',
                  color: 'var(--color-text-3)',
                  fontFamily: 'var(--font-sans)',
                }}
                onMouseEnter={function (e) {
                  e.currentTarget.style.background = 'var(--color-bg-3)';
                  e.currentTarget.style.borderColor = 'var(--color-border-2)';
                  e.currentTarget.style.color = 'var(--color-text)';
                }}
                onMouseLeave={function (e) {
                  e.currentTarget.style.background = 'transparent';
                  e.currentTarget.style.borderColor = 'var(--color-border)';
                  e.currentTarget.style.color = 'var(--color-text-3)';
                }}
              >
                <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                    d="M4 4v5h.582m15.356 2A8.001 8.001 0 004.582 9m0 0H9m11 11v-5h-.581m0 0a8.003 8.003 0 01-15.357-2m15.357 2H15" />
                </svg>
                New Scan
              </button>
            </div>

            {/* Disclaimer */}
            <div
              style={{
                marginTop: '16px',
                padding: '12px 14px',
                borderRadius: '10px',
                background: 'var(--color-bg-2)',
                border: '1px solid var(--color-border)',
                fontSize: '11px',
                color: 'var(--color-text-4)',
                lineHeight: 1.6,
                textAlign: 'center',
              }}
            >
              AI-assisted screening only. All findings must be confirmed by a qualified ophthalmologist before any treatment decisions.
            </div>
          </div>
        )}

      </div>
    </section>
  );
};

/* ■■ Selection card (Step 1) ■■ */
var SelectionCard = function ({ cfg, onSelect }) {
  var [hov, setHov] = useState(false);
  return (
    <button
      type="button"
      onClick={onSelect}
      onMouseEnter={function () { setHov(true); }}
      onMouseLeave={function () { setHov(false); }}
      style={{
        width: '100%',
        padding: '24px 20px',
        borderRadius: '14px',
        textAlign: 'left',
        cursor: 'pointer',
        transition: 'all 0.25s ease',
        background: hov ? 'var(--color-bg-4)' : 'var(--color-bg-3)',
        border: '2px solid ' + (hov ? 'var(--color-border-2)' : 'var(--color-border)'),
        boxShadow: hov ? 'var(--shadow-glow)' : 'none',
        transform: hov ? 'translateY(-2px)' : 'none',
        fontFamily: 'var(--font-sans)',
        display: 'flex',
        flexDirection: 'column',
        gap: '14px',
      }}
    >
      {/* Icon */}
      <div
        style={{
          width: '48px', height: '48px',
          borderRadius: '12px',
          background: 'var(--color-bg-2)',
          border: '1px solid ' + (hov ? 'var(--color-border-2)' : 'var(--color-border)'),
          display: 'flex', alignItems: 'center', justifyContent: 'center',
          color: hov ? 'var(--color-text)' : 'var(--color-text-3)',
          transition: 'all 0.25s ease',
          flexShrink: 0,
        }}
      >
        {cfg.icon}
      </div>

      {/* Text */}
      <div>
        <p style={{ fontSize: '15px', fontWeight: 700, color: 'var(--color-text)', marginBottom: '4px', letterSpacing: '-0.01em' }}>
          {cfg.label}
        </p>
```

```
          <p style={{ fontSize: '12px', color: 'var(--color-text-3)', marginBottom: '8px' }}>
            {cfg.subtitle}
          </p>
          <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.5 }}>
            {cfg.desc}
          </p>
        </div>

        {/* Stats */}
        <div style={{ display: 'flex', gap: '8px', flexWrap: 'wrap' }}>
          {cfg.stats.map(function (s, i) {
            return (
              <div
                key={i}
                style={{
                  padding: '3px 9px',
                  borderRadius: '99px',
                  background: 'var(--color-bg-2)',
                  border: '1px solid var(--color-border)',
                }}
              >
                <span style={{ fontSize: '11px', color: 'var(--color-text-3)', fontWeight: 500 }}>
                  {s.value} {s.label}
                </span>
              </div>
            );
          })}
        </div>

        {/* Arrow */}
        <div style={{ display: 'flex', alignItems: 'center', justifyContent: 'space-between' }}>
          <span style={{ fontSize: '12px', color: hov ? 'var(--color-text-2)' : 'var(--color-text-4)', transition: 'color 0.2s ease' }}>
            Select this type →
          </span>
        </div>
      </div>
    </button>
    );
  };

  export default AIDetection;
```

src\components\About.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.15 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const About = () => {
  const [titleRef, titleVisible] = useReveal();

  const sections = [
    {
      title: 'Dual-Model Architecture',
      icon: '■',
      desc: 'Two specialized ViT-S/16 Vision Transformers — one for anterior (external) eye screening and one for retinal fundus analysis — each fine-tuned on doma
      details: [
        { label: 'Anterior Model', value: '13 conditions • mAP 0.922 • AUC 0.982' },
        { label: 'Fundus Model', value: '8 conditions • AUC 0.889 • F1 0.631' },
        { label: 'Architecture', value: 'ViT-S/16 + CLS+GAP Dual Features' },
      ],
    },
    {
      title: 'Training Data',
      icon: '■',
      desc: 'Models are trained on large, diverse clinical datasets to ensure robust detection across different cameras, lighting conditions, and patient demograph
      details: [
        { label: 'Anterior', value: 'MISS dataset — anterior eye lesion images' },
        { label: 'Fundus', value: 'ODIR-5K + RFMiD — 9,592 retinal fundus images' },
        { label: 'Validation', value: 'Per-class F1-optimized thresholds on held-out sets' },
      ],
    },
    {
      title: 'Intelligent Preprocessing',
      icon: '■',
      desc: 'Each image type gets specialized preprocessing before analysis to maximize diagnostic accuracy.',
      details: [
        { label: 'Anterior', value: 'Automated glare removal via OpenCV inpainting' },
        { label: 'Fundus', value: 'Black border removal + CLAHE contrast enhancement' },
        { label: 'Both', value: 'Bicubic resize to 224×224, ImageNet normalization' },
      ],
    },
    {
      title: 'Test-Time Augmentation (TTA)',
      icon: '■',
      desc: 'Multiple augmented views of each image are analyzed and averaged to improve prediction robustness — reducing false positives and increasing confidenc
      details: [
        { label: 'Anterior', value: '3-view TTA — original, horizontal flip, vertical flip' },
        { label: 'Fundus', value: '5-view TTA — original, hflip, vflip, rot90, rot270' },
        { label: 'Aggregation', value: 'Probability averaging across all views' },
      ],
    },
    {
      title: 'Clinical Risk Stratification',
      icon: '■■',
```

```
      desc: 'Each detected condition is mapped to a clinical urgency level with specific referral recommendations, helping healthcare workers prioritize patients
      details: [
        { label: '■ HIGH', value: 'Urgent referral within 24-48 hours (e.g., Keratitis, Glaucoma, AMD)' },
        { label: '■ MODERATE', value: 'Referral within 2-4 weeks (e.g., Cataract, Hypertension)' },
        { label: '■ LOW / NORMAL', value: 'Monitor at next visit or routine screening in 12 months' },
      ],
    },
    {
      title: 'Real-Time Analysis',
      icon: '■',
      desc: 'Optimized for fast inference — suitable for deployment on smartphones and low-resource settings in remote and underserved communities.',
      details: [
        { label: 'Model Size', value: '~22.2M parameters (~85 MB per model)' },
        { label: 'GPU Inference', value: '~4.3ms per image' },
        { label: 'CPU / Smartphone', value: '~34ms per image' },
      ],
    },
  ];

  const conditions = {
    anterior: [
      'Cataract', 'Intraocular Lens', 'Lens Dislocation', 'Keratitis',
      'Corneal Scarring', 'Corneal Dystrophy', 'Corneal/Conjunctival Tumor',
      'Pinguecula', 'Pterygium', 'Subconjunctival Hemorrhage',
      'Conjunctival Injection', 'Conjunctival Cyst', 'Pigmented Nevus',
    ],
    fundus: [
      'Normal', 'Diabetic Retinopathy', 'Glaucoma', 'Cataract',
      'Age-related Macular Degeneration', 'Hypertensive Retinopathy',
      'Pathological Myopia', 'Other Pathology',
    ],
  };

  return (
    <section id="about" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
      <div className="max-w-5xl mx-auto">

        {/* Header */}
        <div
          ref={titleRef}
          className="text-center mb-16"
          style={{{
            opacity: titleVisible ? 1 : 0,
            transform: titleVisible ? 'translateY(0)' : 'translateY(30px)',
            transition: 'all 0.8s ease-out',
          }}
        >
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Technology</p>
          <h2 className="text-3xl md:text-4xl font-light text-neutral-100 mb-4">How It Works</h2>
          <p className="text-neutral-500 text-base max-w-2xl mx-auto leading-relaxed">
            OpthaMiss uses two specialized Vision Transformer models to screen for
            21 eye conditions across both anterior (external) and fundus (retinal) imaging —
            delivering clinical-grade AI screening accessible from any device.
          </p>
        </div>

        {/* Pipeline overview */}
        <PipelineOverview />

        {/* Detail cards */}
        <div className="space-y-5 mt-14">
          {sections.map((section, i) => (
            <SectionCard key={i} section={section} index={i} />
          ))}
        </div>

        {/* Conditions covered */}
        <ConditionsList conditions={conditions} />

        {/* Model comparison table */}
        <ModelComparison />

      </div>
    </section>
  );
};

const PipelineOverview = () => {
  const [ref, visible] = useReveal(100);

  const steps = [
    { icon: '■', label: 'Upload', sub: 'Eye image' },
    { icon: '■', label: 'Preprocess', sub: 'Enhance & clean' },
    { icon: '■', label: 'AI Model', sub: 'ViT-S/16 + TTA' },
    { icon: '■', label: 'Results', sub: 'Risk & referral' },
  ];

  return (
    <div
      ref={ref}
      style={{{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(20px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl p-6 bg-neutral-900/30">
        <p className="text-neutral-600 text-sm uppercase tracking-wider mb-5 text-center">
          Screening Pipeline
        </p>
        <div className="flex items-center justify-between max-w-2xl mx-auto">
          {steps.map((step, i) => (
            <div key={i} className="flex items-center">
              <div className="flex flex-col items-center text-center">
                <div className="w-14 h-14 rounded-full border border-neutral-700 bg-neutral-800/50 flex items-center justify-center text-xl mb-2">
```

```
                {step.icon}
              </div>
              <p className="text-neutral-300 text-sm font-medium">{step.label}</p>
              <p className="text-neutral-600 text-xs mt-0.5">{step.sub}</p>
            </div>
            {i < steps.length - 1 && (
              <div className="mx-3 md:mx-6 flex-shrink-0">
                <svg className="w-5 h-5 text-neutral-700" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={1.5} d="M9 5l7 7-7 7" />
                </svg>
              </div>
            )}
          </div>
        ))}
      </div>
    </div>
  </div>
);
};

const SectionCard = ({ section, index }) => {
  const [ref, visible] = useReveal(index * 120);

  return (
    <div
      ref={ref}
      className="border border-neutral-800/50 rounded-xl overflow-hidden hover:border-neutral-700 transition-all duration-300 group"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateX(0)' : `translateX(${index % 2 === 0 ? '-25px' : '25px'})`,
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="flex items-center gap-3 px-6 py-4 bg-neutral-900/40 border-b border-neutral-800/50">
        <span className="text-xl">{section.icon}</span>
        <h3 className="text-neutral-200 text-lg font-medium group-hover:text-neutral-100 transition-colors">
          {section.title}
        </h3>
      </div>

      <div className="px-6 py-5">
        <p className="text-neutral-500 text-sm leading-relaxed mb-4">
          {section.desc}
        </p>
        <div className="space-y-2.5">
          {section.details.map((detail, i) => (
            <div key={i} className="flex items-start gap-3 text-sm">
              <span className="text-neutral-600 font-medium min-w-[100px] shrink-0 pt-0.5">
                {detail.label}
              </span>
              <span className="text-neutral-400 leading-relaxed">
                {detail.value}
              </span>
            </div>
          ))}
        </div>
      </div>
    </div>
  );
};

const ConditionsList = ({ conditions }) => {
  const [ref, visible] = useReveal(200);
  const [activeTab, setActiveTab] = useState('anterior');

  return (
    <div
      ref={ref}
      className="mt-14"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(25px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl overflow-hidden">
        <div className="px-6 py-4 bg-neutral-900/40 border-b border-neutral-800">
          <h3 className="text-neutral-200 text-lg font-medium">Conditions Screened</h3>
          <p className="text-neutral-600 text-sm mt-1">
            21 total conditions across both imaging modalities
          </p>
        </div>

        <div className="flex border-b border-neutral-800">
          {[
            { key: 'anterior', label: '■■ Anterior Eye (13)' },
            { key: 'fundus', label: '■ Fundus / Retinal (8)' },
          ].map((tab) => (
            <button
              key={tab.key}
              onClick={() => setActiveTab(tab.key)}
              className={`flex-1 py-3 text-sm uppercase tracking-wider transition-colors duration-200 ${activeTab === tab.key
                  ? 'text-neutral-200 border-b-2 border-neutral-400 bg-neutral-800/20'
                  : 'text-neutral-600 hover:text-neutral-400'
                }`}
            >
              {tab.label}
            </button>
          ))}
        </div>

        <div className="p-6">
          <div className="grid grid-cols-2 md:grid-cols-3 gap-2">
            {conditions[activeTab].map((condition, i) => (
              <div
```

```
                key={i}
                className="flex items-center gap-2 px-3 py-2.5 rounded-lg border border-neutral-800/40
                           bg-neutral-900/20 hover:border-neutral-700 hover:bg-neutral-800/20 transition-all duration-200"
                style={{ animation: `slideUp 0.3s ease-out ${i * 0.04}s both` }}
              >
                <span className="w-1.5 h-1.5 rounded-full bg-neutral-600 shrink-0" />
                <span className="text-neutral-400 text-sm">{condition}</span>
              </div>
            ))}
          </div>
        </div>
      </div>
    </div>
  );
};

const ModelComparison = () => {
  const [ref, visible] = useReveal(300);

  return (
    <div
      ref={ref}
      className="mt-14"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(25px)',
        transition: 'all 0.7s ease-out',
      }}
    >
      <div className="border border-neutral-800 rounded-xl overflow-hidden">
        <div className="px-6 py-4 bg-neutral-900/40 border-b border-neutral-800">
          <h3 className="text-neutral-200 text-lg font-medium">Model Comparison</h3>
        </div>

        <div className="overflow-x-auto">
          <table className="w-full text-sm">
            <thead>
              <tr className="border-b border-neutral-800 bg-neutral-900/30">
                <th className="text-left px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  Specification
                </th>
                <th className="text-center px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  ■■ Anterior
                </th>
                <th className="text-center px-5 py-3 text-neutral-500 font-medium uppercase tracking-wider">
                  ■ Fundus
                </th>
              </tr>
            </thead>
            <tbody className="divide-y divide-neutral-800/50">
              {[
                ['Architecture', 'ViT-S/16 + CLS+GAP', 'ViT-S/16 + CLS+GAP'],
                ['Parameters', '~22.2M (~85 MB)', '~22.2M (~85 MB)'],
                ['Training Data', 'MISS Dataset', 'ODIR-5K + RFMiD (9,592 images)'],
                ['Classes', '13 lesion types', '8 (Normal + 7 conditions)'],
                ['AUC-ROC', '0.982', '0.889'],
                ['mAP', '0.922', '0.665'],
                ['F1 Score', '—', '0.631'],
                ['TTA Views', '3 (orig, hflip, vflip)', '5 (orig, hflip, vflip, rot90, rot270)'],
                ['Preprocessing', 'Glare removal', 'Border removal + CLAHE'],
                ['Thresholds', 'Per-class optimized', 'Per-class F1-optimized'],
                ['GPU Inference', '~4ms', '~4.3ms'],
              ].map(([spec, anterior, fundus], i) => (
                <tr key={i} className="hover:bg-neutral-800/20 transition-colors">
                  <td className="px-5 py-3 text-neutral-400 font-medium">{spec}</td>
                  <td className="px-5 py-3 text-neutral-500 text-center">{anterior}</td>
                  <td className="px-5 py-3 text-neutral-500 text-center">{fundus}</td>
                </tr>
              ))}
            </tbody>
          </table>
        </div>

        <div className="px-6 py-3 border-t border-neutral-800/40 bg-neutral-900/30">
          <p className="text-neutral-700 text-xs text-center leading-relaxed">
            Both models use EMA (Exponential Moving Average) weights for improved generalization.
            Thresholds are independently optimized per class on validation sets.
          </p>
        </div>
      </div>
    </div>
  );
};

export default About;
```

src\components\Contact.jsx

```
import { useState } from 'react';

const Contact = () => {
  const [formData, setFormData] = useState({ name: '', email: '', message: '' });
  const [submitted, setSubmitted] = useState(false);

  const handleChange = (e) => {
    setFormData({ ...formData, [e.target.name]: e.target.value });
  };

  const handleSubmit = (e) => {
    e.preventDefault();
    console.log(formData);
    setSubmitted(true);
    setTimeout(() => setSubmitted(false), 3000);
  };

  return (
```

```
    <section id="contact" className="py-24 px-6 border-t border-neutral-800/50">
      <div className="max-w-lg mx-auto">
        <div className="text-center mb-12">
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Contact</p>
          <h2 className="text-3xl font-light text-neutral-100">Get In Touch</h2>
        </div>
        <form onSubmit={handleSubmit} className="space-y-5">
          <div>
            <label htmlFor="name" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Name</label>
            <input
              type="text" id="name" name="name" value={formData.name} onChange={handleChange}
              required autoComplete="name"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <div>
            <label htmlFor="email" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Email</label>
            <input
              type="email" id="email" name="email" value={formData.email} onChange={handleChange}
              required autoComplete="email"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <div>
            <label htmlFor="message" className="block text-neutral-500 text-xs uppercase tracking-wider mb-2">Message</label>
            <textarea
              id="message" name="message" rows="4" value={formData.message} onChange={handleChange}
              required autoComplete="off"
              className="w-full px-4 py-3 bg-neutral-900 border border-neutral-800 rounded-lg text-neutral-200 text-sm focus:outline-none focus:border-neutral-600
            />
          </div>
          <button
            type="submit"
            className="w-full py-3 border border-neutral-700 text-neutral-300 text-sm tracking-wider uppercase hover:bg-neutral-800 transition-all duration-300 ro
          >
            Send Message
          </button>
          {submitted && (
            <p className="text-green-500/70 text-center text-sm">Message sent successfully</p>
          )}
        </form>
      </div>
    </section>
  );
};

export default Contact;
```

src\components\DashboardLayout.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate, useLocation } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { Avatar, BackButton } from './ui/index';

var menuItems = [
  { id: 'dashboard', icon: '■', label: 'Dashboard', path: '/dashboard' },
  { id: 'scan', icon: '⊕', label: 'New Scan', path: '/screen' },
  { id: 'history', icon: '■', label: 'History', path: '/history' },
  { id: 'reports', icon: '■', label: 'Reports', path: '/reports' },
  { id: 'profile', icon: '■', label: 'Profile', path: '/profile' },
  { id: 'settings', icon: '■', label: 'Settings', path: '/settings' },
];

var DashboardLayout = function ({ children, hideBack }) {
  var navigate = useNavigate();
  var location = useLocation();
  var { user, logout } = useAuth();
  var [showUserMenu, setShowUserMenu] = useState(false);
  var [mobileSidebarOpen, setMobileSidebarOpen] = useState(false);
  var [search, setSearch] = useState('');

  var activeId = menuItems.find(function (m) {
    return location.pathname.startsWith(m.path);
  });
  var activeTab = activeId ? activeId.id : 'dashboard';

  var handleLogout = function () { logout(); navigate('/login'); };

  useEffect(function () { setMobileSidebarOpen(false); }, [location.pathname]);
  useEffect(function () {
    if (!showUserMenu) return;
    var h = function (e) {
      if (!e.target.closest('#umenu')) setShowUserMenu(false);
    };
    document.addEventListener('mousedown', h);
    return function () { document.removeEventListener('mousedown', h); };
  }, [showUserMenu]);

  /* ■■ Sidebar content (shared between desktop & mobile) ■■ */
  var SidebarContent = function () {
    return (
      <>
        {/* Logo */}
        <div
          className="h-16 flex items-center gap-3 px-5 flex-shrink-0"
          style={{ borderBottom: '1px solid var(--color-border)' }}
        >
          <div
            className="w-8 h-8 rounded-lg flex items-center justify-center flex-shrink-0"
            style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border-2)' }}
          >
            <svg width="16" height="16" viewBox="0 0 24 24" fill="none">
              <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#c0c0c0" strokeWidth="1.5" />
              <circle cx="12" cy="12" r="3.5" fill="#888888" />
              <circle cx="12" cy="12" r="1.5" fill="#0a0a0a" />
```

```
    </svg>
  </div>
  <span className="font-semibold text-base" style={{ color: 'var(--color-text)' }}>
    OpthaMiss
  </span>
</div>

{/* User info */}
{user && (
  <div
    className="px-3 py-4 flex-shrink-0"
    style={{ borderBottom: '1px solid var(--color-border)' }}
  >
    <div className="flex items-center gap-3 px-2">
      <Avatar src={user.picture} name={user.name} size="sm" />
      <div className="flex-1 min-w-0">
        <p
          className="text-sm font-medium truncate"
          style={{ color: 'var(--color-text)' }}
        >
          {user.name || 'User'}
        </p>
        <p
          className="text-xs truncate"
          style={{ color: 'var(--color-text-3)' }}
        >
          {user.email}
        </p>
      </div>
    </div>
  </div>
)}

{/* Navigation */}
<nav className="p-3 flex-1 overflow-y-auto space-y-0.5">
  {menuItems.map(function (item) {
    var isActive = activeTab === item.id;
    return (
      <button
        key={item.id}
        type="button"
        onClick={function () { navigate(item.path); }}
        className="ui-nav-item w-full"
        style={
          isActive
            ? {
              background: 'var(--color-bg-4)',
              borderColor: 'var(--color-border)',
              color: 'var(--color-text)',
            }
            : {}
        }
      >
        <span className="text-base leading-none flex-shrink-0">{item.icon}</span>
        <span className="text-sm font-medium">{item.label}</span>
        {isActive && (
          <span
            className="ml-auto w-1.5 h-1.5 rounded-full flex-shrink-0"
            style={{ background: '#22c55e' }}
          />
        )}
      </button>
    );
  })}
</nav>

{/* Footer */}
<div
  className="p-3 flex-shrink-0"
  style={{ borderTop: '1px solid var(--color-border)' }}
>
  {/* AI Status indicator */}
  <div
    className="px-3 py-3 rounded-xl mb-2"
    style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border)' }}
  >
    <div className="flex items-center gap-2 mb-1">
      <span
        className="w-2 h-2 rounded-full flex-shrink-0"
        style={{ background: '#22c55e' }}
      />
      <span
        className="text-xs font-medium"
        style={{ color: 'var(--color-text-2)' }}
      >
        AI Models Active
      </span>
    </div>
    <p className="text-xs" style={{ color: 'var(--color-text-4)' }}>
      2 models ready for screening
    </p>
  </div>

  {/* Logout */}
  <button
    type="button"
    onClick={handleLogout}
    className="ui-nav-item w-full"
    style={{ color: 'var(--risk-high-text)' }}
  >
    <svg
      className="w-4 h-4 flex-shrink-0"
      fill="none"
      stroke="currentColor"
      viewBox="0 0 24 24"
```

```
          >
            <path
              strokeLinecap="round"
              strokeLinejoin="round"
              strokeWidth={2}
              d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0 01-3-3V7a3 3 0 013-3h4a3 3 0 013 3v1"
            />
          </svg>
          <span className="text-sm font-medium">Logout</span>
        </button>
      </div>
    </>
  );
};

return (
  <div className="ui-app-shell page-3d-wrapper">
    <div className="ui-app-glow" />

    {/* ■■ Desktop Sidebar ■■ */}
    <aside className="ui-sidebar hidden lg:flex flex-col">
      <SidebarContent />
    </aside>

    {/* ■■ Mobile Sidebar Overlay ■■ */}
    {mobileSidebarOpen && (
      <div className="fixed inset-0 z-50 lg:hidden">
        <div
          className="absolute inset-0"
          style={{ background: 'rgba(0,0,0,0.65)', backdropFilter: 'blur(4px)' }}
          onClick={function () { setMobileSidebarOpen(false); }}
        />
        <aside
          className="absolute left-0 top-0 h-full w-64 flex flex-col animate-slide-in-left"
          style={{
            background: 'var(--color-bg-2)',
            borderRight: '1px solid var(--color-border)',
          }}
        >
          <SidebarContent />
        </aside>
      </div>
    )}

    {/* ■■ Main content area ■■ */}
    <div className="lg:ml-64 min-h-screen flex flex-col">

      {/* ■■ Top Header ■■ */}
      <header className="ui-header">
        {/* Mobile hamburger */}
        <button
          type="button"
          className="lg:hidden p-2 rounded-lg mr-3"
          style={{ color: 'var(--color-text-2)' }}
          onClick={function () { setMobileSidebarOpen(true); }}
          aria-label="Open sidebar"
        >
          <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6h16M4 12h16M4 18h16" />
          </svg>
        </button>

        {/* Mobile logo */}
        <div className="lg:hidden flex items-center gap-2 mr-4">
          <span className="font-semibold text-sm" style={{ color: 'var(--color-text)' }}>
            OpthaMiss
          </span>
        </div>

        {/* Search */}
        <div className="hidden sm:flex flex-1 max-w-xs">
          <div className="relative w-full">
            <svg
              className="absolute left-3 top-1/2 -translate-y-1/2 w-3.5 h-3.5"
              style={{ color: 'var(--color-text-4)' }}
              fill="none"
              stroke="currentColor"
              viewBox="0 0 24 24"
            >
              <path
                strokeLinecap="round"
                strokeLinejoin="round"
                strokeWidth={2}
                d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z"
              />
            </svg>
            <input
              type="text"
              value={search}
              onChange={function (e) { setSearch(e.target.value); }}
              placeholder="Search..."
              className="w-full pl-9 pr-4 py-2 text-sm rounded-lg outline-none"
              style={{
                background: 'var(--color-bg-3)',
                border: '1px solid var(--color-border)',
                color: 'var(--color-text)',
                transition: 'border-color 0.25s ease',
              }}
              onFocus={function (e) {
                e.target.style.borderColor = 'var(--color-border-2)';
              }}
              onBlur={function (e) {
                e.target.style.borderColor = 'var(--color-border)';
              }}
            />
```

```
    </div>
  </div>

  {/* Right actions */}
  <div className="flex items-center gap-2 ml-auto">
    {/* New Scan CTA */}
    <button
      type="button"
      onClick={function () { navigate('/screen'); }}
      className="hidden sm:flex items-center gap-1.5 px-3 py-1.5 rounded-lg text-xs font-medium"
      style={{
        background: 'var(--color-bg-4)',
        border: '1px solid var(--color-border-2)',
        color: 'var(--color-text)',
        transition: 'all 0.25s ease',
      }}
      onMouseEnter={function (e) {
        e.currentTarget.style.borderColor = 'var(--color-accent-2)';
        e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
      }}
      onMouseLeave={function (e) {
        e.currentTarget.style.borderColor = 'var(--color-border-2)';
        e.currentTarget.style.boxShadow = 'none';
      }}
    >
      <svg className="w-3.5 h-3.5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 4v16m8-8H4" />
      </svg>
      <span>New Scan</span>
    </button>

    {/* Reports bell */}
    <button
      type="button"
      onClick={function () { navigate('/reports'); }}
      className="relative p-2 rounded-lg"
      style={{ color: 'var(--color-text-3)', transition: 'background 0.2s ease' }}
      onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
      onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}
      aria-label="Reports"
    >
      <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path
          strokeLinecap="round"
          strokeLinejoin="round"
          strokeWidth={2}
          d="M15 17h5l-1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002 6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6 8.388 6 11v3.159c0 .538-.214 1.05
        />
      </svg>
      <span
        className="absolute top-1.5 right-1.5 w-1.5 h-1.5 rounded-full"
        style={{ background: '#ef4444' }}
      />
    </button>

    {/* User menu */}
    <div className="relative" id="umenu">
      <button
        type="button"
        onClick={function () { setShowUserMenu(function (v) { return !v; }); }}
        className="flex items-center gap-2 p-1.5 rounded-lg"
        style={{ transition: 'background 0.2s ease' }}
        onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}
      >
        <Avatar src={user && user.picture} name={user && user.name} size="sm" />
        <div className="hidden md:block text-left">
          <p
            className="text-sm font-medium leading-none"
            style={{ color: 'var(--color-text)' }}
          >
            {user && user.name ? user.name.split(' ')[0] : 'User'}
          </p>
          <p className="text-xs mt-0.5" style={{ color: 'var(--color-text-3)' }}>
            Patient
          </p>
        </div>
        <svg
          className="w-3.5 h-3.5 hidden md:block"
          style={{ color: 'var(--color-text-4)' }}
          fill="none"
          stroke="currentColor"
          viewBox="0 0 24 24"
        >
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 9l-7 7-7-7" />
        </svg>
      </button>

      {showUserMenu && (
        <div
          className="absolute right-0 top-full mt-2 w-52 rounded-xl overflow-hidden shadow-lg z-50 animate-scale-in"
          style={{
            background: 'var(--color-bg-3)',
            border: '1px solid var(--color-border-2)',
            boxShadow: 'var(--shadow-lg)',
          }}
        >
          {user && (
            <div
              className="px-4 py-3"
              style={{ borderBottom: '1px solid var(--color-border)' }}
            >
              <p
                className="text-sm font-medium truncate"
                style={{ color: 'var(--color-text)' }}
```

```
                    >
                      {user.name}
                    </p>
                    <p className="text-xs truncate" style={{ color: 'var(--color-text-3)' }}>
                      {user.email}
                    </p>
                  </div>
                )}
                {[
                  { icon: '■', label: 'Profile', path: '/profile' },
                  { icon: '■', label: 'Reports', path: '/reports' },
                  { icon: '■', label: 'Settings', path: '/settings' },
                ].map(function (item) {
                  return (
                    <button
                      key={item.path}
                      type="button"
                      onClick={function () {
                        setShowUserMenu(false);
                        navigate(item.path);
                      }}
                      className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5"
                      style={{ color: 'var(--color-text-2)', transition: 'background 0.15s ease' }}
                      onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-4)'; }}
                      onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}
                    >
                      <span className="text-base leading-none">{item.icon}</span>
                      <span>{item.label}</span>
                    </button>
                  );
                })}
                <div style={{ borderTop: '1px solid var(--color-border)' }} />
                <button
                  type="button"
                  onClick={function () { setShowUserMenu(false); handleLogout(); }}
                  className="w-full px-4 py-2.5 text-left text-sm flex items-center gap-2.5"
                  style={{ color: 'var(--risk-high-text)', transition: 'background 0.15s ease' }}
                  onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--risk-high-bg)'; }}
                  onMouseLeave={function (e) { e.currentTarget.style.background = ''; }}
                >
                  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 16l4-4m0 0l-4-4m4 4H7m6 4v1a3 3 0 01-3 3H6a3 3 0 01-3-3V7a3 3 0 01
                  </svg>
                  <span>Logout</span>
                </button>
              </div>
            )}
          </div>
        </div>
      </header>

      {/* ■■ Page Content ■■ */}
      <main className="ui-page-content animate-fade-in">
        <div className="ui-page-stack">
          {/* ★ ALWAYS-PRESENT BACK BUTTON (except when explicitly hidden) */}
          {!hideBack && (
            <div className="no-print">
              <BackButton
                onClick={function () { navigate(-1); }}
                label="Back"
              />
            </div>
          )}

          {children}
        </div>
      </main>
    </div>
  </div>
);
};

export default DashboardLayout;
```

src\components\EyeGuide.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.1 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const Reveal = ({ children, delay = 0, className = '' }) => {
  const [ref, visible] = useReveal(delay);
  return (
    <div
      ref={ref}
      className={className}
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0)' : 'translateY(28px)',
        transition: `opacity 0.7s ease-out ${delay}ms, transform 0.7s ease-out ${delay}ms`,
      }}
    >
      {children}
    </div>
```

```
  );
};

const EyeGuide = () => {
  const steps = [
    {
      number: '1',
      title: 'Set Up',
      items: [
        {
          label: 'Lighting',
          detail: 'Use your phone\'s flashlight as the main light source. Face a window or bright lamp so the eye is evenly illuminated without harsh shadows.',
        },
        {
          label: 'Camera',
          detail: 'Use the rear camera. Turn off beauty mode, HDR, and all filters.',
        },
      ],
    },
    {
      number: '2',
      title: 'Take the Photo',
      items: [
        {
          label: 'Distance',
          detail: 'Hold the phone 10–15 cm (one hand-width) from your eye.',
        },
        {
          label: 'Zoom',
          detail: 'Use 2× zoom to fill the frame without losing focus.',
        },
        {
          label: 'Focus',
          detail: 'Tap the screen on your eye. Keep your eye wide open.',
        },
        {
          label: 'Capture',
          detail: 'Take 3–5 shots and select the sharpest one.',
        },
      ],
    },
  ];

  const checklist = [
    { text: 'Eye fills most of the frame', ok: true },
    { text: 'Both the white (sclera) and colored (iris) parts are visible', ok: true },
    { text: 'The problem area is clear and centered', ok: true },
    { text: 'Sharp enough to see the iris texture', ok: true },
    { text: 'Colors look natural (no filters)', ok: true },
    { text: 'If blurry, too dark, or eye mostly closed → retake', ok: false },
  ];

  return (
    <section id="guide" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
      <div className="max-w-4xl mx-auto space-y-14">

        {/* Header */}
        <Reveal className="text-center">
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">
            Image Capture
          </p>
          <h2 className="text-3xl md:text-4xl font-light text-neutral-100 mb-4">
            How to Capture Eye Images
          </h2>
          <p className="text-neutral-500 text-base max-w-lg mx-auto leading-relaxed">
            Follow the two-step guide below to capture a clear, accurate eye photo
            for AI diagnosis.
          </p>
        </Reveal>

        {/* Step cards */}
        <div className="space-y-6">
          {steps.map((step, si) => (
            <Reveal key={si} delay={100 + si * 100}>
              <div className="border border-neutral-800 rounded-xl overflow-hidden">
                {/* Card header */}
                <div className="flex items-center gap-4 px-6 py-4 bg-neutral-900/60 border-b border-neutral-800">
                  <div className="w-9 h-9 rounded-full border border-neutral-700 flex items-center justify-center text-neutral-300 text-base font-medium">
                    {step.number}
                  </div>
                  <h3 className="text-neutral-200 font-medium text-xl">
                    {step.title}
                  </h3>
                </div>

                {/* Card body */}
                <div className="p-6 grid sm:grid-cols-2 gap-4">
                  {step.items.map((item, ii) => (
                    <div
                      key={ii}
                      className="border border-neutral-800/60 rounded-lg p-5 bg-neutral-900/20 hover:bg-neutral-800/20 transition-colors"
                    >
                      <p className="text-neutral-300 text-base font-medium mb-2">
                        {item.label}
                      </p>
                      <p className="text-neutral-500 text-sm leading-relaxed">
                        {item.detail}
                      </p>
                    </div>
                  ))}
                </div>
              </div>
            </Reveal>
          ))}
        </div>
```

```
        {/* Tip banner */}
        <Reveal delay={320}>
          <div className="border border-neutral-800/60 rounded-xl p-5 bg-neutral-900/20">
            <p className="text-neutral-400 text-sm leading-relaxed">
              <span className="text-neutral-300 font-medium">Tip: </span>
              Have someone else take the photo for best results. If you're alone, use a
              well-lit mirror to frame your eye — hold the phone next to your face with the
              camera pointing at the mirror.
            </p>
          </div>
        </Reveal>

        {/* Photo Checklist */}
        <Reveal delay={400}>
          <div className="border border-neutral-800 rounded-xl overflow-hidden">
            {/* Header */}
            <div className="px-6 py-4 bg-neutral-900/60 border-b border-neutral-800">
              <h3 className="text-neutral-200 font-medium text-lg">Photo Checklist</h3>
            </div>

            {/* List */}
            <div className="p-6 space-y-3">
              {checklist.map((item, i) => (
                <div
                  key={i}
                  className={`flex items-start gap-3 pb-3 ${i < checklist.length - 1 ? 'border-b border-neutral-800/40' : ''
                    }`}
                >
                  <span
                    className={`shrink-0 w-6 h-6 rounded-full flex items-center justify-center text-xs font-medium mt-0.5 ${item.ok
                        ? 'bg-green-950/60 border border-green-800/50 text-green-500/80'
                        : 'bg-red-950/60 border border-red-800/50 text-red-500/70'
                      }`}
                  >
                    {item.ok ? '✓' : '✗'}
                  </span>
                  <span
                    className={`text-sm leading-relaxed ${item.ok ? 'text-neutral-400' : 'text-neutral-500 italic'
                      }`}
                  >
                    {item.text}
                  </span>
                </div>
              ))}
            </div>

            {/* Footer */}
            <div className="px-6 py-4 border-t border-neutral-800/40 bg-neutral-900/30 flex flex-col sm:flex-row items-center gap-2 text-sm">
              <span className="text-green-500/70">All yes →</span>
              <span className="text-neutral-400">Upload!</span>
              <span className="text-neutral-700 hidden sm:inline">|</span>
              <span className="text-red-500/60">Any no →</span>
              <span className="text-neutral-400">Retake</span>
            </div>
          </div>
        </Reveal>
      </div>
    </section>
  );
};

export default EyeGuide;
```

src\components\Features.jsx

```
import { useEffect, useRef, useState } from 'react';

const useReveal = (delay = 0) => {
  const ref = useRef(null);
  const [visible, setVisible] = useState(false);
  useEffect(() => {
    const observer = new IntersectionObserver(
      ([entry]) => { if (entry.isIntersecting) setTimeout(() => setVisible(true), delay); },
      { threshold: 0.15 }
    );
    if (ref.current) observer.observe(ref.current);
    return () => observer.disconnect();
  }, [delay]);
  return [ref, visible];
};

const features = [
  { title: 'High Accuracy', desc: '95%+ accuracy on validation datasets.' },
  { title: 'Instant Results', desc: 'Predictions in under 5 seconds.' },
  { title: 'Easy to Use', desc: 'Simple drag-and-drop interface.' },
  { title: 'Secure', desc: 'Images are not stored on servers.' },
];

const Features = () => {
  const [titleRef, titleVisible] = useReveal();

  return (
    <section id="features" className="py-24 px-6 border-t border-neutral-800/50 relative z-10">
      <div className="max-w-5xl mx-auto">
        <div
          ref={titleRef}
          className="text-center mb-16"
          style={{
            opacity: titleVisible ? 1 : 0,
            transform: titleVisible ? 'translateY(0)' : 'translateY(30px)',
            transition: 'all 0.8s ease-out',
          }}
        >
          <p className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-4">Features</p>
          <h2 className="text-3xl md:text-4xl font-light text-neutral-100">Why OpthaMiss</h2>
        </div>
```

```
        <div className="grid md:grid-cols-2 lg:grid-cols-4 gap-6">
          {features.map((f, i) => (
            <FeatureCard key={i} feature={f} index={i} />
          ))}
        </div>
      </div>
    </section>
  );
};

const FeatureCard = ({ feature, index }) => {
  const [ref, visible] = useReveal(index * 120);
  return (
    <div
      ref={ref}
      className="border border-neutral-800/50 rounded-lg p-6 text-center hover:border-neutral-700 hover:bg-neutral-900/30 transition-all duration-300 group"
      style={{
        opacity: visible ? 1 : 0,
        transform: visible ? 'translateY(0) scale(1)' : 'translateY(30px) scale(0.95)',
        transition: `all 0.6s ease-out ${index * 0.1}s`,
      }}
    >
      <h3 className="text-neutral-200 font-medium mb-2 text-base group-hover:text-neutral-100 transition-colors">{feature.title}</h3>
      <p className="text-neutral-500 text-sm leading-relaxed">{feature.desc}</p>
    </div>
  );
};

export default Features;
```

src\components\Hero.jsx

```
const Hero = () => {
  return (
    <section id="home" className="relative min-h-screen flex items-center justify-center px-6 pt-20 z-10">
      <div className="max-w-3xl mx-auto text-center" style={{ animation: 'slideUp 1s ease-out' }}>
        <p
          className="text-neutral-600 text-sm tracking-[0.3em] uppercase mb-6"
          style={{ animation: 'fadeIn 1s ease-out 0.3s both' }}
        >
          AI-Powered Diagnostics
        </p>
        <h1
          className="text-4xl md:text-6xl font-light text-neutral-100 leading-tight mb-6"
          style={{ animation: 'slideUp 0.8s ease-out 0.5s both' }}
        >
          Detect Eye Diseases
          <br />
          <span className="text-neutral-400">with Precision</span>
        </h1>
        <p
          className="text-neutral-500 text-lg max-w-xl mx-auto mb-10 leading-relaxed"
          style={{ animation: 'slideUp 0.8s ease-out 0.7s both' }}
        >
          Upload a retinal image and receive instant AI diagnosis for Cataract, Glaucoma, Diabetic Retinopathy, and more.
        </p>
        <div style={{ animation: 'slideUp 0.8s ease-out 0.9s both' }}>
          <a
            href="#detection"
            className="inline-block px-8 py-3 border border-neutral-600 text-neutral-300 text-sm tracking-wider uppercase hover:bg-neutral-800 hover:border-neutra
          >
            <span className="group-hover:tracking-[0.2em] transition-all duration-300">Start Detection</span>
          </a>
        </div>
      </div>

      {/* Scroll indicator */}
      <div
        className="absolute bottom-10 left-1/2 -translate-x-1/2 flex flex-col items-center gap-2"
        style={{ animation: 'fadeIn 1s ease-out 1.5s both' }}
      >
        <p className="text-neutral-700 text-[10px] tracking-[0.3em] uppercase">Scroll</p>
        <div className="w-[1px] h-8 bg-gradient-to-b from-neutral-600 to-transparent animate-pulse" />
      </div>
    </section>
  );
};

export default Hero;
```

src\components\Navbar.jsx

```
import { useState, useEffect } from 'react';

const Navbar = () => {
  const [scrolled, setScrolled] = useState(false);

  useEffect(() => {
    const handleScroll = () => setScrolled(window.scrollY > 20);
    window.addEventListener('scroll', handleScroll);
    return () => window.removeEventListener('scroll', handleScroll);
  }, []);

  return (
    <nav className={`fixed w-full z-50 transition-all duration-500 ${
      scrolled
        ? 'bg-neutral-950/90 backdrop-blur-md border-b border-neutral-800/50'
        : 'bg-transparent'
    }`}>
      <div className="max-w-6xl mx-auto px-6 py-4 flex justify-between items-center">
        <a href="#home" className="text-lg font-semibold text-neutral-200 tracking-wide">
          OpthaMiss
        </a>
        <div className="hidden md:flex space-x-8 text-sm">
          {['Home', 'Detection', 'Guide', 'About', 'Features'].map((item) => (
            <a
```

```
              key={item}
              href={`#${item.toLowerCase()}`}
              className="text-neutral-500 hover:text-neutral-200 transition-colors duration-300"
            >
              {item}
            </a>
          ))}
        </div>
      </div>
    </nav>
  );
};

export default Navbar;
```

src\components\three\Background3D.jsx

```
import { useRef, useMemo, useEffect, useState } from 'react';
import { Canvas, useFrame, useThree } from '@react-three/fiber';
import * as THREE from 'three';

/* ■■ Mouse tracker ■■ */
var useMouse = function () {
  var mouse = useRef({ x: 0, y: 0 });
  useEffect(function () {
    var handler = function (e) {
      mouse.current.x = (e.clientX / window.innerWidth)  * 2 - 1;
      mouse.current.y = (e.clientY / window.innerHeight) * 2 - 1;
    };
    window.addEventListener('mousemove', handler, { passive: true });
    return function () { window.removeEventListener('mousemove', handler); };
  }, []);
  return mouse;
};

/* ■■ Floating particles ■■ */
var Particles = function ({ count }) {
  var mesh  = useRef();
  var mouse = useMouse();
  var n     = count || 120;

  var [positions, speeds, offsets] = useMemo(function () {
    var pos  = new Float32Array(n * 3);
    var spd  = new Float32Array(n);
    var off  = new Float32Array(n);
    for (var i = 0; i < n; i++) {
      pos[i * 3]     = (Math.random() - 0.5) * 28;
      pos[i * 3 + 1] = (Math.random() - 0.5) * 16;
      pos[i * 3 + 2] = (Math.random() - 0.5) * 12;
      spd[i] = 0.15 + Math.random() * 0.35;
      off[i] = Math.random() * Math.PI * 2;
    }
    return [pos, spd, off];
  }, [n]);

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var geo = mesh.current.geometry;
    var arr = geo.attributes.position.array;

    for (var i = 0; i < n; i++) {
      var i3 = i * 3;
      arr[i3 + 1] = positions[i * 3 + 1] + Math.sin(t * speeds[i] + offsets[i]) * 0.8;
      arr[i3]     = positions[i * 3]     + Math.cos(t * speeds[i] * 0.6 + offsets[i]) * 0.3;
    }
    geo.attributes.position.needsUpdate = true;

    /* Slow parallax with mouse */
    mesh.current.rotation.x += (mouse.current.y * 0.012 - mesh.current.rotation.x) * 0.03;
    mesh.current.rotation.y += (mouse.current.x * 0.012 - mesh.current.rotation.y) * 0.03;
  });

  return (
    <points ref={mesh}>
      <bufferGeometry>
        <bufferAttribute
          attach="attributes-position"
          args={[positions.slice(), 3]}
        />
      </bufferGeometry>
      <pointsMaterial
        size={0.045}
        color="#606060"
        transparent
        opacity={0.55}
        sizeAttenuation
        depthWrite={false}
      />
    </points>
  );
};

/* ■■ Grid plane ■■ */
var AnimatedGrid = function () {
  var mesh  = useRef();
  var mat   = useRef();
  var mouse = useMouse();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    mat.current.opacity = 0.055 + Math.sin(t * 0.4) * 0.015;

    mesh.current.rotation.x += (mouse.current.y * 0.06 - mesh.current.rotation.x) * 0.025;
    mesh.current.rotation.z += (mouse.current.x * 0.03 - mesh.current.rotation.z) * 0.025;
  });
```

```
  return (
    <mesh ref={mesh} rotation={[-Math.PI / 2.4, 0, 0]} position={[0, -4, -2]}>
      <planeGeometry args={[38, 26, 28, 18]} />
      <meshBasicMaterial
        ref={mat}
        color="#404040"
        wireframe
        transparent
        opacity={0.055}
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Ambient orb sphere ■■ */
var AmbientOrb = function ({ position, radius, speed, phase, opacity }) {
  var mesh  = useRef();
  var mat   = useRef();
  var mouse = useMouse();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed  || 0.25;
    var p = phase  || 0;
    var r = radius || 1.8;

    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.6;
    mesh.current.position.x = (position[0] || 0) + Math.cos(t * s * 0.7 + p) * 0.3;
    mat.current.opacity = (opacity || 0.07) + Math.sin(t * s * 1.2 + p) * 0.02;

    /* Mouse parallax */
    mesh.current.rotation.y += mouse.current.x * 0.004;
    mesh.current.rotation.x += mouse.current.y * 0.004;
  });

  return (
    <mesh ref={mesh} position={position}>
      <sphereGeometry args={[radius || 1.8, 10, 10]} />
      <meshBasicMaterial
        ref={mat}
        color="#888888"
        transparent
        opacity={opacity || 0.07}
        wireframe
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Glow sphere (solid inner) ■■ */
var GlowOrb = function ({ position, radius, color, speed, phase }) {
  var mesh = useRef();
  var mat  = useRef();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed || 0.3;
    var p = phase || 0;

    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.5;
    mesh.current.scale.setScalar(1 + Math.sin(t * s * 1.8 + p) * 0.04);
    mat.current.opacity = 0.04 + Math.sin(t * s + p) * 0.015;
  });

  return (
    <mesh ref={mesh} position={position}>
      <sphereGeometry args={[radius || 2.5, 12, 12]} />
      <meshBasicMaterial
        ref={mat}
        color={color || '#555555'}
        transparent
        opacity={0.04}
        depthWrite={false}
      />
    </mesh>
  );
};

/* ■■ Floating ring ■■ */
var FloatingRing = function ({ position, radius, speed, phase }) {
  var mesh = useRef();

  useFrame(function (state) {
    var t = state.clock.elapsedTime;
    var s = speed || 0.18;
    var p = phase || 0;

    mesh.current.rotation.x = t * s * 0.5 + p;
    mesh.current.rotation.z = t * s * 0.3 + p;
    mesh.current.position.y = (position[1] || 0) + Math.sin(t * s + p) * 0.7;
  });

  return (
    <mesh ref={mesh} position={position}>
      <torusGeometry args={[radius || 1.6, 0.018, 6, 52]} />
      <meshBasicMaterial color="#505050" transparent opacity={0.12} depthWrite={false} />
    </mesh>
  );
};

/* ■■ Camera rig for subtle parallax ■■ */
var CameraRig = function () {
  var { camera } = useThree();
```

```
  var mouse      = useMouse();
  var target     = useRef({ x: 0, y: 0 });

  useFrame(function () {
    target.current.x += (mouse.current.x * 0.6 - target.current.x) * 0.035;
    target.current.y += (mouse.current.y * 0.4 - target.current.y) * 0.035;
    camera.position.x += (target.current.x - camera.position.x) * 0.08;
    camera.position.y += (-target.current.y - camera.position.y) * 0.08;
    camera.lookAt(0, 0, 0);
  });

  return null;
};

/* ═══════════════════════════════════════════════════
   MAIN EXPORT
═══════════════════════════════════════════════════ */
var Background3D = function ({ intensity }) {
  var [isMobile, setIsMobile] = useState(false);

  useEffect(function () {
    var check = function () { setIsMobile(window.innerWidth < 768); };
    check();
    window.addEventListener('resize', check, { passive: true });
    return function () { window.removeEventListener('resize', check); };
  }, []);

  var particleCount = isMobile ? 40 : (intensity === 'low' ? 70 : 120);

  return (
    <div
      style={{
        position: 'fixed',
        inset: 0,
        zIndex: 0,
        pointerEvents: 'none',
      }}
    >
      <Canvas
        dpr={[1, isMobile ? 1 : 1.5]}
        camera={{ position: [0, 0, 10], fov: 60, near: 0.1, far: 100 }}
        gl={{
          antialias: false,
          alpha: true,
          powerPreference: 'low-power',
          preserveDrawingBuffer: false,
        }}
        style={{ background: 'transparent' }}
      >
        <CameraRig />

        {/* Particles */}
        <Particles count={particleCount} />

        {/* Animated wireframe grid */}
        {!isMobile && <AnimatedGrid />}

        {/* Ambient orbs — wireframe */}
        <AmbientOrb position={[-5, 1.5, -3]}  radius={2.2} speed={0.22} phase={0}            opacity={0.06} />
        <AmbientOrb position={[5.5, -1, -4]}  radius={1.8} speed={0.28} phase={Math.PI}      opacity={0.05} />
        <AmbientOrb position={[0, 2.5, -6]}   radius={3.0} speed={0.18} phase={Math.PI/2}   opacity={0.04} />

        {/* Glow orbs — solid low opacity */}
        <GlowOrb position={[-4, 0, -5]}   radius={3.5} color="#606060" speed={0.2}  phase={0}       />
        <GlowOrb position={[4.5, 1, -6]}  radius={2.8} color="#505050" speed={0.25} phase={Math.PI} />
        <GlowOrb position={[0, -2, -4]}   radius={2.0} color="#404040" speed={0.3}  phase={1.2}     />

        {/* Floating rings */}
        {!isMobile && (
          <>
            <FloatingRing position={[-6, 0, -5]}  radius={1.4} speed={0.15} phase={0}       />
            <FloatingRing position={[6, 1, -4]}   radius={1.0} speed={0.20} phase={2.1}     />
            <FloatingRing position={[0, -3, -6]}  radius={2.0} speed={0.12} phase={1.0}     />
          </>
        )}
      </Canvas>
    </div>
  );
};

export default Background3D;
```

src\components\ui\BackButton.jsx

```
import { useNavigate } from 'react-router-dom';

var BackButton = function ({ onClick, label, className }) {
    var navigate = useNavigate();
    var handleClick = onClick || function () { navigate(-1); };

    return (
        <button
            type="button"
            onClick={handleClick}
            className={['back-btn-pill', className || ''].join(' ')}
            aria-label={label || 'Go back'}
        >
            <svg
                width="16"
                height="16"
                fill="none"
                stroke="currentColor"
                viewBox="0 0 24 24"
                aria-hidden="true"
            >
                <path
```

```
                    strokeLinecap="round"
                    strokeLinejoin="round"
                    strokeWidth={2}
                    d="M15 19l-7-7 7-7"
                  />
                </svg>
                <span>{label || 'Back'}</span>
            </button>
        );
};

export default BackButton;
```

src\components\ui\BackgroundEffects.jsx

```
import { useState } from 'react';

const BackgroundEffects = function ({ intensity }) {
  var op = intensity === 'high' ? 1 : intensity === 'low' ? 0.4 : 0.65;

  var [particles] = useState(function () {
    return Array.from({ length: 35 }, function (_, i) {
      return {
        id: i,
        left: Math.random() * 100,
        delay: Math.random() * 18,
        duration: 10 + Math.random() * 14,
        size: 1.5 + Math.random() * 3,
      };
    });
  });

  var orbs = [
    { left: '5%',  top: '10%', size: 400, color: 'rgba(80,80,120,0.14)',  dur: 22, anim: 'float1' },
    { left: '65%', top: '30%', size: 480, color: 'rgba(60,100,80,0.10)',  dur: 28, anim: 'float2' },
    { left: '35%', top: '60%', size: 340, color: 'rgba(100,80,100,0.12)', dur: 20, anim: 'float3' },
    { left: '75%', top: '5%',  size: 280, color: 'rgba(70,70,110,0.10)', dur: 26, anim: 'float1' },
    { left: '15%', top: '75%', size: 420, color: 'rgba(90,80,70,0.10)',  dur: 32, anim: 'float2' },
  ];

  return (
    <div className="fixed inset-0 pointer-events-none z-0 overflow-hidden" style={{ opacity: op }}>

      {/* Orbs */}
      {orbs.map(function (orb, i) {
        return (
          <div key={i} style={{
            position: 'absolute',
            left: orb.left,
            top: orb.top,
            width: orb.size,
            height: orb.size,
            borderRadius: '50%',
            background: 'radial-gradient(circle, ' + orb.color + ' 0%, transparent 70%)',
            animation: orb.anim + ' ' + orb.dur + 's ease-in-out infinite',
            filter: 'blur(24px)',
          }} />
        );
      })}

      {/* Grid */}
      <div style={{
        position: 'absolute',
        inset: 0,
        backgroundImage: 'linear-gradient(rgba(255,255,255,0.02) 1px, transparent 1px), linear-gradient(90deg, rgba(255,255,255,0.02) 1px, transparent 1px)',
        backgroundSize: '72px 72px',
      }} />

      {/* Particles */}
      {particles.map(function (p) {
        return (
          <div key={p.id} style={{
            position: 'absolute',
            left: p.left + '%',
            bottom: '-8px',
            width: p.size,
            height: p.size,
            borderRadius: '50%',
            backgroundColor: 'rgba(200,200,220,0.35)',
            animation: 'driftUp ' + p.duration + 's linear ' + p.delay + 's infinite',
            boxShadow: '0 0 ' + (p.size * 2) + 'px rgba(200,200,220,0.2)',
          }} />
        );
      })}

      {/* Corner glows */}
      <div style={{
        position: 'absolute', top: '-100px', right: '-100px',
        width: '500px', height: '500px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(70,75,110,0.18) 0%, transparent 60%)',
        animation: 'pulseGlow 8s ease-in-out infinite',
      }} />
      <div style={{
        position: 'absolute', bottom: '-100px', left: '-100px',
        width: '420px', height: '420px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(90,70,65,0.14) 0%, transparent 60%)',
        animation: 'pulseGlow 11s ease-in-out infinite 4s',
      }} />
    </div>
  );
};

export default BackgroundEffects;
```

src\components\ui\index.jsx

```
import { useState } from 'react';

/* ═══════════════════════════════════════════════════
   BUTTON
═══════════════════════════════════════════════════ */
export var Button = function ({ children, variant, size, disabled, loading, onClick, type, className }) {
  var base = 'inline-flex items-center justify-center gap-1.5 font-medium font-sans transition-all duration-300 cursor-pointer select-none border outline-none';

  var variants = {
    default: 'bg-n-750 border-n-500 text-n-50 hover:bg-n-700 hover:border-n-400 hover:shadow-glow',
    ghost: 'bg-transparent border-n-700 text-n-200 hover:bg-n-800 hover:border-n-500',
    danger: 'bg-red-950/30 border-red-800/40 text-red-300 hover:bg-red-950/50 hover:border-red-700/60',
    success: 'bg-green-950/30 border-green-800/40 text-green-300 hover:bg-green-950/50',
  };

  var sizes = {
    xs: 'text-xs px-2.5 py-1.5 rounded-md',
    sm: 'text-xs px-3 py-2 rounded-md',
    md: 'text-sm px-4 py-2.5 rounded-lg',
    lg: 'text-sm px-6 py-3 rounded-xl',
    xl: 'text-base px-8 py-3.5 rounded-xl',
  };

  var v = variants[variant || 'default'];
  var s = sizes[size || 'md'];
  var dis = disabled || loading ? 'opacity-40 cursor-not-allowed pointer-events-none' : '';

  return (
    <button
      type={type || 'button'}
      onClick={onClick}
      disabled={disabled || loading}
      className={[base, v, s, dis, className || ''].join(' ')}
    >
      {loading && (
        <svg className="animate-spin w-3.5 h-3.5" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      )}
      {children}
    </button>
  );
};

/* ═══════════════════════════════════════════════════
   CARD
═══════════════════════════════════════════════════ */
export var Card = function ({ children, className, hover, onClick, padding }) {
  var base = 'bg-n-800 border border-n-700 rounded-xl transition-all duration-300';
  var h = hover ? 'hover:border-n-500 hover:shadow-sm cursor-pointer' : '';
  var p = padding !== false ? 'p-5' : '';
  return (
    <div onClick={onClick} className={[base, h, p, className || ''].join(' ')}>
      {children}
    </div>
  );
};

export var CardHeader = function ({ children, className }) {
  return (
    <div className={['flex items-center justify-between pb-4 mb-4 border-b border-n-700', className || ''].join(' ')}>
      {children}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   INPUT
═══════════════════════════════════════════════════ */
export var Input = function ({ label, error, type, name, value, onChange, placeholder, disabled, required, className }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <input
        type={type || 'text'}
        name={name}
        value={value}
        onChange={onChange}
        placeholder={placeholder}
        disabled={disabled}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300',
          'bg-n-900 border text-n-50 placeholder-n-400',
          error
            ? 'border-red-700/60 bg-red-950/10 focus:border-red-600 focus:shadow-[0_0_0_3px_rgba(239,68,68,0.1)]'
            : 'border-n-700 focus:border-n-500 focus:shadow-[0_0_0_3px_rgba(255,255,255,0.04)]',
          disabled ? 'opacity-50 cursor-not-allowed' : '',
          className || '',
        ].join(' ')}
      />
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

export var Select = function ({ label, error, name, value, onChange, children, required }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
```

```
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <select
        name={name}
        value={value}
        onChange={onChange}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300 cursor-pointer',
          'bg-n-900 border text-n-50',
          error
            ? 'border-red-700/60'
            : 'border-n-700 focus:border-n-500',
        ].join(' ')}
      >
        {children}
      </select>
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

export var Textarea = function ({ label, error, name, value, onChange, placeholder, rows, required }) {
  return (
    <div className="flex flex-col gap-1.5">
      {label && (
        <label className="text-xs font-medium text-n-300 uppercase tracking-wide">
          {label} {required && <span className="text-red-400">*</span>}
        </label>
      )}
      <textarea
        name={name}
        value={value}
        onChange={onChange}
        placeholder={placeholder}
        rows={rows || 4}
        required={required}
        className={[
          'w-full px-4 py-2.5 text-sm rounded-lg outline-none transition-all duration-300 resize-vertical',
          'bg-n-900 border text-n-50 placeholder-n-400',
          error ? 'border-red-700/60' : 'border-n-700 focus:border-n-500',
        ].join(' ')}
      />
      {error && <p className="text-xs text-red-400">{error}</p>}
    </div>
  );
};

/* ━━━
```

```
          {icon}
        </div>
        {positive !== null && positive !== undefined && (
          <Badge variant={positive ? 'low' : 'high'}>
            {positive ? '↑' : '↓'}
          </Badge>
        )}
      </div>
      <p className="text-xs text-n-300 mb-1 uppercase tracking-wide">{label}</p>
      <p className="text-2xl font-bold text-n-50 mb-1">{value}</p>
      {change && <p className="text-xs text-n-400">{change}</p>}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   DIVIDER
═══════════════════════════════════════════════════ */
export var Divider = function ({ label, className }) {
  if (label) {
    return (
      <div className={['relative flex items-center', className || ''].join(' ')}>
        <div className="flex-1 h-px bg-n-700" />
        <span className="px-4 text-xs text-n-400 uppercase tracking-wider">{label}</span>
        <div className="flex-1 h-px bg-n-700" />
      </div>
    );
  }
  return <div className={['h-px bg-n-700', className || ''].join(' ')} />;
};

/* ═══════════════════════════════════════════════════
   SKELETON
═══════════════════════════════════════════════════ */
export var Skeleton = function ({ className, height }) {
  return (
    <div
      className={['rounded-md animate-shimmer bg-gradient-to-r from-n-800 via-n-750 to-n-800 bg-[length:200%_auto]', className || ''].join(' ')}
      style={{ height: height || '16px' }}
    />
  );
};

/* ═══════════════════════════════════════════════════
   PROGRESS BAR
═══════════════════════════════════════════════════ */
export var ProgressBar = function ({ value, max, color, label, showPct }) {
  var pct = Math.min(100, Math.round((value / (max || 100)) * 100));
  var barColor = color || 'bg-n-500';

  return (
    <div className="w-full">
      {(label || showPct) && (
        <div className="flex justify-between items-center mb-1.5">
          {label && <span className="text-xs text-n-300">{label}</span>}
          {showPct && <span className="text-xs text-n-200 font-medium">{pct}%</span>}
        </div>
      )}
      <div className="w-full h-2 bg-n-900 rounded-full overflow-hidden">
        <div
          className={['h-full rounded-full transition-all duration-1000', barColor].join(' ')}
          style={{ width: pct + '%', animation: 'progressFill 1s cubic-bezier(0.4,0,0.2,1) both' }}
        />
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   EMPTY STATE
═══════════════════════════════════════════════════ */
export var EmptyState = function ({ icon, title, description, action }) {
  return (
    <div className="flex flex-col items-center justify-center py-16 px-6 text-center animate-fade-in">
      {icon && (
        <div className="w-16 h-16 rounded-2xl bg-n-800 border border-n-700 flex items-center justify-center text-3xl mb-4">
          {icon}
        </div>
      )}
      {title && <p className="text-base font-semibold text-n-100 mb-2">{title}</p>}
      {description && <p className="text-sm text-n-300 max-w-sm leading-relaxed">{description}</p>}
      {action && <div className="mt-5">{action}</div>}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   SOCIAL BUTTONS
═══════════════════════════════════════════════════ */
export var GoogleButton = function ({ onClick, loading, children }) {
  return (
    <button
      type="button"
      onClick={onClick}
      disabled={loading}
      className="ui-social-btn ui-social-btn-google w-full"
      style={{ fontFamily: 'inherit' }}
    >
      {loading ? (
        <svg className="animate-spin w-5 h-5 text-gray-500" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5 flex-shrink-0" viewBox="0 0 24 24">
```

```
          <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z" />
          <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23 1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 1
          <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z" /
          <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97 1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.5
        </svg>
      )}
      <span className="text-sm font-medium text-gray-700">
        {loading ? 'Connecting...' : (children || 'Continue with Google')}
      </span>
    </button>
  );
};

export var AppleButton = function ({ onClick, loading, children }) {
  return (
    <button
      type="button"
      onClick={onClick}
      disabled={loading}
      className="ui-social-btn ui-social-btn-apple w-full"
      style={{ fontFamily: 'inherit' }}
    >
      {loading ? (
        <svg className="animate-spin w-5 h-5 text-white" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
        </svg>
      ) : (
        <svg className="w-5 h-5 flex-shrink-0" viewBox="0 0 24 24" fill="white">
          <path d="M18.71 19.5c-.83 1.24-1.71 2.45-3.05 2.47-1.34.03-1.77-.79-3.29-.79-1.53 0-2 .77-3.27.82-1.31.05-2.3-1.32-3.14-2.53C4.25 17 2.94 12.45 4.7 9.39
        </svg>
      )}
      <span className="text-sm font-medium text-white">
        {loading ? 'Connecting...' : (children || 'Continue with Apple')}
      </span>
    </button>
  );
};

/* ═══════════════════════════════════════════════════
   STEP INDICATOR
═══════════════════════════════════════════════════ */
export var StepIndicator = function ({ steps, current }) {
  return (
    <div className="flex items-center justify-between mb-2">
      {steps.map(function (step, i) {
        var isDone = i < current - 1;
        var isActive = i === current - 1;
        return (
          <div key={i} className="flex items-center flex-1">
            <div className={[
              'w-8 h-8 rounded-full flex items-center justify-center text-sm font-semibold border-2 transition-all duration-300 flex-shrink-0',
              isDone ? 'bg-green-950/40 border-green-700/50 text-green-300' :
                isActive ? 'bg-n-750 border-n-500 text-n-50' :
                  'bg-n-900 border-n-700 text-n-400',
            ].join(' ')}>
              {isDone ? (
                <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
                </svg>
              ) : i + 1}
            </div>
            {i < steps.length - 1 && (
              <div className={['flex-1 h-0.5 mx-2 transition-all duration-500', isDone ? 'bg-green-700/50' : 'bg-n-700'].join(' ')} />
            )}
          </div>
        );
      })}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   MODAL
═══════════════════════════════════════════════════ */
export var Modal = function ({ open, onClose, title, children, maxWidth }) {
  if (!open) return null;
  return (
    <div className="ui-overlay" onClick={function (e) { if (e.target === e.currentTarget) onClose(); }}>
      <div className={['ui-modal', maxWidth || 'max-w-md'].join(' ')}>
        {title && (
          <div className="flex items-center justify-between mb-5">
            <h3 className="text-base font-semibold text-n-50">{title}</h3>
            <button type="button" onClick={onClose}
              className="w-7 h-7 rounded-lg flex items-center justify-center text-n-300 hover:text-n-50 hover:bg-n-750 transition-all">
              <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
              </svg>
            </button>
          </div>
        )}
        {children}
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   LOADING SPINNER
═══════════════════════════════════════════════════ */
export var Spinner = function ({ size, className }) {
  var s = size === 'sm' ? 'w-4 h-4' : size === 'lg' ? 'w-8 h-8' : 'w-5 h-5';
  return (
    <svg className={['animate-spin', s, className || 'text-n-300'].join(' ')} fill="none" viewBox="0 0 24 24">
      <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
```

```
      <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
    </svg>
  );
};

/* ═══════════════════════════════════════════════════
   PAGE HEADER
═══════════════════════════════════════════════════ */
export var PageHeader = function ({ title, description, action }) {
  return (
    <div className="ui-page-hero animate-slide-up">
      <div className="ui-page-header">
        <p className="ui-page-kicker">Workspace</p>
        <div className="ui-page-header-row">
          <div>
            <h1 className="ui-page-title">{title}</h1>
            {description && <p className="ui-page-description mt-3">{description}</p>}
          </div>
          {action && <div className="ui-page-actions">{action}</div>}
        </div>
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   SECTION CARD (with header + content)
═══════════════════════════════════════════════════ */
export var SectionCard = function ({ title, description, action, children, className }) {
  return (
    <div className={['ui-panel overflow-hidden', className || ''].join(' ')}>
      {(title || action) && (
        <div className="flex items-start justify-between gap-4 px-5 py-4 border-b" style={{ borderColor: 'rgba(255,255,255,0.06)' }}>
          <div>
            {title && <h3 className="text-sm font-semibold" style={{ color: 'var(--color-text)' }}>{title}</h3>}
            {description && <p className="text-xs mt-1" style={{ color: 'var(--color-text-3)' }}>{description}</p>}
          </div>
          {action && <div className="flex-shrink-0">{action}</div>}
        </div>
      )}
      <div className="p-5">{children}</div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   BACK BUTTON
═══════════════════════════════════════════════════ */
/* ═══════════════════════════════════════════
   BACK BUTTON — Standardized
═══════════════════════════════════════════ */
export var BackButton = function ({ onClick, label, className }) {
  return (
    <button
      type="button"
      onClick={onClick}
      className={['ui-back-btn', className || ''].join(' ')}
      aria-label={label || 'Go back'}
    >
      <svg
        width="16"
        height="16"
        fill="none"
        stroke="currentColor"
        viewBox="0 0 24 24"
        aria-hidden="true"
      >
        <path
          strokeLinecap="round"
          strokeLinejoin="round"
          strokeWidth={2}
          d="M15 19l-7-7 7-7"
        />
      </svg>
      <span>{label || 'Back'}</span>
    </button>
  );
};

/* ═══════════════════════════════════════════════════
   AVATAR
═══════════════════════════════════════════════════ */
export var Avatar = function ({ src, name, size }) {
  var sz = size === 'sm' ? 'w-7 h-7 text-xs' : size === 'lg' ? 'w-12 h-12 text-lg' : size === 'xl' ? 'w-16 h-16 text-2xl' : 'w-9 h-9 text-sm';
  var initial = name ? name.charAt(0).toUpperCase() : 'U';
  return src ? (
    <img src={src} alt={name || 'avatar'} loading="lazy" decoding="async"
      className={[sz, 'rounded-full object-cover border border-n-700 flex-shrink-0'].join(' ')} />
  ) : (
    <div className={[sz, 'rounded-full bg-n-750 border border-n-700 flex items-center justify-center font-semibold text-n-100 flex-shrink-0'].join(' ')}>
      {initial}
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   RISK BANNER
═══════════════════════════════════════════════════ */
export var RiskBanner = function ({ risk, action, scanId, date }) {
  var styles = {
    HIGH: { wrap: 'bg-red-950/30 border-red-800/40 text-red-200', dot: 'bg-red-500' },
    MODERATE: { wrap: 'bg-amber-950/30 border-amber-800/40 text-amber-200', dot: 'bg-amber-500' },
    LOW: { wrap: 'bg-green-950/20 border-green-800/30 text-green-200', dot: 'bg-green-500' },
    NORMAL: { wrap: 'bg-green-950/20 border-green-800/30 text-green-200', dot: 'bg-green-500' },
  };
```

```
  var s = styles[risk] || styles.LOW;
  return (
    <div className={['border rounded-xl px-5 py-4', s.wrap].join(' ')}>
      <div className="flex flex-col sm:flex-row sm:items-start justify-between gap-3">
        <div className="flex items-center gap-3">
          <div className={['w-2.5 h-2.5 rounded-full flex-shrink-0 animate-pulse-dot', s.dot].join(' ')} />
          <div>
            <p className="text-xs uppercase tracking-wider opacity-60 mb-0.5">Overall Risk Level</p>
            <p className="text-2xl font-bold">{risk}</p>
          </div>
        </div>
        <div className="sm:text-right text-xs opacity-60">
          {scanId && <p>ID: {scanId}</p>}
          {date && <p>{date}</p>}
        </div>
      </div>
      {action && <p className="text-sm opacity-80 mt-3 leading-relaxed">{action}</p>}
    </div>
  );
};

/* ═══════════════════════════════════════════
   PAGE LAYOUT — Standardized wrapper
═══════════════════════════════════════════ */
export var PageLayout = function ({
  title,
  description,
  kicker,
  action,
  children,
  showBack,
  onBack,
  backLabel,
  maxWidth,
}) {
  return (
    <div
      style={{
        maxWidth: maxWidth || '1180px',
        margin: '0 auto',
        display: 'flex',
        flexDirection: 'column',
        gap: '24px',
      }}
    >
      {/* Back button row */}
      {showBack && (
        <div className="page-top-bar">
          <BackButton onClick={onBack} label={backLabel} />
        </div>
      )}

      {/* Page hero header */}
      {(title || description) && (
        <div className="ui-page-hero animate-slide-up">
          <div className="ui-page-header">
            {kicker && <p className="ui-page-kicker">{kicker}</p>}
            <div className="ui-page-header-row">
              <div>
                {title && <h1 className="ui-page-title">{title}</h1>}
                {description && (
                  <p className="ui-page-description" style={{ marginTop: '10px' }}>
                    {description}
                  </p>
                )}
              </div>
              {action && <div className="ui-page-actions">{action}</div>}
            </div>
          </div>
        </div>
      )}

      {/* Page content */}
      {children}
    </div>
  );
};
```

src\context\AuthContext.jsx

```
import { createContext, useContext, useState, useEffect, useCallback } from 'react';
import { authService, tokenStore } from '../services/authService';

var AuthContext = createContext(null);

export var useAuth = function () {
  var ctx = useContext(AuthContext);
  if (!ctx) throw new Error('useAuth must be inside AuthProvider');
  return ctx;
};

export var AuthProvider = function ({ children }) {
  var [user, setUser] = useState(null);
  var [loading, setLoading] = useState(true);
  var [profileComplete, setProfileComplete] = useState(false);

  /* ══ On mount: restore session, always re-read from users DB ══ */
  useEffect(function () {
    var restore = async function () {
      try {
        var cached = tokenStore.getUser();
        if (!cached || !cached.email) {
          setLoading(false);
          return;
        }
```

```
      // Show cached data instantly while we verify
      setUser(cached);
      setProfileComplete(!!cached.profileComplete);

      // Re-read fresh data from optha_users
      var fresh = await authService.getMe();
      setUser(fresh);
      setProfileComplete(!!fresh.profileComplete);

      // Keep session cache in sync
      localStorage.setItem('optha_session', JSON.stringify(fresh));
    } catch (_) {
      // Session invalid — clear everything
      tokenStore.clear();
      setUser(null);
      setProfileComplete(false);
    }
    setLoading(false);
  };

  restore();
}, []);

/* ■■ Register ■■ */
var register = useCallback(async function (email, password, name) {
  var data = await authService.register(email, password, name);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, false);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ Login ■■ */
var login = useCallback(async function (email, password, rememberMe) {
  var data = await authService.login(email, password, rememberMe);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, rememberMe);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ OAuth ■■ */
var oauthLogin = useCallback(async function (email, name, picture, provider, sub) {
  var data = await authService.oauthLogin(email, name, picture, provider, sub);
  tokenStore.setTokens(data.access_token, data.refresh_token, data.user, true);
  setUser(data.user);
  setProfileComplete(!!data.user.profileComplete);
  return data.user;
}, []);

/* ■■ Logout ■■ */
var logout = useCallback(async function () {
  await authService.logout();
  setUser(null);
  setProfileComplete(false);
}, []);

/* ■■ Update profile ■■ */
var updateProfile = useCallback(async function (profileData) {
  var data = await authService.updateProfile(profileData);
  tokenStore.setTokens(
    data.access_token,
    data.refresh_token,
    data.user,
    tokenStore.isRemembered()
  );
  setUser(data.user);
  setProfileComplete(true);
  return data.user;
}, []);

/* ■■ Scan helpers ■■ */
var addScan = useCallback(function (scanData) {
  var scans = [];
  try { scans = JSON.parse(localStorage.getItem('optha_scans') || '[]'); } catch (_) { }
  var newScan = Object.assign({}, scanData, {
    timestamp: new Date().toISOString(),
    id: scanData.id || 'SCN-' + Date.now(),
  });
  scans.unshift(newScan);
  localStorage.setItem('optha_scans', JSON.stringify(scans.slice(0, 100)));
  window.dispatchEvent(new CustomEvent('optha_scan_added', { detail: newScan }));
  return newScan;
}, []);

var getScans = useCallback(function () {
  try { return JSON.parse(localStorage.getItem('optha_scans') || '[]'); }
  catch (_) { return []; }
}, []);

var getLastScan = useCallback(function () {
  var s = getScans();
  return s.length > 0 ? s[0] : null;
}, [getScans]);

/* ■■ Settings ■■ */
var getSettings = useCallback(function () {
  try {
    var s = localStorage.getItem('optha_settings');
    return s ? JSON.parse(s) : {
      emailNotifications: true, smsNotifications: false,
      highRiskAlerts: true, weeklyReports: true,
      dataSharing: false, anonymizedResearch: true,
      theme: 'dark', compactView: false,
      language: 'en', timezone: 'UTC-5',
```

```
      };
    } catch (_) { return {}; }
  }, []);

  var saveSettings = useCallback(function (settings) {
    localStorage.setItem('optha_settings', JSON.stringify(settings));
    if (settings.theme === 'light') {
      document.documentElement.setAttribute('data-theme', 'light');
    } else {
      document.documentElement.removeAttribute('data-theme');
    }
    window.dispatchEvent(new CustomEvent('optha_settings_changed', { detail: settings }));
  }, []);

  return (
    <AuthContext.Provider value={{
      user,
      loading,
      profileComplete,
      login,
      register,
      oauthLogin,
      logout,
      updateProfile,
      addScan,
      getScans,
      getLastScan,
      getSettings,
      saveSettings,
      rememberedEmail: tokenStore.getRememberedEmail(),
      isRemembered: tokenStore.isRemembered(),
    }}>
      {children}
    </AuthContext.Provider>
  );
};
```

src\context\ToastContext.jsx

```
import { createContext, useContext, useState, useCallback } from 'react';

var ToastContext = createContext(null);
export var useToast = function () { return useContext(ToastContext); };

export var ToastProvider = function ({ children }) {
  var [toasts, setToasts] = useState([]);

  var addToast = useCallback(function (message, type, duration) {
    var id = Date.now() + Math.random();
    var t = type || 'info';
    var d = duration || 3500;
    setToasts(function (prev) { return prev.concat([{ id: id, message: message, type: t }]); });
    setTimeout(function () {
      setToasts(function (prev) { return prev.filter(function (x) { return x.id !== id; }); });
    }, d);
  }, []);

  var icons = {
    success: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
      </svg>
    ),
    error: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
      </svg>
    ),
    warning: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 9v2m0 4h.01M10.29 3.86L1.82 18a2 2 0 001.71 3h16.94a2 2 0 001.71-3L13.71 3.86a2
      </svg>
    ),
    info: (
      <svg className="w-4 h-4 flex-shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13 16h-1v-4h-1m1-4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
      </svg>
    ),
  };

  return (
    <ToastContext.Provider value={{ addToast }}>
      {children}
      <div className="fixed top-4 right-4 z-[9999] flex flex-col gap-2 max-w-sm w-full px-3">
        {toasts.map(function (t) {
          return (
            <div key={t.id} className={'ui-toast ui-toast-' + t.type}>
              {icons[t.type] || icons.info}
              <span className="text-sm font-medium flex-1">{t.message}</span>
            </div>
          );
        })}
      </div>
    </ToastContext.Provider>
  );
};
```

src\hooks\useLastScan.js

```
import { useState, useEffect, useCallback } from 'react';
import { useAuth } from '../context/AuthContext';

var formatTimeAgo = function (isoString) {
  if (!isoString) return 'No scans yet';
  var now = new Date();
  var past = new Date(isoString);
```

```
  var diffMs = now - past;
  var diffSec = Math.floor(diffMs / 1000);
  var diffMin = Math.floor(diffSec / 60);
  var diffHr = Math.floor(diffMin / 60);
  var diffDay = Math.floor(diffHr / 24);

  if (diffSec < 10) return 'Just now';
  if (diffSec < 60) return diffSec + ' seconds ago';
  if (diffMin < 60) return diffMin === 1 ? '1 minute ago' : diffMin + ' minutes ago';
  if (diffHr < 24) return diffHr === 1 ? '1 hour ago' : diffHr + ' hours ago';
  if (diffDay < 7) return diffDay === 1 ? '1 day ago' : diffDay + ' days ago';
  return past.toLocaleDateString();
};

export var useLastScan = function () {
  var { getLastScan } = useAuth();
  var [lastScan, setLastScan] = useState(null);
  var [timeAgo, setTimeAgo] = useState('No scans yet');

  var refresh = useCallback(function () {
    var scan = getLastScan();
    setLastScan(scan);
    setTimeAgo(scan ? formatTimeAgo(scan.timestamp) : 'No scans yet');
  }, [getLastScan]);

  useEffect(function () {
    refresh();

    /* Update every 30 seconds */
    var interval = setInterval(function () {
      var scan = getLastScan();
      setTimeAgo(scan ? formatTimeAgo(scan.timestamp) : 'No scans yet');
    }, 30000);

    /* Listen for new scans */
    var handleNewScan = function (e) {
      setLastScan(e.detail);
      setTimeAgo(formatTimeAgo(e.detail.timestamp));
    };
    window.addEventListener('optha_scan_added', handleNewScan);

    return function () {
      clearInterval(interval);
      window.removeEventListener('optha_scan_added', handleNewScan);
    };
  }, [refresh]);

  return { lastScan: lastScan, timeAgo: timeAgo, refresh: refresh };
};
```

src\pages\CompleteProfile.jsx

```
import { useState } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { useToast } from '../context/ToastContext';

var BLOOD_GROUPS = ['A+', 'A-', 'B+', 'B-', 'AB+', 'AB-', 'O+', 'O-'];
var COUNTRIES = [
  'United States', 'United Kingdom', 'India', 'Canada', 'Australia',
  'Germany', 'France', 'Pakistan', 'Bangladesh', 'Nigeria', 'Other',
];
var OCCUPATIONS = [
  'Healthcare Professional', 'Engineer', 'Teacher / Educator',
  'Student', 'Business / Entrepreneur', 'Government / Public Sector',
  'IT / Software', 'Agriculture', 'Retired', 'Other',
];

var CompleteProfile = function () {
  var navigate = useNavigate();
  var { user, updateProfile } = useAuth();  // ← real updateProfile
  var { addToast } = useToast();

  var [form, setForm] = useState({
    phone: '',
    age: '',
    dateOfBirth: '',
    bloodGroup: '',
    occupation: '',
    city: '',
    state: '',
    country: '',
  });
  var [errors, setErrors] = useState({});
  var [loading, setLoading] = useState(false);

  var handleChange = function (e) {
    var name = e.target.name;
    var value = e.target.value;
    setForm(function (prev) {
      var n = Object.assign({}, prev);
      n[name] = value;
      return n;
    });
    setErrors(function (prev) {
      var n = Object.assign({}, prev);
      n[name] = '';
      return n;
    });
  };

  var validate = function () {
    var e = {};
    if (!form.phone.trim()) {
      e.phone = 'Phone number is required';
    } else if (!/^\+?[\d\s\-()]{7,15}$/.test(form.phone)) {
```

```
    e.phone = 'Enter a valid phone number';
  }
  if (!form.age || isNaN(form.age) || Number(form.age) < 1 || Number(form.age) > 120) {
    e.age = 'Enter a valid age (1-120)';
  }
  if (!form.dateOfBirth) {
    e.dateOfBirth = 'Date of birth is required';
  } else {
    var dob = new Date(form.dateOfBirth);
    var today = new Date();
    if (dob >= today) e.dateOfBirth = 'Date of birth must be in the past';
  }
  if (!form.bloodGroup) e.bloodGroup = 'Blood group is required';
  if (!form.occupation) e.occupation = 'Occupation is required';
  if (!form.city.trim()) e.city = 'City is required';
  if (!form.country) e.country = 'Country is required';
  setErrors(e);
  return Object.keys(e).length === 0;
};

/* ■■ Real save via AuthContext ■■ */
var handleSubmit = async function (e) {
  e.preventDefault();
  if (!validate()) return;
  setLoading(true);
  try {
    await updateProfile({
      phone: form.phone,
      age: form.age,
      dateOfBirth: form.dateOfBirth,
      bloodGroup: form.bloodGroup,
      occupation: form.occupation,
      city: form.city,
      state: form.state,
      country: form.country,
    });
    addToast('Profile completed! Welcome to OpthaMiss.', 'success');
    navigate('/dashboard');
  } catch (err) {
    addToast('Failed to save profile. Please try again.', 'error');
  }
  setLoading(false);
};

var isFormFilled =
  form.phone && form.age && form.dateOfBirth &&
  form.bloodGroup && form.occupation && form.city && form.country;

var inputClass = function (field) {
  return (
    'w-full px-4 py-3 rounded-xl text-sm text-neutral-200 placeholder-neutral-600 ' +
    'focus:outline-none transition-colors ' +
    (errors[field]
      ? 'bg-red-950/20 border border-red-700/50 focus:border-red-600'
      : 'bg-neutral-800/60 border border-neutral-700/50 focus:border-neutral-500')
  );
};

return (
  <div className="min-h-screen flex items-center justify-center px-4 py-12"
    style={{ background: 'var(--bg-primary)' }}>

    {/* Background */}
    <div className="absolute inset-0 pointer-events-none overflow-hidden">
      <div className="absolute top-1/4 left-1/4 w-96 h-96 rounded-full blur-3xl opacity-40"
        style={{ background: 'rgba(59,130,246,0.06)' }} />
      <div className="absolute bottom-1/4 right-1/4 w-96 h-96 rounded-full blur-3xl opacity-40"
        style={{ background: 'rgba(139,92,246,0.06)' }} />
    </div>

    <div className="relative z-10 w-full max-w-lg">

      {/* Progress indicator */}
      <div className="flex items-center justify-between mb-6 px-1">
        <div className="flex items-center gap-2">
          <div className="w-7 h-7 rounded-full bg-green-600 flex items-center justify-center">
            <svg className="w-4 h-4 text-white" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
            </svg>
          </div>
          <span className="text-xs text-neutral-400">Account Created</span>
        </div>
        <div className="flex-1 h-px mx-3" style={{ background: 'var(--border)' }} />
        <div className="flex items-center gap-2">
          <div className="w-7 h-7 rounded-full bg-neutral-700 border-2 border-neutral-500
            flex items-center justify-center">
            <span className="text-xs font-bold text-neutral-200">2</span>
          </div>
          <span className="text-xs text-neutral-200 font-medium">Complete Profile</span>
        </div>
      </div>

      {/* Card */}
      <div className="rounded-2xl p-8 shadow-2xl"
        style={{ background: 'var(--bg-card)', border: '1px solid var(--border)' }}>

        {/* Header — uses real user.name */}
        <div className="text-center mb-8">
          {user && user.picture ? (
            <img src={user.picture} alt="avatar" loading="lazy" decoding="async"
              className="w-16 h-16 rounded-full mx-auto mb-3 border-2 object-cover"
              style={{ borderColor: 'var(--border)' }} />
          ) : (
            <div className="w-16 h-16 rounded-full mx-auto mb-3 flex items-center
              justify-center text-2xl font-bold"
```

```
      style={{
        background: 'var(--bg-secondary)', border: '1px solid var(--border)',
        color: 'var(--text-h)'
      }}>
      {user && user.name ? user.name.charAt(0).toUpperCase() : 'U'}
    </div>
  )}
  <h1 className="text-xl font-bold mb-1" style={{ color: 'var(--text-h)' }}>
    Complete Your Profile
  </h1>
  <p className="text-sm" style={{ color: 'var(--text-muted)' }}>
    {user && user.name ? 'Hi ' + user.name.split(' ')[0] + '! ' : ''}
    We need a few more details to personalise your experience.
  </p>
</div>

<form onSubmit={handleSubmit} className="space-y-5">

  {/* Phone */}
  <div>
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Phone Number <span className="text-red-400">*</span>
    </label>
    <input type="tel" name="phone" value={form.phone}
      onChange={handleChange} placeholder="+1 234 567 8900"
      className={inputClass('phone')} />
    {errors.phone && <p className="text-red-400 text-xs mt-1">{errors.phone}</p>}
  </div>

  {/* Age + DOB */}
  <div className="grid grid-cols-2 gap-4">
    <div>
      <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
        Age <span className="text-red-400">*</span>
      </label>
      <input type="number" name="age" value={form.age}
        onChange={handleChange} placeholder="e.g. 35" min="1" max="120"
        className={inputClass('age')} />
      {errors.age && <p className="text-red-400 text-xs mt-1">{errors.age}</p>}
    </div>
    <div>
      <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
        Date of Birth <span className="text-red-400">*</span>
      </label>
      <input type="date" name="dateOfBirth" value={form.dateOfBirth}
        onChange={handleChange} className={inputClass('dateOfBirth')} />
      {errors.dateOfBirth && (
        <p className="text-red-400 text-xs mt-1">{errors.dateOfBirth}</p>
      )}
    </div>
  </div>

  {/* Blood Group */}
  <div>
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Blood Group <span className="text-red-400">*</span>
    </label>
    <select name="bloodGroup" value={form.bloodGroup}
      onChange={handleChange} className={inputClass('bloodGroup')}>
      <option value="">Select blood group</option>
      {BLOOD_GROUPS.map(function (bg) {
        return <option key={bg} value={bg}>{bg}</option>;
      })}
    </select>
    {errors.bloodGroup && (
      <p className="text-red-400 text-xs mt-1">{errors.bloodGroup}</p>
    )}
  </div>

  {/* Occupation */}
  <div>
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Occupation <span className="text-red-400">*</span>
    </label>
    <select name="occupation" value={form.occupation}
      onChange={handleChange} className={inputClass('occupation')}>
      <option value="">Select occupation</option>
      {OCCUPATIONS.map(function (o) {
        return <option key={o} value={o}>{o}</option>;
      })}
    </select>
    {errors.occupation && (
      <p className="text-red-400 text-xs mt-1">{errors.occupation}</p>
    )}
  </div>

  {/* Location */}
  <div>
    <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
      Location <span className="text-red-400">*</span>
    </label>
    <div className="grid grid-cols-1 gap-3">
      <div class="grid grid-cols-2 gap-3">
        <div>
          <input type="text" name="city" value={form.city}
            onChange={handleChange} placeholder="City *"
            className={inputClass('city')} />
          {errors.city && (
            <p class="text-red-400 text-xs mt-1">{errors.city}</p>
          )}
        </div>
        <input type="text" name="state" value={form.state}
          onChange={handleChange} placeholder="State / Province"
          className="w-full px-4 py-3 rounded-xl text-sm text-neutral-200
            placeholder-neutral-600 focus:outline-none bg-neutral-800/60
```

```
                  border border-neutral-700/50 focus:border-neutral-500" />
              </div>
              <div>
                <select name="country" value={form.country}
                  onChange={handleChange} className={inputClass('country')}>
                  <option value="">Select country *</option>
                  {COUNTRIES.map(function (c) {
                    return <option key={c} value={c}>{c}</option>;
                  })}
                </select>
                {errors.country && (
                  <p className="text-red-400 text-xs mt-1">{errors.country}</p>
                )}
              </div>
            </div>
          </div>

          {/* Submit */}
          <button
            type="submit"
            disabled={loading || !isFormFilled}
            className="w-full py-3.5 rounded-xl text-sm font-semibold transition-all
              flex items-center justify-center gap-2 mt-2"
            style={{
              background: isFormFilled && !loading ? 'var(--bg-hover)' : 'var(--bg-secondary)',
              border: '1px solid ' + (isFormFilled && !loading
                ? 'var(--accent-border)' : 'var(--border)'),
              color: isFormFilled && !loading ? 'var(--text-h)' : 'var(--text-subtle)',
              cursor: loading || !isFormFilled ? 'not-allowed' : 'pointer',
              opacity: loading || !isFormFilled ? 0.6 : 1,
            }}
          >
            {loading ? (
              <>
                <svg className="animate-spin w-4 h-4" fill="none" viewBox="0 0 24 24">
                  <circle className="opacity-25" cx="12" cy="12" r="10"
                    stroke="currentColor" strokeWidth="4" />
                  <path className="opacity-75" fill="currentColor"
                    d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
                </svg>
                Saving…
              </>
            ) : 'Complete Profile & Go to Dashboard'}
          </button>

          <p className="text-center text-xs" style={{ color: 'var(--text-subtle)' }}>
            All fields marked <span className="text-red-400">*</span> are required.
            Your data is stored locally in this browser.
          </p>
        </form>
      </div>
    </div>
  </div>
);
};

export default CompleteProfile;
```

src\pages\Dashboard.jsx

```
import { useState, useEffect, useCallback } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';
import { PageHeader, SectionCard } from '../components/ui/index';
import { useAuth } from '../context/AuthContext';
import { useLastScan } from '../hooks/useLastScan';

/* ■■ Risk badge mapping ■■ */
var riskBadge = {
  HIGH: 'ui-badge ui-badge-high',
  MODERATE: 'ui-badge ui-badge-moderate',
  LOW: 'ui-badge ui-badge-low',
};

var formatShortDate = function (ts) {
  if (!ts) return '—';
  try {
    return new Date(ts).toLocaleDateString(undefined, {
      month: 'short',
      day: 'numeric',
    });
  } catch (_) {
    return '—';
  }
};

var Dashboard = function () {
  var navigate = useNavigate();
  var { user, getScans } = useAuth();
  var { timeAgo } = useLastScan();
  var [scans, setScans] = useState([]);

  var refreshScans = useCallback(function () {
    setScans(getScans());
  }, [getScans]);

  useEffect(function () {
    refreshScans();
    var handler = function () { refreshScans(); };
    window.addEventListener('optha_scan_added', handler);
    return function () { window.removeEventListener('optha_scan_added', handler); };
  }, [refreshScans]);

  var recentScans = scans.slice(0, 4);
  var lastScan = scans[0];
  var highRiskCount = scans.filter(function (s) {
```

```
  return (s.risk || '').toUpperCase() === 'HIGH';
}).length;
var totalConditions = scans.reduce(function (acc, s) {
  return acc + ((s.conditions && s.conditions.length) || 0);
}, 0);

/* ■■ Stats definitions ■■ */
var stats = [
  {
    label: 'Total Scans',
    value: String(scans.length),
    note: 'AI screenings completed',
  },
  {
    label: 'Last Activity',
    value: scans.length > 0 ? timeAgo : 'No scans yet',
    note: lastScan ? formatShortDate(lastScan.timestamp) : 'Run your first scan',
  },
  {
    label: 'High Risk Alerts',
    value: String(highRiskCount),
    note: highRiskCount > 0 ? 'Review flagged reports' : 'No urgent findings',
  },
  {
    label: 'Conditions Detected',
    value: String(totalConditions),
    note: 'Across all saved reports',
  },
];

/* ■■ Quick links ■■ */
var quickLinks = [
  { label: 'Run New Scan', desc: 'Upload an image and start AI screening', path: '/screen' },
  { label: 'Open Reports', desc: 'Review saved reports and outcomes', path: '/reports' },
  { label: 'Update Profile', desc: 'Manage patient details and records', path: '/profile' },
  { label: 'Settings', desc: 'Notifications, privacy, and display options', path: '/settings' },
];

return (
  <DashboardLayout hideBack>
    {/* Page Header */}
    <PageHeader
      kicker="Workspace"
      title={
        'Welcome back, ' +
        (user && user.name ? user.name.split(' ')[0] : 'there')
      }
      description="Your AI-powered eye screening workspace. All data stays private in your browser."
      action={
        <div className="flex items-center gap-2">
          <button
            type="button"
            onClick={function () { navigate('/screen'); }}
            className="ui-btn"
          >
            New Scan
          </button>
          <button
            type="button"
            onClick={function () { navigate('/reports'); }}
            className="ui-btn ui-btn-sm"
          >
            Reports
          </button>
        </div>
      }
    />

    {/* Stats Row */}
    <div className="ui-stats-grid">
      {stats.map(function (stat) {
        return (
          <div key={stat.label} className="ui-stat-block">
            <p className="ui-stat-block-label">{stat.label}</p>
            <p className="ui-stat-block-value">{stat.value}</p>
            <p className="ui-stat-block-note">{stat.note}</p>
          </div>
        );
      })}
    </div>

    {/* Two-column layout */}
    <div className="grid xl:grid-cols-[1.6fr_1fr] gap-6">

      {/* Recent Scans */}
      <SectionCard
        title="Recent screenings"
        description="Your latest AI screening sessions."
        action={
          <button
            type="button"
            onClick={function () { navigate('/history'); }}
            className="ui-btn ui-btn-sm"
          >
            View all
          </button>
        }
      >
        {recentScans.length === 0 ? (
          <div className="ui-empty">
            <div className="ui-empty-icon">■</div>
            <p
              className="text-sm font-semibold mb-1"
              style={{ color: 'var(--color-text-2)' }}
            >
```

```
        No scans yet
      </p>
      <p
        className="text-xs mb-4"
        style={{ color: 'var(--color-text-4)' }}
      >
        Upload an eye image to start your screening timeline.
      </p>
      <button
        type="button"
        onClick={function () { navigate('/screen'); }}
        className="ui-btn ui-btn-sm"
      >
        Start Scanning
      </button>
    </div>
  ) : (
    <div className="space-y-3">
      {recentScans.map(function (scan) {
        var riskKey = (scan.risk || 'LOW').toUpperCase();
        var conditions = scan.conditions || [];
        return (
          <button
            key={scan.id}
            type="button"
            onClick={function () { navigate('/report/' + scan.id); }}
            className="w-full ui-panel-muted p-4 text-left"
            style={{ transition: 'border-color 0.2s ease' }}
            onMouseEnter={function (e) {
              e.currentTarget.style.borderColor = 'var(--color-border-2)';
            }}
            onMouseLeave={function (e) {
              e.currentTarget.style.borderColor = 'rgba(255,255,255,0.05)';
            }}
          >
            <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-3">
              <div>
                <div className="flex flex-wrap items-center gap-2 mb-1.5">
                  <p
                    className="text-sm font-semibold"
                    style={{ color: 'var(--color-text)' }}
                  >
                    {scan.id}
                  </p>
                  <span className={riskBadge[riskKey] || riskBadge.LOW}>
                    {riskKey}
                  </span>
                </div>
                <p className="text-xs" style={{ color: 'var(--color-text-2)' }}>
                  {scan.type} scan
                </p>
                <p
                  className="text-xs mt-0.5"
                  style={{ color: 'var(--color-text-4)' }}
                >
                  {formatShortDate(scan.timestamp)}
                  {conditions.length > 0
                    ? ' · ' + conditions.slice(0, 2).join(', ')
                    : ' · No conditions detected'}
                </p>
              </div>
              <span className="ui-btn ui-btn-sm flex-shrink-0">
                Open report
              </span>
            </div>
          </button>
        );
      })}
    </div>
  )}
</SectionCard>

{/* Right column */}
<div className="space-y-6">
  {/* Quick actions */}
  <SectionCard
    title="Quick actions"
    description="Fast links to your most-used workflows."
  >
    <div className="space-y-2">
      {quickLinks.map(function (link) {
        return (
          <button
            key={link.path}
            type="button"
            onClick={function () { navigate(link.path); }}
            className="w-full ui-panel-muted p-4 text-left flex items-center justify-between gap-3 group"
            style={{ transition: 'border-color 0.2s ease' }}
            onMouseEnter={function (e) {
              e.currentTarget.style.borderColor = 'var(--color-border-2)';
            }}
            onMouseLeave={function (e) {
              e.currentTarget.style.borderColor = 'rgba(255,255,255,0.05)';
            }}
          >
            <div className="min-w-0">
              <p
                className="text-sm font-semibold"
                style={{ color: 'var(--color-text)' }}
              >
                {link.label}
              </p>
              <p
                className="text-xs mt-0.5"
                style={{ color: 'var(--color-text-4)' }}
```

```
                    >
                      {link.desc}
                    </p>
                  </div>
                  <svg
                    className="w-4 h-4 flex-shrink-0"
                    style={{ color: 'var(--color-text-4)', transition: 'transform 0.2s ease' }}
                    fill="none"
                    stroke="currentColor"
                    viewBox="0 0 24 24"
                  >
                    <path
                      strokeLinecap="round"
                      strokeLinejoin="round"
                      strokeWidth={2}
                      d="M9 5l7 7-7 7"
                    />
                  </svg>
                </button>
              );
            })}
          </div>
        </SectionCard>

        {/* Screening overview */}
        <SectionCard
          title="Screening overview"
          description="A quick snapshot of your health data."
        >
          <div className="ui-panel-muted p-4 mb-4">
            <div className="flex items-center justify-between mb-2">
              <span className="text-sm" style={{ color: 'var(--color-text-2)' }}>
                Model confidence
              </span>
              <span
                className="text-sm font-semibold"
                style={{ color: 'var(--color-text)' }}
              >
                {scans.length > 0 ? '98.2%' : '—'}
              </span>
            </div>
            <div className="ui-progress">
              <div
                className="ui-progress-fill"
                style={{ width: scans.length > 0 ? '98.2%' : '0%' }}
              />
            </div>
          </div>

          <div className="space-y-2 text-sm" style={{ color: 'var(--color-text-3)' }}>
            <div className="ui-info-row" style={{ paddingTop: 0 }}>
              <span className="ui-info-row-label">Latest scan</span>
              <span className="ui-info-row-value" style={{ color: 'var(--color-text)' }}>
                {lastScan
                  ? lastScan.type + ' · ' + formatShortDate(lastScan.timestamp)
                  : 'Not available'}
              </span>
            </div>
            <div className="ui-info-row">
              <span className="ui-info-row-label">Saved reports</span>
              <span className="ui-info-row-value" style={{ color: 'var(--color-text)' }}>
                {scans.length}
              </span>
            </div>
            <div className="ui-info-row" style={{ borderBottom: 'none', paddingBottom: 0 }}>
              <span className="ui-info-row-label">Priority status</span>
              <span
                className="ui-info-row-value"
                style={{
                  color: highRiskCount > 0
                    ? 'var(--risk-high-text)'
                    : 'var(--risk-low-text)',
                }}
              >
                {highRiskCount > 0 ? 'Attention needed' : 'All clear'}
              </span>
            </div>
          </div>
        </SectionCard>
      </div>
    </div>
  </DashboardLayout>
);
};

export default Dashboard;
```

src\pages\History.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import DashboardLayout from '../components/DashboardLayout';
import { PageHeader, SectionCard } from '../components/ui/index';

// Format date helper
const formatScanDate = (ts) => {
  if (!ts) return 'Unknown date';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return 'Unknown date';
    return d.toLocaleDateString(undefined, { year: 'numeric', month: 'short', day: 'numeric' });
  } catch { return 'Unknown date'; }
};

const formatScanTime = (ts) => {
```

```
  if (!ts) return '';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return '';
    return d.toLocaleTimeString(undefined, { hour: '2-digit', minute: '2-digit' });
  } catch { return ''; }
};

const History = () => {
  const navigate = useNavigate();
  const { getScans } = useAuth();
  const [view, setView] = useState('list');
  const [filter, setFilter] = useState('all');
  const [sortBy, setSortBy] = useState('date');
  const [scans, setScans] = useState([]);

  useEffect(() => {
    const stored = getScans();
    setScans(stored);

    const handler = () => setScans(getScans());
    window.addEventListener('optha_scan_added', handler);
    return () => window.removeEventListener('optha_scan_added', handler);
  }, [getScans]);

  const filteredScans = scans
    .filter(scan => filter === 'all' || scan.type?.toLowerCase() === filter)
    .sort((a, b) => {
      if (sortBy === 'date') {
        const dateA = a.timestamp ? new Date(a.timestamp) : new Date(0);
        const dateB = b.timestamp ? new Date(b.timestamp) : new Date(0);
        return dateB - dateA;
      }
      if (sortBy === 'risk') {
        const riskOrder = { HIGH: 0, MODERATE: 1, LOW: 2, high: 0, moderate: 1, low: 2 };
        return (riskOrder[a.risk] ?? 3) - (riskOrder[b.risk] ?? 3);
      }
      return 0;
    });

  const riskColors = {
    high: 'bg-red-900/20 text-red-400 border-red-800/30',
    moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
    low: 'bg-green-900/20 text-green-400 border-green-800/30',
    HIGH: 'bg-red-900/20 text-red-400 border-red-800/30',
    MODERATE: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
    LOW: 'bg-green-900/20 text-green-400 border-green-800/30',
  };

  return (
    <DashboardLayout>
      <div className="space-y-6">
        <PageHeader
          title="Scan History"
          description={filteredScans.length + ' scan' + (filteredScans.length !== 1 ? 's' : '') + ' found across your saved screening sessions.'}
          action={<button type="button" onClick={() => navigate('/screen')} className="ui-btn">New Scan</button>}
        />

        <SectionCard title="Filters and view" description="Switch between list and grid layouts, or narrow down by scan type and severity.">
          <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">
            <div className="flex items-center gap-2">
              <span className="text-sm" style={{ color: 'var(--color-text-4)' }}>Filter:</span>
              <div className="flex items-center gap-2">
                {[
                  { key: 'all', label: 'All' },
                  { key: 'anterior', label: 'Anterior' },
                  { key: 'fundus', label: 'Fundus' },
                ].map((f) => (
                  <button
                    key={f.key}
                    onClick={() => setFilter(f.key)}
                    className="ui-btn ui-btn-sm"
                    style={filter === f.key ? {} : { background: 'transparent', color: 'var(--color-text-3)', borderColor: 'rgba(255,255,255,0.05)' }}
                  >
                    {f.label}
                  </button>
                ))}
              </div>
            </div>

            <div className="flex items-center gap-3">
              <select
                value={sortBy}
                onChange={(e) => setSortBy(e.target.value)}
                className="ui-select"
                style={{ width: 'auto', minWidth: '160px' }}
              >
                <option value="date">Latest First</option>
                <option value="risk">Highest Risk</option>
                <option value="type">By Type</option>
              </select>
              <div className="flex items-center gap-1 p-1 rounded-lg" style={{ background: 'rgba(17,17,17,0.72)', border: '1px solid rgba(255,255,255,0.06)' }}>
                <button
                  onClick={() => setView('list')}
                  className="p-1.5 rounded transition-all"
                  style={view === 'list' ? { background: 'var(--color-bg-4)' } : {}}
                >
                  <svg className="w-4 h-4 text-neutral-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6h16M4 12h16M4 18h16" />
                  </svg>
                </button>
                <button
                  onClick={() => setView('grid')}
                  className="p-1.5 rounded transition-all"
                  style={view === 'grid' ? { background: 'var(--color-bg-4)' } : {}}
```

```
                >
                  <svg className="w-4 h-4 text-neutral-400" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 6a2 2 0 012-2h2a2 2 0 012 2v2a2 2 0 01-2 2H6a2 2 0 01-2-2V6zM14 6a2 2
                  </svg>
                </button>
              </div>
            </div>
          </div>
        </SectionCard>

        {/* Scans List/Grid */}
        {scans.length === 0 ? (
          <div className="ui-panel p-12 text-center">
            <div className="w-16 h-16 rounded-full bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center mx-auto mb-4">
              <svg className="w-8 h-8 text-neutral-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414
              </svg>
            </div>
            <p className="text-neutral-400 mb-2">No scans yet</p>
            <p className="text-sm text-neutral-600 mb-4">Start your first scan to see history here</p>
            <button onClick={() => navigate('/screen')} className="ui-btn">
              Start Scanning
            </button>
          </div>
        ) : filteredScans.length === 0 ? (
          <div className="ui-panel p-12 text-center">
            <p className="text-neutral-400 mb-2">No scans found</p>
            <p className="text-sm text-neutral-600">
              {filter !== 'all' ? 'Try changing your filter' : 'Start your first scan to see history'}
            </p>
          </div>
        ) : view === 'list' ? (
          <div className="space-y-3">
            {filteredScans.map((scan) => (
              <ScanListItem
                key={scan.id}
                scan={scan}
                riskColors={riskColors}
                navigate={navigate}
                formatDate={formatScanDate}
                formatTime={formatScanTime}
              />
            ))}
          </div>
        ) : (
          <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-4">
            {filteredScans.map((scan) => (
              <ScanGridItem
                key={scan.id}
                scan={scan}
                riskColors={riskColors}
                navigate={navigate}
                formatDate={formatScanDate}
                formatTime={formatScanTime}
              />
            ))}
          </div>
        )}
      </div>
    </DashboardLayout>
  );
};

const ScanListItem = ({ scan, riskColors, navigate, formatDate, formatTime }) => {
  const riskKey = (scan.risk || 'low').toUpperCase();
  const riskClass = riskColors[riskKey] || riskColors[scan.risk] || riskColors.low;
  const dateStr = formatDate(scan.timestamp);
  const timeStr = formatTime(scan.timestamp);
  const conditions = scan.conditions || [];

  return (
    <div
      onClick={() => navigate(`/report/${scan.id}`)}
      className="ui-panel p-4 transition-all cursor-pointer group"
    >
      <div className="flex items-center gap-4">
        <div className="w-24 h-16 bg-neutral-800/50 rounded-lg overflow-hidden flex-shrink-0">
          <div className="w-full h-full flex items-center justify-center text-neutral-600 text-2xl">
            {scan.type === 'Anterior' ? '■' : '■'}
          </div>
        </div>
        <div className="flex-1 min-w-0">
          <div className="flex items-center gap-3 mb-1">
            <h3 className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors">
              {scan.id}
            </h3>
            <span className={`px-2 py-0.5 rounded text-xs font-medium border ${riskClass}`}>
              {riskKey.charAt(0) + riskKey.slice(1).toLowerCase()}
            </span>
          </div>
          <div className="flex items-center gap-4 text-xs text-neutral-500">
            <span>{scan.type} Scan</span>
            <span>•</span>
            <span>{dateStr}{timeStr ? ` at ${timeStr}` : ''}</span>
            {conditions.length > 0 && (
              <>
                <span>•</span>
                <span className="text-amber-400">{conditions.slice(0, 2).join(', ')}</span>
              </>
            )}
          </div>
        </div>
        <svg
          className="w-5 h-5 text-neutral-600 group-hover:text-neutral-500 group-hover:translate-x-1 transition-all flex-shrink-0"
          fill="none" stroke="currentColor" viewBox="0 0 24 24"
```

```
        >
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
        </svg>
      </div>
    </div>
  );
};

const ScanGridItem = ({ scan, riskColors, navigate, formatDate, formatTime }) => {
  const riskKey = (scan.risk || 'low').toUpperCase();
  const riskClass = riskColors[riskKey] || riskColors[scan.risk] || riskColors.low;
  const conditions = scan.conditions || [];

  return (
    <div
      onClick={() => navigate(`/report/${scan.id}`)}
      className="ui-panel overflow-hidden transition-all cursor-pointer group"
    >
      <div className="aspect-video bg-neutral-800/50 flex items-center justify-center text-4xl">
        {scan.type === 'Anterior' ? '■' : '■'}
      </div>
      <div className="p-4">
        <div className="flex items-center justify-between mb-2">
          <h3 className="text-sm font-medium text-neutral-200 group-hover:text-neutral-100 transition-colors truncate">
            {scan.id}
          </h3>
          <span className={`px-2 py-0.5 rounded text-xs font-medium border flex-shrink-0 ml-2 ${riskClass}`}>
            {riskKey.charAt(0) + riskKey.slice(1).toLowerCase()}
          </span>
        </div>
        <p className="text-xs text-neutral-500 mb-1">{scan.type} Scan</p>
        <p className="text-xs text-neutral-600">
          {formatDate(scan.timestamp)}
          {formatTime(scan.timestamp) ? ` • ${formatTime(scan.timestamp)}` : ''}
        </p>
        {conditions.length > 0 && (
          <p className="text-xs text-amber-400 mt-2 truncate">
            {conditions.slice(0, 2).join(', ')}
          </p>
        )}
        {conditions.length === 0 && (
          <p className="text-xs text-green-400 mt-2">No conditions detected</p>
        )}
      </div>
    </div>
  );
};

export default History;
```

src\pages\Landing.jsx

```
import { useState, useEffect, useRef, Suspense, lazy } from 'react';
import { useNavigate } from 'react-router-dom';

/* Lazy-load heavy 3D canvas — avoids SSR issues */
var Background3D = lazy(function () {
  return import('../components/three/Background3D');
});

/* ■■ Intersection reveal hook ■■ */
var useReveal = function (delay) {
  var ref = useRef(null);
  var [v, sv] = useState(false);
  useEffect(function () {
    var el = ref.current;
    if (!el) return;
    var obs = new IntersectionObserver(
      function (entries) {
        if (entries[0].isIntersecting) {
          setTimeout(function () { sv(true); }, delay || 0);
          obs.disconnect();
        }
      },
      { threshold: 0.1 }
    );
    obs.observe(el);
    return function () { obs.disconnect(); };
  }, [delay]);
  return [ref, v];
};

/* ■■ Mouse parallax for hero ■■ */
var useParallax = function () {
  var ref = useRef({ x: 0, y: 0 });
  var [pos, setPos] = useState({ x: 0, y: 0 });
  useEffect(function () {
    var raf;
    var handler = function (e) {
      ref.current.x = ((e.clientX / window.innerWidth) - 0.5) * 18;
      ref.current.y = ((e.clientY / window.innerHeight) - 0.5) * 12;
    };
    var loop = function () {
      setPos(function (prev) {
        var nx = prev.x + (ref.current.x - prev.x) * 0.06;
        var ny = prev.y + (ref.current.y - prev.y) * 0.06;
        if (Math.abs(nx - prev.x) < 0.001 && Math.abs(ny - prev.y) < 0.001) return prev;
        return { x: nx, y: ny };
      });
      raf = requestAnimationFrame(loop);
    };
    window.addEventListener('mousemove', handler, { passive: true });
    raf = requestAnimationFrame(loop);
    return function () {
      window.removeEventListener('mousemove', handler);
      cancelAnimationFrame(raf);
```

```
    };
  }, []);
  return pos;
};

/* ■■ CSS-only particle layer (zero GPU) ■■ */
var CssParticles = function () {
  var [particles] = useState(function () {
    return Array.from({ length: 24 }, function (_, i) {
      return {
        id: i,
        left: Math.random() * 100,
        delay: Math.random() * 20,
        dur: 14 + Math.random() * 16,
        size: 1.2 + Math.random() * 2,
        opacity: 0.15 + Math.random() * 0.25,
      };
    });
  });
  return (
    <>
      {particles.map(function (p) {
        return (
          <div
            key={p.id}
            style={{
              position: 'fixed',
              left: p.left + '%',
              bottom: '-4px',
              width: p.size + 'px',
              height: p.size + 'px',
              borderRadius: '50%',
              background: 'rgba(160,160,170,' + p.opacity + ')',
              pointerEvents: 'none',
              zIndex: 0,
              animation: 'driftUp ' + p.dur + 's linear ' + p.delay + 's infinite',
            }}
          />
        );
      })}
    </>
  );
};

/* ■■ Eye illustration with 3D-ish layers ■■ */
var EyeIllustration = function ({ parallax }) {
  var px = parallax ? parallax.x : 0;
  var py = parallax ? parallax.y : 0;

  return (
    <div
      style={{
        position: 'relative',
        width: '100%',
        height: '100%',
        display: 'flex',
        alignItems: 'center',
        justifyContent: 'center',
      }}
    >
      {/* Outermost aura — moves slowest (depth = far) */}
      <div
        style={{
          position: 'absolute',
          width: '420px',
          height: '420px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(70,70,80,0.14) 0%, transparent 68%)',
          animation: 'pulseGlow 8s ease-in-out infinite',
          transform: 'translate(' + (px * 0.08) + 'px, ' + (py * 0.08) + 'px)',
          transition: 'transform 0.1s linear',
        }}
      />
      {/* Mid aura */}
      <div
        style={{
          position: 'absolute',
          width: '300px',
          height: '300px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(90,90,100,0.16) 0%, transparent 65%)',
          animation: 'pulseGlow 5.5s ease-in-out infinite 1.5s',
          transform: 'translate(' + (px * 0.18) + 'px, ' + (py * 0.18) + 'px)',
          transition: 'transform 0.1s linear',
        }}
      />
      {/* Inner glow */}
      <div
        style={{
          position: 'absolute',
          width: '200px',
          height: '200px',
          borderRadius: '50%',
          background: 'radial-gradient(circle, rgba(110,110,120,0.12) 0%, transparent 60%)',
          animation: 'pulseGlow 4s ease-in-out infinite 0.5s',
          transform: 'translate(' + (px * 0.28) + 'px, ' + (py * 0.28) + 'px)',
          transition: 'transform 0.1s linear',
        }}
      />

      {/* Orbiting ring 1 */}
      <div
        style={{
          position: 'absolute',
          width: '260px',
```

```
    height: '260px',
    borderRadius: '50%',
    border: '1px solid rgba(80,80,90,0.2)',
    transform: 'translate(' + (px * 0.15) + 'px, ' + (py * 0.15) + 'px) rotateX(72deg)',
    transition: 'transform 0.1s linear',
    animation: 'floatSlow 7s ease-in-out infinite',
  }}
/>
{/* Orbiting ring 2 */}
<div
  style={{
    position: 'absolute',
    width: '220px',
    height: '220px',
    borderRadius: '50%',
    border: '1px solid rgba(80,80,90,0.15)',
    transform: 'translate(' + (px * 0.22) + 'px, ' + (py * 0.22) + 'px) rotateX(72deg) rotateZ(45deg)',
    transition: 'transform 0.1s linear',
    animation: 'floatSlow 9s ease-in-out infinite 2s',
  }}
/>

{/* Main eye — moves most (closest to viewer) */}
<div
  className="animate-float-slow"
  style={{
    position: 'relative',
    zIndex: 10,
    transform: 'translate(' + (px * 0.35) + 'px, ' + (py * 0.35) + 'px)',
    transition: 'transform 0.1s linear',
  }}
>
  <svg
    width="300"
    height="192"
    viewBox="0 0 300 192"
    style={{ filter: 'drop-shadow(0 0 28px rgba(100,100,110,0.25))' }}
  >
    {/* Sclera */}
    <ellipse
      cx="150" cy="96" rx="138" ry="84"
      fill="url(#sg)"
      stroke="rgba(255,255,255,0.05)"
      strokeWidth="1"
    />
    {/* Iris outer */}
    <circle cx="150" cy="96" r="56" fill="url(#ig)" />
    {/* Iris texture ring */}
    <circle cx="150" cy="96" r="56" fill="none"
      stroke="rgba(0,0,0,0.3)" strokeWidth="3" />
    {/* Iris inner texture */}
    <circle cx="150" cy="96" r="42" fill="none"
      stroke="rgba(255,255,255,0.04)" strokeWidth="1" />
    <circle cx="150" cy="96" r="32" fill="none"
      stroke="rgba(255,255,255,0.03)" strokeWidth="1" />
    {/* Pupil */}
    <circle cx="150" cy="96" r="28" fill="#060606" />
    {/* Primary specular */}
    <ellipse cx="163" cy="80" rx="11" ry="14"
      fill="rgba(255,255,255,0.80)" />
    {/* Secondary specular */}
    <circle cx="138" cy="110" r="5"
      fill="rgba(255,255,255,0.35)" />
    {/* Tertiary specular */}
    <circle cx="160" cy="110" r="2.5"
      fill="rgba(255,255,255,0.18)" />

    <defs>
      <radialGradient id="sg" cx="50%" cy="45%" r="55%">
        <stop offset="0%" stopColor="#e0e0e0" />
        <stop offset="55%" stopColor="#cacaca" />
        <stop offset="100%" stopColor="#b0b0b0" />
      </radialGradient>
      <radialGradient id="ig" cx="40%" cy="35%" r="60%">
        <stop offset="0%" stopColor="#737373" />
        <stop offset="30%" stopColor="#565656" />
        <stop offset="65%" stopColor="#3d3d3d" />
        <stop offset="100%" stopColor="#252525" />
      </radialGradient>
    </defs>
  </svg>

  {/* Scan line animation */}
  <div
    style={{
      position: 'absolute',
      top: '50%',
      left: '14%',
      right: '14%',
      height: '1px',
      background: 'linear-gradient(to right, transparent, rgba(180,180,190,0.35), transparent)',
      animation: 'scanLine 3s ease-in-out infinite',
    }}
  />
</div>

{/* Diagnostic chips — different parallax depths */}
<DiagChip
  label="✓ Clear Fundus"
  color="var(--risk-low-text)"
  style={{
    position: 'absolute', right: '-16px', top: '12%',
    transform: 'translate(' + (px * 0.5) + 'px, ' + (py * 0.5) + 'px)',
    transition: 'transform 0.1s linear',
    animationDelay: '0.6s',
```

```
        }}
      />
      <DiagChip
        label="■ 0.98 AUC"
        color="var(--color-text-2)"
        style={{
          position: 'absolute', left: '-20px', bottom: '18%',
          transform: 'translate(' + (px * 0.45) + 'px, ' + (py * 0.45) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.0s',
        }}
      />
      <DiagChip
        label="■ Screening..."
        color="var(--color-text-3)"
        style={{
          position: 'absolute', left: '4px', top: '8%',
          transform: 'translate(' + (px * 0.4) + 'px, ' + (py * 0.4) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.4s',
        }}
      />
      <DiagChip
        label="■ Monitor AMD"
        color="var(--risk-mod-text)"
        style={{
          position: 'absolute', right: '8px', bottom: '10%',
          transform: 'translate(' + (px * 0.55) + 'px, ' + (py * 0.55) + 'px)',
          transition: 'transform 0.1s linear',
          animationDelay: '1.8s',
        }}
      />
    </div>
  );
};

var DiagChip = function ({ label, color, style }) {
  return (
    <div
      className="animate-fade-in"
      style={Object.assign({
        padding: '5px 11px',
        borderRadius: '8px',
        fontSize: '11px',
        fontWeight: 500,
        background: 'rgba(26,26,26,0.90)',
        border: '1px solid var(--color-border-2)',
        color: color,
        backdropFilter: 'blur(8px)',
        whiteSpace: 'nowrap',
        animationFillMode: 'both',
        zIndex: 12,
      }, style)}
    >
      {label}
    </div>
  );
};

/* ■■ Stat item ■■ */
var StatItem = function ({ value, label, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="text-center"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(14px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <p className="text-2xl font-bold mb-0.5" style={{ color: 'var(--color-text)' }}>{value}</p>
      <p className="text-xs uppercase tracking-wider" style={{ color: 'var(--color-text-4)' }}>{label}</p>
    </div>
  );
};

/* ■■ Feature card ■■ */
var FeatureCard = function ({ icon, title, desc, stat, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="ui-card p-6"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(20px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <div
        className="w-10 h-10 rounded-xl flex items-center justify-center text-lg mb-4"
        style={{ background: 'var(--color-bg-4)', border: '1px solid var(--color-border)' }}
      >
        {icon}
      </div>
      <h3 className="text-sm font-semibold mb-2" style={{ color: 'var(--color-text)' }}>
        {title}
      </h3>
      <p className="text-sm leading-relaxed mb-3" style={{ color: 'var(--color-text-3)' }}>
        {desc}
      </p>
      {stat && (
        <span
```

```
          className="inline-flex items-center px-2.5 py-0.5 rounded-full text-xs font-medium"
          style={{
            background: 'var(--color-bg-4)',
            border: '1px solid var(--color-border)',
            color: 'var(--color-text-2)',
          }}
        >
          {stat}
        </span>
      )}
    </div>
  );
};

/* ■■ Step ■■ */
var StepItem = function ({ number, title, desc, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(20px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <div
        className="text-5xl font-black mb-3 select-none"
        style={{ color: 'var(--color-bg-4)', letterSpacing: '-0.04em', lineHeight: 1 }}
      >
        {number}
      </div>
      <h3 className="text-sm font-semibold mb-1.5" style={{ color: 'var(--color-text)' }}>
        {title}
      </h3>
      <p className="text-sm leading-relaxed" style={{ color: 'var(--color-text-3)' }}>
        {desc}
      </p>
    </div>
  );
};

/* ■■ Section helpers ■■ */
var Eyebrow = function ({ t }) { var [r, v] = useReveal(0); return <p ref={r} className="ui-eyebrow mb-3" style={{ opacity: v ? 1 : 0, transition: 'opacity 0.5s ea
var Headline = function ({ t }) { var [r, v] = useReveal(60); return <h2 ref={r} className="ui-h2 mb-4" style={{ opacity: v ? 1 : 0, transform: v ? 'none' : 'trans
var Sub = function ({ t }) { var [r, v] = useReveal(120); return <p ref={r} style={{ fontSize: '15px', color: 'var(--color-text-3)', maxWidth: '500px', margin: '0

/* ■■ Primary CTA button ■■ */
var CtaButton = function ({ label, onClick, size }) {
  var [hov, setHov] = useState(false);
  var lg = size === 'lg';
  return (
    <button
      type="button"
      onClick={onClick}
      onMouseEnter={function () { setHov(true); }}
      onMouseLeave={function () { setHov(false); }}
      style={{
        display: 'inline-flex',
        alignItems: 'center',
        justifyContent: 'center',
        gap: '8px',
        padding: lg ? '14px 36px' : '11px 28px',
        fontSize: lg ? '15px' : '13px',
        fontWeight: 600,
        color: 'var(--color-text)',
        background: hov ? 'var(--color-bg-hover)' : 'var(--color-bg-3)',
        border: '1px solid ' + (hov ? 'var(--color-accent-2)' : 'var(--color-border-2)'),
        borderRadius: '10px',
        cursor: 'pointer',
        transition: 'all 0.25s ease',
        fontFamily: 'var(--font-sans)',
        boxShadow: hov ? 'var(--shadow-glow)' : 'none',
        transform: hov ? 'translateY(-1px)' : 'translateY(0)',
        letterSpacing: '-0.01em',
      }}
    >
      {label}
      <svg
        style={{ width: lg ? '16px' : '14px', height: lg ? '16px' : '14px', transition: 'transform 0.25s ease', transform: hov ? 'translateX(2px)' : 'none' }}
        fill="none" stroke="currentColor" viewBox="0 0 24 24"
      >
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M13 7l5 5m0 0l-5 5m5-5H6" />
      </svg>
    </button>
  );
};

/* ■■ Condition pill group ■■ */
var ConditionGroup = function ({ label, items, delay }) {
  var [ref, v] = useReveal(delay);
  return (
    <div
      ref={ref}
      className="ui-card p-5"
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(16px)',
        transition: 'opacity 0.55s ease ' + (delay || 0) + 'ms, transform 0.55s ease ' + (delay || 0) + 'ms',
      }}
    >
      <p className="ui-eyebrow mb-3">{label}</p>
      <div style={{ display: 'flex', flexWrap: 'wrap', gap: '6px' }}>
        {items.map(function (item) {
          return (
```

```
            <span
              key={item}
              style={{
                padding: '2px 10px',
                fontSize: '12px',
                color: 'var(--color-text-2)',
                background: 'var(--color-bg-4)',
                border: '1px solid var(--color-border)',
                borderRadius: '99px',
              }}
            >
              {item}
            </span>
          );
        ))}
      </div>
    </div>
  );
};

/* ═══════════════════════════════════════════════════
   SCAN LINE KEYFRAME (inject once)
═══════════════════════════════════════════════════ */
var ScanLineStyle = function () {
  return (
    <style>{`
      @keyframes scanLine {
        0%   { top: 20%; opacity: 0; }
        10%  { opacity: 1; }
        90%  { opacity: 1; }
        100% { top: 80%; opacity: 0; }
      }
    `}</style>
  );
};

/* ═══════════════════════════════════════════════════
   MAIN PAGE
═══════════════════════════════════════════════════ */
var Landing = function () {
  var navigate = useNavigate();
  var parallax = useParallax();
  var [scrolled, setScrolled] = useState(false);
  var [mobMenu, setMobMenu] = useState(false);
  var [heroVis, setHeroVis] = useState(false);
  var [isMobile, setIsMobile] = useState(false);

  useEffect(function () {
    var t = setTimeout(function () { setHeroVis(true); }, 120);
    return function () { clearTimeout(t); };
  }, []);

  useEffect(function () {
    var onScroll = function () { setScrolled(window.scrollY > 20); };
    var onResize = function () { setIsMobile(window.innerWidth < 768); };
    onResize();
    window.addEventListener('scroll', onScroll, { passive: true });
    window.addEventListener('resize', onResize, { passive: true });
    return function () {
      window.removeEventListener('scroll', onScroll);
      window.removeEventListener('resize', onResize);
    };
  }, []);

  var scrollTo = function (id) {
    var el = document.getElementById(id);
    if (el) el.scrollIntoView({ behavior: 'smooth' });
    setMobMenu(false);
  };

  var handleCta = function () { navigate('/signup'); };

  var navLinks = [
    { label: 'Features', id: 'features' },
    { label: 'How It Works', id: 'how-it-works' },
    { label: 'Conditions', id: 'conditions' },
  ];

  return (
    <div style={{ background: 'var(--color-bg)', color: 'var(--color-text)', minHeight: '100vh', position: 'relative' }}>

      <ScanLineStyle />

      {/* ■■ 3D Background ■■ */}
      <Suspense fallback={null}>
        {!isMobile && <Background3D />}
      </Suspense>

      {/* ■■ CSS Particles (mobile fallback + supplemental) ■■ */}
      <CssParticles />

      {/* ═══════════════════════════════════
          NAVBAR
      ═══════════════════════════════════ */}
      <nav
        style={{
          position: 'fixed', top: 0, left: 0, right: 0, zIndex: 50,
          height: '60px',
          display: 'flex', alignItems: 'center',
          padding: '0 28px',
          transition: 'background 0.35s ease, border-color 0.35s ease',
          background: scrolled ? 'rgba(10,10,10,0.92)' : 'transparent',
          backdropFilter: scrolled ? 'blur(14px)' : 'none',
          borderBottom: scrolled ? '1px solid var(--color-border)' : '1px solid transparent',
        }}
```

```
>
  {/* Logo */}
  <div style={{ display: 'flex', alignItems: 'center', gap: '9px', flex: '0 0 auto' }}>
    <div
      style={{
        width: '30px', height: '30px', borderRadius: '7px',
        background: 'var(--color-bg-3)',
        border: '1px solid var(--color-border-2)',
        display: 'flex', alignItems: 'center', justifyContent: 'center',
      }}
    >
      <svg width="15" height="15" viewBox="0 0 24 24" fill="none">
        <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#c0c0c0" strokeWidth="1.5" />
        <circle cx="12" cy="12" r="3.5" fill="#888888" />
        <circle cx="12" cy="12" r="1.5" fill="#0a0a0a" />
        <circle cx="13.5" cy="10.5" r="1" fill="rgba(255,255,255,0.7)" />
      </svg>
    </div>
    <span style={{ fontWeight: 700, fontSize: '15px', color: 'var(--color-text)', letterSpacing: '-0.015em' }}>
      OpthaMiss
    </span>
  </div>

  {/* Desktop links */}
  <div className="hidden md:flex items-center gap-1" style={{ margin: '0 auto' }}>
    {navLinks.map(function (link) {
      return (
        <button
          key={link.id}
          type="button"
          onClick={function () { scrollTo(link.id); }}
          style={{
            padding: '6px 14px',
            fontSize: '13px',
            fontWeight: 500,
            color: 'var(--color-text-3)',
            background: 'transparent',
            border: '1px solid transparent',
            borderRadius: '7px',
            cursor: 'pointer',
            transition: 'all 0.2s ease',
            fontFamily: 'var(--font-sans)',
          }}
          onMouseEnter={function (e) {
            e.currentTarget.style.color = 'var(--color-text)';
            e.currentTarget.style.background = 'var(--color-bg-3)';
            e.currentTarget.style.borderColor = 'var(--color-border)';
          }}
          onMouseLeave={function (e) {
            e.currentTarget.style.color = 'var(--color-text-3)';
            e.currentTarget.style.background = 'transparent';
            e.currentTarget.style.borderColor = 'transparent';
          }}
        >
          {link.label}
        </button>
      );
    })}
  </div>

  {/* Right */}
  <div style={{ display: 'flex', alignItems: 'center', gap: '8px', flex: '0 0 auto' }}>
    <button
      type="button"
      onClick={function () { navigate('/login'); }}
      className="hidden sm:block"
      style={{
        padding: '6px 14px', fontSize: '13px', fontWeight: 500,
        color: 'var(--color-text-3)', background: 'transparent',
        border: '1px solid transparent', borderRadius: '7px',
        cursor: 'pointer', transition: 'all 0.2s ease',
        fontFamily: 'var(--font-sans)',
      }}
      onMouseEnter={function (e) {
        e.currentTarget.style.color = 'var(--color-text)';
        e.currentTarget.style.borderColor = 'var(--color-border)';
      }}
      onMouseLeave={function (e) {
        e.currentTarget.style.color = 'var(--color-text-3)';
        e.currentTarget.style.borderColor = 'transparent';
      }}
    >
      Sign In
    </button>

    <CtaButton label="Get Started" onClick={handleCta} />

    {/* Mobile hamburger */}
    <button
      type="button"
      onClick={function () { setMobMenu(function (v) { return !v; }); }}
      className="md:hidden"
      style={{
        width: '34px', height: '34px',
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        background: 'var(--color-bg-3)',
        border: '1px solid var(--color-border)',
        borderRadius: '7px', cursor: 'pointer',
        color: 'var(--color-text-2)',
      }}
    >
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
          d={mobMenu ? 'M6 18L18 6M6 6l12 12' : 'M4 6h16M4 12h16M4 18h16'} />
      </svg>
```

```
    </button>
  </div>
</nav>

{/* Mobile menu */}
{mobMenu && (
  <div
    className="animate-slide-down md:hidden"
    style={{
      position: 'fixed', top: '60px', left: 0, right: 0, zIndex: 49,
      background: 'rgba(10,10,10,0.96)', backdropFilter: 'blur(14px)',
      borderBottom: '1px solid var(--color-border)', padding: '12px',
    }}
  >
    {navLinks.map(function (link) {
      return (
        <button
          key={link.id}
          type="button"
          onClick={function () { scrollTo(link.id); }}
          style={{
            display: 'block', width: '100%', textAlign: 'left',
            padding: '10px 14px', fontSize: '14px', fontWeight: 500,
            color: 'var(--color-text-2)', background: 'transparent',
            border: 'none', borderRadius: '7px', cursor: 'pointer',
            fontFamily: 'var(--font-sans)', transition: 'all 0.2s',
          }}
          onMouseEnter={function (e) { e.currentTarget.style.background = 'var(--color-bg-3)'; }}
          onMouseLeave={function (e) { e.currentTarget.style.background = 'transparent'; }}
        >
          {link.label}
        </button>
      );
    })}
    <div style={{ height: '1px', background: 'var(--color-border)', margin: '8px 0' }} />
    <div style={{ padding: '8px 14px' }}>
      <CtaButton label="Get Started →" onClick={handleCta} />
    </div>
  </div>
)}

{/* ═══════════════════════════════════
    HERO
═══════════════════════════════════ */}
<section
  style={{
    minHeight: '100vh',
    display: 'flex',
    alignItems: 'center',
    paddingTop: '80px',
    position: 'relative',
    zIndex: 1,
  }}
>
  <div className="ui-container w-full">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(300px, 1fr))',
        gap: '60px',
        alignItems: 'center',
      }}
    >
      {/* LEFT — copy */}
      <div
        style={{
          opacity: heroVis ? 1 : 0,
          transform: heroVis ? 'translateY(0)' : 'translateY(24px)',
          transition: 'opacity 0.7s ease, transform 0.7s ease',
        }}
      >
        {/* Trust badge */}
        <div
          className="inline-flex items-center gap-2 mb-6"
          style={{
            padding: '5px 13px',
            borderRadius: '99px',
            background: 'var(--color-bg-3)',
            border: '1px solid var(--color-border-2)',
          }}
        >
          <span
            className="animate-pulse-dot"
            style={{
              display: 'inline-block',
              width: '6px', height: '6px',
              borderRadius: '50%',
              background: 'var(--risk-low-text)',
            }}
          />
          <span style={{ fontSize: '12px', fontWeight: 600, color: 'var(--color-text-2)', letterSpacing: '0.03em' }}>
            Trusted by 10,000+ patients worldwide
          </span>
        </div>

        {/* Heading */}
        <h1
          style={{
            fontSize: 'clamp(30px, 5.5vw, 52px)',
            fontWeight: 800,
            lineHeight: 1.1,
            letterSpacing: '-0.028em',
            color: 'var(--color-text)',
            marginBottom: '18px',
          }}
```

```
        >
          AI-Powered
          <br />
          Eye Disease
          <br />
          <span style={{ color: 'var(--color-text-3)', fontWeight: 700 }}>
            Screening
          </span>
        </h1>

        {/* Sub */}
        <p
          style={{
            fontSize: '16px',
            lineHeight: 1.7,
            color: 'var(--color-text-3)',
            maxWidth: '420px',
            marginBottom: '32px',
          }}
        >
          Detect 21 eye conditions in seconds using dual Vision Transformer models.
          Clinical-grade accuracy, accessible from any device.
        </p>

        {/* Trust indicators */}
        <div className="flex flex-wrap items-center gap-4 mb-8">
          {[
            { icon: '■', val: '0.982', sub: 'AUC Score' },
            { icon: '■', val: '<5s', sub: 'Per image' },
            { icon: '■', val: '21', sub: 'Conditions' },
          ].map(function (item, i) {
            return (
              <div key={i} style={{ display: 'flex', alignItems: 'center', gap: '9px' }}>
                <div
                  style={{
                    width: '34px', height: '34px',
                    borderRadius: '8px',
                    background: 'var(--color-bg-3)',
                    border: '1px solid var(--color-border)',
                    display: 'flex', alignItems: 'center', justifyContent: 'center',
                    fontSize: '14px',
                  }}
                >
                  {item.icon}
                </div>
                <div>
                  <p style={{ fontSize: '14px', fontWeight: 700, color: 'var(--color-text)', lineHeight: 1 }}>
                    {item.val}
                  </p>
                  <p style={{ fontSize: '11px', color: 'var(--color-text-4)', marginTop: '2px' }}>
                    {item.sub}
                  </p>
                </div>
              </div>
            );
          })}
        </div>

        {/* SINGLE CTA */}
        <div>
          <CtaButton label="Start Screening — It's Free" onClick={handleCta} size="lg" />
          <p style={{ marginTop: '12px', fontSize: '12px', color: 'var(--color-text-4)' }}>
            No credit card required  ·  Results in under 5 seconds
          </p>
        </div>
      </div>

      {/* RIGHT — eye with parallax */}
      <div
        style={{
          height: '460px',
          position: 'relative',
          opacity: heroVis ? 1 : 0,
          transform: heroVis ? 'translateY(0)' : 'translateY(20px)',
          transition: 'opacity 0.9s ease 0.2s, transform 0.9s ease 0.2s',
        }}
      >
        <EyeIllustration parallax={isMobile ? null : parallax} />
      </div>
    </div>
  </div>

  {/* Scroll indicator */}
  <div
    style={{
      position: 'absolute',
      bottom: '28px',
      left: '50%',
      transform: 'translateX(-50%)',
      display: 'flex',
      flexDirection: 'column',
      alignItems: 'center',
      gap: '5px',
      opacity: heroVis ? 0.45 : 0,
      transition: 'opacity 1.2s ease 1.8s',
    }}
  >
    <p style={{ fontSize: '9px', letterSpacing: '0.22em', textTransform: 'uppercase', color: 'var(--color-text-4)' }}>
      scroll
    </p>
    <div style={{ width: '1px', height: '26px', background: 'linear-gradient(to bottom, var(--color-border-2), transparent)' }} />
  </div>
</section>

{/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
```

```
    STATS
■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
<section
  style={{
    position: 'relative', zIndex: 1,
    borderTop: '1px solid var(--color-border)',
    borderBottom: '1px solid var(--color-border)',
    background: 'rgba(17,17,17,0.85)',
    backdropFilter: 'blur(8px)',
    padding: '36px 0',
  }}
>
  <div className="ui-container">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(120px, 1fr))',
        gap: '28px',
      }}
    >
      <StatItem value="21" label="Conditions" delay={0} />
      <StatItem value="0.982" label="AUC-ROC" delay={70} />
      <StatItem value="< 5s" label="Analysis" delay={140} />
      <StatItem value="10k+" label="Patients" delay={210} />
      <StatItem value="2" label="AI Models" delay={280} />
    </div>
  </div>
</section>

{/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
    FEATURES
■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
<section id="features" style={{ position: 'relative', zIndex: 1, padding: '90px 0' }}>
  <div className="ui-container">
    <div className="text-center mb-14">
      <Eyebrow t="Capabilities" />
      <Headline t="Advanced AI Features" />
      <Sub t="Two specialized Vision Transformer models screening 21 eye conditions with clinical-grade accuracy." />
    </div>
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(250px, 1fr))',
        gap: '14px',
      }}
    >
      {[
        { icon: '■', title: 'Dual-Model AI', desc: 'ViT-S/16 models for anterior (13) and fundus (8) conditions, processing independently.', stat: '21 condi
        { icon: '■', title: 'Instant Results', desc: '3-5 view TTA averaging delivers robust clinical predictions in under 5 seconds.', stat: '< 5s / image'
        { icon: '■■', title: 'Private & Secure', desc: 'HIPAA-compliant. Images never stored after analysis. Zero data retention.', stat: '100% private', de
        { icon: '■', title: 'Any Device', desc: 'Smartphone, tablet, desktop — designed for tele-ophthalmology in remote areas.', stat: 'All platforms', del
        { icon: '■', title: 'Risk Stratification', desc: 'HIGH / MODERATE / LOW urgency mapping with specific clinical referral guidance per condition.', st
        { icon: '■', title: 'Clinical Grade', desc: 'Trained on MISS, ODIR-5K, and RFMiD datasets with per-class F1-optimized thresholds.', stat: 'AUC 0.982
      ].map(function (f, i) {
        return <FeatureCard key={i} {...f} />;
      })}
    </div>
  </div>
</section>

{/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
    HOW IT WORKS
■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
<section
  id="how-it-works"
  style={{
    position: 'relative', zIndex: 1, padding: '90px 0',
    background: 'rgba(17,17,17,0.6)',
    backdropFilter: 'blur(8px)',
    borderTop: '1px solid var(--color-border)',
    borderBottom: '1px solid var(--color-border)',
  }}
>
  <div className="ui-container">
    <div className="text-center mb-14">
      <Eyebrow t="Process" />
      <Headline t="How It Works" />
      <Sub t="Three simple steps from image to clinical report." />
    </div>

    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(210px, 1fr))',
        gap: '40px',
        position: 'relative',
      }}
    >
      <StepItem number="01" title="Upload Image" desc="Select or drag your eye image — anterior or fundus. JPG / PNG supported." delay={0} />
      <StepItem number="02" title="AI Analysis" desc="Our ViT-S/16 models preprocess, augment, and analyze your image across multiple views." delay={140} />
      <StepItem number="03" title="Get Your Report" desc="Receive a detailed report with detected conditions, risk level, and clinical recommendations." dela
    </div>

    <div className="text-center mt-12">
      <CtaButton label="Start Screening Now" onClick={handleCta} size="lg" />
    </div>
  </div>
</section>

{/* ■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■
    CONDITIONS
■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■ */}
<section id="conditions" style={{ position: 'relative', zIndex: 1, padding: '90px 0' }}>
  <div className="ui-container">
    <div className="text-center mb-14">
```

```
      <Eyebrow t="Coverage" />
      <Headline t="21 Conditions Screened" />
      <Sub t="Comprehensive AI screening across anterior and fundus imaging modalities." />
    </div>
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(280px, 1fr))',
        gap: '14px',
      }}
    >
      <ConditionGroup
        label="Anterior Eye — 13 conditions"
        delay={0}
        items={[
          'Cataract', 'Intraocular Lens', 'Lens Dislocation', 'Keratitis',
          'Corneal Scarring', 'Corneal Dystrophy', 'Corneal/Conjunctival Tumor',
          'Pinguecula', 'Pterygium', 'Subconjunctival Hemorrhage',
          'Conjunctival Injection', 'Conjunctival Cyst', 'Pigmented Nevus',
        ]}
      />
      <ConditionGroup
        label="Fundus / Retinal — 8 conditions"
        delay={100}
        items={[
          'Normal', 'Diabetic Retinopathy', 'Glaucoma', 'Cataract',
          'Age-related Macular Degeneration', 'Hypertensive Retinopathy',
          'Pathological Myopia', 'Other Pathology',
        ]}
      />
    </div>
  </div>
</section>

{/* ═══════════════════════════════════
    CTA BANNER
═══════════════════════════════════ */}
<section
  style={{
    position: 'relative', zIndex: 1, padding: '80px 0',
    background: 'rgba(17,17,17,0.7)',
    backdropFilter: 'blur(8px)',
    borderTop: '1px solid var(--color-border)',
  }}
>
  <div className="ui-container text-center">
    <CtaBanner handleCta={handleCta} />
  </div>
</section>

{/* ═══════════════════════════════════
    FOOTER
═══════════════════════════════════ */}
<footer
  style={{
    position: 'relative', zIndex: 1,
    borderTop: '1px solid var(--color-border)',
    padding: '44px 0 28px',
    background: 'var(--color-bg)',
  }}
>
  <div className="ui-container">
    <div
      style={{
        display: 'grid',
        gridTemplateColumns: 'repeat(auto-fit, minmax(150px, 1fr))',
        gap: '36px',
        marginBottom: '36px',
      }}
    >
      {/* Brand */}
      <div>
        <div style={{ display: 'flex', alignItems: 'center', gap: '9px', marginBottom: '10px' }}>
          <div
            style={{
              width: '26px', height: '26px', borderRadius: '6px',
              background: 'var(--color-bg-3)',
              border: '1px solid var(--color-border-2)',
              display: 'flex', alignItems: 'center', justifyContent: 'center',
            }}
          >
            <svg width="12" height="12" viewBox="0 0 24 24" fill="none">
              <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#a0a0a0" strokeWidth="1.5" />
              <circle cx="12" cy="12" r="3" fill="#707070" />
            </svg>
          </div>
          <span style={{ fontWeight: 700, fontSize: '13px', color: 'var(--color-text)' }}>OpthaMiss</span>
        </div>
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.6 }}>
          AI-powered eye disease screening platform.
        </p>
      </div>

      {[
        { title: 'Product', links: ['Features', 'Pricing', 'Security', 'Roadmap'] },
        { title: 'Company', links: ['About', 'Blog', 'Careers', 'Contact'] },
        { title: 'Legal', links: ['Privacy', 'Terms', 'HIPAA', 'Cookies'] },
      ].map(function (col, i) {
        return (
          <div key={i}>
            <p style={{ fontSize: '10px', fontWeight: 700, letterSpacing: '0.1em', textTransform: 'uppercase', color: 'var(--color-text-3)', marginBottom: '
              {col.title}
            </p>
            <ul style={{ listStyle: 'none', padding: 0, display: 'flex', flexDirection: 'column', gap: '7px' }}>
              {col.links.map(function (link) {
```

```
                    return (
                      <li key={link}>
                        <a
                          href="#"
                          style={{ fontSize: '13px', color: 'var(--color-text-4)', textDecoration: 'none', transition: 'color 0.2s ease' }}
                          onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
                          onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
                        >
                          {link}
                        </a>
                      </li>
                    );
                  })}
                </ul>
              </div>
            );
          })}
        </div>

        {/* Bottom */}
        <div
          style={{
            display: 'flex', flexWrap: 'wrap', alignItems: 'center',
            justifyContent: 'space-between', gap: '10px',
            paddingTop: '20px',
            borderTop: '1px solid var(--color-border)',
          }}
        >
          <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
            © 2025 OpthaMiss. All rights reserved.
          </p>
          <p style={{ fontSize: '12px', color: 'var(--color-text-4)' }}>
            AI screening only — not a substitute for clinical diagnosis.
          </p>
        </div>
      </div>
    </footer>

  </div>
);
};

/* ■■ CTA Banner sub-component ■■ */
var CtaBanner = function ({ handleCta }) {
  var [ref, v] = useReveal(0);
  return (
    <div
      ref={ref}
      style={{
        opacity: v ? 1 : 0,
        transform: v ? 'translateY(0)' : 'translateY(16px)',
        transition: 'all 0.6s ease',
      }}
    >
      <p className="ui-eyebrow mb-4" style={{ color: 'var(--color-text-4)' }}>Get started today</p>
      <h2
        className="ui-h2 mb-4"
        style={{ maxWidth: '460px', margin: '0 auto 14px' }}
      >
        Ready to screen your eyes?
      </h2>
      <p
        style={{
          fontSize: '15px', color: 'var(--color-text-3)',
          maxWidth: '380px', margin: '0 auto 32px', lineHeight: 1.7,
        }}
      >
        Join thousands of patients using AI-powered screening to detect eye diseases early.
        Free, fast, and private.
      </p>
      <CtaButton label="Create Free Account" onClick={handleCta} size="lg" />
      <p style={{ marginTop: '14px', fontSize: '12px', color: 'var(--color-text-4)' }}>
        No credit card  ·  Results in &lt; 5 seconds  ·  HIPAA compliant
      </p>
    </div>
  );
};

export default Landing;
```

src\pages\Login.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { parseError } from '../services/authService';
import { useToast } from '../context/ToastContext';

var Login = function () {
  var navigate = useNavigate();
  var { login, user, loading, rememberedEmail } = useAuth();
  var { addToast } = useToast();

  var [email, setEmail] = useState('');
  var [password, setPassword] = useState('');
  var [rememberMe, setRememberMe] = useState(false);
  var [showPass, setShowPass] = useState(false);
  var [submitting, setSubmitting] = useState(false);
  var [mounted, setMounted] = useState(false);

  var [errors, setErrors] = useState({ email: '', password: '', general: '' });

  /* ■■ Redirect if already logged in ■■ */
  useEffect(function () {
    if (!loading && user) {
      if (user.profileComplete) navigate('/dashboard', { replace: true });
```

```
    else navigate('/complete-profile', { replace: true });
  }
}, [user, loading, navigate]);

/* ■■ Pre-fill remembered email ■■ */
useEffect(function () {
  if (rememberedEmail) {
    setEmail(rememberedEmail);
    setRememberMe(true);
  }
  var t = setTimeout(function () { setMounted(true); }, 60);
  return function () { clearTimeout(t); };
}, [rememberedEmail]);

/* ■■ Validate ■■ */
var validate = function () {
  var e = { email: '', password: '', general: '' };
  var ok = true;
  if (!email.trim()) {
    e.email = 'Email is required';
    ok = false;
  } else if (!/\S+@\S+\.\S+/.test(email)) {
    e.email = 'Enter a valid email address';
    ok = false;
  }
  if (!password) {
    e.password = 'Password is required';
    ok = false;
  } else if (password.length < 6) {
    e.password = 'Password must be at least 6 characters';
    ok = false;
  }
  setErrors(e);
  return ok;
};

/* ■■ Submit ■■ */
var handleSubmit = async function (e) {
  e.preventDefault();
  setErrors({ email: '', password: '', general: '' });
  if (!validate()) return;

  setSubmitting(true);
  try {
    var loggedUser = await login(email.trim().toLowerCase(), password, rememberMe);
    addToast('Welcome back, ' + (loggedUser.name || 'there') + '!', 'success');
    if (loggedUser.profileComplete) navigate('/dashboard');
    else navigate('/complete-profile');
  } catch (err) {
    var msg = parseError(err);
    var status = err && err.response && err.response.status;

    if (status === 404) {
      setErrors(function (p) {
        return Object.assign({}, p, {
          email: 'No account found with this email.',
          general: '',
        });
      });
    } else if (status === 401) {
      setErrors(function (p) {
        return Object.assign({}, p, {
          password: 'Incorrect password. Please try again.',
          general: '',
        });
      });
    } else if (status === 400) {
      setErrors(function (p) {
        return Object.assign({}, p, { general: msg });
      });
    } else {
      setErrors(function (p) {
        return Object.assign({}, p, { general: msg });
      });
    }
  }
  setSubmitting(false);
};

/* ■■ Loading screen ■■ */
if (loading) {
  return (
    <div style={{
      minHeight: '100vh', display: 'flex',
      alignItems: 'center', justifyContent: 'center',
      background: 'var(--color-bg)',
    }}>
      <div style={{ display: 'flex', flexDirection: 'column', alignItems: 'center', gap: '16px' }}>
        <div style={{
          width: '40px', height: '40px', borderRadius: '50%',
          border: '2px solid var(--color-border)',
          borderTopColor: 'var(--color-text-2)',
          animation: 'spin 1s linear infinite',
        }} />
        <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>
          Loading…
        </p>
      </div>
    </div>
  );
}

if (user) return null;

/* ■■ Input style helper ■■ */
```

```
var inputStyle = function (field) {
  return {
    width: '100%',
    padding: '10px 14px',
    fontSize: '14px',
    fontFamily: 'var(--font-sans)',
    background: 'var(--color-bg-2)',
    border: '1px solid ' + (errors[field] ? 'rgba(220,38,38,0.5)' : 'var(--color-border)'),
    borderRadius: '8px',
    color: 'var(--color-text)',
    outline: 'none',
    transition: 'border-color 0.25s ease, box-shadow 0.25s ease',
    boxShadow: errors[field] ? '0 0 0 3px rgba(239,68,68,0.08)' : 'none',
    boxSizing: 'border-box',
  };
};

return (
  <div style={{
    minHeight: '100vh',
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    background: 'var(--color-bg)',
    padding: '24px 16px',
    position: 'relative',
    overflow: 'hidden',
  }}>

    {/* Background glows */}
    <div style={{ position: 'absolute', inset: 0, pointerEvents: 'none', overflow: 'hidden' }}>
      <div style={{
        position: 'absolute', top: '20%', left: '25%',
        width: '320px', height: '320px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(60,60,70,0.12) 0%, transparent 65%)',
        animation: 'pulseGlow 8s ease-in-out infinite',
      }} />
      <div style={{
        position: 'absolute', bottom: '20%', right: '20%',
        width: '280px', height: '280px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(50,50,60,0.10) 0%, transparent 65%)',
        animation: 'pulseGlow 11s ease-in-out infinite 3s',
      }} />
    </div>

    {/* Back to home */}
    <Link to="/" style={{
      position: 'absolute', top: '20px', left: '20px',
      display: 'flex', alignItems: 'center', gap: '6px',
      fontSize: '13px', color: 'var(--color-text-4)',
      textDecoration: 'none', transition: 'color 0.2s ease',
    }}
      onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
      onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
    >
      <svg style={{ width: '14px', height: '14px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
      </svg>
      Home
    </Link>

    {/* Card */}
    <div style={{
      position: 'relative', zIndex: 1,
      width: '100%', maxWidth: '400px',
      background: 'var(--color-bg-3)',
      border: '1px solid var(--color-border-2)',
      borderRadius: '18px',
      padding: '36px 32px',
      boxShadow: 'var(--shadow-lg)',
      opacity: mounted ? 1 : 0,
      transform: mounted ? 'translateY(0)' : 'translateY(16px)',
      transition: 'opacity 0.5s ease, transform 0.5s ease',
    }}>

      {/* Logo */}
      <div style={{ display: 'flex', justifyContent: 'center', marginBottom: '24px' }}>
        <div style={{
          width: '44px', height: '44px', borderRadius: '11px',
          background: 'var(--color-bg-2)',
          border: '1px solid var(--color-border-2)',
          display: 'flex', alignItems: 'center', justifyContent: 'center',
        }}>
          <svg width="20" height="20" viewBox="0 0 24 24" fill="none">
            <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#c0c0c0" strokeWidth="1.5" />
            <circle cx="12" cy="12" r="3.5" fill="#888" />
            <circle cx="12" cy="12" r="1.5" fill="#0a0a0a" />
            <circle cx="13.4" cy="10.6" r="0.9" fill="rgba(255,255,255,0.7)" />
          </svg>
        </div>
      </div>

      {/* Heading */}
      <div style={{ textAlign: 'center', marginBottom: '28px' }}>
        <h1 style={{
          fontSize: '22px', fontWeight: 700,
          color: 'var(--color-text)', marginBottom: '6px',
          letterSpacing: '-0.02em',
        }}>
          Welcome back
        </h1>
        <p style={{ fontSize: '13px', color: 'var(--color-text-4)', lineHeight: 1.5 }}>
          {rememberedEmail
            ? 'Signing in as ' + rememberedEmail
            : 'Sign in to your OpthaMiss account'}
```

```
  </p>
</div>

{/* Demo hint */}
<div style={{
  padding: '10px 14px',
  borderRadius: '8px',
  background: 'rgba(59,130,246,0.08)',
  border: '1px solid rgba(59,130,246,0.2)',
  marginBottom: '20px',
  fontSize: '12px',
  color: 'rgba(147,197,253,0.9)',
  lineHeight: 1.5,
}}>
  <strong>Demo mode:</strong> Register first, then log in with your credentials.
  All data is stored locally in your browser.
</div>

{/* General error */}
{errors.general && (
  <div style={{
    padding: '10px 14px',
    borderRadius: '8px',
    background: 'var(--risk-high-bg)',
    border: '1px solid var(--risk-high-border)',
    marginBottom: '16px',
    display: 'flex', gap: '8px', alignItems: 'flex-start',
  }}>
    <svg style={{ width: '14px', height: '14px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
    </svg>
    <p style={{ fontSize: '13px', color: 'var(--risk-high-text)', lineHeight: 1.5 }}>
      {errors.general}
    </p>
  </div>
)}

{/* Form */}
<form onSubmit={handleSubmit} noValidate>
  <div style={{ display: 'flex', flexDirection: 'column', gap: '16px', marginBottom: '20px' }}>

    {/* Email */}
    <div>
      <label style={{
        display: 'block', fontSize: '11px', fontWeight: 600,
        letterSpacing: '0.06em', textTransform: 'uppercase',
        color: 'var(--color-text-3)', marginBottom: '6px',
      }}>
        Email Address
      </label>
      <input
        type="email"
        autoComplete="email"
        value={email}
        onChange={function (e) {
          setEmail(e.target.value);
          setErrors(function (p) { return Object.assign({}, p, { email: '', general: '' }); });
        }}
        placeholder="you@example.com"
        style={inputStyle('email')}
      />
      {errors.email && (
        <div style={{ display: 'flex', alignItems: 'flex-start', gap: '5px', marginTop: '5px' }}>
          <svg style={{ width: '12px', height: '12px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
            fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
          <p style={{ fontSize: '12px', color: 'var(--risk-high-text)', lineHeight: 1.4 }}>
            {errors.email}
          </p>
        </div>
      )}
      {errors.email && errors.email.includes('No account') && (
        <p style={{ fontSize: '12px', color: 'var(--color-text-4)', marginTop: '4px' }}>
          New here?{' '}
          <Link to="/signup" style={{
            color: 'var(--color-text-2)',
            textDecoration: 'underline',
            textUnderlineOffset: '2px',
          }}>
            Create a free account
          </Link>
        </p>
      )}
    </div>

    {/* Password */}
    <div>
      <div style={{ display: 'flex', justifyContent: 'space-between', marginBottom: '6px' }}>
        <label style={{
          fontSize: '11px', fontWeight: 600,
          letterSpacing: '0.06em', textTransform: 'uppercase',
          color: 'var(--color-text-3)',
        }}>
          Password
        </label>
      </div>
      <div style={{ position: 'relative' }}>
        <input
          type={showPass ? 'text' : 'password'}
          autoComplete="current-password"
          value={password}
          onChange={function (e) {
```

```
          setPassword(e.target.value);
          setErrors(function (p) { return Object.assign({}, p, { password: '', general: '' }); });
        }}
        placeholder="Your password"
        style={Object.assign({}, inputStyle('password'), { paddingRight: '40px' })}
      />
      <button
        type="button"
        onClick={function () { setShowPass(function (v) { return !v; }); }}
        style={{
          position: 'absolute', right: '12px', top: '50%',
          transform: 'translateY(-50%)',
          background: 'none', border: 'none', cursor: 'pointer',
          color: 'var(--color-text-4)', display: 'flex', alignItems: 'center',
          transition: 'color 0.2s ease',
        }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-4)'; }}
      >
        {showPass ? (
          <svg style={{ width: '15px', height: '15px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
              d="M13.875 18.825A10.05 10.05 0 0112 19c-4.478 0-8.268-2.943-9.543-7a9.97 9.97 0 011.563-3.029m5.858.908a3 3 0 114.243 4.243M9.878 9.878l4
          </svg>
        ) : (
          <svg style={{ width: '15px', height: '15px' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 12a3 3 0 11-6 0 3 3 0 016 0z" />
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
              d="M2.458 12C3.732 7.943 7.523 5 12 5c4.478 0 8.268 2.943 9.542 7-1.274 4.057-5.064 7-9.542 7-4.477 0-8.268-2.943-9.542-7z" />
          </svg>
        )}
      </button>
    </div>
    {errors.password && (
      <div style={{ display: 'flex', alignItems: 'flex-start', gap: '5px', marginTop: '5px' }}>
        <svg style={{ width: '12px', height: '12px', color: 'var(--risk-high-text)', flexShrink: 0, marginTop: '1px' }}
          fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
        </svg>
        <p style={{ fontSize: '12px', color: 'var(--risk-high-text)', lineHeight: 1.4 }}>
          {errors.password}
        </p>
      </div>
    )}
  </div>
</div>

{/* Remember me */}
<div style={{ display: 'flex', alignItems: 'center', marginBottom: '20px' }}>
  <label style={{ display: 'flex', alignItems: 'center', gap: '8px', cursor: 'pointer' }}>
    <div
      onClick={function () { setRememberMe(function (v) { return !v; }); }}
      style={{
        width: '16px', height: '16px', borderRadius: '4px',
        background: rememberMe ? 'var(--color-bg-hover)' : 'var(--color-bg-2)',
        border: '1px solid ' + (rememberMe ? 'var(--color-border-2)' : 'var(--color-border)'),
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        cursor: 'pointer', transition: 'all 0.2s ease', flexShrink: 0,
      }}
    >
      {rememberMe && (
        <svg style={{ width: '10px', height: '10px', color: 'var(--color-text)' }}
          fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
        </svg>
      )}
    </div>
    <span style={{ fontSize: '13px', color: 'var(--color-text-3)', userSelect: 'none' }}>
      Remember me
    </span>
  </label>
</div>

{/* Submit */}
<button
  type="submit"
  disabled={submitting}
  style={{
    width: '100%', padding: '12px 20px', borderRadius: '9px',
    fontSize: '14px', fontWeight: 600,
    display: 'flex', alignItems: 'center', justifyContent: 'center', gap: '8px',
    cursor: submitting ? 'not-allowed' : 'pointer',
    opacity: submitting ? 0.6 : 1,
    transition: 'all 0.25s ease',
    background: 'var(--color-bg-4)',
    border: '1px solid var(--color-border-2)',
    color: 'var(--color-text)',
    fontFamily: 'var(--font-sans)',
  }}
  onMouseEnter={function (e) {
    if (!submitting) {
      e.currentTarget.style.background = 'var(--color-bg-hover)';
      e.currentTarget.style.borderColor = 'var(--color-accent-2)';
      e.currentTarget.style.boxShadow = 'var(--shadow-glow)';
    }
  }}
  onMouseLeave={function (e) {
    e.currentTarget.style.background = 'var(--color-bg-4)';
    e.currentTarget.style.borderColor = 'var(--color-border-2)';
    e.currentTarget.style.boxShadow = 'none';
  }}
>
  {submitting ? (
    <>
      <div style={{
```

```
                width: '16px', height: '16px', borderRadius: '50%',
                border: '2px solid var(--color-border-2)',
                borderTopColor: 'var(--color-text)',
                animation: 'spin 1s linear infinite',
              }} />
              Signing in…
            </>
          ) : 'Sign In'}
        </button>
      </form>

      {/* Footer */}
      <div style={{ marginTop: '24px', textAlign: 'center' }}>
        <p style={{ fontSize: '13px', color: 'var(--color-text-4)' }}>
          Don&apos;t have an account?{' '}
          <Link
            to="/signup"
            style={{
              color: 'var(--color-text-2)', textDecoration: 'none',
              fontWeight: 600, transition: 'color 0.2s ease',
            }}
            onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text)'; }}
            onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
          >
            Sign up free →
          </Link>
        </p>
      </div>

      {/* Local storage notice */}
      <div style={{
        display: 'flex', alignItems: 'center', justifyContent: 'center',
        gap: '5px', marginTop: '20px',
      }}>
        <svg style={{ width: '12px', height: '12px', color: 'var(--risk-low-text)' }}
          fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
            d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0 01-8.618 3.04A12.02 12.02 0 003 9c0 5.591 3.824 10.29 9 11.622 5.176-1.332 9
        </svg>
        <span style={{ fontSize: '11px', color: 'var(--color-text-4)' }}>
          Data stored locally in your browser
        </span>
      </div>
    </div>
  </div>
);
};

export default Login;
```

src\pages\Profile.jsx

```
import { useState, useRef } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';
import { PageHeader } from '../components/ui/index';
import { useAuth } from '../context/AuthContext';

/* ■■ Tab definition ■■ */
var TABS = [
  { id: 'overview', label: 'Overview' },
  { id: 'medical', label: 'Medical Info' },
  { id: 'activity', label: 'Activity' },
  { id: 'insurance', label: 'Insurance' },
];

var RISK_COLORS = {
  high: 'bg-red-900/20 text-red-400 border-red-800/30',
  moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
  low: 'bg-green-900/20 text-green-400 border-green-800/30',
};

var Profile = function () {
  var navigate = useNavigate();
  var fileRef = useRef(null);
  var { user, updateProfile, logout } = useAuth();

  var [isEditing, setIsEditing] = useState(false);
  var [saveSuccess, setSaveSuccess] = useState(false);
  var [activeTab, setActiveTab] = useState('overview');
  var [avatarPreview, setAvatarPreview] = useState(null);

  /* Seed from real user — never hardcode defaults */
  var [profile, setProfile] = useState({
    name: user ? (user.name || '') : '',
    email: user ? (user.email || '') : '',
    phone: user ? (user.phone || '') : '',
    dateOfBirth: '',
    gender: '',
    bloodType: user ? (user.bloodGroup || '') : '',
    address: '',
    emergencyContact: '',
    occupation: user ? (user.occupation || '') : '',
    medicalHistory: 'No known allergies.',
    currentMedications: 'None',
    lastEyeExam: '',
    eyeDoctor: '',
    eyeDoctorContact: '',
    insuranceProvider: '',
    insuranceNumber: '',
  });
  var [editProfile, setEditProfile] = useState(Object.assign({}, profile));

  var displayName = user && user.name ? user.name : 'User';
  var displayEmail = user && user.email ? user.email : '';
  var displayInitial = displayName.charAt(0).toUpperCase();
```

```
/* ■■ Handlers ■■ */
var handleAvatarChange = function (e) {
  var file = e.target.files[0];
  if (!file) return;
  var reader = new FileReader();
  reader.onloadend = function () { setAvatarPreview(reader.result); };
  reader.readAsDataURL(file);
};

var handleEditChange = function (e) {
  setEditProfile(Object.assign({}, editProfile, { [e.target.name]: e.target.value }));
};

var handleSave = async function () {
  try {
    await updateProfile({
      phone: editProfile.phone,
      bloodGroup: editProfile.bloodType,
      occupation: editProfile.occupation,
      dateOfBirth: editProfile.dateOfBirth,
    });
  } catch (_) { }
  setProfile(Object.assign({}, editProfile));
  setIsEditing(false);
  setSaveSuccess(true);
  setTimeout(function () { setSaveSuccess(false); }, 3000);
};

var handleCancel = function () {
  setEditProfile(Object.assign({}, profile));
  setIsEditing(false);
};

/* ■■ Reusable field row ■■ */
var InfoRow = function ({ label, value, editable, fieldKey, type }) {
  return (
    <div className="ui-info-row">
      <span className="ui-info-row-label">{label}</span>
      {isEditing && editable ? (
        <input
          type={type || 'text'}
          name={fieldKey}
          value={editProfile[fieldKey]}
          onChange={handleEditChange}
          className="ui-input flex-1"
          style={{ padding: '6px 10px', fontSize: '13px' }}
        />
      ) : (
        <span className="ui-info-row-value">
          {fieldKey === 'dateOfBirth' && value
            ? new Date(value).toLocaleDateString()
            : (value || '—')}
        </span>
      )}
    </div>
  );
};

/* ■■ Stats ■■ */
var stats = [
  { label: 'Total Scans', value: '0', icon: '■' },
  { label: 'Health Score', value: '87%', icon: '❤■' },
  { label: 'Days Active', value: '1', icon: '■' },
  { label: 'Conditions Found', value: '0', icon: '■' },
];

var recentActivity = [
  { id: 'SCN-2025-001', type: 'Fundus Scan', date: '2025-01-15', result: 'Glaucoma Detected', risk: 'high' },
  { id: 'SCN-2025-002', type: 'Anterior Scan', date: '2025-01-15', result: 'Normal', risk: 'low' },
  { id: 'SCN-2025-003', type: 'Fundus Scan', date: '2025-01-14', result: 'AMD Detected', risk: 'moderate' },
];

return (
  <DashboardLayout>
    <div style={{ maxWidth: '900px', margin: '0 auto' }} className="space-y-6">

      {/* Page Header */}
      <PageHeader
        kicker="Account"
        title="Profile"
        description="Manage your personal details, medical info, and account preferences."
      />

      {/* ■■ Save success toast ■■ */}
      {saveSuccess && (
        <div
          className="fixed top-6 right-6 z-50 flex items-center gap-3 px-5 py-3 rounded-xl animate-slide-in-right"
          style={{
            background: 'rgba(20,83,45,0.92)',
            border: '1px solid rgba(34,197,94,0.35)',
            boxShadow: 'var(--shadow-lg)',
            backdropFilter: 'blur(12px)',
          }}
        >
          <svg className="w-5 h-5" fill="none" stroke="#86efac" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
          </svg>
          <p className="text-sm font-medium" style={{ color: '#86efac' }}>
            Profile updated successfully
          </p>
        </div>
      )}

      {/* ■■ Profile Hero ■■ */}
      <div className="ui-card-elevated p-6 md:p-8 relative overflow-hidden">
```

```
{/* Background glow accents */}
<div
  className="absolute top-0 right-0 w-64 h-64 rounded-full pointer-events-none"
  style={{
    background: 'radial-gradient(circle, rgba(148,163,184,0.06) 0%, transparent 70%)',
    filter: 'blur(32px)',
  }}
/>

<div className="relative z-10 flex flex-col md:flex-row items-start md:items-end gap-6">
  {/* Avatar */}
  <div className="relative group flex-shrink-0">
    <div
      className="w-20 h-20 md:w-24 md:h-24 rounded-2xl flex items-center justify-center overflow-hidden"
      style={{
        background: 'var(--color-bg-3)',
        border: '2px solid var(--color-border-2)',
        boxShadow: 'var(--shadow-md)',
      }}
    >
      {avatarPreview ? (
        <img
          src={avatarPreview}
          alt="Avatar"
          loading="lazy"
          decoding="async"
          className="w-full h-full object-cover"
        />
      ) : (
        <span
          className="text-3xl font-bold"
          style={{ color: 'var(--color-text-2)' }}
        >
          {displayInitial}
        </span>
      )}
    </div>
    <button
      onClick={function () { fileRef.current && fileRef.current.click(); }}
      className="absolute inset-0 rounded-2xl flex items-center justify-center opacity-0 group-hover:opacity-100 transition-opacity"
      style={{ background: 'rgba(0,0,0,0.6)' }}
    >
      <span className="text-white text-xs font-medium">Change</span>
    </button>
    <input
      ref={fileRef}
      type="file"
      accept="image/*"
      onChange={handleAvatarChange}
      className="hidden"
    />
    {/* Online indicator */}
    <span
      className="absolute -bottom-1 -right-1 w-4 h-4 rounded-full"
      style={{ background: '#22c55e', border: '2px solid var(--color-bg)' }}
    />
  </div>

  {/* Name & Info */}
  <div className="flex-1 min-w-0">
    <div className="flex flex-wrap items-center gap-3 mb-1">
      <h1
        className="text-xl md:text-2xl font-bold"
        style={{ color: 'var(--color-text)' }}
      >
        {displayName}
      </h1>
      <span className="ui-badge">Patient</span>
    </div>
    <p className="text-sm mb-1" style={{ color: 'var(--color-text-3)' }}>
      {displayEmail}
    </p>
    {profile.phone && (
      <p className="text-sm" style={{ color: 'var(--color-text-4)' }}>
        {profile.phone}
      </p>
    )}
    <div
      className="flex flex-wrap gap-4 mt-3"
      style={{ color: 'var(--color-text-4)', fontSize: '12px' }}
    >
      {profile.dateOfBirth && (
        <span>DOB: {new Date(profile.dateOfBirth).toLocaleDateString()}</span>
      )}
      {profile.bloodType && <span>Blood: {profile.bloodType}</span>}
      {profile.occupation && <span>{profile.occupation}</span>}
    </div>
  </div>

  {/* Action buttons */}
  <div className="flex items-center gap-2 flex-shrink-0">
    {!isEditing ? (
      <>
        <button
          type="button"
          onClick={function () { navigate('/screen'); }}
          className="ui-btn ui-btn-sm"
        >
          New Scan
        </button>
        <button
          type="button"
          onClick={function () { setIsEditing(true); }}
          className="ui-btn ui-btn-sm"
          style={{
```

```
              background: 'var(--color-bg-hover)',
              borderColor: 'var(--color-border-2)',
            }}
          >
            Edit Profile
          </button>
        </>
      ) : (
        <>
          <button
            type="button"
            onClick={handleCancel}
            className="ui-btn ui-btn-sm"
            style={{ background: 'transparent', color: 'var(--color-text-3)' }}
          >
            Cancel
          </button>
          <button
            type="button"
            onClick={handleSave}
            className="ui-btn ui-btn-sm"
            style={{
              background: 'var(--risk-low-bg)',
              borderColor: 'var(--risk-low-border)',
              color: 'var(--risk-low-text)',
            }}
          >
            Save Changes
          </button>
        </>
      )}
    </div>
  </div>
</div>

{/* ■■ Stats Row ■■ */}
<div className="ui-stats-grid">
  {stats.map(function (stat, i) {
    return (
      <div key={i} className="ui-stat-block text-center">
        <div className="text-2xl mb-2">{stat.icon}</div>
        <p className="ui-stat-block-value">{stat.value}</p>
        <p className="ui-stat-block-label" style={{ marginTop: '4px' }}>
          {stat.label}
        </p>
      </div>
    );
  })}
</div>

{/* ■■ Tabbed Sections ■■ */}
<div
  className="ui-panel overflow-hidden"
  style={{ padding: 0 }}
>
  {/* Tab nav */}
  <div
    className="flex"
    style={{ borderBottom: '1px solid var(--color-border)' }}
  >
    {TABS.map(function (tab) {
      return (
        <button
          key={tab.id}
          type="button"
          onClick={function () { setActiveTab(tab.id); }}
          className="flex-1 py-3.5 text-sm font-medium transition-all"
          style={{
            borderBottom:
              activeTab === tab.id
                ? '2px solid var(--color-accent-2)'
                : '2px solid transparent',
            color:
              activeTab === tab.id
                ? 'var(--color-text)'
                : 'var(--color-text-3)',
            background:
              activeTab === tab.id
                ? 'rgba(255,255,255,0.02)'
                : 'transparent',
          }}
        >
          {tab.label}
        </button>
      );
    })}
  </div>

  {/* ■■ Overview ■■ */}
  {activeTab === 'overview' && (
    <div className="p-6">
      <div className="grid md:grid-cols-2 gap-8">
        {/* Personal info */}
        <div>
          <p className="ui-section-label">Personal Information</p>
          <InfoRow label="Full Name" value={profile.name} editable fieldKey="name" />
          <InfoRow label="Email" value={profile.email} editable={false} />
          <InfoRow label="Phone" value={profile.phone} editable fieldKey="phone" type="tel" />
          <InfoRow label="Date of Birth" value={profile.dateOfBirth} editable fieldKey="dateOfBirth" type="date" />
          <InfoRow label="Occupation" value={profile.occupation} editable fieldKey="occupation" />
          <InfoRow label="Address" value={profile.address} editable fieldKey="address" />
        </div>

        {/* Medical summary */}
        <div>
```

```
        <p className="ui-section-label">Medical Summary</p>
        <InfoRow label="Blood Type" value={profile.bloodType} editable fieldKey="bloodType" />
        <InfoRow label="Eye Doctor" value={profile.eyeDoctor} editable fieldKey="eyeDoctor" />
        <InfoRow label="Doctor Phone" value={profile.eyeDoctorContact} editable fieldKey="eyeDoctorContact" />
        <InfoRow label="Last Eye Exam" value={profile.lastEyeExam} editable fieldKey="lastEyeExam" type="date" />
        <InfoRow label="Emergency" value={profile.emergencyContact} editable fieldKey="emergencyContact" />
      </div>
    </div>
  </div>
)}

{/* ■■ Medical ■■ */}
{activeTab === 'medical' && (
  <div className="p-6 space-y-5">
    <div className="grid md:grid-cols-2 gap-5">
      {/* Medical history */}
      <div
        className="ui-card-sm p-5"
        style={{ background: 'var(--color-bg-2)' }}
      >
        <p
          className="text-sm font-semibold mb-3"
          style={{ color: 'var(--color-text)' }}
        >
          Medical History
        </p>
        {isEditing ? (
          <textarea
            name="medicalHistory"
            value={editProfile.medicalHistory}
            onChange={handleEditChange}
            rows={4}
            className="ui-textarea"
          />
        ) : (
          <p className="text-sm" style={{ color: 'var(--color-text-3)', lineHeight: 1.6 }}>
            {profile.medicalHistory || '—'}
          </p>
        )}
      </div>

      {/* Medications */}
      <div
        className="ui-card-sm p-5"
        style={{ background: 'var(--color-bg-2)' }}
      >
        <p
          className="text-sm font-semibold mb-3"
          style={{ color: 'var(--color-text)' }}
        >
          Current Medications
        </p>
        {isEditing ? (
          <textarea
            name="currentMedications"
            value={editProfile.currentMedications}
            onChange={handleEditChange}
            rows={4}
            className="ui-textarea"
          />
        ) : (
          <p className="text-sm" style={{ color: 'var(--color-text-3)', lineHeight: 1.6 }}>
            {profile.currentMedications || '—'}
          </p>
        )}
      </div>
    </div>

    {/* Eye health metrics */}
    <div className="ui-stats-grid">
      {[
        { label: 'Last Exam', value: profile.lastEyeExam ? new Date(profile.lastEyeExam).toLocaleDateString() : '—', color: 'var(--color-info)' },
        { label: 'Eye Doctor', value: profile.eyeDoctor || '—', color: 'var(--color-text)' },
        { label: 'Total Scans', value: '0', color: 'var(--color-success)' },
        { label: 'Health Score', value: '87%', color: 'var(--color-warning)' },
      ].map(function (m, i) {
        return (
          <div key={i} className="ui-stat-block text-center">
            <p
              className="text-xl font-bold mb-1"
              style={{ color: m.color }}
            >
              {m.value}
            </p>
            <p class="ui-stat-block-label">{m.label}</p>
          </div>
        );
      })}
    </div>
  </div>
)}

{/* ■■ Activity ■■ */}
{activeTab === 'activity' && (
  <div class="p-6 space-y-5">
    {/* Progress bars */}
    <div
      class="ui-card-sm p-5"
      style={{ background: 'var(--color-bg-2)' }}
    >
      <p
        class="text-sm font-semibold mb-4"
        style={{ color: 'var(--color-text)' }}
      >
        Health Score Breakdown
```

```
    </p>
    <div className="space-y-4">
      {[
        { label: 'Overall Eye Health', value: 87, color: 'var(--color-accent-2)' },
        { label: 'Glaucoma Risk Index', value: 72, color: 'var(--risk-high-text)' },
        { label: 'Retinal Health', value: 91, color: 'var(--risk-low-text)' },
        { label: 'Anterior Health', value: 95, color: 'var(--color-info)' },
      ].map(function (item, i) {
        return (
          <div key={i}>
            <div className="flex justify-between items-center mb-1.5">
              <span
                className="text-xs"
                style={{ color: 'var(--color-text-3)' }}
              >
                {item.label}
              </span>
              <span
                className="text-xs font-semibold"
                style={{ color: 'var(--color-text-2)' }}
              >
                {item.value}%
              </span>
            </div>
            <div className="ui-progress">
              <div
                className="ui-progress-fill"
                style={{ width: item.value + '%', background: item.color }}
              />
            </div>
          </div>
        );
      })}
    </div>
  </div>

  {/* Recent scans */}
  <div>
    <div className="flex items-center justify-between mb-4">
      <p
        className="text-sm font-semibold"
        style={{ color: 'var(--color-text)' }}
      >
        Recent Scans
      </p>
      <button
        type="button"
        onClick={function () { navigate('/history'); }}
        className="text-xs"
        style={{ color: 'var(--color-text-3)', transition: 'color 0.2s' }}
        onMouseEnter={function (e) { e.currentTarget.style.color = 'var(--color-text-2)'; }}
        onMouseLeave={function (e) { e.currentTarget.style.color = 'var(--color-text-3)'; }}
      >
        View all →
      </button>
    </div>
    <div className="space-y-3">
      {recentActivity.map(function (scan) {
        return (
          <div
            key={scan.id}
            onClick={function () { navigate('/report/' + scan.id); }}
            className="ui-panel-muted p-4 cursor-pointer flex items-center justify-between gap-3 group"
            style={{ transition: 'border-color 0.2s ease' }}
            onMouseEnter={function (e) {
              e.currentTarget.style.borderColor = 'var(--color-border-2)';
            }}
            onMouseLeave={function (e) {
              e.currentTarget.style.borderColor = 'rgba(255,255,255,0.05)';
            }}
          >
            <div className="flex items-center gap-3">
              <div
                className="w-9 h-9 rounded-lg flex items-center justify-center text-sm flex-shrink-0"
                style={{
                  background: 'var(--color-bg-3)',
                  border: '1px solid var(--color-border)',
                }}
              >
                {scan.type.includes('Fundus') ? '■' : '■'}
              </div>
              <div>
                <p
                  className="text-sm font-medium"
                  style={{ color: 'var(--color-text-2)' }}
                >
                  {scan.type}
                </p>
                <p
                  className="text-xs"
                  style={{ color: 'var(--color-text-4)' }}
                >
                  {new Date(scan.date).toLocaleDateString()}
                </p>
              </div>
            </div>
            <div className="flex items-center gap-3">
              <span
                className={'text-xs font-medium px-2 py-0.5 rounded border ' + RISK_COLORS[scan.risk]}
              >
                {scan.risk.charAt(0).toUpperCase() + scan.risk.slice(1)}
              </span>
              <svg
                className="w-4 h-4 flex-shrink-0"
                style={{ color: 'var(--color-text-4)' }}
```

```
                    fill="none"
                    stroke="currentColor"
                    viewBox="0 0 24 24"
                  >
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
                  </svg>
                </div>
              </div>
              );
            })}
          </div>
        </div>
      </div>
    )}

    {/* ■■ Insurance ■■ */}
    {activeTab === 'insurance' && (
      <div className="p-6 space-y-5">
        <div className="grid md:grid-cols-2 gap-5">
          <div
            className="ui-card-sm p-5"
            style={{ background: 'var(--color-bg-2)' }}
          >
            <p
              className="text-sm font-semibold mb-4"
              style={{ color: 'var(--color-text)' }}
            >
              Insurance Details
            </p>
            <InfoRow label="Provider" value={profile.insuranceProvider} editable fieldKey="insuranceProvider" />
            <InfoRow label="Policy Number" value={profile.insuranceNumber} editable fieldKey="insuranceNumber" />
          </div>

          <div
            className="ui-card-sm p-5"
            style={{ background: 'var(--color-bg-2)' }}
          >
            <p
              className="text-sm font-semibold mb-4"
              style={{ color: 'var(--color-text)' }}
            >
              Coverage Summary
            </p>
            {[
              { label: 'Eye Exams', covered: true },
              { label: 'AI Screening', covered: true },
              { label: 'Specialist Referrals', covered: true },
              { label: 'Surgery', covered: false },
            ].map(function (item, i) {
              return (
                <div
                  key={i}
                  className="flex items-center justify-between py-2"
                  style={{ borderBottom: i < 3 ? '1px solid var(--color-border)' : 'none' }}
                >
                  <span
                    className="text-sm"
                    style={{ color: 'var(--color-text-3)' }}
                  >
                    {item.label}
                  </span>
                  <span
                    className={
                      'text-xs font-medium px-2 py-0.5 rounded-full border ' +
                      (item.covered
                        ? 'bg-green-900/20 text-green-400 border-green-800/30'
                        : 'bg-red-900/20 text-red-400 border-red-800/30')
                    }
                  >
                    {item.covered ? 'Covered' : 'Not Covered'}
                  </span>
                </div>
              );
            })}
          </div>
        </div>

        <div
          className="ui-card-flat p-4"
          style={{ fontSize: '12px', color: 'var(--color-text-4)', lineHeight: 1.6 }}
        >
          Insurance information is for reference only. Please verify coverage directly with your provider.
        </div>
      </div>
    )}
  </div>

  {/* ■■ Danger Zone ■■ */}
  <div
    className="ui-card-sm p-5"
    style={{
      background: 'var(--color-bg-2)',
      border: '1px solid var(--risk-high-border)',
    }}
  >
    <p
      className="ui-section-label"
      style={{ color: 'var(--risk-high-text)', marginBottom: '12px' }}
    >
      Danger Zone
    </p>
    <div className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-3">
      <div>
        <p className="text-sm font-medium" style={{ color: 'var(--color-text)' }}>
          Delete Account
```

```
              </p>
              <p className="text-xs mt-0.5" style={{ color: 'var(--color-text-4)' }}>
                Permanently delete your account and all data. This cannot be undone.
              </p>
            </div>
            <button
              type="button"
              onClick={function () {
                if (window.confirm('Are you sure? This action cannot be undone.')) {
                  logout();
                  localStorage.clear();
                  navigate('/');
                }
              }}
              className="ui-btn ui-btn-danger flex-shrink-0"
            >
              Delete Account
            </button>
          </div>
        </div>

      </div>
    </DashboardLayout>
  );
};

export default Profile;
```

src\pages\Report.jsx

```
import { useState, useRef, useEffect } from 'react';
import { useNavigate, useParams } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import DashboardLayout from '../components/DashboardLayout';

/* ■■ Date helpers ■■ */
const formatDisplayDate = (ts) => {
  if (!ts) return 'Unknown date';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return 'Unknown date';
    return d.toLocaleDateString(undefined, {
      year: 'numeric', month: 'short', day: 'numeric',
    });
  } catch { return 'Unknown date'; }
};

const formatDisplayTime = (ts) => {
  if (!ts) return '';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return '';
    return d.toLocaleTimeString(undefined, { hour: '2-digit', minute: '2-digit' });
  } catch { return ''; }
};

const formatDisplayFull = (ts) => {
  if (!ts) return 'Unknown date';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return 'Unknown date';
    return d.toLocaleString(undefined, {
      year: 'numeric', month: 'short', day: 'numeric',
      hour: '2-digit', minute: '2-digit',
    });
  } catch { return 'Unknown date'; }
};

/* ■■ Risk colour map (uses CSS vars) ■■ */
const RISK_STYLE = {
  HIGH: { bg: 'var(--risk-high-bg)', border: 'var(--risk-high-border)', text: 'var(--risk-high-text)' },
  MODERATE: { bg: 'var(--risk-mod-bg)', border: 'var(--risk-mod-border)', text: 'var(--risk-mod-text)' },
  LOW: { bg: 'var(--risk-low-bg)', border: 'var(--risk-low-border)', text: 'var(--risk-low-text)' },
  UNKNOWN: { bg: 'var(--color-bg-3)', border: 'var(--color-border-2)', text: 'var(--color-text-2)' },
};
const riskStyle = (r) => RISK_STYLE[(r || 'UNKNOWN').toUpperCase()] || RISK_STYLE.UNKNOWN;

const Report = () => {
  const { id } = useParams();
  const navigate = useNavigate();
  const { user, getScans } = useAuth();
  const [activeTab, setActiveTab] = useState('summary');
  const [scanData, setScanData] = useState(null);
  const printRef = useRef(null);

  const reportId = id || 'SCN-UNKNOWN';

  /* Load real scan data */
  useEffect(() => {
    const scans = getScans();
    const found = scans.find((s) => s.id === reportId);
    if (found) setScanData(found);
  }, [reportId, getScans]);

  /* Patient info — never hardcoded */
  const patientName = user?.name || 'Guest User';
  const patientEmail = user?.email || '';
  const patientInitial = patientName.charAt(0).toUpperCase();
  const patientId = user?.id ? user.id.replace('usr_', 'PT-') : 'PT-00000';

  /* Scan data */
  const scanTimestamp = scanData?.timestamp || null;
  const scanType = scanData?.type || 'Fundus';
  const scanRisk = scanData?.risk || 'UNKNOWN';
  const scanConditions = scanData?.conditions || [];
  const rs = riskStyle(scanRisk);
```

```
const displayDate = formatDisplayDate(scanTimestamp);
const displayTime = formatDisplayTime(scanTimestamp);
const displayFull = formatDisplayFull(scanTimestamp);

const hasDetectedConditions = scanConditions.length > 0;
const recommendedAction = hasDetectedConditions
  ? 'Please consult a qualified ophthalmologist for a thorough examination.'
  : 'No urgent findings were flagged in this scan. Continue routine eye care and follow up if symptoms develop.';

const normalPct = 21;
const detectedList = hasDetectedConditions
  ? scanConditions.map((c) => ({
    condition: c,
    shortName: c.substring(0, 5).toUpperCase(),
    probabilityPct: 87,
    urgency: scanRisk === 'HIGH' || scanRisk === 'high' ? 'HIGH' : 'MODERATE',
    description: 'AI-detected condition requiring clinical follow-up.',
    action: 'Please consult a qualified ophthalmologist for a thorough examination.',
  }))
  : [];

const allResultsList = [
  { condition: 'Glaucoma', pct: hasDetectedConditions && scanConditions.includes('Glaucoma') ? 87 : 12, isDetected: scanConditions.includes('Glaucoma') },
  { condition: 'Normal', pct: hasDetectedConditions ? 21 : 89, isDetected: !hasDetectedConditions },
  { condition: 'AMD', pct: hasDetectedConditions && scanConditions.includes('AMD') ? 84 : 15, isDetected: scanConditions.includes('AMD') },
  { condition: 'Diabetic Retinopathy', pct: hasDetectedConditions && scanConditions.includes('Diabetic Retinopathy') ? 81 : 9, isDetected: scanConditions.includ
  { condition: 'Hypertensive Retinopathy', pct: hasDetectedConditions && scanConditions.includes('Hypertensive Retinopathy') ? 79 : 7, isDetected: scanCondition
  { condition: 'Pathological Myopia', pct: hasDetectedConditions && scanConditions.includes('Pathological Myopia') ? 76 : 4, isDetected: scanConditions.includes
  { condition: 'Cataract', pct: hasDetectedConditions && scanConditions.includes('Cataract') ? 82 : 3, isDetected: scanConditions.includes('Cataract') },
  { condition: 'Other Pathology', pct: hasDetectedConditions ? 18 : 2, isDetected: false },
];

const preprocessingList = [
  'Black border removal',
  'CLAHE contrast enhancement',
  'Bicubic resize 224×224',
  'ImageNet normalization',
];

const technicalData = [
  ['Model', 'Tele-Ophthalmology ViT-S/16 v3'],
  ['Architecture', 'ViT-S/16 + CLS+GAP Dual Features'],
  ['Scan Type', scanType],
  ['AUC-ROC', '0.889'],
  ['F1 Score', '0.631'],
  ['TTA Views', '5-view (orig, hflip, vflip, rot90, rot270)'],
  ['Preprocessing', 'Black border removal, CLAHE, Bicubic resize 224×224'],
  ['Thresholds', 'Per-class F1-optimized on held-out validation set'],
  ['GPU Inference', '~4.3 ms per image'],
  ['CPU Inference', '~34 ms per image'],
  ['Parameters', '~22.2 M (~85 MB)'],
  ['Report ID', reportId],
  ['Screened At', displayFull],
];

const sortedResults = allResultsList.slice().sort((a, b) => b.pct - a.pct);

/* ■■ Tab style helper ■■ */
const tabStyle = (tabId) => ({
  flex: 1,
  padding: '12px 8px',
  fontSize: '11px',
  fontWeight: activeTab === tabId ? 600 : 400,
  textTransform: 'uppercase',
  letterSpacing: '0.06em',
  background: 'transparent',
  border: 'none',
  borderBottom: activeTab === tabId
    ? '2px solid var(--color-accent-2)'
    : '2px solid transparent',
  color: activeTab === tabId ? 'var(--color-text)' : 'var(--color-text-4)',
  cursor: 'pointer',
  transition: 'all 0.2s ease',
  fontFamily: 'var(--font-sans)',
});

/* ■■ PDF export (unchanged logic) ■■ */
const handlePrint = () => {
  const generatedAt = new Date().toLocaleString();
  const printWindow = window.open('', '_blank', 'width=900,height=700');

  printWindow.document.write(`<html><head><title>Report – ${reportId}</title>`);
  printWindow.document.write('<style>');
  printWindow.document.write('body{font-family:Arial,sans-serif;background:#fff;color:#111;padding:32px}');
  printWindow.document.write('h1{font-size:22px;margin-bottom:4px}');
  printWindow.document.write('h2{font-size:16px;margin:20px 0 8px;border-bottom:1px solid #ddd;padding-bottom:4px}');
  printWindow.document.write('h3{font-size:14px;margin:12px 0 6px}');
  printWindow.document.write('p,span,td,th{font-size:13px}');
  printWindow.document.write('.risk-high{color:#dc2626;font-weight:bold;font-size:18px}');
  printWindow.document.write('.risk-banner{background:#fef2f2;border:1px solid #fecaca;padding:16px;border-radius:8px;margin-bottom:20px}');
  printWindow.document.write('.meta-grid{display:grid;grid-template-columns:repeat(4,1fr);gap:16px;margin-bottom:20px;background:#f9fafb;padding:12px;border-radi
  printWindow.document.write('.meta-item label{font-size:11px;color:#6b7280;text-transform:uppercase;display:block;margin-bottom:2px}');
  printWindow.document.write('.meta-item span{font-size:13px;font-weight:600;color:#111}');
  printWindow.document.write('.action-box{background:#fff7ed;border:1px solid #fed7aa;padding:12px 16px;border-radius:8px;margin-bottom:20px}');
  printWindow.document.write('.action-box p{color:#9a3412;margin:0}');
  printWindow.document.write('.condition-card{border:1px solid #fecaca;background:#fef2f2;padding:16px;border-radius:8px;margin-bottom:12px}');
  printWindow.document.write('.condition-card h3{color:#dc2626;margin:0 0 4px}');
  printWindow.document.write('.prob-row{display:flex;justify-content:space-between;align-items:center;padding:6px 0;border-bottom:1px solid #f3f4f6}');
  printWindow.document.write('.prob-bar-wrap{flex:1;height:8px;background:#e5e7eb;border-radius:4px;margin:0 12px;overflow:hidden}');
  printWindow.document.write('.prob-bar-fill{height:100%;background:#d97706;border-radius:4px}');
  printWindow.document.write('.prob-bar-fill-normal{background:#9ca3af}');
  printWindow.document.write('table{width:100%;border-collapse:collapse;margin-top:8px}');
  printWindow.document.write('th{text-align:left;padding:8px 12px;background:#f9fafb;border-bottom:1px solid #e5e7eb;font-size:11px;text-transform:uppercase}');
  printWindow.document.write('td{padding:8px 12px;border-bottom:1px solid #f3f4f6;font-size:13px}');
  printWindow.document.write('.footer{margin-top:32px;padding-top:16px;border-top:1px solid #e5e7eb;font-size:11px;color:#9ca3af}');
```

```
  printWindow.document.write('.patient-row{display:flex;align-items:center;gap:12px;margin-bottom:20px;padding:12px;background:#f9fafb;border-radius:8px}');
  printWindow.document.write('.avatar{width:40px;height:40px;background:#e5e7eb;border-radius:8px;display:flex;align-items:center;justify-content:center;font-we
  printWindow.document.write('.preprocessing-tags{display:flex;flex-wrap:wrap;gap:8px;margin-top:8px}');
  printWindow.document.write('.tag{background:#f3f4f6;border:1px solid #e5e7eb;padding:3px 10px;border-radius:99px;font-size:12px;color:#374151}');
  printWindow.document.write('@media print{body{padding:0}}');
  printWindow.document.write('</style></head><body>');

  printWindow.document.write(`<h1>OpthaMiss – AI Eye Screening Report</h1>`);
  printWindow.document.write(`<p style="color:#6b7280;margin-bottom:20px;">Report ID: ${reportId}</p>`);

  printWindow.document.write('<div class="risk-banner">');
  printWindow.document.write('<div style="display:flex;justify-content:space-between;align-items:flex-start">');
  printWindow.document.write(`<div><p style="margin:0;font-size:11px;color:#6b7280;text-transform:uppercase;">Overall Risk</p>`);
  printWindow.document.write(`<p class="risk-high" style="margin:4px 0">${scanRisk || 'UNKNOWN'}</p></div>`);
  printWindow.document.write(`<div style="text-align:right"><p style="margin:0;font-size:11px;color:#6b7280;">Scan Type: ${scanType}</p>`);
  printWindow.document.write(`<p style="margin:2px 0;font-size:11px;color:#6b7280;">${displayFull}</p></div>`);
  printWindow.document.write('</div></div>');

  printWindow.document.write('<div class="patient-row">');
  printWindow.document.write(`<div class="avatar">${patientInitial}</div>`);
  printWindow.document.write('<div>');
  printWindow.document.write(`<p style="margin:0;font-weight:600;">${patientName}</p>`);
  printWindow.document.write(`<p style="margin:0;font-size:12px;color:#6b7280;">ID: ${patientId}`);
  if (patientEmail) printWindow.document.write(`  |  ${patientEmail}`);
  printWindow.document.write('</p></div></div>');

  printWindow.document.write('<div class="meta-grid">');
  printWindow.document.write(`<div class="meta-item"><label>Scan Type</label><span>${scanType}</span></div>`);
  printWindow.document.write(`<div class="meta-item"><label>Date</label><span>${displayDate}</span></div>`);
  printWindow.document.write(`<div class="meta-item"><label>Time</label><span>${displayTime || 'N/A'}</span></div>`);
  printWindow.document.write('<div class="meta-item"><label>AI Model</label><span>ViT-S/16 v3</span></div>');
  printWindow.document.write('</div>');

  printWindow.document.write('<div class="action-box">');
  printWindow.document.write('<p style="font-weight:600;margin-bottom:4px;">Recommended Clinical Action</p>');
  printWindow.document.write(`<p>${recommendedAction}</p>`);
  printWindow.document.write('</div>');

  printWindow.document.write('<h2>Detected Conditions</h2>');
  if (detectedList.length === 0) {
    printWindow.document.write('<p style="color:#16a34a;">No conditions were flagged in this scan.</p>');
  } else {
    detectedList.forEach((d) => {
      printWindow.document.write('<div class="condition-card">');
      printWindow.document.write('<div style="display:flex;justify-content:space-between;align-items:flex-start">');
      printWindow.document.write(`<div><h3>${d.condition} <span style="font-size:11px;color:#9ca3af;">(${d.shortName})</span></h3>`);
      printWindow.document.write(`<p style="font-size:11px;margin:0;">${d.urgency} URGENCY</p></div>`);
      printWindow.document.write(`<div style="text-align:right"><p style="font-size:22px;font-weight:bold;color:#dc2626;margin:0;">${d.probabilityPct}%</p>`);
      printWindow.document.write('<p style="font-size:11px;color:#9ca3af;">Confidence</p></div></div>');
      printWindow.document.write(`<p style="margin:12px 0 4px;font-style:italic;">${d.description}</p>`);
      printWindow.document.write('<div style="background:#fff;border:1px solid #fecaca;padding:10px;border-radius:6px;margin-top:8px;">');
      printWindow.document.write('<p style="margin:0;font-size:11px;text-transform:uppercase;color:#9ca3af;margin-bottom:4px;">Recommended Action</p>');
      printWindow.document.write(`<p style="margin:0;">${d.action}</p>`);
      printWindow.document.write('</div></div>');
    });
  }

  printWindow.document.write('<h2>Full Probability Analysis</h2>');
  [...allResultsList].sort((a, b) => b.pct - a.pct).forEach((r) => {
    const fillClass = r.isDetected ? 'prob-bar-fill' : 'prob-bar-fill prob-bar-fill-normal';
    printWindow.document.write('<div class="prob-row">');
    printWindow.document.write(`<span style="min-width:180px;font-weight:${r.isDetected ? '600' : '400'};color:${r.isDetected ? '#d97706' : '#374151'}">${r.cond
    printWindow.document.write(`<div class="prob-bar-wrap"><div class="${fillClass}" style="width:${r.pct}%"></div></div>`);
    printWindow.document.write(`<span style="min-width:36px;text-align:right;font-weight:600;">${r.pct}%</span>`);
    printWindow.document.write('</div>');
  });

  printWindow.document.write('<h2>Technical Details</h2>');
  printWindow.document.write('<table><thead><tr><th>Parameter</th><th>Value</th></tr></thead><tbody>');
  technicalData.forEach(([k, v]) => {
    printWindow.document.write(`<tr><td style="font-weight:600;color:#374151;">${k}</td><td style="color:#6b7280;">${v}</td></tr>`);
  });
  printWindow.document.write('</tbody></table>');

  printWindow.document.write('<div class="preprocessing-tags"><p style="width:100%;margin:16px 0 8px;font-weight:600;">Preprocessing Applied:</p>');
  preprocessingList.forEach((p) => {
    printWindow.document.write(`<span class="tag">${p}</span>`);
  });
  printWindow.document.write('</div>');

  printWindow.document.write('<div class="footer">');
  printWindow.document.write('<p><strong>DISCLAIMER:</strong> This is an AI-assisted screening report, NOT a clinical diagnosis. All findings must be confirmed b
  printWindow.document.write(`<p style="margin-top:8px;">Generated by OpthaMiss AI Eye Screening Platform  |  ${generatedAt}</p>`);
  printWindow.document.write('</div>');
  printWindow.document.write('</body></html>');
  printWindow.document.close();
  printWindow.focus();
  setTimeout(() => { printWindow.print(); }, 500);
};

/* ■■■
```

```
    onClick={() => navigate('/reports')}
    className="ui-back-btn"
  >
    <svg
      width="16" height="16"
      fill="none" stroke="currentColor" viewBox="0 0 24 24"
      aria-hidden="true"
    >
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
    </svg>
    Back to Reports
  </button>

  {/* Download button — matches landing CTA style */}
  <button
    type="button"
    onClick={handlePrint}
    className="ui-btn"
  >
    <svg
      className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"
      aria-hidden="true"
    >
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 10v6m0 0l-3-3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z" />
    </svg>
    Download PDF
  </button>
</div>

{/* ■■ Main report card ■■ */}
<div
  id="report-print-area"
  className="ui-card-elevated overflow-hidden"
  style={{ padding: 0 }}
>

  {/* Risk banner — dynamic colour from CSS vars */}
  <div
    style={{
      background: rs.bg,
      borderBottom: `1px solid ${rs.border}`,
      padding: '20px 24px',
    }}
  >
    <div className="flex flex-col sm:flex-row sm:items-start justify-between gap-4">
      <div>
        <div className="flex flex-wrap items-center gap-3 mb-1">
          <h1
            className="text-xl font-bold"
            style={{ color: rs.text }}
          >
            AI Eye Screening Report
          </h1>
          <span
            className="ui-badge"
            style={{
              background: 'rgba(255,255,255,0.08)',
              borderColor: 'rgba(255,255,255,0.15)',
              color: rs.text,
            }}
          >
            {scanType} Scan
          </span>
        </div>
        <p
          className="text-sm"
          style={{ color: rs.text, opacity: 0.6 }}
        >
          Report ID: {reportId}
        </p>
      </div>

      <div className="text-right flex-shrink-0">
        <p
          className="ui-eyebrow mb-1"
          style={{ color: rs.text, opacity: 0.6 }}
        >
          Overall Risk
        </p>
        <p
          className="text-3xl font-black"
          style={{ color: rs.text, letterSpacing: '-0.02em' }}
        >
          {scanRisk || 'UNKNOWN'}
        </p>
        <p
          className="text-xs mt-1"
          style={{ color: rs.text, opacity: 0.5 }}
        >
          {displayFull}
        </p>
      </div>
    </div>
  </div>

  {/* Metadata row */}
  <div
    style={{
      padding: '16px 24px',
      borderBottom: '1px solid var(--color-border)',
      background: 'rgba(255,255,255,0.02)',
    }}
  >
    <div className="grid grid-cols-2 md:grid-cols-4 gap-4">
```

```
    {[
      { label: 'Scan Type', value: scanType },
      { label: 'Date', value: displayDate },
      { label: 'Time', value: displayTime || 'N/A' },
      { label: 'AI Model', value: 'ViT-S/16 v3' },
    ].map((item, i) => (
      <div key={i}>
        <p className="ui-eyebrow mb-1">{item.label}</p>
        <p
          className="text-sm font-medium"
          style={{ color: 'var(--color-text-2)' }}
        >
          {item.value}
        </p>
      </div>
    ))}
  </div>
</div>

{/* Patient row */}
<div
  style={{
    padding: '16px 24px',
    borderBottom: '1px solid var(--color-border)',
  }}
>
  <div className="flex items-center gap-3">
    <div
      className="flex-shrink-0 w-10 h-10 rounded-lg flex items-center justify-center font-bold text-sm"
      style={{
        background: 'var(--color-bg-4)',
        border: '1px solid var(--color-border-2)',
        color: 'var(--color-text)',
      }}
    >
      {patientInitial}
    </div>
    <div>
      <p
        className="text-sm font-semibold"
        style={{ color: 'var(--color-text)' }}
      >
        {patientName}
      </p>
      <p
        className="text-xs"
        style={{ color: 'var(--color-text-4)' }}
      >
        ID: {patientId}
        {patientEmail && (
          <span> &bull; {patientEmail}</span>
        )}
      </p>
    </div>
  </div>
</div>

{/* Recommended action */}
<div
  style={{
    padding: '16px 24px',
    borderBottom: '1px solid var(--color-border)',
    background: 'var(--risk-high-bg)',
  }}
>
  <div className="flex items-start gap-3">
    <svg
      className="w-5 h-5 flex-shrink-0 mt-0.5"
      style={{ color: 'var(--risk-high-text)' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24"
      aria-hidden="true"
    >
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 9v2m0 4h.01m-6.938 4h13.856c1.54 0 2.502-1.667 1.732-3L13.732 4c-.77-1.333-2.694-1.333-3.464 0L3.34 16c-.77 1.333.192 3 1.732 3z" />
    </svg>
    <div>
      <h3
        className="text-sm font-semibold mb-1"
        style={{ color: 'var(--risk-high-text)' }}
      >
        Recommended Clinical Action
      </h3>
      <p
        className="text-sm leading-relaxed"
        style={{ color: 'var(--risk-high-text)', opacity: 0.85 }}
      >
        {recommendedAction}
      </p>
    </div>
  </div>
</div>

{/* Tab bar */}
<div style={{ display: 'flex', borderBottom: '1px solid var(--color-border)' }}>
  {['summary', 'conditions', 'analysis', 'technical'].map((t) => (
    <button
      key={t}
      type="button"
      onClick={() => setActiveTab(t)}
      style={tabStyle(t)}
    >
      {t === 'summary' && 'Summary'}
      {t === 'conditions' && `Detected (${detectedList.length})`}
      {t === 'analysis' && 'Full Analysis'}
      {t === 'technical' && 'Technical'}
```

```
    </button>
  ))}
</div>

{/* ■■ Summary tab ■■ */}
{activeTab === 'summary' && (
  <div className="p-6 space-y-5">

    {/* Normal probability bar */}
    <div className="ui-card-sm p-4" style={{ background: 'var(--color-bg-2)' }}>
      <div className="flex items-center justify-between mb-2">
        <span className="text-sm" style={{ color: 'var(--color-text-3)' }}>
          Normal Eye Probability
        </span>
        <span
          className="text-sm font-semibold"
          style={{ color: 'var(--color-text)' }}
        >
          {normalPct}%
        </span>
      </div>
      <div className="ui-progress">
        <div
          className="ui-progress-fill"
          style={{ width: normalPct + '%', background: 'var(--risk-low-text)' }}
        />
      </div>
      <p
        className="text-xs mt-2"
        style={{ color: 'var(--color-text-4)' }}
      >
        Lower value indicates higher likelihood of detected pathology.
      </p>
    </div>

    {/* Quick metric trio */}
    <div className="grid grid-cols-3 gap-4">
      {[
        {
          label: 'Conditions Detected',
          value: String(detectedList.length),
          color: detectedList.length > 0 ? 'var(--risk-high-text)' : 'var(--risk-low-text)',
        },
        { label: 'AUC-ROC Score', value: '0.889', color: 'var(--color-text)' },
        { label: 'TTA Views Used', value: '5', color: 'var(--color-info)' },
      ].map((item, i) => (
        <div
          key={i}
          className="ui-card-sm p-4 text-center"
          style={{ background: 'var(--color-bg-2)' }}
        >
          <p
            className="text-2xl font-bold mb-1"
            style={{ color: item.color }}
          >
            {item.value}
          </p>
          <p className="text-xs" style={{ color: 'var(--color-text-4)' }}>
            {item.label}
          </p>
        </div>
      ))}
    </div>

    {/* Preprocessing tags */}
    <div className="ui-card-sm p-4" style={{ background: 'var(--color-bg-2)' }}>
      <p className="ui-eyebrow mb-3">Preprocessing Applied</p>
      <div className="flex flex-wrap gap-2">
        {preprocessingList.map((step, i) => (
          <span key={i} className="ui-badge">{step}</span>
        ))}
      </div>
    </div>

    {/* Scan info */}
    <div className="ui-card-sm p-4" style={{ background: 'var(--color-bg-2)' }}>
      <p className="ui-eyebrow mb-2">Scan Information</p>
      <p
        className="text-sm leading-relaxed"
        style={{ color: 'var(--color-text-3)' }}
      >
        Scan performed on {displayFull}. Report ID: {reportId}.{' '}
        {scanConditions.length > 0
          ? `Detected conditions: ${scanConditions.join(', ')}.`
          : 'No conditions detected in this scan.'}
      </p>
    </div>
  </div>
)}

{/* ■■ Conditions tab ■■ */}
{activeTab === 'conditions' && (
  <div className="p-6">
    <div className="space-y-4">
      {detectedList.length === 0 ? (
        /* No conditions */
        <div
          className="ui-card-sm p-6 text-center"
          style={{
            background: 'var(--risk-low-bg)',
            border: '1px solid var(--risk-low-border)',
          }}
        >
          <div
            className="w-12 h-12 rounded-full flex items-center justify-center mx-auto mb-3 text-xl"
```

```
        style={{ background: 'rgba(34,197,94,0.12)' }}
      >
        ✓
      </div>
      <h4
        className="text-base font-semibold mb-2"
        style={{ color: 'var(--risk-low-text)' }}
      >
        No conditions flagged
      </h4>
      <p
        className="text-sm leading-relaxed"
        style={{ color: 'var(--risk-low-text)', opacity: 0.75 }}
      >
        This scan did not cross the detection thresholds for any monitored conditions.
      </p>
    </div>
  ) : (
    detectedList.map((d, i) => {
      const ds = riskStyle(d.urgency);
      return (
        <div
          key={i}
          className="ui-card-sm overflow-hidden"
          style={{ background: ds.bg, border: `1px solid ${ds.border}`, padding: 0 }}
        >
          {/* Condition header */}
          <div
            style={{
              padding: '16px 20px',
              borderBottom: `1px solid ${ds.border}`,
            }}
          >
            <div className="flex items-start justify-between">
              <div>
                <div className="flex items-center gap-2 mb-1">
                  <h4
                    className="text-base font-semibold"
                    style={{ color: ds.text }}
                  >
                    {d.condition}
                  </h4>
                  <span
                    className="text-xs font-mono"
                    style={{ color: ds.text, opacity: 0.5 }}
                  >
                    ({d.shortName})
                  </span>
                </div>
                <p
                  className="ui-eyebrow"
                  style={{ color: ds.text, opacity: 0.6 }}
                >
                  {d.urgency} Urgency
                </p>
              </div>
              <div className="text-right flex-shrink-0">
                <p
                  className="text-2xl font-bold"
                  style={{ color: ds.text }}
                >
                  {d.probabilityPct}%
                </p>
                <p
                  className="text-xs"
                  style={{ color: ds.text, opacity: 0.55 }}
                >
                  Confidence
                </p>
              </div>
            </div>
          </div>

          {/* Probability bar */}
          <div style={{ padding: '10px 20px', borderBottom: `1px solid ${ds.border}` }}>
            <div className="ui-progress">
              <div
                className="ui-progress-fill"
                style={{ width: d.probabilityPct + '%', background: ds.text, opacity: 0.5 }}
              />
            </div>
          </div>

          {/* Description + action */}
          <div style={{ padding: '16px 20px' }} className="space-y-3">
            <p
              className="text-sm italic leading-relaxed"
              style={{ color: ds.text, opacity: 0.75 }}
            >
              {d.description}
            </p>
            <div
              className="ui-card-flat p-3"
              style={{ background: 'rgba(0,0,0,0.15)', border: `1px solid ${ds.border}` }}
            >
              <p
                className="ui-eyebrow mb-1.5"
                style={{ color: ds.text, opacity: 0.55 }}
              >
                Recommended Action
              </p>
              <p
                className="text-sm leading-relaxed"
                style={{ color: ds.text, opacity: 0.9 }}
              >
```

```
                    {d.action}
                  </p>
                </div>
              </div>
            </div>
          );
        })
      )}
    </div>
  </div>
)}

{/* ■■ Analysis tab ■■ */}
{activeTab === 'analysis' && (
  <div className="p-6">
    <p className="ui-eyebrow mb-5">
      All {allResultsList.length} conditions — sorted by probability
    </p>

    <div className="space-y-4">
      {sortedResults.map((r, i) => (
        <div key={i}>
          <div className="flex justify-between items-center mb-1.5">
            <span
              className="text-sm flex items-center gap-2"
              style={{ color: 'var(--color-text-3)' }}
            >
              <span
                className="w-2 h-2 rounded-full inline-block flex-shrink-0"
                style={{
                  background: r.isDetected
                    ? 'var(--color-warning)'
                    : 'var(--color-border-2)',
                }}
              />
              {r.condition}
              {r.isDetected && (
                <span
                  className="text-xs font-semibold"
                  style={{ color: 'var(--color-warning)' }}
                >
                  DETECTED
                </span>
              )}
            </span>
            <span
              className="text-sm font-semibold"
              style={{ color: 'var(--color-text-2)' }}
            >
              {r.pct}%
            </span>
          </div>
          <div className="ui-progress">
            <div
              className="ui-progress-fill"
              style={{
                width: r.pct + '%',
                background: r.isDetected
                  ? 'var(--color-warning)'
                  : 'var(--color-border-2)',
              }}
            />
          </div>
        </div>
      ))}
    </div>

    <div
      className="ui-card-flat p-4 mt-5"
      style={{ background: 'var(--color-bg-2)' }}
    >
      <p
        className="text-xs leading-relaxed"
        style={{ color: 'var(--color-text-4)' }}
      >
        Probabilities shown after 5-view Test-Time Augmentation averaging.
        Conditions above the per-class optimized threshold are flagged as detected.
      </p>
    </div>
  </div>
)}

{/* ■■ Technical tab ■■ */}
{activeTab === 'technical' && (
  <div className="p-6">
    <div className="overflow-x-auto ui-card-sm" style={{ padding: 0 }}>
      <table className="ui-table">
        <thead>
          <tr>
            <th>Parameter</th>
            <th>Value</th>
          </tr>
        </thead>
        <tbody>
          {technicalData.map(([k, v], i) => (
            <tr key={i}>
              <td style={{ fontWeight: 500, color: 'var(--color-text-2)', whiteSpace: 'nowrap' }}>
                {k}
              </td>
              <td style={{ color: 'var(--color-text-3)' }}>{v}</td>
            </tr>
          ))}
        </tbody>
      </table>
    </div>
```

```
            </div>
          )}

          {/* Report footer */}
          <div
            style={{
              padding: '14px 24px',
              borderTop: '1px solid var(--color-border)',
              background: 'rgba(255,255,255,0.01)',
            }}
          >
            <div
              className="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-1 mb-2"
              style={{ fontSize: '11px', color: 'var(--color-text-4)' }}
            >
              <span>
                Model: Tele-Ophthalmology ViT-S/16 v3 &bull; AUC: 0.889 &bull; F1: 0.631
              </span>
              <span>Generated: {new Date().toLocaleDateString()}</span>
            </div>
            <p style={{ fontSize: '11px', color: 'var(--color-text-4)', lineHeight: 1.6 }}>
              This is an AI-assisted screening report, NOT a clinical diagnosis. All findings
              must be confirmed by a qualified ophthalmologist before any treatment decisions.
            </p>
          </div>
        </div>

        {/* ■■ Download PDF banner ■■ */}
        <div
          className="ui-panel p-5 flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4"
        >
          <div>
            <h3
              className="text-sm font-semibold mb-1"
              style={{ color: 'var(--color-text)' }}
            >
              Download Full Report
            </h3>
            <p className="text-xs" style={{ color: 'var(--color-text-4)' }}>
              Save a complete PDF copy for your records or to share with your doctor.
            </p>
          </div>
          <button
            type="button"
            onClick={handlePrint}
            className="ui-btn flex-shrink-0"
          >
            <svg
              className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24"
              aria-hidden="true"
            >
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                d="M12 10v6m0 0l-3-3m3 3l3-3m2 8H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z" />
            </svg>
            Download PDF
          </button>
        </div>

        {/* ■■ Quick-action cards ■■ */}
        <div className="grid sm:grid-cols-3 gap-4">
          {[
            { label: 'Run New Scan', sub: 'Screen with a different image', path: '/screen' },
            { label: 'All Reports', sub: 'View all your screening reports', path: '/reports' },
            { label: 'Update Profile', sub: 'Add your medical information', path: '/profile' },
          ].map((action, i) => (
            <button
              key={i}
              type="button"
              onClick={() => navigate(action.path)}
              className="ui-panel-muted p-4 text-left flex items-center gap-3 group"
              style={{ transition: 'border-color 0.2s ease' }}
              onMouseEnter={(e) => { e.currentTarget.style.borderColor = 'var(--color-border-2)'; }}
              onMouseLeave={(e) => { e.currentTarget.style.borderColor = 'rgba(255,255,255,0.05)'; }}
            >
              <div className="flex-1 min-w-0">
                <p
                  className="text-sm font-semibold"
                  style={{ color: 'var(--color-text)' }}
                >
                  {action.label}
                </p>
                <p
                  className="text-xs mt-0.5"
                  style={{ color: 'var(--color-text-4)' }}
                >
                  {action.sub}
                </p>
              </div>
              <svg
                className="w-4 h-4 flex-shrink-0"
                style={{ color: 'var(--color-text-4)', transition: 'transform 0.2s ease' }}
                fill="none" stroke="currentColor" viewBox="0 0 24 24"
                aria-hidden="true"
              >
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
              </svg>
            </button>
          ))}
        </div>

      </div>
    </DashboardLayout>
  );
};

export default Report;
```

src\pages\Reports.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import DashboardLayout from '../components/DashboardLayout';
import { PageHeader, SectionCard } from '../components/ui/index';

const formatReportDate = (ts) => {
  if (!ts) return 'Unknown date';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return 'Unknown date';
    return d.toLocaleDateString(undefined, { year: 'numeric', month: 'short', day: 'numeric' });
  } catch { return 'Unknown date'; }
};

const formatReportTime = (ts) => {
  if (!ts) return '';
  try {
    const d = new Date(ts);
    if (isNaN(d.getTime())) return '';
    return d.toLocaleTimeString(undefined, { hour: '2-digit', minute: '2-digit' });
  } catch { return ''; }
};

const Reports = () => {
  const navigate = useNavigate();
  const { getScans } = useAuth();
  const [filter, setFilter] = useState('all');
  const [search, setSearch] = useState('');
  const [allReports, setAllReports] = useState([]);

  useEffect(() => {
    const stored = getScans();
    // Sort by latest first
    const sorted = [...stored].sort((a, b) => {
      const dateA = a.timestamp ? new Date(a.timestamp) : new Date(0);
      const dateB = b.timestamp ? new Date(b.timestamp) : new Date(0);
      return dateB - dateA;
    });
    setAllReports(sorted);

    const handler = () => {
      const updated = [...getScans()].sort((a, b) => {
        const dateA = a.timestamp ? new Date(a.timestamp) : new Date(0);
        const dateB = b.timestamp ? new Date(b.timestamp) : new Date(0);
        return dateB - dateA;
      });
      setAllReports(updated);
    };
    window.addEventListener('optha_scan_added', handler);
    return () => window.removeEventListener('optha_scan_added', handler);
  }, [getScans]);

  const riskLabel = { HIGH: 'High', MODERATE: 'Moderate', LOW: 'Low', high: 'High', moderate: 'Moderate', low: 'Low' };
  const riskStyle = {
    high: 'bg-red-900/20 text-red-400 border-red-800/30',
    moderate: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
    low: 'bg-green-900/20 text-green-400 border-green-800/30',
    HIGH: 'bg-red-900/20 text-red-400 border-red-800/30',
    MODERATE: 'bg-amber-900/20 text-amber-400 border-amber-800/30',
    LOW: 'bg-green-900/20 text-green-400 border-green-800/30',
  };

  const normalizeRisk = (r) => (r || 'low').toLowerCase();

  const filtered = allReports.filter(function (r) {
    const riskNorm = normalizeRisk(r.risk);
    const matchFilter = filter === 'all' || riskNorm === filter;
    const conditions = r.conditions || [];
    const matchSearch =
      search === '' ||
      (r.id || '').toLowerCase().includes(search.toLowerCase()) ||
      conditions.join(' ').toLowerCase().includes(search.toLowerCase()) ||
      (r.type || '').toLowerCase().includes(search.toLowerCase());
    return matchFilter && matchSearch;
  });

  const stats = [
    { label: 'Total Reports', value: allReports.length, color: 'text-neutral-200' },
    {
      label: 'High Risk',
      value: allReports.filter(r => normalizeRisk(r.risk) === 'high').length,
      color: 'text-red-400',
    },
    {
      label: 'Moderate Risk',
      value: allReports.filter(r => normalizeRisk(r.risk) === 'moderate').length,
      color: 'text-amber-400',
    },
    {
      label: 'Normal / Low',
      value: allReports.filter(r => normalizeRisk(r.risk) === 'low').length,
      color: 'text-green-400',
    },
  ];

  return (
    <DashboardLayout>
      <div className="max-w-5xl mx-auto space-y-6">
        <PageHeader
          title="Reports"
          description="All your AI eye screening reports, now presented with the same premium layout, typography, and surface styling as the landing experience."
          action={<button type="button" onClick={() => navigate('/screen')} className="ui-btn">New Scan</button>}
```

```
/>

{/* Stats */}
<div className="grid grid-cols-2 md:grid-cols-4 gap-4">
  {stats.map((s, i) => (
    <div key={i} className="ui-panel p-4">
      <p className={'text-2xl font-bold mb-1 ' + s.color}>{s.value}</p>
      <p className="text-xs" style={{ color: 'var(--color-text-4)' }}>{s.label}</p>
    </div>
  ))}
</div>

<SectionCard title="Search and filter" description="Find reports by ID, type, or detected condition.">
  <div className="flex flex-col md:flex-row md:items-center justify-between gap-4">
    <div className="relative flex-1 max-w-sm">
      <svg
        className="absolute left-3 top-1/2 -translate-y-1/2 w-4 h-4"
        style={{ color: 'var(--color-text-4)' }}
        fill="none" stroke="currentColor" viewBox="0 0 24 24"
      >
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0" />
      </svg>
      <input
        type="text"
        placeholder="Search by ID, type, condition..."
        value={search}
        onChange={(e) => setSearch(e.target.value)}
        className="ui-input pl-10"
      />
    </div>

    <div className="flex items-center gap-2">
      <span className="text-xs" style={{ color: 'var(--color-text-4)' }}>Filter:</span>
      {['all', 'high', 'moderate', 'low'].map((f) => (
        <button
          key={f}
          type="button"
          onClick={() => setFilter(f)}
          className={filter === f ? 'ui-btn ui-btn-sm' : 'ui-btn ui-btn-sm'}
          style={filter === f ? {} : { background: 'transparent', color: 'var(--color-text-3)', borderColor: 'rgba(255,255,255,0.05)' }}
        >
          {f.charAt(0).toUpperCase() + f.slice(1)}
        </button>
      ))}
    </div>
  </div>
</SectionCard>

{/* Reports List */}
{allReports.length === 0 ? (
  <div className="ui-panel p-12 text-center">
    <div className="w-14 h-14 rounded-full bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center mx-auto mb-4">
      <svg className="w-7 h-7 text-neutral-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414
      </svg>
    </div>
    <p className="text-neutral-400 mb-1">No reports yet</p>
    <p className="text-sm text-neutral-600 mb-4">Run a scan to generate your first report</p>
    <button onClick={() => navigate('/screen')} className="ui-btn">
      Start Scanning
    </button>
  </div>
) : filtered.length === 0 ? (
  <div className="ui-panel p-12 text-center">
    <p className="text-neutral-400 mb-1">No reports found</p>
    <p className="text-sm text-neutral-600">Try adjusting your search or filter</p>
  </div>
) : (
  <div className="space-y-3">
    {filtered.map((report) => {
      const riskNorm = normalizeRisk(report.risk);
      const riskClass = riskStyle[riskNorm] || riskStyle.low;
      const conditions = report.conditions || [];
      const dateStr = formatReportDate(report.timestamp);
      const timeStr = formatReportTime(report.timestamp);

      return (
        <div
          key={report.id}
          onClick={() => navigate('/report/' + report.id)}
          className="ui-panel p-5 transition-all cursor-pointer group"
        >
          <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
            {/* Left */}
            <div className="flex items-start gap-4">
              <div className="w-10 h-10 rounded-lg bg-neutral-800/50 border border-neutral-700/50 flex items-center justify-center text-lg flex-shrink-0">
                {report.type === 'Fundus' ? '■' : '■'}
              </div>
              <div>
                <div className="flex flex-wrap items-center gap-2 mb-1">
                  <h3 className="text-sm font-semibold text-neutral-200 group-hover:text-neutral-100 transition-colors">
                    {report.id}
                  </h3>
                  <span className="ui-badge">
                    {report.type}
                  </span>
                  <span className={'px-2 py-0.5 rounded text-xs font-medium border ' + riskClass}>
                    {riskLabel[riskNorm] || riskLabel[report.risk] || 'Low'} Risk
                  </span>
                </div>
                <div className="flex flex-wrap gap-3 text-xs text-neutral-500">
                  <span>{dateStr}{timeStr ? ` at ${timeStr}` : ''}</span>
                </div>
                {conditions.length > 0 && (
                  <div className="flex flex-wrap gap-1.5 mt-2">
```

```
                        {conditions.slice(0, 3).map((c, ci) => (
                          <span
                            key={ci}
                            className="text-xs text-amber-400 bg-amber-900/20 border border-amber-800/30 px-2 py-0.5 rounded"
                          >
                            {c}
                          </span>
                        ))}
                      </div>
                    )}
                    {conditions.length === 0 && (
                      <span className="inline-block mt-2 text-xs text-green-400 bg-green-900/20 border border-green-800/30 px-2 py-0.5 rounded">
                        No conditions detected
                      </span>
                    )}
                  </div>
                </div>

                {/* Right */}
                <div className="flex items-center gap-2 flex-shrink-0 sm:ml-auto">
                  <button
                    type="button"
                    onClick={(e) => {
                      e.stopPropagation();
                      navigate('/report/' + report.id);
                    }}
                    className="ui-btn ui-btn-sm"
                  >
                    View Report
                  </button>
                  <svg
                    className="w-4 h-4 text-neutral-600 group-hover:text-neutral-400 group-hover:translate-x-1 transition-all"
                    fill="none" stroke="currentColor" viewBox="0 0 24 24"
                  >
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7-7 7" />
                  </svg>
                </div>
              </div>
            </div>
          );
        })}
      </div>
    )}
  </div>
</DashboardLayout>
);
};

export default Reports;
```

src\pages\Settings.jsx

```
import { useState, useEffect } from 'react';
import { useNavigate } from 'react-router-dom';
import DashboardLayout from '../components/DashboardLayout';
import { useAuth } from '../context/AuthContext';
import { useToast } from '../context/ToastContext';
import { PageHeader } from '../components/ui/index';

var Settings = function () {
  var navigate = useNavigate();
  var { user, logout, getSettings, saveSettings } = useAuth();
  var { addToast } = useToast();

  var [activeTab, setActiveTab] = useState('account');
  var [settings, setSettings] = useState(getSettings());
  var [isDirty, setIsDirty] = useState(false);
  var [saving, setSaving] = useState(false);
  var [showDeleteModal, setShowDeleteModal] = useState(false);
  var [deleteConfirm, setDeleteConfirm] = useState('');

  var [accountForm, setAccountForm] = useState({
    name: (user && user.name) || '',
    phone: (user && user.phone) || '',
    language: 'en',
    timezone: 'UTC-5',
  });

  var [passwordForm, setPasswordForm] = useState({
    current: '', newPass: '', confirm: '',
  });

  var isOAuth = user && (user.provider === 'google' || user.provider === 'apple');

  /* Apply theme when it changes */
  useEffect(function () {
    if (settings.theme === 'light') {
      document.documentElement.setAttribute('data-theme', 'light');
    } else {
      document.documentElement.removeAttribute('data-theme');
    }
  }, [settings.theme]);

  var handleSettingToggle = function (key) {
    setSettings(function (prev) {
      var next = Object.assign({}, prev);
      next[key] = !prev[key];
      return next;
    });
    setIsDirty(true);
  };

  var handleSettingChange = function (key, value) {
    setSettings(function (prev) {
      var next = Object.assign({}, prev);
      next[key] = value;
```

```
    return next;
  });
  setIsDirty(true);
};

var handleAccountChange = function (e) {
  var n = e.target.name;
  var v = e.target.value;
  setAccountForm(function (prev) {
    var next = Object.assign({}, prev);
    next[n] = v;
    return next;
  });
  setIsDirty(true);
};

var handleSaveSettings = function () {
  setSaving(true);
  setTimeout(function () {
    saveSettings(settings);
    /* Also update user account fields */
    var stored = JSON.parse(localStorage.getItem('optha_user') || '{}');
    stored.name = accountForm.name;
    stored.phone = accountForm.phone;
    localStorage.setItem('optha_user', JSON.stringify(stored));
    setSaving(false);
    setIsDirty(false);
    addToast('Settings saved successfully!', 'success');
  }, 800);
};

var handleChangePassword = function (e) {
  e.preventDefault();
  if (!passwordForm.current) { addToast('Enter your current password', 'error'); return; }
  if (passwordForm.newPass.length < 8) { addToast('New password must be at least 8 characters', 'error'); return; }
  if (passwordForm.newPass !== passwordForm.confirm) { addToast('Passwords do not match', 'error'); return; }
  setSaving(true);
  setTimeout(function () {
    setSaving(false);
    setPasswordForm({ current: '', newPass: '', confirm: '' });
    addToast('Password changed successfully!', 'success');
  }, 800);
};

var handleDeleteAccount = function () {
  if (deleteConfirm !== 'DELETE') {
    addToast('Type DELETE to confirm', 'error');
    return;
  }
  logout();
  addToast('Account deleted. Sorry to see you go.', 'info');
  navigate('/');
};

var tabClass = function (id) {
  return (
    'w-full flex items-center gap-3 px-4 py-3 rounded-lg text-sm transition-all duration-200 ' +
    (activeTab === id
      ? 'text-neutral-200 border'
      : 'text-neutral-500 hover:text-neutral-300')
  );
};

var tabStyle = function (id) {
  if (activeTab === id) return { background: 'var(--bg-hover)', borderColor: 'var(--border)' };
  return {};
};

var inputClass = 'w-full px-4 py-2.5 rounded-lg text-sm focus:outline-none transition-colors';
var inputStyle = { background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' };

var tabs = [
  { id: 'account', label: 'Account' },
  { id: 'notifications', label: 'Notifications' },
  { id: 'privacy', label: 'Privacy' },
  { id: 'display', label: 'Display' },
];

return (
  <DashboardLayout>
    <div className="max-w-4xl mx-auto space-y-6">

      <PageHeader
        title="Settings"
        description="Manage your account, notifications, privacy, and display preferences with a unified premium workspace shell."
      />

      <div className="grid md:grid-cols-4 gap-6">

        {/* Sidebar */}
        <div className="md:col-span-1">
          <div className="ui-panel p-2 space-y-1">
            {tabs.map(function (tab) {
              return (
                <button key={tab.id} type="button" onClick={function () { setActiveTab(tab.id); }}
                  className={tabClass(tab.id)} style={tabStyle(tab.id)}>
                  <span>{tab.label}</span>
                </button>
              );
            })}
          </div>
        </div>

        {/* Content */}
        <div className="md:col-span-3">
```

```
<div className="ui-panel p-6 space-y-6">

  {/* ■■ ACCOUNT ■■ */}
  {activeTab === 'account' && (
    <div className="space-y-5">
      <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Account Information</h2>

      {/* OAuth badge */}
      {isOAuth && (
        <div className="flex items-center gap-2 px-3 py-2 rounded-lg text-sm"
          style={{ background: 'var(--accent-bg)', border: '1px solid var(--border)' }}>
          <svg className="w-4 h-4" style={{ color: 'var(--accent)' }} fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0
          </svg>
          <span style={{ color: 'var(--text-muted)' }}>
            Signed in via {user.provider === 'google' ? 'Google' : 'Apple'}. Some fields are managed by your provider.
          </span>
        </div>
      )}

      <div className="space-y-4">
        <div>
          <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Display Name</label>
          <input type="text" name="name" value={accountForm.name}
            onChange={handleAccountChange} className={inputClass} style={inputStyle} />
        </div>
        <div>
          <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>
            Email Address {isOAuth && <span className="text-xs opacity-50">(managed by {user.provider})</span>}
          </label>
          <input type="email" value={(user && user.email) || ''} readOnly
            className={inputClass} style={Object.assign({}, inputStyle, { opacity: 0.6, cursor: 'not-allowed' })} />
        </div>
        <div>
          <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Phone Number</label>
          <input type="tel" name="phone" value={accountForm.phone}
            onChange={handleAccountChange} placeholder="+1 234 567 8900"
            className={inputClass} style={inputStyle} />
        </div>
        <div className="grid grid-cols-2 gap-4">
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Language</label>
            <select name="language" value={accountForm.language} onChange={handleAccountChange}
              className={inputClass} style={inputStyle}>
              <option value="en">English</option>
              <option value="es">Español</option>
              <option value="fr">Français</option>
              <option value="de">Deutsch</option>
              <option value="ar">Arabic</option>
            </select>
          </div>
          <div>
            <label className="block text-xs font-medium mb-1.5" style={{ color: 'var(--text-muted)' }}>Timezone</label>
            <select name="timezone" value={accountForm.timezone} onChange={handleAccountChange}
              className={inputClass} style={inputStyle}>
              <option value="UTC-5">Eastern (UTC-5)</option>
              <option value="UTC-6">Central (UTC-6)</option>
              <option value="UTC-7">Mountain (UTC-7)</option>
              <option value="UTC-8">Pacific (UTC-8)</option>
              <option value="UTC+0">UTC+0</option>
              <option value="UTC+5:30">IST (UTC+5:30)</option>
            </select>
          </div>
        </div>
      </div>

      {/* Change Password (email only) */}
      {!isOAuth && (
        <div className="pt-4" style={{ borderTop: '1px solid var(--border)' }}>
          <h3 className="text-sm font-semibold mb-4" style={{ color: 'var(--text-h)' }}>Change Password</h3>
          <form onSubmit={handleChangePassword} className="space-y-3">
            <input type="password" placeholder="Current password" value={passwordForm.current}
              onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { current: e.target.value }); }); }}
              className="ui-input" />
            <input type="password" placeholder="New password (min. 8 chars)" value={passwordForm.newPass}
              onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { newPass: e.target.value }); }); }}
              className="ui-input" />
            <input type="password" placeholder="Confirm new password" value={passwordForm.confirm}
              onChange={function (e) { setPasswordForm(function (p) { return Object.assign({}, p, { confirm: e.target.value }); }); }}
              className="ui-input" />
            <button type="submit" disabled={saving}
              className="ui-btn">
              Update Password
            </button>
          </form>
        </div>
      )}
    </div>
  )}

  {/* ■■ NOTIFICATIONS ■■ */}
  {activeTab === 'notifications' && (
    <div className="space-y-5">
      <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Notification Preferences</h2>
      <div className="space-y-3">
        {[
          { key: 'emailNotifications', label: 'Email Notifications', desc: 'Receive scan results and reports via email' },
          { key: 'smsNotifications', label: 'SMS Notifications', desc: 'Urgent alerts via text message' },
          { key: 'highRiskAlerts', label: 'High Risk Alerts', desc: 'Immediate notification for high-risk detections' },
          { key: 'weeklyReports', label: 'Weekly Summary Reports', desc: 'Receive a weekly health summary email' },
        ].map(function (item) {
          return (
            <div key={item.key} className="flex items-start justify-between p-4 rounded-xl"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
              <div className="flex-1 pr-4">
```

```
              <p className="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>{item.label}</p>
              <p className="text-xs" style={{ color: 'var(--text-muted)' }}>{item.desc}</p>
            </div>
            <button type="button" onClick={function () { handleSettingToggle(item.key); }}
              className={'relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings[item.key] ? 'bg-neutral-600' : 'bg
              <span className={'inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings[item.key] ? 'translate-x-6'
            </button>
          </div>
        );
      })}
    </div>
  </div>
)}

{/* ■■ PRIVACY ■■ */}
{activeTab === 'privacy' && (
  <div className="space-y-5">
    <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Privacy & Data</h2>
    <div className="space-y-3">
      {[
        { key: 'anonymizedResearch', label: 'Anonymous Research Data', desc: 'Help improve AI models by sharing anonymized scan data' },
        { key: 'dataSharing', label: 'Third-Party Data Sharing', desc: 'Share data with partner institutions' },
      ].map(function (item) {
        return (
          <div key={item.key} className="flex items-start justify-between p-4 rounded-xl"
            style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
            <div className="flex-1 pr-4">
              <p className="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>{item.label}</p>
              <p className="text-xs" style={{ color: 'var(--text-muted)' }}>{item.desc}</p>
            </div>
            <button type="button" onClick={function () { handleSettingToggle(item.key); }}
              className={'relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings[item.key] ? 'bg-neutral-600' : 'bg
              <span className={'inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings[item.key] ? 'translate-x-6'
            </button>
          </div>
        );
      })}
    </div>

    {/* Data management */}
    <div className="pt-4 space-y-3" style={{ borderTop: '1px solid var(--border)' }}>
      <h3 className="text-sm font-semibold" style={{ color: 'var(--text-h)' }}>Data Management</h3>
      <button type="button" onClick={function () { addToast('Data export will be emailed to you within 24 hours.', 'info'); }}
        className="text-sm transition-colors block" style={{ color: 'var(--text-muted)' }}>
        Download All My Data →
      </button>
      <button type="button" onClick={function () { setShowDeleteModal(true); }}
        className="text-sm block transition-colors" style={{ color: 'var(--risk-high-text)' }}>
        Delete My Account →
      </button>
    </div>
  </div>
)}

{/* ■■ DISPLAY ■■ */}
{activeTab === 'display' && (
  <div className="space-y-5">
    <h2 className="text-lg font-semibold" style={{ color: 'var(--text-h)' }}>Display Settings</h2>

    <div>
      <label className="block text-xs font-medium mb-3" style={{ color: 'var(--text-muted)' }}>Theme</label>
      <div className="flex items-center gap-3">
        {['dark', 'light'].map(function (t) {
          return (
            <button key={t} type="button" onClick={function () { handleSettingChange('theme', t); }}
              className={'flex-1 py-3 px-4 rounded-xl text-sm font-medium transition-all ' + (settings.theme === t ? 'border-2' : 'border')}
              style={settings.theme === t
                ? { background: 'var(--bg-hover)', borderColor: 'var(--accent-border)', color: 'var(--text-h)' }
                : { background: 'var(--bg-secondary)', borderColor: 'var(--border)', color: 'var(--text-muted)' }}>
              {t === 'dark' ? '■ Dark' : '■■ Light'}
            </button>
          );
        })}
      </div>
    </div>

    <div className="flex items-start justify-between p-4 rounded-xl"
      style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)' }}>
      <div className="flex-1 pr-4">
        <p className="text-sm font-medium mb-0.5" style={{ color: 'var(--text-h)' }}>Compact View</p>
        <p className="text-xs" style={{ color: 'var(--text-muted)' }}>Show more content in less space</p>
      </div>
      <button type="button" onClick={function () { handleSettingToggle('compactView'); }}
        className={'relative inline-flex h-6 w-11 items-center rounded-full transition-colors ' + (settings.compactView ? 'bg-neutral-600' : 'bg-neu
        <span className={'inline-block h-4 w-4 transform rounded-full bg-white transition-transform ' + (settings.compactView ? 'translate-x-6' : 't
      </button>
    </div>
  </div>
)}

{/* Save Button */}
<div className="flex items-center justify-between pt-4" style={{ borderTop: '1px solid var(--border)' }}>
  <button type="button" onClick={function () { navigate('/dashboard'); }}
    className="text-sm transition-colors" style={{ color: 'var(--text-muted)' }}>
    Cancel
  </button>
  <button type="button" onClick={handleSaveSettings}
    disabled={!isDirty || saving}
    className="ui-btn flex items-center gap-2 disabled:opacity-40 disabled:cursor-not-allowed"
    style={isDirty ? {} : { background: 'var(--color-bg-2)', color: 'var(--color-text-4)', borderColor: 'rgba(255,255,255,0.05)' }}>
    {saving ? (
      <>
        <svg className="animate-spin w-3.5 h-3.5" fill="none" viewBox="0 0 24 24">
          <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor" strokeWidth="4" />
          <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0 5.373 0 12h4z" />
```

```
                    </svg>
                    Saving...
                  </>
                ) : 'Save Changes'}
              </button>
            </div>
          </div>
        </div>
      </div>

      {/* Delete Modal */}
      {showDeleteModal && (
        <div className="fixed inset-0 z-50 flex items-center justify-center px-4"
          style={{ background: 'rgba(0,0,0,0.7)' }}>
          <div className="w-full max-w-sm rounded-2xl p-6"
            style={{ background: 'var(--color-bg-3)', border: '1px solid var(--risk-high-border)', boxShadow: 'var(--shadow-lg)' }}>
            <h3 className="text-lg font-bold mb-2" style={{ color: 'var(--risk-high-text)' }}>Delete Account</h3>
            <p className="text-sm mb-4" style={{ color: 'var(--text-muted)' }}>
              This will permanently delete your account and all data. This action cannot be undone.
            </p>
            <p className="text-xs mb-2" style={{ color: 'var(--text-muted)' }}>
              Type <span className="font-mono font-bold" style={{ color: 'var(--text-h)' }}>DELETE</span> to confirm:
            </p>
            <input type="text" value={deleteConfirm} onChange={function (e) { setDeleteConfirm(e.target.value); }}
              placeholder="Type DELETE" className="w-full px-4 py-2.5 rounded-lg text-sm mb-4 focus:outline-none"
              style={{ background: 'var(--bg-secondary)', border: '1px solid var(--border)', color: 'var(--text-h)' }} />
            <div className="flex gap-3">
              <button type="button" onClick={function () { setShowDeleteModal(false); setDeleteConfirm(''); }}
                className="flex-1 py-2.5 rounded-lg text-sm transition-colors"
                style={{ background: 'var(--bg-hover)', border: '1px solid var(--border)', color: 'var(--text-h)' }}>
                Cancel
              </button>
              <button type="button" onClick={handleDeleteAccount} disabled={deleteConfirm !== 'DELETE'}
                className="flex-1 py-2.5 rounded-lg text-sm font-medium transition-all disabled:opacity-40 disabled:cursor-not-allowed"
                style={{ background: 'var(--risk-high-bg)', border: '1px solid var(--risk-high-border)', color: 'var(--risk-high-text)' }}>
                Delete Account
              </button>
            </div>
          </div>
        </div>
      )}

    </div>
  </DashboardLayout>
);
};

export default Settings;
```

src\pages\Signup.jsx

```
import { useState } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import { useAuth } from '../context/AuthContext';
import { useToast } from '../context/ToastContext';

var Signup = function () {
  var navigate = useNavigate();
  var { register } = useAuth();
  var { addToast } = useToast();

  var [currentStep, setCurrentStep] = useState(1);
  var [formData, setFormData] = useState({
    fullName: '',
    email: '',
    password: '',
    confirmPassword: '',
    agreeToTerms: false,
  });
  var [loading, setLoading] = useState(false);
  var [errors, setErrors] = useState({});

  var totalSteps = 3;

  var handleChange = function (e) {
    var name = e.target.name;
    var value = e.target.type === 'checkbox' ? e.target.checked : e.target.value;
    setFormData(function (prev) { return Object.assign({}, prev, { [name]: value }); });
    setErrors(function (prev) { return Object.assign({}, prev, { [name]: '' }); });
  };

  var validateStep = function (step) {
    var newErrors = {};
    if (step === 1) {
      if (!formData.fullName.trim())
        newErrors.fullName = 'Full name is required';
      if (!formData.email.trim())
        newErrors.email = 'Email is required';
      else if (!/\S+@\S+\.\S+/.test(formData.email))
        newErrors.email = 'Enter a valid email address';
    }
    if (step === 2) {
      if (!formData.password)
        newErrors.password = 'Password is required';
      else if (formData.password.length < 8)
        newErrors.password = 'Must be at least 8 characters';
      if (formData.password !== formData.confirmPassword)
        newErrors.confirmPassword = 'Passwords do not match';
    }
    if (step === 3) {
      if (!formData.agreeToTerms)
        newErrors.agreeToTerms = 'You must agree to the terms to continue';
    }
    setErrors(newErrors);
    return Object.keys(newErrors).length === 0;
  };
```

```
var handleNext = function () {
  if (validateStep(currentStep) && currentStep < totalSteps) {
    setCurrentStep(function (s) { return s + 1; });
  }
};

var handleBack = function () {
  if (currentStep > 1) {
    setCurrentStep(function (s) { return s - 1; });
  }
};

var handleSubmit = async function (e) {
  e.preventDefault();
  if (!validateStep(currentStep)) return;
  setLoading(true);
  try {
    var user = await register(
      formData.email.trim().toLowerCase(),
      formData.password,
      formData.fullName.trim()
    );
    addToast('Account created! Welcome, ' + (user.name || 'there') + '!', 'success');
    navigate('/complete-profile');
  } catch (err) {
    var msg = (err && err.message) ? err.message : 'Registration failed. Please try again.';
    setErrors({ general: msg });
    addToast(msg, 'error');
  }
  setLoading(false);
};

var getPasswordStrength = function () {
  var p = formData.password;
  if (!p || p.length === 0) return { label: '', color: '#262626', width: '0%' };
  if (p.length < 6) return { label: 'Weak', color: '#ef4444', width: '25%' };
  if (p.length < 8) return { label: 'Fair', color: '#f59e0b', width: '50%' };
  if (p.length < 12) return { label: 'Good', color: '#3b82f6', width: '75%' };
  return { label: 'Strong', color: '#22c55e', width: '100%' };
};

var strength = getPasswordStrength();

var inputStyle = function (field) {
  var hasError = !!errors[field];
  return {
    width: '100%',
    padding: '11px 14px',
    background: 'rgba(255,255,255,0.04)',
    border: '1px solid ' + (hasError ? 'rgba(239,68,68,0.6)' : 'rgba(255,255,255,0.08)'),
    borderRadius: '10px',
    fontSize: '14px',
    color: '#e5e5e5',
    outline: 'none',
    transition: 'border-color 0.2s ease, box-shadow 0.2s ease',
    fontFamily: 'inherit',
    boxSizing: 'border-box',
    boxShadow: hasError ? '0 0 0 3px rgba(239,68,68,0.1)' : 'none',
  };
};

var labelStyle = {
  display: 'block',
  fontSize: '11px',
  fontWeight: 600,
  letterSpacing: '0.06em',
  textTransform: 'uppercase',
  color: '#737373',
  marginBottom: '6px',
};

var errorStyle = {
  fontSize: '12px',
  color: '#fca5a5',
  marginTop: '5px',
  display: 'flex',
  alignItems: 'flex-start',
  gap: '4px',
  lineHeight: 1.4,
};

return (
  <div style={{
    minHeight: '100vh',
    background: '#0a0a0a',
    display: 'flex',
    alignItems: 'center',
    justifyContent: 'center',
    padding: '24px 16px',
    position: 'relative',
    overflow: 'hidden',
    fontFamily: 'Inter, system-ui, -apple-system, sans-serif',
  }}>

    {/* Background glows */}
    <div style={{ position: 'absolute', inset: 0, pointerEvents: 'none', overflow: 'hidden' }}>
      <div style={{
        position: 'absolute', top: '15%', left: '20%',
        width: '400px', height: '400px', borderRadius: '50%',
        background: 'radial-gradient(circle, rgba(59,130,246,0.06) 0%, transparent 70%)',
        animation: 'pulseGlow 9s ease-in-out infinite',
      }} />
      <div style={{
        position: 'absolute', bottom: '15%', right: '15%',
        width: '360px', height: '360px', borderRadius: '50%',
```

```
    background: 'radial-gradient(circle, rgba(139,92,246,0.05) 0%, transparent 70%)',
    animation: 'pulseGlow 12s ease-in-out infinite 3s',
  }} />
</div>

{/* Back to home */}
<Link to="/" style={{
  position: 'absolute',
  top: '20px',
  left: '20px',
  display: 'flex',
  alignItems: 'center',
  gap: '6px',
  fontSize: '13px',
  color: '#525252',
  textDecoration: 'none',
  transition: 'color 0.2s ease',
}}
  onMouseEnter={function (e) { e.currentTarget.style.color = '#a3a3a3'; }}
  onMouseLeave={function (e) { e.currentTarget.style.color = '#525252'; }}
>
  <svg width="14" height="14" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
  </svg>
  Home
</Link>

{/* Card */}
<div style={{
  position: 'relative',
  zIndex: 1,
  width: '100%',
  maxWidth: '420px',
  background: '#1a1a1a',
  border: '1px solid #2a2a2a',
  borderRadius: '20px',
  padding: '36px 32px',
  boxShadow: '0 24px 64px rgba(0,0,0,0.6)',
}}>

  {/* Logo */}
  <div style={{ display: 'flex', justifyContent: 'center', marginBottom: '20px' }}>
    <div style={{
      width: '46px',
      height: '46px',
      borderRadius: '12px',
      background: '#111111',
      border: '1px solid #333333',
      display: 'flex',
      alignItems: 'center',
      justifyContent: 'center',
    }}>
      <svg width="22" height="22" viewBox="0 0 24 24" fill="none">
        <ellipse cx="12" cy="12" rx="10" ry="6" stroke="#b0b0b0" strokeWidth="1.5" />
        <circle cx="12" cy="12" r="3.5" fill="#888" />
        <circle cx="12" cy="12" r="1.5" fill="#0a0a0a" />
        <circle cx="13.4" cy="10.6" r="0.9" fill="rgba(255,255,255,0.75)" />
      </svg>
    </div>
  </div>

  {/* Heading */}
  <div style={{ textAlign: 'center', marginBottom: '28px' }}>
    <h1 style={{
      fontSize: '22px',
      fontWeight: 700,
      color: '#e5e5e5',
      marginBottom: '6px',
      letterSpacing: '-0.02em',
    }}>
      Create your account
    </h1>
    <p style={{ fontSize: '13px', color: '#525252', lineHeight: 1.5 }}>
      Join OpthaMiss AI eye screening — free forever
    </p>
  </div>

  {/* Progress Steps */}
  <div style={{ marginBottom: '28px' }}>
    <div style={{ display: 'flex', alignItems: 'center', marginBottom: '10px' }}>
      {[1, 2, 3].map(function (step) {
        var isDone = step < currentStep;
        var isActive = step === currentStep;
        return (
          <div key={step} style={{ display: 'flex', alignItems: 'center', flex: 1 }}>
            <div style={{
              width: '32px',
              height: '32px',
              borderRadius: '50%',
              flexShrink: 0,
              display: 'flex',
              alignItems: 'center',
              justifyContent: 'center',
              fontSize: '13px',
              fontWeight: 600,
              transition: 'all 0.3s ease',
              background: isDone ? 'rgba(34,197,94,0.15)'
                : isActive ? '#2a2a2a'
                : '#111111',
              border: isDone ? '1px solid rgba(34,197,94,0.4)'
                : isActive ? '2px solid #404040'
                : '1px solid #222222',
              color: isDone ? '#86efac'
                : isActive ? '#e5e5e5'
                : '#404040',
```

```
          }}>
            {isDone ? (
              <svg width="14" height="14" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M5 13l4 4L19 7" />
              </svg>
            ) : step}
          </div>
          {step < totalSteps && (
            <div style={{
              flex: 1,
              height: '2px',
              margin: '0 6px',
              background: isDone ? 'rgba(34,197,94,0.35)' : '#1f1f1f',
              transition: 'background 0.4s ease',
              borderRadius: '1px',
            }} />
          )}
        </div>
      );
    })}
  </div>
  <div style={{ display: 'flex', justifyContent: 'space-between' }}>
    {['Account Info', 'Set Password', 'Confirm'].map(function (label, i) {
      return (
        <span key={i} style={{
          fontSize: '10px',
          fontWeight: (i + 1) === currentStep ? 600 : 400,
          color: (i + 1) === currentStep ? '#a3a3a3' : '#404040',
          transition: 'color 0.3s ease',
        }}>
          {label}
        </span>
      );
    })}
  </div>
</div>

{/* General error */}
{errors.general && (
  <div style={{
    padding: '10px 14px',
    borderRadius: '8px',
    background: 'rgba(127,29,29,0.25)',
    border: '1px solid rgba(220,38,38,0.35)',
    marginBottom: '16px',
    display: 'flex',
    gap: '8px',
    alignItems: 'flex-start',
  }}>
    <svg width="14" height="14" style={{ color: '#fca5a5', flexShrink: 0, marginTop: '1px' }}
      fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
        d="M12 8v4m0 4h.01M21 12a9 9 0 11-18 0 9 9 0 0118 0z" />
    </svg>
    <p style={{ fontSize: '13px', color: '#fca5a5', lineHeight: 1.5, margin: 0 }}>
      {errors.general}
    </p>
  </div>
)}

{/* Form */}
<form onSubmit={handleSubmit} noValidate>

  {/* STEP 1 — Account Info */}
  {currentStep === 1 && (
    <div style={{ display: 'flex', flexDirection: 'column', gap: '16px' }}>

      <div>
        <label style={labelStyle}>Full Name</label>
        <input
          type="text"
          name="fullName"
          autoComplete="name"
          value={formData.fullName}
          onChange={handleChange}
          placeholder="Jane Doe"
          style={inputStyle('fullName')}
          onFocus={function (e) {
            if (!errors.fullName) e.target.style.borderColor = '#404040';
          }}
          onBlur={function (e) {
            if (!errors.fullName) e.target.style.borderColor = 'rgba(255,255,255,0.08)';
          }}
        />
        {errors.fullName && (
          <p style={errorStyle}>
            <svg width="12" height="12" fill="none" stroke="currentColor" viewBox="0 0 24 24"
              style={{ flexShrink: 0, marginTop: '1px' }}>
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
            </svg>
            {errors.fullName}
          </p>
        )}
      </div>

      <div>
        <label style={labelStyle}>Email Address</label>
        <input
          type="email"
          name="email"
          autoComplete="email"
          value={formData.email}
          onChange={handleChange}
          placeholder="you@example.com"
          style={inputStyle('email')}
```

```
        onFocus={function (e) {
          if (!errors.email) e.target.style.borderColor = '#404040';
        }}
        onBlur={function (e) {
          if (!errors.email) e.target.style.borderColor = 'rgba(255,255,255,0.08)';
        }}
      />
      {errors.email && (
        <p style={errorStyle}>
          <svg width="12" height="12" fill="none" stroke="currentColor" viewBox="0 0 24 24"
            style={{ flexShrink: 0, marginTop: '1px' }}>
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
          {errors.email}
        </p>
      )}
    </div>

  </div>
)}

{/* STEP 2 — Password */}
{currentStep === 2 && (
  <div style={{ display: 'flex', flexDirection: 'column', gap: '16px' }}>

    <div>
      <label style={labelStyle}>Password</label>
      <input
        type="password"
        name="password"
        autoComplete="new-password"
        value={formData.password}
        onChange={handleChange}
        placeholder="Minimum 8 characters"
        style={inputStyle('password')}
        onFocus={function (e) {
          if (!errors.password) e.target.style.borderColor = '#404040';
        }}
        onBlur={function (e) {
          if (!errors.password) e.target.style.borderColor = 'rgba(255,255,255,0.08)';
        }}
      />
      {errors.password && (
        <p style={errorStyle}>
          <svg width="12" height="12" fill="none" stroke="currentColor" viewBox="0 0 24 24"
            style={{ flexShrink: 0, marginTop: '1px' }}>
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
          {errors.password}
        </p>
      )}

      {/* Strength bar */}
      {formData.password.length > 0 && (
        <div style={{ marginTop: '8px' }}>
          <div style={{
            display: 'flex',
            justifyContent: 'space-between',
            alignItems: 'center',
            marginBottom: '5px',
          }}>
            <span style={{ fontSize: '11px', color: '#525252' }}>Password strength</span>
            <span style={{ fontSize: '11px', fontWeight: 600, color: strength.color }}>
              {strength.label}
            </span>
          </div>
          <div style={{
            width: '100%', height: '4px',
            background: '#1f1f1f', borderRadius: '2px', overflow: 'hidden',
          }}>
            <div style={{
              height: '100%',
              width: strength.width,
              background: strength.color,
              borderRadius: '2px',
              transition: 'width 0.4s ease, background 0.4s ease',
            }} />
          </div>
        </div>
      )}
    </div>

    <div>
      <label style={labelStyle}>Confirm Password</label>
      <input
        type="password"
        name="confirmPassword"
        autoComplete="new-password"
        value={formData.confirmPassword}
        onChange={handleChange}
        placeholder="Repeat your password"
        style={inputStyle('confirmPassword')}
        onFocus={function (e) {
          if (!errors.confirmPassword) e.target.style.borderColor = '#404040';
        }}
        onBlur={function (e) {
          if (!errors.confirmPassword) e.target.style.borderColor = 'rgba(255,255,255,0.08)';
        }}
      />
      {errors.confirmPassword && (
        <p style={errorStyle}>
          <svg width="12" height="12" fill="none" stroke="currentColor" viewBox="0 0 24 24"
            style={{ flexShrink: 0, marginTop: '1px' }}>
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12 12" />
          </svg>
```

```
          {errors.confirmPassword}
        </p>
      )}

      {formData.confirmPassword.length > 0 && !errors.confirmPassword && (
        <p style={{
          fontSize: '12px', color: '#86efac',
          marginTop: '5px', display: 'flex', alignItems: 'center', gap: '4px',
        }}>
          <svg width="12" height="12" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M5 13l4 4L19 7" />
          </svg>
          Passwords match
        </p>
      )}
    </div>

    {/* Password tips */}
    <div style={{
      padding: '12px 14px',
      borderRadius: '8px',
      background: 'rgba(255,255,255,0.03)',
      border: '1px solid #222222',
    }}>
      <p style={{ fontSize: '11px', color: '#525252', marginBottom: '6px', fontWeight: 600 }}>
        Tips for a strong password:
      </p>
      {[
        'Use 12 or more characters',
        'Mix uppercase and lowercase letters',
        'Include numbers and symbols',
      ].map(function (tip, i) {
        return (
          <p key={i} style={{
            fontSize: '11px', color: '#404040', lineHeight: 1.5,
            display: 'flex', alignItems: 'center', gap: '5px',
          }}>
            <span style={{ color: '#333333' }}>•</span> {tip}
          </p>
        );
      })}
    </div>
  </div>
)}

{/* STEP 3 — Confirm */}
{currentStep === 3 && (
  <div style={{ display: 'flex', flexDirection: 'column', gap: '16px' }}>

    {/* Summary */}
    <div style={{
      padding: '16px',
      borderRadius: '10px',
      background: 'rgba(255,255,255,0.03)',
      border: '1px solid #222222',
    }}>
      <p style={{
        fontSize: '11px', fontWeight: 600, color: '#525252',
        textTransform: 'uppercase', letterSpacing: '0.06em', marginBottom: '10px',
      }}>
        Account summary
      </p>
      {[
        { label: 'Name', value: formData.fullName },
        { label: 'Email', value: formData.email },
      ].map(function (item, i) {
        return (
          <div key={i} style={{
            display: 'flex',
            alignItems: 'flex-start',
            gap: '10px',
            paddingBottom: i < 1 ? '8px' : '0',
            marginBottom: i < 1 ? '8px' : '0',
            borderBottom: i < 1 ? '1px solid #1f1f1f' : 'none',
          }}>
            <span style={{ fontSize: '12px', color: '#404040', width: '40px', flexShrink: 0 }}>
              {item.label}
            </span>
            <span style={{ fontSize: '12px', color: '#a3a3a3', wordBreak: 'break-all' }}>
              {item.value}
            </span>
          </div>
        );
      })}
    </div>

    {/* Info cards */}
    <div style={{ display: 'flex', flexDirection: 'column', gap: '8px' }}>
      {[
        {
          icon: (
            <svg width="14" height="14" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
                d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0 01-8.618 3.04A12.02 12.02 0 003 9c0 5.591 3.824 10.29 9 11.622 5
            </svg>
          ),
          iconColor: '#86efac',
          iconBg: 'rgba(34,197,94,0.1)',
          title: 'Stored locally',
          desc: 'Your data is saved only in this browser.',
        },
        {
          icon: (
            <svg width="14" height="14" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
```

```
                d="M12 15v2m-6 4h12a2 2 0 002-2v-6a2 2 0 00-2-2H6a2 2 0 00-2 2v6a2 2 0 002 2zm10-10V7a4 4 0 00-8 0v4h8z" />
            </svg>
          ),
          iconColor: '#93c5fd',
          iconBg: 'rgba(59,130,246,0.1)',
          title: 'No data sent',
          desc: 'Nothing is transmitted to any server.',
        },
      ].map(function (item, i) {
        return (
          <div key={i} style={{
            display: 'flex',
            alignItems: 'flex-start',
            gap: '12px',
            padding: '12px 14px',
            borderRadius: '8px',
            background: 'rgba(255,255,255,0.02)',
            border: '1px solid #1f1f1f',
          }}>
            <div style={{
              width: '28px',
              height: '28px',
              borderRadius: '7px',
              background: item.iconBg,
              display: 'flex',
              alignItems: 'center',
              justifyContent: 'center',
              color: item.iconColor,
              flexShrink: 0,
            }}>
              {item.icon}
            </div>
            <div>
              <p style={{ fontSize: '13px', fontWeight: 500, color: '#d4d4d4', marginBottom: '2px' }}>
                {item.title}
              </p>
              <p style={{ fontSize: '12px', color: '#525252', lineHeight: 1.4 }}>
                {item.desc}
              </p>
            </div>
          </div>
        );
      })}
    </div>

    {/* Terms */}
    <div>
      <label style={{ display: 'flex', alignItems: 'flex-start', gap: '10px', cursor: 'pointer' }}>
        <div
          onClick={function () {
            setFormData(function (p) {
              return Object.assign({}, p, { agreeToTerms: !p.agreeToTerms });
            });
            setErrors(function (p) { return Object.assign({}, p, { agreeToTerms: '' }); });
          }}
          style={{
            width: '16px',
            height: '16px',
            borderRadius: '4px',
            flexShrink: 0,
            marginTop: '1px',
            background: formData.agreeToTerms ? 'rgba(34,197,94,0.15)' : 'rgba(255,255,255,0.04)',
            border: '1px solid ' + (formData.agreeToTerms
              ? 'rgba(34,197,94,0.45)'
              : errors.agreeToTerms
                ? 'rgba(239,68,68,0.5)'
                : 'rgba(255,255,255,0.1)'),
            display: 'flex',
            alignItems: 'center',
            justifyContent: 'center',
            cursor: 'pointer',
            transition: 'all 0.2s ease',
          }}
        >
          {formData.agreeToTerms && (
            <svg width="10" height="10" fill="none" stroke="#86efac" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 4L19 7" />
            </svg>
          )}
        </div>
        <span style={{ fontSize: '13px', color: '#737373', lineHeight: 1.55, userSelect: 'none' }}>
          I agree to the{' '}
          <a href="#" style={{ color: '#a3a3a3', textDecoration: 'underline', textUnderlineOffset: '2px' }}>
            Terms of Service
          </a>{' '}
          and{' '}
          <a href="#" style={{ color: '#a3a3a3', textDecoration: 'underline', textUnderlineOffset: '2px' }}>
            Privacy Policy
          </a>
        </span>
      </label>
      {errors.agreeToTerms && (
        <p style={Object.assign({}, errorStyle, { marginTop: '6px', marginLeft: '26px' })}>
          {errors.agreeToTerms}
        </p>
      )}
    </div>
  </div>
)}

{/* Navigation buttons */}
<div style={{ display: 'flex', gap: '10px', marginTop: '24px' }}>

  {currentStep > 1 && (
    <button
```

```
    type="button"
    onClick={handleBack}
    style={{
      flex: 1,
      padding: '12px',
      borderRadius: '10px',
      fontSize: '14px',
      fontWeight: 500,
      background: 'rgba(255,255,255,0.04)',
      border: '1px solid rgba(255,255,255,0.08)',
      color: '#a3a3a3',
      cursor: 'pointer',
      transition: 'all 0.2s ease',
      fontFamily: 'inherit',
    }}
    onMouseEnter={function (e) {
      e.currentTarget.style.background = 'rgba(255,255,255,0.07)';
      e.currentTarget.style.borderColor = 'rgba(255,255,255,0.14)';
    }}
    onMouseLeave={function (e) {
      e.currentTarget.style.background = 'rgba(255,255,255,0.04)';
      e.currentTarget.style.borderColor = 'rgba(255,255,255,0.08)';
    }}
  >
    ← Back
  </button>
)}

{currentStep < totalSteps ? (
  <button
    type="button"
    onClick={handleNext}
    style={{
      flex: 1,
      padding: '12px',
      borderRadius: '10px',
      fontSize: '14px',
      fontWeight: 600,
      background: '#222222',
      border: '1px solid #333333',
      color: '#e5e5e5',
      cursor: 'pointer',
      transition: 'all 0.2s ease',
      fontFamily: 'inherit',
    }}
    onMouseEnter={function (e) {
      e.currentTarget.style.background = '#2a2a2a';
      e.currentTarget.style.borderColor = '#404040';
      e.currentTarget.style.boxShadow = '0 0 20px rgba(212,212,212,0.06)';
    }}
    onMouseLeave={function (e) {
      e.currentTarget.style.background = '#222222';
      e.currentTarget.style.borderColor = '#333333';
      e.currentTarget.style.boxShadow = 'none';
    }}
  >
    Continue →
  </button>
) : (
  <button
    type="submit"
    disabled={loading}
    style={{
      flex: 1,
      padding: '12px',
      borderRadius: '10px',
      fontSize: '14px',
      fontWeight: 600,
      background: loading ? '#1a1a1a' : '#222222',
      border: '1px solid ' + (loading ? '#2a2a2a' : '#333333'),
      color: loading ? '#525252' : '#e5e5e5',
      cursor: loading ? 'not-allowed' : 'pointer',
      opacity: loading ? 0.7 : 1,
      transition: 'all 0.2s ease',
      fontFamily: 'inherit',
      display: 'flex',
      alignItems: 'center',
      justifyContent: 'center',
      gap: '8px',
    }}
    onMouseEnter={function (e) {
      if (!loading) {
        e.currentTarget.style.background = '#2a2a2a';
        e.currentTarget.style.borderColor = '#404040';
        e.currentTarget.style.boxShadow = '0 0 20px rgba(212,212,212,0.06)';
      }
    }}
    onMouseLeave={function (e) {
      e.currentTarget.style.background = loading ? '#1a1a1a' : '#222222';
      e.currentTarget.style.borderColor = loading ? '#2a2a2a' : '#333333';
      e.currentTarget.style.boxShadow = 'none';
    }}
  >
    {loading ? (
      <>
        <div style={{
          width: '15px',
          height: '15px',
          borderRadius: '50%',
          border: '2px solid #333333',
          borderTopColor: '#a3a3a3',
          animation: 'spin 1s linear infinite',
        }} />
        Creating account…
      </>
```

```
                ) : 'Create Account'}
              </button>
            )}
          </div>
        </form>

        {/* Sign in link */}
        <div style={{ marginTop: '24px', textAlign: 'center' }}>
          <p style={{ fontSize: '13px', color: '#525252' }}>
            Already have an account?{' '}
            <Link
              to="/login"
              style={{ color: '#a3a3a3', textDecoration: 'none', fontWeight: 600 }}
              onMouseEnter={function (e) { e.currentTarget.style.color = '#e5e5e5'; }}
              onMouseLeave={function (e) { e.currentTarget.style.color = '#a3a3a3'; }}
            >
              Sign in →
            </Link>
          </p>
        </div>

        {/* Footer note */}
        <div style={{
          display: 'flex',
          alignItems: 'center',
          justifyContent: 'center',
          gap: '5px',
          marginTop: '20px',
        }}>
          <svg width="11" height="11" fill="none" stroke="#86efac" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
              d="M9 12l2 2 4-4m5.618-4.016A11.955 11.955 0 0112 2.944a11.955 11.955 0 01-8.618 3.04A12.02 12.02 0 003 9c0 5.591 3.824 10.29 9 11.622 5.176-1.332 9
          </svg>
          <span style={{ fontSize: '11px', color: '#404040' }}>
            Data stored locally · No server required
          </span>
        </div>
      </div>
    </div>
  );
};

export default Signup;
```

src\services\authService.js

```
// src/services/authService.js
// Frontend-only auth — no backend, no axios, pure localStorage.

var STORAGE_KEYS = {
    users: 'optha_users',    // { [email]: fullUserObject }
    session: 'optha_session',  // currently logged-in user (public fields)
    remember: 'optha_remember_me',
    email: 'optha_remembered_email',
};

/* ═══════════════════════════════════════════════
   Internal DB helpers
═══════════════════════════════════════════════ */
var _getUsers = function () {
    try {
        var raw = localStorage.getItem(STORAGE_KEYS.users);
        return raw ? JSON.parse(raw) : {};
    } catch (_) { return {}; }
};

var _saveUsers = function (users) {
    localStorage.setItem(STORAGE_KEYS.users, JSON.stringify(users));
};

/* Strip password before exposing to UI */
var _toPublic = function (u) {
    return {
        id: u.id || '',
        email: u.email || '',
        name: u.name || '',
        phone: u.phone || '',
        provider: u.provider || 'email',
        picture: u.picture || null,
        bloodGroup: u.bloodGroup || '',
        age: u.age || '',
        occupation: u.occupation || '',
        location: u.location || null,
        profileComplete: u.profileComplete || false,
    };
};

var _makeResponse = function (user) {
    return {
        access_token: 'local-token',
        refresh_token: 'local-refresh',
        token_type: 'bearer',
        user: _toPublic(user),
    };
};

/* ═══════════════════════════════════════════════
   tokenStore  (keeps AuthContext happy)
═══════════════════════════════════════════════ */
export var tokenStore = {
    getAccess: function () {
        return localStorage.getItem(STORAGE_KEYS.session) ? 'local-token' : null;
    },
    getRefresh: function () { return null; },

    getUser: function () {
```

```
        try {
            var raw = localStorage.getItem(STORAGE_KEYS.session);
            return raw ? JSON.parse(raw) : null;
        } catch (_) { return null; }
    },

    setTokens: function (access, refresh, user, remember) {
        localStorage.setItem(STORAGE_KEYS.session, JSON.stringify(user));
        if (remember) {
            localStorage.setItem(STORAGE_KEYS.remember, '1');
            localStorage.setItem(STORAGE_KEYS.email, user.email || '');
        } else {
            localStorage.removeItem(STORAGE_KEYS.remember);
        }
    },

    clear: function () {
        localStorage.removeItem(STORAGE_KEYS.session);
        localStorage.removeItem(STORAGE_KEYS.remember);
    },

    getRememberedEmail: function () {
        return localStorage.getItem(STORAGE_KEYS.email) || '';
    },
    isRemembered: function () {
        return localStorage.getItem(STORAGE_KEYS.remember) === '1';
    },
};

/* ═══════════════════════════════════════════
   parseError
═══════════════════════════════════════════ */
export var parseError = function (err) {
    if (err && err.message) return err.message;
    return 'An unexpected error occurred.';
};

/* ═══════════════════════════════════════════
   authService
═══════════════════════════════════════════ */
export var authService = {

    /* ══ REGISTER ══ */
    register: async function (email, password, name) {
        var cleanEmail = (email || '').toLowerCase().trim();
        var cleanName = (name || '').trim();
        var cleanPass = (password || '');

        if (!cleanEmail) {
            throw Object.assign(new Error('Email is required.'), { response: { status: 400 } });
        }
        if (!cleanName) {
            throw Object.assign(new Error('Full name is required.'), { response: { status: 400 } });
        }
        if (cleanPass.length < 8) {
            throw Object.assign(
                new Error('Password must be at least 8 characters.'),
                { response: { status: 400 } }
            );
        }

        var users = _getUsers();

        if (users[cleanEmail]) {
            throw Object.assign(
                new Error('An account with this email already exists. Please sign in.'),
                { response: { status: 409 } }
            );
        }

        var newUser = {
            id: 'usr_' + Date.now(),
            email: cleanEmail,
            name: cleanName,          // ← exactly what the user typed
            phone: '',
            password: cleanPass,          // plain-text for demo
            provider: 'email',
            picture: null,
            bloodGroup: '',
            age: '',
            occupation: '',
            location: null,
            profileComplete: false,
            createdAt: new Date().toISOString(),
        };

        users[cleanEmail] = newUser;
        _saveUsers(users);

        return _makeResponse(newUser);
    },

    /* ══ LOGIN ══ */
    login: async function (email, password, rememberMe) {
        var cleanEmail = (email || '').toLowerCase().trim();
        var users = _getUsers();
        var user = users[cleanEmail];

        if (!user) {
            throw Object.assign(
                new Error('No account found with this email. Please sign up first.'),
                { response: { status: 404 } }
            );
        }

        if (user.provider && user.provider !== 'email') {
```

```
        throw Object.assign(
            new Error('This account uses ' + user.provider + ' sign-in. Please use that method.'),
            { response: { status: 400 } }
        );
    }

    if (user.password !== password) {
        throw Object.assign(
            new Error('Incorrect password. Please try again.'),
            { response: { status: 401 } }
        );
    }

    return _makeResponse(user);
},

/* ■■ GET ME (restore session) ■■ */
getMe: async function () {
    var session = tokenStore.getUser();
    if (!session || !session.email) {
        throw Object.assign(new Error('Not authenticated'), { response: { status: 401 } });
    }
    // Always re-read from users DB so name is never stale
    var users = _getUsers();
    var user = users[session.email];
    if (!user) {
        throw Object.assign(new Error('User not found'), { response: { status: 401 } });
    }
    return _toPublic(user);
},

/* ■■ OAUTH (not implemented in demo) ■■ */
oauthLogin: async function (email, name, picture, provider, sub) {
    var cleanEmail = (email || '').toLowerCase().trim();
    var users = _getUsers();

    if (!users[cleanEmail]) {
        users[cleanEmail] = {
            id: 'usr_' + Date.now(),
            email: cleanEmail,
            name: (name || '').trim(),
            phone: '',
            picture: picture || null,
            provider: provider || 'google',
            sub: sub || '',
            profileComplete: false,
            createdAt: new Date().toISOString(),
        };
    } else {
        if (picture) users[cleanEmail].picture = picture;
        if (name) users[cleanEmail].name = (name).trim();
    }

    _saveUsers(users);
    return _makeResponse(users[cleanEmail]);
},

/* ■■ UPDATE PROFILE ■■ */
updateProfile: async function (profileData) {
    var session = tokenStore.getUser();
    if (!session || !session.email) {
        throw Object.assign(new Error('Not authenticated'), { response: { status: 401 } });
    }

    var users = _getUsers();
    var user = users[session.email];
    if (!user) {
        throw Object.assign(new Error('User not found'), { response: { status: 401 } });
    }

    // Merge only provided fields
    if (profileData.name != null) user.name = (profileData.name || '').trim();
    if (profileData.phone != null) user.phone = profileData.phone;
    if (profileData.age != null) user.age = profileData.age;
    if (profileData.dateOfBirth != null) user.dateOfBirth = profileData.dateOfBirth;
    if (profileData.bloodGroup != null) user.bloodGroup = profileData.bloodGroup;
    if (profileData.occupation != null) user.occupation = profileData.occupation;
    if (profileData.city || profileData.country) {
        user.location = {
            city: profileData.city || '',
            state: profileData.state || '',
            country: profileData.country || '',
        };
    }
    user.profileComplete = true;

    users[session.email] = user;
    _saveUsers(users);

    // Update session cache with fresh public data
    var publicUser = _toPublic(user);
    localStorage.setItem(STORAGE_KEYS.session, JSON.stringify(publicUser));

    return _makeResponse(user);
},

/* ■■ LOGOUT ■■ */
logout: async function () {
    tokenStore.clear();
},

/* ■■ REFRESH (no-op for local auth) ■■ */
refreshToken: async function () {
    var session = tokenStore.getUser();
    if (!session) throw new Error('No session');
```

```
        return _makeResponse(session);
    },
};

export default authService;
```

src\styles\globals.css

```
/* ■■ Theme Variables ■■ */
:root {
  --accent: #a3a3a3;
  --accent-bg: rgba(163, 163, 163, 0.08);
  --accent-border: #525252;
  --border: #262626;
  --border-hover: #404040;
  --text-h: #e5e5e5;
  --text-muted: #737373;
  --text-subtle: #525252;
  --social-bg: #1a1a1a;
  --shadow: 0 4px 24px rgba(0, 0, 0, 0.4);
  --bg-primary: #0a0a0a;
  --bg-secondary: #111111;
  --bg-card: #171717;
  --bg-hover: #1c1c1c;
  --radius: 12px;
  --radius-sm: 8px;
  --radius-lg: 16px;
  --transition: 0.3s ease;

  /* Risk Colors */
  --risk-high-bg: rgba(127, 29, 29, 0.2);
  --risk-high-border: rgba(153, 27, 27, 0.4);
  --risk-high-text: #fca5a5;
  --risk-moderate-bg: rgba(120, 53, 15, 0.2);
  --risk-moderate-border: rgba(146, 64, 14, 0.4);
  --risk-moderate-text: #fcd34d;
  --risk-low-bg: rgba(20, 83, 45, 0.2);
  --risk-low-border: rgba(22, 101, 52, 0.4);
  --risk-low-text: #86efac;

  font-family: 'Inter', system-ui, -apple-system, BlinkMacSystemFont, sans-serif;
  line-height: 1.5;
  font-weight: 400;
  color-scheme: dark;
}

/* Light Theme */
[data-theme="light"] {
  --accent: #404040;
  --accent-bg: rgba(64, 64, 64, 0.08);
  --accent-border: #a3a3a3;
  --border: #e5e5e5;
  --border-hover: #d4d4d4;
  --text-h: #111111;
  --text-muted: #525252;
  --text-subtle: #737373;
  --social-bg: #f5f5f5;
  --shadow: 0 4px 24px rgba(0, 0, 0, 0.1);
  --bg-primary: #ffffff;
  --bg-secondary: #fafafa;
  --bg-card: #f5f5f5;
  --bg-hover: #efefef;
  color-scheme: light;
}

html { scroll-behavior: smooth; }

body {
  margin: 0;
  padding: 0;
  background-color: var(--bg-primary);
  color: var(--text-h);
  overflow-x: hidden;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  transition: background-color var(--transition), color var(--transition);
}

/* ■■ Scrollbar ■■ */
::-webkit-scrollbar { width: 5px; }
::-webkit-scrollbar-track { background: var(--bg-secondary); }
::-webkit-scrollbar-thumb { background: var(--border-hover); border-radius: 3px; }
::-webkit-scrollbar-thumb:hover { background: var(--accent); }

/* ■■ Reusable Button ■■ */
.btn {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  padding: 8px 16px;
  border-radius: var(--radius-sm);
  font-size: 14px;
  font-weight: 500;
  border: 1px solid var(--border);
  background: var(--accent-bg);
  color: var(--accent);
  cursor: pointer;
  transition: border-color var(--transition), box-shadow var(--transition), background var(--transition);
  text-decoration: none;
}
.btn:hover {
  border-color: var(--accent-border);
  box-shadow: var(--shadow);
  background: var(--bg-hover);
}
.btn:focus-visible {
```

```
  outline: 2px solid var(--accent);
  outline-offset: 2px;
}
.btn-primary {
  background: var(--accent-bg);
  border-color: var(--accent-border);
  color: var(--text-h);
}
.btn-danger {
  background: var(--risk-high-bg);
  border-color: var(--risk-high-border);
  color: var(--risk-high-text);
}

/* ■■ Cards ■■ */
.card {
  background: var(--bg-card);
  border: 1px solid var(--border);
  border-radius: var(--radius);
  transition: border-color var(--transition);
}
.card:hover { border-color: var(--border-hover); }

/* ■■ Form Inputs ■■ */
.input {
  width: 100%;
  padding: 10px 14px;
  background: var(--bg-secondary);
  border: 1px solid var(--border);
  border-radius: var(--radius-sm);
  color: var(--text-h);
  font-size: 14px;
  transition: border-color var(--transition);
  outline: none;
}
.input:focus { border-color: var(--accent-border); }
.input::placeholder { color: var(--text-subtle); }

/* ■■ Animations ■■ */
@keyframes slideUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}
@keyframes fadeIn {
  from { opacity: 0; }
  to { opacity: 1; }
}
@keyframes float1 {
  0%, 100% { transform: translate(0, 0) scale(1); }
  25% { transform: translate(30px, -40px) scale(1.05); }
  50% { transform: translate(-20px, -70px) scale(0.95); }
  75% { transform: translate(40px, -30px) scale(1.02); }
}
@keyframes float2 {
  0%, 100% { transform: translate(0, 0) scale(1); }
  33% { transform: translate(-40px, -50px) scale(1.08); }
  66% { transform: translate(30px, -80px) scale(0.92); }
}
@keyframes float3 {
  0%, 100% { transform: translate(0, 0); }
  20% { transform: translate(50px, -20px); }
  40% { transform: translate(-30px, -60px); }
  60% { transform: translate(20px, -90px); }
  80% { transform: translate(-40px, -40px); }
}
@keyframes driftUp {
  0% { transform: translateY(100vh) scale(0); opacity: 0; }
  10% { opacity: 1; }
  90% { opacity: 1; }
  100% { transform: translateY(-100px) scale(1); opacity: 0; }
}
@keyframes pulse-glow {
  0%, 100% { opacity: 0.4; transform: scale(1); }
  50% { opacity: 0.8; transform: scale(1.12); }
}
@keyframes spin {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}
@keyframes slide-in-right {
  from { opacity: 0; transform: translateX(20px); }
  to { opacity: 1; transform: translateX(0); }
}
@keyframes float-slow {
  0%, 100% { transform: translateY(0px) rotate(0deg); }
  50% { transform: translateY(-15px) rotate(3deg); }
}
@keyframes float-particle {
  0%, 100% { transform: translateY(0px); opacity: 0; }
  50% { transform: translateY(-30px); opacity: 1; }
}

.animate-float-slow { animation: float-slow 6s ease-in-out infinite; }
.animate-float-particle { animation: float-particle 4s ease-in-out infinite; }
.animate-slide-in { animation: slide-in-right 0.3s ease-out; }
.animate-spin { animation: spin 1s linear infinite; }
```