Amazon USA Sales Analysis SQL Problems

- 1. Basic Select: Retrieve the names of all products in the products table.
- 2. Simple Join: Write a query to find the full name of customers (first_name + last_name) and the names of the products they ordered. Use a JOIN between customers, orders, and order_items.
- 3. Conditional Select: List all products with a price greater than 100. Display the product name and price.
- 4. Inner Join: List all orders along with customer names and product names. Use INNER JOIN between orders, customers, and order_items.
- 5. Left Join: Retrieve all customers and their corresponding orders. Include customers who haven't placed any orders.
- 6. Right Join: Retrieve all orders and their corresponding customers. Include orders without customer information.
- 7. Join with Filtering: List all products sold by sellers originating from 'USA.' Include product names and seller names.
- 8. Multi-table Join: Write a query to find the total amount paid for each order. Include the orders, order_items, and payments tables.
- 9. Join with Subquery: List the customers who have ordered products in the 'electronics' category. Use a subquery to find the category ID.
- 10. Cross Join: Write a guery to list all combinations of category and sellers.
- 11. Count Function: Count the total number of unique customers in the customers table.
- 12. Sum and Group By: Find the total revenue generated by each seller. Display the seller name and total revenue.
- 13. Average Function: Calculate the average price of products in the products table.

- 14. Group By with Having: List all sellers who have sold more than 500 products. Display seller names and total products sold.
- 15. Group By Multiple Columns: Find the total revenue generated by each seller for each category. Display seller names, category names, and total revenue.
- 16. Count and Distinct: Find the total number of distinct products sold in each category.
- 17. Join with Aggregation: Write a query to find the total number of orders and the total revenue generated for each customer.
- 18. Aggregate Functions and CASE: Find the number of orders for each order status ('Inprogress,' 'Delivered,' etc.). Use CASE to categorize the statuses.
- 19. Nested Aggregation: Find the category with the highest total revenue.
- 20. Conditional Aggregation: Count the number of successful and failed payments for each customer.
- 21. Simple Subquery: Find the product with the highest price. Use a subquery to get the maximum price.
- 22. Correlated Subquery: Find all products whose price is above the average price in their category.
- 23. Subquery in WHERE Clause: Retrieve the names of customers who have ordered at least one product in the 'Pet Supplies' category.
- 24. Subquery in SELECT Clause: For each product, display its name and the total number of times it has been ordered.
- 25. Subquery with EXISTS: List all customers who have made at least one order.
- 26. IN Clause with Subquery: Find the names of sellers who have sold 'Apple' products.
- 27. NOT IN Clause: List all customers who have not placed any orders.
- 28. Subquery with JOIN: Find the names of products that are out of stock. Use a subquery to get product IDs with stock = 0 in the inventory table.

- 29. Subquery with HAVING: Retrieve sellers who have an average selling price of their products greater than 300.
- 30. Multi-level Subqueries: Find the product that has generated the highest revenue. Use nested subqueries to calculate revenue.
- 31. RANK() Function: For each category, rank the products based on their total sales amount.
- 32. DENSE_RANK() Function: List the top 5 customers based on the total amount spent. Use DENSE_RANK().
- 33. ROW_NUMBER() Function: Assign a row number to each product in the products table, ordered by price descending.
- 34. NTILE() Function: Divide all customers into 4 quartiles based on the total amount they have spent.
- 35. OVER Clause: For each order, calculate the running total of sales for the corresponding customer.
- 36. PARTITION BY Clause: Find the total revenue generated by each seller in each year.
- 37. LEAD() Function: For each product, find the next higher-priced product in the same category.
- 38. LAG() Function: For each product, find the previous lower-priced product in the same category.
- 39. Cumulative Sum: Calculate the cumulative sum of sales for each seller.
- 40. Window Function with Aggregation: Find the average order amount for each customer and compare it with their individual orders.
- 41. Date Filtering: List all orders placed in the current month. Include order ID, order date, and customer name.
- 42. Extract and Group By: Find the number of orders placed in each year. Use the EXTRACT() function to group by year.
- 43. DATEDIFF Function: Calculate the average delivery time for all delivered orders.

- 44. DATE_TRUNC Function: Find the total sales amount for each month in the current year.
- 45. Age Function: Find customers who have not placed any orders in the last 6 months.
- 46. Date Conversion: Convert the order_date to a different format (e.g., 'YYYY-MM-DD') and display it with the order ID.
- 47. Date Arithmetic: Calculate the total number of days between the order date and shipping date for each order.
- 48. Current Date Usage: Find all orders that are overdue for payment. Assume payment is due within 30 days of the order date.
- 49. Weekend Orders: Retrieve all orders that were placed on weekends.
- 50. Next Day Delivery: List all orders that were delivered the next day after shipping.