Instructions:

The student must recreate the scenario through Packet tracer software according to the study case denominated Lab-Two.

Study Case: Lab-Two

Create a scenario that contains the following components:

```
One Switch------------> Generic ---> Switch-PT   ---> switch0
Four Pc's ------------> Generic ---> PC-PT  ---> PC11
                                            ---> PC12
                                            ---> PC13
                                            ---> PC14
```

Step#1:
Following the instructions from Lab-one to connect the switch with four PCs. See the Fig N° 1




Fig N° 1

Step#2:

Set up the four's PC with the following IP information.

PC11
IP Address:----> 192.168.1.11
Subnet Mask:---> 255.255.255.0
PC12
IP Address:----> 192.168.1.12
Subnet Mask:---> 255.255.255.0
PC13
IP Address:----> 192.168.1.13
Subnet Mask:---> 255.255.255.0
PC14
IP Address:----> 192.168.1.14
Subnet Mask:---> 255.255.255.0

Step#3:

For every Host-PC, repeat the following procedure below:

- Click on the host-PC11, then click on Config-Tab, select the option Fast Ethernet, and get the MAC Address. See Fig 2
- Complete the list below with the MAC Address

PC11
Mac Address:---->
PC12
Mac Address:---->
PC13
Mac Address:---->
PC14
Mac Address:---->

Example
PC11
Mac Address:---->000C.CF96.7673
PC12
Mac Address:---->00E0.A3CD.A910
PC13
Mac Address:---->0009.7C1A.B187
PC14
Mac Address:---->0060.70BE.B446




Fig N° 2

Step#4:

To begin, the simulation sent a package between the PC12*F* to PC13 and clicked on the Capture/forwards button. See Fig 3




Fig N° 3

Then click on the ARP (protocol), and identify the source and target IP and the source mac. See Fig 4. Then complete the following square below:

Table N° 01: PACKAGE FROM PC12 TO PC13

Name PC	IP Address	MAC Address
PC12	192.168.1.12	00EA.A3CD.A910
PC13	192.168.1.13	




Fig N° 4

Click on the Capture/Forward button 5 times, and click on the second ARP datagram. See Fig 5.




Fig N° 5

Then verify the target MAC. See Fig 6 and Fig 7, and complete the Table N° 01: PACKAGE FROM PC12 TO PC13

Name PC	IP Address	MAC Address
PC12	192.168.1.12	00EA.A3CD.A910
PC13	192.168.1.13	0009.7C1A.B1877




Fig N° 6



RU-CN
Laboratory Nº 002
PC-PT
PC11
PC-PT
PC13
Switch-PT
Switch2
PC-PT
PC12
PC-PT
PC14
Event List
Vis. Time (sec) Last Device At Device Type Info
0.000 -- PC12 ICMP
0.000 -- PC12 ARP
0.001 PC12 Switch2 ARP
0.002 Switch2 PC11 ARP
0.002 Switch2 PC13 ARP
0.003 PC13 Switch2 ARP
0.004 Switch2 PC12 ARP
0.004 -- PC12 ICMP

Fig N° 7

* * *