

Admin Flow 5

Waiter Management:

End points:

{{BaseURL}}/AdminWaiter/waiters?isActive=true&search=string

Response:

```
{
  "summary": {
    "totalWaiters": 2,
    "activeWaiters": 2,
    "inactiveWaiters": 0
  },
  "waiters": [
    {
      "waiterId": 9,
      "name": "STRING",
      "isActive": true,
      "assignedTableCount": 3,
      "assignedTables": [
        "T5",
        "T2",
        "T8"
      ]
    }
  ]
}
```

If error:

```
{
  statuscode:
  message:
}
```

If error display the error message though notification service

To change the status of the waiters

Patch {{BaseURL}}/adminwaiter/waiters/9/status

Body:

```
{
  "isActive": true
}
```

If success——

204 no content

No text or json response

If error:

```
{
  "StatusCode":
  "Message": ""
}
```

Display success notification and error message notification

Delete the waiter:

Delete {{BaseURL}}/adminwaiter/waiters/1

Is success 204 no content

If error:

```
{
  "StatusCode":
  "Message": ""
}
```

Display success notification and error message notification

Add waiter:

{{BaseURL}}/adminwaiter/waiters

Body

```
{
  "username": "string",
  "name": "string",
}
```

```
"mobileNumber": "string"
}
```

Username and name should be less than 15 characters

All fields are required


Use separate modal

Separate service

If error:

```
{
  "StatusCode":
  "Message": ""
}
```

Display success notification and error message notification



Add New Waiter

FULL NAME
e.g. John Doe

USERNAME
e.g. john_d

PHONE NUMBER
e.g. +91 90000 00000

Cancel Create Waiter

Break them in to components

Add waiter modal

Waiter card

Summary card

Code:

```
<!DOCTYPE html>
```

```
<html lang="en"><head>
<meta charset="utf-8"/>
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
<title>CulinaSync Admin - Waiter Management</title>
<!-- Bootstrap 5 CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/
bootstrap.min.css" rel="stylesheet"/>
<!-- Google Fonts -->
<link href="https://fonts.googleapis.com/css2?
family=Manrope:wght@400;700;800&family=Be+Vietnam+Pro:wght@400;
500;700&family=JetBrains+Mono:wght@700;800&display=swap"
rel="stylesheet"/>
<!-- Material Symbols -->
<link href="https://fonts.googleapis.com/css2?
```

```
family=Material+Symbols+Outlined:wght,FILL@100..700,0.1&#amp;#display=swap" rel="stylesheet"/>
<style>
:root {
  --primary: #aa3512;
  --terracotta-rich: #CC4D29;
  --background: #fff8f6;
  --charcoal-deep: #1A1C1E;
  --surface-bright: #fff8f6;
  --on-surface: #251915;
  --secondary: #586062;
  --outline: #8c716a;
  --status-ready: #27AE60;
  --surface-container-lowest: #ffffff;
  --surface-container-low: #fff1ed;
  --surface-container-highest: #f5ddd7;
  --primary-fixed: #ffdbd1;
}

body {
  font-family: 'Be Vietnam Pro', sans-serif;
  background-color: var(--background);
  color: var(--on-surface);
  overflow-x: hidden;
}

h1, h2, h3, h4, .font-headline {
  font-family: 'Manrope', sans-serif;
  font-weight: 800;
}

.label-caps {
  font-family: 'JetBrains Mono', monospace;
  font-size: 12px;
  font-weight: 700;
  text-transform: uppercase;
  letter-spacing: 0.05em;
}

/* Sidebar Styles */
.sidebar {
  width: 260px;
  height: 100vh;
  position: fixed;
  left: 0;
  top: 0;
  background-color: var(--charcoal-deep);

```

```
    color: #ffffff;
    z-index: 1000;
    display: flex;
    flex-direction: column;
    padding: 1.5rem 0;
    border-right: 1px solid rgba(255,255,255,0.1);
}
```

```
.sidebar-brand {
  padding: 0 1.5rem 2rem;
}
```

```
.sidebar-brand h1 {
  font-size: 1.5rem;
  margin-bottom: 0;
  color: #ffffff;
}
```

```
.nav-link {
  display: flex;
  align-items: center;
  gap: 12px;
  padding: 0.75rem 1.5rem;
  color: #b0b0b0;
  text-decoration: none;
  transition: all 0.2s;
  margin: 0.25rem 0.5rem;
  border-radius: 8px;
}
```

```
.nav-link:hover {
  color: #ffffff;
  background-color: rgba(255,255,255,0.05);
}
```

```
.nav-link.active {
  background-color: var(--terracotta-rich);
  color: #ffffff;
}
```

```
.sidebar-profile {
  margin-top: auto;
  padding: 1.5rem;
  border-top: 1px solid rgba(255,255,255,0.1);
  display: flex;
  align-items: center;
```

```
    gap: 12px;
}

/* Main Content */
.main-content {
    margin-left: 260px;
    padding: 2rem;
    min-height: 100vh;
}

.top-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 2rem;
}

/* Cards */
.summary-card {
    background: var(--surface-container-lowest);
    border: 1px solid rgba(140, 113, 106, 0.1);
    border-radius: 16px;
    padding: 1.5rem;
    display: flex;
    align-items: center;
    gap: 1.5rem;
    transition: transform 0.2s, box-shadow 0.2s;
}

.summary-card:hover {
    transform: translateY(-4px);
    box-shadow: 0 10px 20px rgba(0,0,0,0.05);
}

.icon-box {
    width: 64px;
    height: 64px;
    border-radius: 16px;
    display: flex;
    align-items: center;
    justify-content: center;
}

/* Filter Chips */
.filter-chip {
    padding: 8px 20px;
    border-radius: 50px;
```

```

border: none;
background: #dde4e6;
color: var(--secondary);
font-weight: 700;
font-size: 14px;
margin-right: 8px;
transition: all 0.2s;
}

.filter-chip.active {
  background: var(--terracotta-rich);
  color: #ffffff;
  box-shadow: 0 4px 10px rgba(204, 77, 41, 0.3);
}

/* Waiter Cards */
.waiter-card {
  background: var(--surface-container-lowest);
  border: 1px solid rgba(140, 113, 106, 0.1);
  border-radius: 20px;
  overflow: hidden;
  height: 100%;
  display: flex;
  flex-direction: column;
}

.status-badge {
  padding: 4px 12px;
  border-radius: 50px;
  font-size: 10px;
  font-weight: 700;
  display: inline-flex;
  align-items: center;
  gap: 4px;
}

.status-active {
  background: rgba(39, 174, 96, 0.1);
  color: var(--status-ready);
  border: 1px solid rgba(39, 174, 96, 0.2);
}

.status-inactive {
  background: rgba(88, 96, 98, 0.1);
  color: var(--secondary);
  border: 1px solid rgba(88, 96, 98, 0.2);
}

```



```
.table-badge {
  padding: 4px 8px;
  background: var(--surface-container-highest);
  border-radius: 4px;
  font-size: 10px;
  color: var(--on-surface);
  font-family: 'JetBrains Mono', monospace;
}

/* Custom Switch */
.form-check-input:checked {
  background-color: var(--status-ready);
  border-color: var(--status-ready);
}

.btn-terracotta {
  background-color: var(--terracotta-rich);
  color: #ffffff;
  border-radius: 12px;
  padding: 10px 24px;
  font-weight: 700;
  border: none;
  transition: all 0.2s;
}

.btn-terracotta:hover {
  background-color: var(--primary);
  color: #ffffff;
  transform: scale(1.02);
}

/* Modal Customization */
.modal-content {
  border-radius: 24px;
  border: none;
  overflow: hidden;
}

.modal-header {
  background-color: var(--surface-container-low);
  padding: 1.5rem 2rem;
  border-bottom: 1px solid rgba(140, 113, 106, 0.1);
}

.modal-body {
```

```
padding: 2rem;
}

.modal-footer {
  background-color: var(--surface-container-low);
  padding: 1.5rem 2rem;
  border-top: 1px solid rgba(140, 113, 106, 0.1);
}

.form-control {
  border-radius: 12px;
  padding: 12px 16px;
  border: 2px solid rgba(140, 113, 106, 0.1);
  background-color: var(--background);
}

.form-control:focus {
  border-color: var(--terracotta-rich);
  box-shadow: none;
}

.terminal-chip {
  padding: 8px 16px;
  border-radius: 50px;
  border: 2px solid rgba(140, 113, 106, 0.1);
  font-size: 14px;
  cursor: pointer;
  transition: all 0.2s;
  display: inline-block;
  margin-right: 8px;
  margin-bottom: 8px;
}

.terminal-chip.active {
  border-color: var(--terracotta-rich);
  background-color: rgba(204, 77, 41, 0.05);
  color: var(--terracotta-rich);
  font-weight: 700;
}

.search-container {
  background-color: var(--surface-container-low);
  border-radius: 12px;
  border: 1px solid rgba(140, 113, 106, 0.1);
  padding: 0.5rem 1rem;
  display: flex;
```

```

        align-items: center;
    }

    .material-symbols-outlined {
        vertical-align: middle;
    }

    @media (max-width: 991px) {
        .sidebar { transform: translateX(-100%); }
        .main-content { margin-left: 0; }
    }
</style>
</head>
<body>
<!-- Sidebar -->
<aside class="sidebar">
<div class="sidebar-brand">
<h1>CulinaSync</h1>
<div class="label-caps" style="color: #8c8c8c; margin-top: 4px;">Admin
Portal</div>
</div>
<nav class="flex-grow-1">
<a class="nav-link" href="#">
<span class="material-symbols-outlined">table_restaurant</span>
<span class="label-caps">Tables</span>
</a>
<a class="nav-link" href="#">
<span class="material-symbols-outlined">receipt_long</span>
<span class="label-caps">Orders</span>
</a>
<a class="nav-link" href="#">
<span class="material-symbols-outlined">payments</span>
<span class="label-caps">Bills</span>
</a>
<a class="nav-link" href="#">
<span class="material-symbols-outlined">restaurant_menu</span>
<span class="label-caps">Menu</span>
</a>
<a class="nav-link" href="#">
<span class="material-symbols-outlined">inventory_2</span>
<span class="label-caps">Inventory</span>
</a>
<a class="nav-link active" href="#">
<span class="material-symbols-outlined">group</span>
<span class="label-caps">Users</span>
</a>
<a class="nav-link" href="#">

```

```
<span class="material-symbols-outlined">settings_applications</span>
<span class="label-caps">Tax Config</span>
</a>
</nav>
<div class="sidebar-profile">
<div style="background: rgba(204, 77, 41, 0.2); width: 40px; height: 40px;
border-radius: 50%; display: flex; align-items: center; justify-content: center;">
<span class="material-symbols-outlined" style="color: var(--terracotta-rich);">admin_panel_settings</span>
</div>
<div>
<div class="label-caps" style="color: #ffffff; font-size: 10px;">CulinaSync
Admin</div>
<div style="font-size: 9px; color: #8c8c8c; text-transform:
uppercase;">Terminal #01</div>
</div>
</div>
</aside>
<!-- Main Content -->
<main class="main-content">
<div class="top-header">
<h2 class="text-terracotta-rich mb-0" style="font-size: 24px;">Waiter
Management</h2>
<button class="btn btn-link text-decoration-none fw-bold" style="color: var(--
primary);">Logout</button>
</div>
<!-- Summary Stats -->
<div class="row g-4 mb-5">
<div class="col-md-4">
<div class="summary-card">
<div class="icon-box" style="background-color: var(--primary-fixed); color:
var(--primary);">
<span class="material-symbols-outlined fs-2">badge</span>
</div>
<div>
<div class="label-caps text-secondary">Total Waiters</div>
<h3 class="mb-0 fs-1">12</h3>
</div>
</div>
</div>
<div class="col-md-4">
<div class="summary-card">
<div class="icon-box" style="background-color: rgba(39, 174, 96, 0.15); color:
var(--status-ready);">
<span class="material-symbols-outlined fs-2" style="font-variation-settings:
'FILL' 1;">person_check</span>
</div>
</div>
```

```

<div>
<div class="label-caps text-secondary">Active Waiters</div>
<h3 class="mb-0 fs-1">10</h3>
</div>
</div>
</div>
<div class="col-md-4">
<div class="summary-card">
<div class="icon-box" style="background-color: #dde4e6; color: var(--
secondary);">
<span class="material-symbols-outlined fs-2">person_off</span>
</div>
<div>
<div class="label-caps text-secondary">Inactive Waiters</div>
<h3 class="mb-0 fs-1">02</h3>
</div>
</div>
</div>
</div>
<!-- Filters and Search -->
<div class="d-flex flex-wrap justify-content-between align-items-center mb-4
gap-3">
<div class="d-flex">
<button class="filter-chip active">All Waiters</button>
<button class="filter-chip">Active</button>
<button class="filter-chip">Inactive</button>
</div>
</div>
<div class="row g-3 mb-5">
<div class="col-md-6 col-lg-5">
<div class="search-container">
<span class="material-symbols-outlined text-terracotta-rich me-2">search</
span>
<input class="form-control border-0 bg-transparent p-0" placeholder="Search
Waiter by name or ID..." type="text"/>
</div>
</div>
<div class="col-md-6 col-lg-7 text-md-end">
<button class="btn btn-terracotta d-inline-flex align-items-center gap-2" data-
bs-target="#addWaiterModal" data-bs-toggle="modal">
<span class="material-symbols-outlined">person_add</span>
Add New Waiter
</button>
</div>
</div>
<!-- Waiter Grid -->
<div class="row g-4">

```

```

<!-- Waiter Card 1 -->
<div class="col-12 col-sm-6 col-lg-4 col-xl-3">
<div class="waiter-card">
<div class="p-4 flex-grow-1">
<div class="d-flex justify-content-between align-items-start mb-3">
<h4 class="mb-0 fs-5">Rahul Kumar</h4>
<span class="status-badge status-active">
<span class="material-symbols-outlined fs-6">check_circle</span> Active
    </span>
</div>
<div class="d-flex justify-content-between align-items-center mb-2">
<span class="text-secondary small">Assigned Tables</span>
<span class="fw-bold text-terracotta-rich">02</span>
</div>
<div class="d-flex flex-wrap gap-2">
<span class="table-badge">T-01</span>
<span class="table-badge">T-02</span>
</div>
</div>
<div class="p-3 border-top mt-auto bg-light-subtle d-flex justify-content-between align-items-center">
<div class="d-flex align-items-center gap-3">
<span class="label-caps text-secondary" style="font-size: 10px;">Status</span>
<div class="form-check form-switch m-0 p-0">
<input checked="" class="form-check-input" role="switch" style="margin-left: 0; width: 40px; height: 20px;" type="checkbox"/>
</div>
</div>
<button class="btn btn-link text-danger p-0" title="Remove Waiter">
<span class="material-symbols-outlined">delete</span>
</button>
</div>
</div>
</div>
<!-- Waiter Card 2 -->
<div class="col-12 col-sm-6 col-lg-4 col-xl-3">
<div class="waiter-card">
<div class="p-4 flex-grow-1">
<div class="d-flex justify-content-between align-items-start mb-3">
<h4 class="mb-0 fs-5">Ananya Singh</h4>
<span class="status-badge status-active">
<span class="material-symbols-outlined fs-6">check_circle</span> Active
    </span>
</div>
<div class="d-flex justify-content-between align-items-center mb-2">
<span class="text-secondary small">Assigned Tables</span>

```

```

<span class="fw-bold text-terracotta-rich">03</span>
</div>
<div class="d-flex flex-wrap gap-2">
<span class="table-badge">T-05</span>
<span class="table-badge">T-06</span>
<span class="table-badge">T-10</span>
</div>
</div>
<div class="p-3 border-top mt-auto bg-light-subtle d-flex justify-content-between align-items-center">
<div class="d-flex align-items-center gap-3">
<span class="label-caps text-secondary" style="font-size: 10px;">Status</span>
<div class="form-check form-switch m-0 p-0">
<input checked="" class="form-check-input" role="switch" style="margin-left: 0; width: 40px; height: 20px;" type="checkbox"/>
</div>
</div>
<button class="btn btn-link text-danger p-0" title="Remove Waiter">
<span class="material-symbols-outlined">delete</span>
</button>
</div>
</div>
</div>
<!-- Waiter Card 3 -->
<div class="col-12 col-sm-6 col-lg-4 col-xl-3">
<div class="waiter-card">
<div class="p-4 flex-grow-1 opacity-75">
<div class="d-flex justify-content-between align-items-start mb-3">
<h4 class="mb-0 fs-5">Vikram Das</h4>
<span class="status-badge status-inactive">
<span class="material-symbols-outlined fs-6" style="font-size: 8px;">circle</span> Inactive
</span>
</div>
</div>
<div class="d-flex justify-content-between align-items-center mb-2">
<span class="text-secondary small">Assigned Tables</span>
<span class="fw-bold text-terracotta-rich">00</span>
</div>
<div class="fst-italic text-secondary" style="font-size: 11px;">No tables currently assigned</div>
</div>
<div class="p-3 border-top mt-auto bg-light-subtle d-flex justify-content-between align-items-center">
<div class="d-flex align-items-center gap-3">
<span class="label-caps text-secondary" style="font-size: 10px;">Status</span>

```

```

<div class="form-check form-switch m-0 p-0">
<input class="form-check-input" role="switch" style="margin-left: 0; width:
40px; height: 20px;" type="checkbox"/>
</div>
</div>
<button class="btn btn-link text-danger p-0" title="Remove Waiter">
<span class="material-symbols-outlined">delete</span>
</button>
</div>
</div>
</div>
<!-- Waiter Card 4 -->
<div class="col-12 col-sm-6 col-lg-4 col-xl-3">
<div class="waiter-card">
<div class="p-4 flex-grow-1">
<div class="d-flex justify-content-between align-items-start mb-3">
<h4 class="mb-0 fs-5">Rohan Mehta</h4>
<span class="status-badge status-active">
<span class="material-symbols-outlined fs-6">check_circle</span> Active
</span>
</div>
<div class="d-flex justify-content-between align-items-center mb-2">
<span class="text-secondary small">Assigned Tables</span>
<span class="fw-bold text-terracotta-rich">02</span>
</div>
<div class="d-flex flex-wrap gap-2">
<span class="table-badge">T-11</span>
<span class="table-badge">T-12</span>
</div>
</div>
<div class="p-3 border-top mt-auto bg-light-subtle d-flex justify-content-
between align-items-center">
<div class="d-flex align-items-center gap-3">
<span class="label-caps text-secondary" style="font-size: 10px;">Status</
span>
<div class="form-check form-switch m-0 p-0">
<input checked="" class="form-check-input" role="switch" style="margin-left:
0; width: 40px; height: 20px;" type="checkbox"/>
</div>
</div>
<button class="btn btn-link text-danger p-0" title="Remove Waiter">
<span class="material-symbols-outlined">delete</span>
</button>
</div>
</div>
</div>
</div>
</div>

```



```

</main>
<!-- Add Waiter Modal -->
<div aria-hidden="true" aria-labelledby="addWaiterModalLabel" class="modal
fade" id="addWaiterModal" tabindex="-1">
<div class="modal-dialog modal-dialog-centered">
<div class="modal-content">
<div class="modal-header d-flex flex-column align-items-start">
<div class="d-flex w-100 justify-content-between align-items-center">
<h2 class="modal-title fs-4" id="addWaiterModalLabel">Add New Waiter</h2>
<button aria-label="Close" class="btn-close" data-bs-dismiss="modal"
type="button"></button>
</div>
<p class="text-secondary small mb-0 mt-1">Create credentials for a new
service staff member.</p>
</div>
<div class="modal-body">
<form>
<div class="mb-4">
<label class="label-caps text-secondary mb-2">Full Name</label>
<div class="input-group">
<span class="input-group-text bg-transparent border-end-0 text-
secondary"><span class="material-symbols-outlined">badge</span></span>
<input class="form-control border-start-0" placeholder="e.g. Rahul Verma"
type="text"/>
</div>
</div>
<div class="row mb-4">
<div class="col-md-6">
<label class="label-caps text-secondary mb-2">Username</label>
<div class="input-group">
<span class="input-group-text bg-transparent border-end-0 text-
secondary"><span class="material-symbols-outlined">alternate_email</
span></span>
<input class="form-control border-start-0" placeholder="rahul_v" type="text"/
>
</div>
</div>
<div class="col-md-6 mt-3 mt-md-0">
<label class="label-caps text-secondary mb-2">Password</label>
<div class="input-group">
<span class="input-group-text bg-transparent border-end-0 text-
secondary"><span class="material-symbols-outlined">lock</span></span>
<input class="form-control border-start-0" placeholder="....."
type="password"/>
</div>
</div>
</div>

```

```

<div class="mb-4">
<label class="label-caps text-secondary mb-2">Phone Number</label>
<div class="input-group">
<span class="input-group-text bg-transparent border-end-0 text-
secondary"><span class="material-symbols-outlined">call</span></span>
<input class="form-control border-start-0" placeholder="+91 00000 00000"
type="tel"/>
</div>
</div>
<div>
<label class="label-caps text-secondary mb-2">Assigned Terminal Area</
label>
<div class="d-flex flex-wrap">
<div class="terminal-chip active">Main Dining</div>
<div class="terminal-chip">Outdoor Patio</div>
<div class="terminal-chip">Bar Area</div>
</div>
</div>
</form>
</div>
<div class="modal-footer border-0">
<button class="btn btn-link text-secondary fw-bold text-decoration-none
px-4" data-bs-dismiss="modal" type="button">Cancel</button>
<button class="btn btn-terracotta px-5" type="button">Create Waiter</
button>
</div>
</div>
</div>
</div>
<!-- Bootstrap 5 JS Bundle -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/
bootstrap.bundle.min.js"></script>
<script>
    // Interactive terminal chip selection
    document.querySelectorAll('.terminal-chip').forEach(chip => {
        chip.addEventListener('click', () => {
            chip.parentElement.querySelector('.terminal-
chip.active')?.classList.remove('active');
            chip.classList.add('active');
        });
    });

    // Filter button logic
    document.querySelectorAll('.filter-chip').forEach(btn => {
        btn.addEventListener('click', () => {
            document.querySelector('.filter-
chip.active')?.classList.remove('active');

```

```
        btn.classList.add('active');
    });
});
</script>
</body></html>
```