

Admin UI UX Flow 1.2

Right now we have page

Admin-home


Admin-table

When clicked on the table card inside the admin-table
It navigates to the new page

Only the occupied tables can be clicked and navigated

tableassigned

tableassigned



End points

Get {{BaseURL}}/admin/tables/{tableId}

Response

```
{
  "tableId": 3,
  "tableNumber": "T3",
  "status": "Occupied",
  "assignedWaiterId": 7,
  "assignedWaiterName": "raviteja",
  "sessionStartedAt": "2026-06-26T15:06:42.179997"
}
```

If any error:

```
{
  "StatusCode": ,
  "Message":
}
```

If display error message through notification

To get the order details

Get {{BaseURL}}/admin/tables/{tableId}/orders

```
[
  {
    "orderId": 139,
    "orderNumber": "20260628001",
    "totalAmount": 50.00,
    "placedAt": "2026-06-28T20:25:44.626402",
    "specialInstructions": "",
    "items": [
      {
        "orderItemId": 205,
        "itemName": "Coke",
        "itemPrice": 50.00,
        "quantity": 1,
        "status": 0
      }
    ]
  }
]
```

If any error:

```
{
  "StatusCode": ,
  "Message":
}
```

Bill

{{BaseURL}}/admin/tables/{tableid}/bill

```
{
  "billNumber": "20260626023",
  "foodTotal": 50.00,
  "cgstPercentage": 5.00,
  "cgstAmount": 2.50,
  "sgstPercentage": 2.50,
  "sgstAmount": 1.25,
  "serviceChargePercentage": 10.00,
  "serviceChargeAmount": 5.00,
  "grandTotal": 58.75,
  "paymentStatus": 0,
  "generatedAt": "2026-06-26T15:06:42.203977"
}
```

To on off service charge

{{BaseURL}}/admin/tables/{tableid}/bill/service-charge

Body

```
{
  "includeServiceCharge": true
}
```

If success—

```
{
  "billNumber": "20260626023",
  "foodTotal": 110.00,
  "cgstPercentage": 5.00,
  "cgstAmount": 5.50,
  "sgstPercentage": 2.50,
  "sgstAmount": 2.75,
  "serviceChargePercentage": 10.00,
  "serviceChargeAmount": 11.00,
  "grandTotal": 129.25,
  "paymentStatus": 0,
}
```

```
"generatedAt": "2026-06-26T15:06:42.203977"
}
```

If error:

```
{
  "StatusCode": ,
  "Message":
}
```

Display notification is success or error.message if failed

The whole order can be cancelled if the all order item are in placed status-
(button is missing u add it)

Patch {{BaseURL}}/admin/tables/{tableid}/orders/{ordered}/cancel

If success stays code is 204 no text or json response

If error: will show—

```
{
  "StatusCode": ,
  "Message":
}
```

Display notification is success or error.message if failed

The order item can be cancelled if its in placed status

Patch {{BaseURL}}/admin/tables/{tableid}/orders/{orderid}/items/{ordeitemid}/
cancel

Id success—204 status code no text or json response

If error:

```
{
  "StatusCode": ,
  "Message":
}
```

Display notification is success or error.message if failed

Order item Quantify can be updated if its in placed mode: i.e only can be reduced not increased

{{BaseURL}}/admin/tables/{tableid}/orders/{ordeid}/items/{orderitemid}/quantity

Body

```
{
  "quantity": 1
}
```

If success—204 no text or json repores

If error:

```
{
  "StatusCode": ,
  "Message":
}
```

Display notification is success or error.message if failed

```
<!DOCTYPE html><html lang="en" style=""><head>
```

```
<meta charset="utf-8">
```

```
<meta content="width=device-width, initial-scale=1.0" name="viewport">
```

```
<title>CulinaSync Admin - Table 12 Details</title>
```

```
<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>
```

```
<link href="https://fonts.googleapis.com/css2?
```

```
family=Manrope:wght@400;700;800&family=Be+Vietnam+Pro:wght@400;500;600&family=JetBrains+Mono:wght@700;800&family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap"
```

```
rel="stylesheet">
```

```
<script id="tailwind-config">
```

```
  tailwind.config = {
```

```
    darkMode: "class",
```

```
    theme: {
```

```
      extend: {
```

```
        "colors": {
```

```
          "surface-container": "#ffe9e4",
```

```
          "inverse-primary": "#ffb5a1",
```

```
          "inverse-on-surface": "#ffede8",
```

```
          "tertiary-container": "#007fae",
```

```
          "secondary-fixed-dim": "#c1c8ca",
```

```
          "surface-dim": "#edd5cf",
```

```
          "tertiary": "#00658b",
```

```

    "status-served": "#2980B9",
    "background": "#fff8f6",
    "status-preparing": "#F39C12",
    "status-ready": "#27AE60",
    "surface": "#fff8f6",
    "surface-variant": "#f5ddd7",
    "error": "#ba1a1a",
    "on-error": "#ffffff",
    "on-secondary-container": "#5d6466",
    "on-primary-fixed-variant": "#882000",
    "on-background": "#251915",
    "on-secondary-fixed": "#161d1f",
    "error-container": "#ffdad6",
    "secondary": "#586062",
    "surface-warm": "#FAF9F6",
    "surface-container-lowest": "#ffffff",
    "primary": "#aa3512",
    "terracotta-rich": "#CC4D29",
    "charcoal-deep": "#1A1C1E",
    "accent-gold": "#D4AF37",
    "primary-fixed-dim": "#ffb5a1",
    "surface-container-high": "#fbe3dd",
    "on-primary-container": "#ffffff",
    "surface-tint": "#ab3513",
    "on-tertiary": "#ffffff",
    "primary-container": "#cc4d29",
    "on-primary": "#ffffff",
    "secondary-fixed": "#dde4e6",
    "on-secondary": "#ffffff",
    "on-tertiary-fixed-variant": "#004c6a",
    "surface-container-low": "#fff1ed",
    "on-surface": "#251915",
    "tertiary-fixed-dim": "#7fd0ff",
    "outline-variant": "#e0bfb7"
  },
  "borderRadius": {
    "DEFAULT": "0.25rem",
    "lg": "0.5rem",
    "xl": "0.75rem",
    "full": "9999px"
  },
  "spacing": {
    "touch-target": "3rem",
    "stack-lg": "1.5rem",
    "stack-sm": "0.5rem",
    "container-margin": "1rem",
    "gutter-md": "1rem"
  }

```

```

    },
    "fontFamily": {
      "otp-display": ["JetBrains Mono"],
      "body-lg": ["Be Vietnam Pro"],
      "price-display": ["Manrope"],
      "label-caps": ["JetBrains Mono"],
      "body-sm": ["Be Vietnam Pro"],
      "headline-md": ["Manrope"],
      "headline-lg": ["Manrope"]
    },
    "fontSize": {
      "otp-display": ["22px", {"lineHeight": "24px", "letterSpacing":
"0.1em", "fontWeight": "800"}],
      "body-lg": ["16px", {"lineHeight": "24px", "fontWeight": "400"}],
      "price-display": ["18px", {"lineHeight": "24px", "fontWeight":
"700"}],
      "label-caps": ["12px", {"lineHeight": "16px", "letterSpacing":
"0.05em", "fontWeight": "700"}],
      "body-sm": ["14px", {"lineHeight": "20px", "fontWeight": "400"}],
      "headline-md": ["20px", {"lineHeight": "28px", "fontWeight":
"700"}],
      "headline-lg": ["24px", {"lineHeight": "32px", "letterSpacing":
"-0.02em", "fontWeight": "800"}]
    }
  },
},
}
</script>
<style>
  .material-symbols-outlined {
    font-variation-settings: 'FILL' 0, 'wght' 400, 'GRAD' 0, 'opsz' 24;
  }
  .active-pulse {
    animation: pulse 2s cubic-bezier(0.4, 0, 0.6, 1) infinite;
  }
  @keyframes pulse {
    0%, 100% { opacity: 1; }
    50% { opacity: .5; }
  }
  ::-webkit-scrollbar {
    width: 6px;
  }
  ::-webkit-scrollbar-thumb {
    background: #e0bfb7;
    border-radius: 10px;
  }
  /* Custom Toggle Switch Style */

```

```

.switch {
  position: relative;
  display: inline-block;
  width: 32px;
  height: 18px;
}
.switch input {
  opacity: 0;
  width: 0;
  height: 0;
}
.slider {
  position: absolute;
  cursor: pointer;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  background-color: #ccc;
  transition: .4s;
  border-radius: 18px;
}
.slider:before {
  position: absolute;
  content: "";
  height: 14px;
  width: 14px;
  left: 2px;
  bottom: 2px;
  background-color: white;
  transition: .4s;
  border-radius: 50%;
}
input:checked + .slider {
  background-color: #aa3512;
}
input:checked + .slider:before {
  transform: translateX(14px);
}
</style>
</head>
<body class="bg-background text-on-surface font-body-lg">
<!-- Sidebar Navigation Shell -->
<aside class="flex flex-col h-screen py-gutter-md px-4 h-full w-64 fixed left-0
top-0 bg-charcoal-deep border-r border-outline-variant/10 shadow-lg z-50">
<div class="mb-10 px-4">
<h1 class="font-headline-lg text-headline-lg font-extrabold text-terracotta-

```


rich">CulinaSync</h1>

<p class="text-secondary-fixed-dim text-sm opacity-70">Admin Terminal</p>
</div>

<nav class="flex-1 space-y-2">

table_restaurant

Tables

receipt_long

Orders

payments

Bills

restaurant_menu

Menu

inventory_2

Inventory

group

Users

</nav>

<div class="mt-auto border-t border-outline-variant/10 pt-4">

<button class="w-full flex items-center gap-3 px-4 py-3 text-error hover:bg-error/10 transition-colors rounded-lg font-bold">

logout

Log Out

</button>

```

</div>
</aside>
<!-- Top App Bar -->
<header class="fixed top-0 right-0 w-[calc(100%-16rem)] h-20 bg-surface-
bright/90 backdrop-blur-md border-b border-surface-container-highest
shadow-sm z-40 flex justify-between items-center px-gutter-md">
<div class="flex items-center gap-4">
<button class="p-2 hover:bg-surface-container rounded-full transition-
colors">
<span class="material-symbols-outlined">arrow_back</span>
</button>
<h2 class="font-headline-md text-headline-md font-bold text-on-
surface">Table 12 Details</h2>
</div>
<div class="flex items-center gap-6">
<div class="flex flex-col items-end">
<span class="text-body-sm text-on-surface-variant">October 24, 2023</
span>
</div>
</div>
</header>
<!-- Main Content Area -->
<main class="ml-64 pt-20 p-gutter-md min-h-screen">
<!-- Table Information Header -->
<section class="grid grid-cols-1 md:grid-cols-3 gap-4 mb-stack-lg">
<!-- Table Status -->
<div class="bg-surface-container-low p-5 rounded-xl border border-surface-
container-highest shadow-sm flex flex-col justify-between">
<div>
<p class="text-xs font-label-caps text-on-surface-variant mb-1">TABLE
NUMBER</p>
<p class="text-headline-lg font-extrabold text-terracotta-rich">T-12</p>
</div>
<div class="mt-4 flex items-center gap-2">
<span class="w-2 h-2 rounded-full bg-terracotta-rich"></span>
<span class="text-body-sm font-semibold text-terracotta-rich">Occupied</
span>
</div>
</div>
<!-- Waiter Assigned -->
<div class="bg-surface-container-low p-5 rounded-xl border border-surface-
container-highest shadow-sm">
<p class="text-xs font-label-caps text-on-surface-variant mb-1">ASSIGNED
WAITER</p>
<div class="flex items-center gap-3 mt-2">
<div class="w-10 h-10 rounded-full bg-primary-container/20 flex items-center
justify-center">

```

```
<span class="material-symbols-outlined text-primary">person_pin</span>
</div>
<div>
<p class="text-body-lg font-bold">Rajesh Kumar</p>
<p class="text-xs text-on-surface-variant"><br></p>
</div>
</div>
</div>
<!-- Session Details -->
<div class="bg-surface-container-low p-5 rounded-xl border border-surface-
container-highest shadow-sm">
<p class="text-xs font-label-caps text-on-surface-variant mb-1">SESSION
START</p>
<p class="text-headline-md font-bold text-on-surface mt-2">12:30 PM</p>
</div>
</section>
<!-- Orders & Billing Grid -->
<div class="grid grid-cols-1 lg:grid-cols-3 gap-6">
<!-- Section 1: Orders (Left Column) -->
<section class="lg:col-span-2 space-y-4">
<div class="flex items-center justify-between mb-2">
<h3 class="font-headline-md text-headline-md text-on-surface flex items-
center gap-2">
<span class="material-symbols-outlined text-terracotta-rich">receipt_long</
span>
Active Orders
</h3>
<span class="bg-surface-container-highest px-3 py-1 rounded-full text-xs
font-bold text-on-surface-variant">3 Orders Total</span>
</div>
<!-- Order Card 1 (Served) -->
<div class="bg-white rounded-xl border border-surface-container-highest
shadow-sm overflow-hidden transition-all">
<div class="bg-surface-container-low px-5 py-3 border-b border-surface-
container-highest flex justify-between items-center">
<div class="flex items-center gap-4">
<span class="font-label-caps text-on-surface-variant">ORDER #ORD-2291</
span>
<span class="text-xs text-secondary">12:45 PM</span>
</div>
<div class="flex items-center gap-4">

</div>
</div>
<div class="p-0">
<table class="w-full text-left border-collapse">
<tbody class="divide-y divide-surface-container-highest">
```

```

<tr class="group hover:bg-surface-container-low transition-colors">
<td class="px-5 py-4">
<p class="text-body-lg font-bold">Butter Chicken (Half)</p>
<p class="text-xs text-on-surface-variant italic">Special Instructions: Extra
Spicy</p>
</td>
<td class="px-5 py-4">
<span class="bg-surface-container px-3 py-1 rounded-full text-xs font-
bold">x 1</span>
</td>
<td class="px-5 py-4 text-right">
<div class="flex items-center justify-end gap-3">
<span class="text-xs font-bold text-status-served">SERVED</span>
<button class="p-2 text-on-surface-variant hover:text-error transition-colors
opacity-70 pointer-events-none" title="Cancel Item">
<span class="material-symbols-outlined text-[20px]">cancel</span>
</button>
</div>
</td>
</tr>
<tr class="group hover:bg-surface-container-low transition-colors">
<td class="px-5 py-4">
<p class="text-body-lg font-bold">Butter Garlic Naan</p>
</td>
<td class="px-5 py-4">
<span class="bg-surface-container px-3 py-1 rounded-full text-xs font-
bold">x 3</span>
</td>
<td class="px-5 py-4 text-right">
<div class="flex items-center justify-end gap-3">
<span class="text-xs font-bold text-status-served">SERVED</span>
<button class="p-2 text-on-surface-variant hover:text-error transition-colors
opacity-70 pointer-events-none" title="Cancel Item">
<span class="material-symbols-outlined text-[20px]">cancel</span>
</button>
</div>
</td>
</tr>
</tbody>
</table>
</div>
</div>
<!-- Order Card 2 (Preparing) -->
<div class="bg-white rounded-xl border border-surface-container-highest
shadow-sm overflow-hidden border-l-4 border-l-status-preparing">
<div class="bg-surface-container-low px-5 py-3 border-b border-surface-
container-highest flex justify-between items-center">

```

```
<div class="flex items-center gap-4">
<span class="font-label-caps text-on-surface-variant">ORDER #ORD-2304</span>
<span class="text-xs text-secondary">01:05 PM</span>
</div>
<div class="flex items-center gap-4">

</div>
</div>
<div class="p-0">
<table class="w-full text-left border-collapse">
<tbody class="divide-y divide-surface-container-highest">
<tr class="group hover:bg-surface-container-low transition-colors">
<td class="px-5 py-4">
<p class="text-body-lg font-bold">Paneer Tikka Platter</p>
<p class="text-xs text-on-surface-variant">Category: Starters</p>
</td>
<td class="px-5 py-4">
<span class="bg-surface-container px-3 py-1 rounded-full text-xs font-bold">x 2</span>
</td>
<td class="px-5 py-4 text-right">
<div class="flex items-center justify-end gap-3">
<span class="text-xs font-bold text-status-preparing">PREPARING</span>
<button class="p-2 text-on-surface-variant hover:text-error transition-colors opacity-70 pointer-events-none" title="Cancel Item">
<span class="material-symbols-outlined text-[20px]">cancel</span>
</button>
</div>
</td>
</tr>
</tbody>
</table>
</div>
</div>
<!-- Order Card 3 (Ready) -->
<div class="bg-white rounded-xl border border-surface-container-highest shadow-sm overflow-hidden border-l-4 border-l-status-ready">
<div class="bg-surface-container-low px-5 py-3 border-b border-surface-container-highest flex justify-between items-center">
<div class="flex items-center gap-4">
<span class="font-label-caps text-on-surface-variant">ORDER #ORD-2311</span>
<span class="text-xs text-secondary">01:12 PM</span>
</div>
<div class="flex items-center gap-4">
```

```

</div>
</div>
<div class="p-0">
<table class="w-full text-left border-collapse">
<tbody class="divide-y divide-surface-container-highest">
<tr class="group hover:bg-surface-container-low transition-colors">
<td class="px-5 py-4">
<p class="text-body-lg font-bold">Cold Coffee with Ice Cream</p>
</td>
<td class="px-5 py-4">
<span class="bg-surface-container px-3 py-1 rounded-full text-xs font-
bold">x 4</span>
</td>
<td class="px-5 py-4 text-right">
<div class="flex items-center justify-end gap-3">
<span class="text-xs font-bold text-status-ready">READY</span>
<button class="p-2 text-on-surface-variant hover:text-error transition-colors
opacity-70 pointer-events-none" title="Cancel Item">
<span class="material-symbols-outlined text-[20px]">cancel</span>
</button>
</div>
</td>
</tr>
</tbody>
</table>
</div>
</div>
</section>
<!-- Section 2: Billing (Right Column) -->
<section class="space-y-4">
<div class="flex items-center justify-between mb-2">
<h3 class="font-headline-md text-headline-md text-on-surface flex items-
center gap-2">
<span class="material-symbols-outlined text-terracotta-rich">payments</
span>
Billing Summary
</h3>
</div>
<div class="bg-white rounded-xl border border-surface-container-highest
shadow-lg overflow-hidden sticky top-24">
<!-- Billing Header -->
<div class="p-5 bg-surface-container-low border-b border-surface-container-
highest flex justify-between items-center">
<p class="font-bold text-on-surface">Invoice Details</p>
<span class="px-2 py-1 bg-status-preparing/10 text-status-preparing text-
[10px] font-bold rounded uppercase">Pending Payment</span>
</div>

```

```

<!-- Price Breakdown -->
<div class="p-6 space-y-4">
  <div class="flex justify-between text-body-lg">
    <span class="text-on-surface-variant">Food Total</span>
    <span class="font-price-display text-price-display text-on-surface">₹
    2,450.00</span>
  </div>
  <div class="flex justify-between text-body-sm">
    <span class="text-on-surface-variant">CGST (2.5%)</span>
    <span class="font-medium text-on-surface">₹ 61.25</span>
  </div>
  <div class="flex justify-between text-body-sm">
    <span class="text-on-surface-variant">SGST (2.5%)</span>
    <span class="font-medium text-on-surface">₹ 61.25</span>
  </div>
<!-- Service Charge Control -->
<div class="flex items-center justify-between py-2 border-y border-outline-
variant/10">
  <div class="flex items-center gap-3">
    <label class="switch">
      <input checked="" type="checkbox">
      <span class="slider"></span>
    </label>
    <div>
      <span class="text-body-sm font-semibold text-on-surface">Service Charge</
      span>
      <span class="text-[10px] block text-on-surface-variant font-bold">5%
      APPLIED</span>
    </div>
  </div>
  <span class="font-medium text-on-surface text-body-sm">₹ 122.50</span>
</div>
<div class="pt-4 mt-2 border-t-2 border-dashed border-outline-variant flex
justify-between items-end">
  <p class="font-headline-md text-headline-md text-on-surface">Grand Total</
  p>
  <p class="font-headline-lg text-headline-lg text-terracotta-rich">₹ 2,695.00</
  p>
</div>
</div>
<!-- Billing Actions -->
<div class="p-5 bg-surface-container-lowest space-y-3">
  <button class="w-full flex items-center justify-center gap-2 py-3 px-4 border
border-terracotta-rich text-terracotta-rich font-bold rounded-lg hover:bg-
terracotta-rich/5 transition-all active:scale-95">
    <span class="material-symbols-outlined text-sm">print</span>

```

```

<span class="text-sm">Print Bill</span>
</button>

</div>
</div>
</section>
</div>
</main>
<script>
  // Micro-interaction for buttons
  document.querySelectorAll('button').forEach(button => {
    button.addEventListener('click', function() {
      const originalText = this.innerHTML;
      if (this.innerText.includes('MARK AS PAID')) {
        this.style.opacity = '0.7';
        this.innerHTML = '<span class="material-symbols-outlined
animate-spin">refresh</span> Processing...';
        setTimeout(() => {
          this.innerHTML = '<span class="material-symbols-
outlined">done_all</span> SUCCESS';
          this.classList.remove('bg-status-ready');
          this.classList.add('bg-charcoal-deep');
          setTimeout(() => {
            this.innerHTML = originalText;
            this.classList.add('bg-status-ready');
            this.classList.remove('bg-charcoal-deep');
            this.style.opacity = '1';
          }, 2000);
        }, 1500);
      }
    });
  });
</script>
<div class="fixed inset-0 z-[100] flex items-center justify-center p-4"
id="payment-modal">
<div class="fixed inset-0 bg-charcoal-deep/60 backdrop-blur-md"></div>
<div class="relative bg-surface-container-lowest w-full max-w-md rounded-xl
shadow-lg overflow-hidden border border-outline-variant/20">
<div class="p-6 border-b border-outline-variant/10">
<h3 class="font-headline-md text-headline-md text-on-surface">Select
Payment Method</h3>
</div>
<div class="p-6 space-y-3">
<button class="w-full flex items-center gap-4 p-4 rounded-lg border border-
outline-variant/20 hover:bg-surface-container-low transition-colors text-left
group">
<span class="material-symbols-outlined text-terracotta-rich">payments</

```



```
span>
<span class="font-body-lg font-bold flex-1">Cash</span>
<span class="material-symbols-outlined opacity-0 group-hover:opacity-100
transition-opacity">chevron_right</span>
</button>
<button class="w-full flex items-center gap-4 p-4 rounded-lg border border-
outline-variant/20 hover:bg-surface-container-low transition-colors text-left
group">
<span class="material-symbols-outlined text-terracotta-rich">credit_card</
span>
<span class="font-body-lg font-bold flex-1">Card</span>
<span class="material-symbols-outlined opacity-0 group-hover:opacity-100
transition-opacity">chevron_right</span>
</button>
<button class="w-full flex items-center gap-4 p-4 rounded-lg border border-
outline-variant/20 hover:bg-surface-container-low transition-colors text-left
group">
<span class="material-symbols-outlined text-terracotta-rich">qr_code_2</
span>
<span class="font-body-lg font-bold flex-1">UPI</span>
<span class="material-symbols-outlined opacity-0 group-hover:opacity-100
transition-opacity">chevron_right</span>
</button>
<button class="w-full flex items-center gap-4 p-4 rounded-lg border border-
outline-variant/20 hover:bg-surface-container-low transition-colors text-left
group">
<span class="material-symbols-outlined text-terracotta-rich">storefront</
span>
<span class="font-body-lg font-bold flex-1">District</span>
<span class="material-symbols-outlined opacity-0 group-hover:opacity-100
transition-opacity">chevron_right</span>
</button>
<button class="w-full flex items-center gap-4 p-4 rounded-lg border border-
outline-variant/20 hover:bg-surface-container-low transition-colors text-left
group">
<span class="material-symbols-outlined text-terracotta-rich">storefront</
span>
<span class="font-body-lg font-bold flex-1">Swiggy</span>
<span class="material-symbols-outlined opacity-0 group-hover:opacity-100
transition-opacity">chevron_right</span>
</button>
</div>
<div class="p-6 bg-surface-container-low flex gap-3">
<button class="flex-1 py-3 px-4 border border-outline-variant text-on-surface-
variant font-bold rounded-lg hover:bg-surface-variant/10 transition-all"
onclick="document.getElementById('payment-
modal').classList.add('hidden')">Cancel</button>
```

```
<button class="flex-1 py-3 px-4 bg-terracotta-rich text-white font-bold
rounded-lg hover:bg-primary transition-all shadow-sm">Confirm Payment</
button>
</div>
</div>
</div>
```

```
</body></html>
```