



Admin flow 3

We have

Billhome

When clicked on the admin-home bill its navigate to the bill home





For now no functionality for the print invoice

Search is missing— add just like the orders page

Endpoints—

To get the dashboard—

GET `{{BaseURL}}/Admin/bills?pageNumber=1&pageSize=10`

Filter with date `{{BaseURL}}/Admin/bills?date=2026-06-12&pageNumber=1&pageSize=10`
By default with date

Just like the orders page

Response—

```
{
  "items": [
    {
      "billId": 14,
      "billNumber": "20260612010",
      "tableNumber": "T3",
      "generatedAt": "2026-06-12T16:24:24.563965",
      "grandTotal": 0.00
    },
    {
      "billId": 13,
      "billNumber": "20260612-0009",
      "tableNumber": "T2",
      "generatedAt": "2026-06-12T16:17:38.064161",
      "grandTotal": 0.00
    }
  ],
  "totalCount": 2,
  "pageNumber": 1,
  "pageSize": 10
}
```

For summary:

{{BaseURL}}/Admin/bills/summary?date=6-06-2026

Response:

```
{
  "totalBills": 4,
  "totalRevenue": 1650.00
}
```

Get a bill Detail:

{{BaseURL}}/Admin/bills/{billed}

Response:

```
{
  "billNumber": "202606050001",
  "generatedAt": "2026-06-05T23:31:46.240231",
  "tableNumber": "T1",
  "waiterId": 7,
  "waiterName": "raviteja",
}
```

```

    "paymentMethod": 1,
    "paymentStatus": 1,
    "foodTotal": 480.00,
    "cgstPercentage": 2.50,
    "cgstAmount": 12.00,
    "sgstPercentage": 2.50,
    "sgstAmount": 12.00,
    "serviceChargePercentage": 5.00,
    "serviceChargeAmount": 24.00,
    "grandTotal": 528.00
  }

```

For date related— functions we already have date.utils.ts
Code:

```

export function formatTime12Hour(date: string): string {
  return new Date(date).toLocaleTimeString('en-US', {
    hour: 'numeric',
    minute: '2-digit',
    hour12: true,
  });
}

```

```

export function toIsoDateString(date: Date = new Date()): string {
  const year = date.getFullYear();
  const month = String(date.getMonth() + 1).padStart(2, '0');
  const day = String(date.getDate()).padStart(2, '0');
  return `${year}-${month}-${day}`;
}

```

```

export function formatDisplayDate(date: string | Date): string {
  const value = typeof date === 'string' ? new Date(`${date}T00:00:00`) : date;

  return value.toLocaleDateString('en-US', {
    month: 'long',
    day: 'numeric',
    year: 'numeric',
  });
}

```

```

export function formatShortDisplayDate(date: string | Date): string {
  const value = typeof date === 'string' ? new Date(`${date}T00:00:00`) : date;
  const today = new Date();
  const isToday =
    value.getFullYear() === today.getFullYear() &&
    value.getMonth() === today.getMonth() &&
    value.getDate() === today.getDate();
}

```

```

const formatted = value.toLocaleDateString('en-US', {
  month: 'short',
  day: 'numeric',
});

return isToday ? `Today, ${formatted}` : formatted;
}

```

UI UX code:

```

<!DOCTYPE html>

<html class="light" lang="en"><head>
<meta charset="utf-8"/>
<meta content="width=device-width, initial-scale=1.0" name="viewport"/>
<title>CulinaSync Admin - Bills Management</title>
<!-- Bootstrap 5 CSS -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/
bootstrap.min.css" rel="stylesheet"/>
<!-- Fonts -->
<link href="https://fonts.googleapis.com" rel="preconnect"/>
<link crossorigin="" href="https://fonts.gstatic.com" rel="preconnect"/>
<link href="https://fonts.googleapis.com/css2?
family=Be+Vietnam+Pro:wght@400;500;600&family=JetBrains+Mono:wgh
t@700;800&family=Manrope:wght@700;800&display=swap"
rel="stylesheet"/>
<!-- Icons -->
<link href="https://fonts.googleapis.com/css2?
family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap
" rel="stylesheet"/>
<!-- Tailwind (for specific utility adjustments if needed, though primarily using
Bootstrap classes) -->
<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></
script>
<script id="tailwind-config">
  tailwind.config = {
    darkMode: "class",
    theme: {
      extend: {
        "colors": {
          "background": "#fff8f6",
          "on-background": "#251915",
          "primary": "#aa3512",
          "terracotta-rich": "#CC4D29",
          "surface": "#fff8f6",

```

```

        "surface-bright": "#fff8f6",
        "surface-warm": "#FAF9F6",
        "surface-container-low": "#fff1ed",
        "surface-container-lowest": "#ffffff",
        "outline-variant": "#e0bfb7",
        "charcoal-deep": "#1A1C1E",
        "on-primary": "#ffffff",
        "primary-container": "#cc4d29",
        "on-primary-container": "#ffffff",
        "secondary-fixed-dim": "#c1c8ca",
        "on-surface": "#251915",
        "on-surface-variant": "#58413b"
    },
    "borderRadius": {
        "lg": "0.5rem",
        "xl": "0.75rem"
    },
    "fontFamily": {
        "body-lg": ["Be Vietnam Pro"],
        "headline-md": ["Manrope"],
        "headline-lg": ["Manrope"],
        "otp-display": ["JetBrains Mono"],
        "label-caps": ["JetBrains Mono"]
    }
}
}
}
}
</script>
<style>
    body {
        background-color: #fff8f6;
        color: #251915;
        font-family: 'Be Vietnam Pro', sans-serif;
        overflow: hidden;
        height: 100vh;
    }
    .material-symbols-outlined {
        font-variation-settings: 'FILL' 0, 'wght' 400, 'GRAD' 0, 'opsz' 24;
        display: inline-block;
        vertical-align: middle;
    }
    .sidebar {
        width: 256px;
        background-color: #1A1C1E;
        height: 100vh;
        position: fixed;
        left: 0;

```

```
    top: 0;
    z-index: 1050;
}
.main-content {
    margin-left: 256px;
    height: 100vh;
    overflow-y: auto;
}
.custom-table-container {
    background-color: #ffffff;
    border-radius: 0.75rem;
    border: 1px solid #e0bfb7;
    overflow: hidden;
    box-shadow: 0 1px 3px rgba(0,0,0,0.05);
}
.table thead th {
    background-color: #fff1ed;
    color: #58413b;
    font-family: 'JetBrains Mono', monospace;
    font-size: 12px;
    text-transform: uppercase;
    letter-spacing: 0.05em;
    padding: 1rem 1.5rem;
    border-bottom: 1px solid #e0bfb7;
}
.table tbody td {
    padding: 1.25rem 1.5rem;
    border-bottom: 1px solid #e0bfb7;
    vertical-align: middle;
}
.table-row-hover:hover {
    background-color: rgba(204, 77, 41, 0.04);
    cursor: pointer;
}
.drawer-transition {
    transition: transform 0.4s cubic-bezier(0.16, 1, 0.3, 1);
}
.btn-terracotta {
    background-color: #CC4D29;
    color: #ffffff;
    border: none;
    padding: 0.5rem 1.25rem;
    border-radius: 0.5rem;
    font-weight: 700;
    font-size: 14px;
    transition: all 0.2s;
}
```

```

.btn-terracotta:hover {
  background-color: #aa3512;
  color: #ffffff;
  transform: translateY(-1px);
}
.btn-outline-terracotta {
  background-color: transparent;
  color: #CC4D29;
  border: 1px solid rgba(204, 77, 41, 0.2);
  padding: 0.5rem 1.25rem;
  border-radius: 0.5rem;
  font-weight: 700;
  font-size: 14px;
}
.btn-outline-terracotta:hover {
  background-color: rgba(204, 77, 41, 0.05);
  color: #CC4D29;
}
.date-selector {
  background-color: #fff1ed;
  border: 1px solid #e0bfb7;
  border-radius: 0.75rem;
  padding: 0.5rem 1rem;
  display: inline-flex;
  align-items: center;
  gap: 0.75rem;
  cursor: pointer;
  transition: background-color 0.2s;
}
.date-selector:hover {
  background-color: #f5ddd7;
}
.header-bar {
  height: 80px;
  background-color: rgba(255, 248, 246, 0.9);
  backdrop-filter: blur(8px);
  border-bottom: 1px solid #e0bfb7;
  position: sticky;
  top: 0;
  z-index: 1040;
  display: flex;
  align-items: center;
  padding: 0 2rem;
}
</style>
</head>
<body>

```



```
<!-- Side Navigation Bar -->
<aside class="sidebar d-flex flex-column p-0">
<div class="px-4 py-5">
<h1 class="text-white h4 fw-bolder mb-0 font-headline-lg">RestoAdmin</h1>
<p class="text-secondary-fixed-dim small opacity-50 mb-0">Central
Management</p>
</div>
<nav class="flex-grow-1 px-2 mt-2">
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">table_restaurant</span>
<span class="small">Tables</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">receipt_long</span>
<span class="small">Orders</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none bg-
primary-container text-white rounded-2 mb-1 shadow-sm" href="#">
<span class="material-symbols-outlined">payments</span>
<span class="small">Bills</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">restaurant_menu</span>
<span class="small">Menu</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">inventory_2</span>
<span class="small">Inventory</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">group</span>
<span class="small">Users</span>
</a>
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-white/10 transition-all mb-1"
href="#">
<span class="material-symbols-outlined">settings_applications</span>
```

```
<span class="small">Tax Configuration</span>
</a>
</nav>
<div class="mt-auto pb-4 px-2">
<a class="d-flex align-items-center gap-3 px-3 py-3 text-decoration-none
text-secondary-fixed-dim rounded-2 hover:bg-danger/10 hover:text-danger
transition-all" href="#">
<span class="material-symbols-outlined">logout</span>
<span class="small">Logout</span>
</a>
</div>
</aside>
<!-- Main Content Area -->
<div class="main-content">
<header class="header-bar">
<h2 class="font-headline-md text-terracotta-rich mb-0">Bills Management</
h2>
</header>
<main class="p-4 p-lg-5">
<!-- Summary & Date Row (Matches Orders Screen Layout) -->
<div class="mb-4">
<div class="date-selector" onclick="console.log('Open Date Picker')">
<span class="material-symbols-outlined text-terracotta-
rich">calendar_today</span>
<span class="small fw-semibold">Today, Oct 24, 2023</span>
<span class="material-symbols-outlined text-muted">arrow_drop_down</
span>
</div>
</div>
<!-- Summary Cards (Keeping Bento Style from Source) -->
<div class="row g-4 mb-5">
<div class="col-md-3">
<div class="bg-white p-4 rounded-xl border border-outline-variant shadow-
sm">
<p class="text-on-surface-variant font-label-caps small text-uppercase
mb-1">Total Bills</p>
<h3 class="font-headline-lg mb-0 text-on-surface">128</h3>
</div>
</div>
<div class="col-md-3">
<div class="bg-white p-4 rounded-xl border border-outline-variant shadow-
sm">
<p class="text-on-surface-variant font-label-caps small text-uppercase
mb-1">Total Revenue</p>
<h3 class="font-headline-lg mb-0 text-on-surface">₹1,24,500</h3>
</div>
</div>
```

```
</div>
<!-- Bills Table Container -->
<div class="custom-table-container">
<div class="table-responsive">
<table class="table mb-0 align-middle">
<thead>
<tr>
<th>Bill ID</th>
<th>Table No.</th>
<th>Generated Time</th>
<th>Grand Total</th>
<th class="text-end">Actions</th>
</tr>
</thead>
<tbody>
<!-- Bill Row 1 -->
<tr class="table-row-hover bg-primary-container/5">
<td class="font-otp-display text-terracotta-rich fw-bold">#1001</td>
<td class="fw-semibold">Table T-05</td>
<td class="text-on-surface-variant small">02:15 PM</td>
<td class="fw-bold text-on-surface">₹1,250</td>
<td class="text-end">
<button class="btn-terracotta" onclick="toggleDrawer(true)">View Details</
button>
</td>
</tr>
<!-- Bill Row 2 -->
<tr class="table-row-hover">
<td class="font-otp-display text-on-surface-variant fw-bold">#1002</td>
<td class="fw-semibold">Table T-08</td>
<td class="text-on-surface-variant small">02:30 PM</td>
<td class="fw-bold text-on-surface">₹890</td>
<td class="text-end">
<button class="btn-outline-terracotta" onclick="toggleDrawer(true)">View
Details</button>
</td>
</tr>
<!-- Bill Row 3 -->
<tr class="table-row-hover">
<td class="font-otp-display text-on-surface-variant fw-bold">#1003</td>
<td class="fw-semibold">Table T-12</td>
<td class="text-on-surface-variant small">02:45 PM</td>
<td class="fw-bold text-on-surface">₹2,450</td>
<td class="text-end">
<button class="btn-outline-terracotta" onclick="toggleDrawer(true)">View
Details</button>
</td>
```

```

</tr>
<!-- Bill Row 4 -->
<tr class="table-row-hover">
<td class="font-otp-display text-on-surface-variant fw-bold">#1004</td>
<td class="fw-semibold">Table T-02</td>
<td class="text-on-surface-variant small">03:10 PM</td>
<td class="fw-bold text-on-surface">₹1,120</td>
<td class="text-end">
<button class="btn-outline-terracotta" onclick="toggleDrawer(true)">View
Details</button>
</td>
</tr>
<!-- Bill Row 5 (Lower Opacity Example) -->
<tr class="table-row-hover opacity-50">
<td class="font-otp-display text-on-surface-variant">#1000</td>
<td class="fw-semibold">Table T-01</td>
<td class="text-on-surface-variant small">01:55 PM</td>
<td class="fw-bold text-on-surface">₹640</td>
<td class="text-end">
<button class="btn btn-sm btn-light border"
onclick="toggleDrawer(true)">View Details</button>
</td>
</tr>
</tbody>
</table>
</div>
<!-- Pagination (Matches Orders Registry Style) -->
<div class="px-4 py-3 bg-light border-top d-flex align-items-center justify-
content-between">
<div class="text-muted small">Showing 1-5 of 128 bills</div>
<div class="d-flex gap-2">
<button class="btn btn-light border border-secondary-subtle rounded-2 small
px-3">Previous</button>
<button class="btn btn-terracotta rounded-2 small px-3">Next</button>
</div>
</div>
</div>
</main>
</div>
<!-- Details Drawer (Consistent with Orders Workflow) -->
<div class="fixed top-0 right-0 h-full w-[450px] bg-white shadow-2xl z-[1100]
border-start border-outline-variant drawer-transition translate-x-full"
id="detailsDrawer">
<!-- Drawer Header -->
<div class="p-4 border-bottom bg-surface-container-low d-flex align-items-
center justify-content-between">
<div>

```

```
<h4 class="font-headline-lg text-primary mb-0">Bill Details</h4>
<p class="font-otp-display text-terracotta-rich mb-0">#1001</p>
</div>
<button class="btn btn-link text-muted p-2 rounded-circle hover:bg-light"
onclick="toggleDrawer(false)">
<span class="material-symbols-outlined">close</span>
</button>
</div>
<!-- Drawer Content -->
<div class="p-4 overflow-y-auto" style="height: calc(100vh - 100px);">
<div class="bg-surface-container-lowest p-4 rounded-3 border border-
outline-variant mb-4">
<div class="row g-3">
<div class="col-6">
<p class="font-label-caps text-on-surface-variant small mb-1">TABLE</p>
<p class="fw-bold mb-0">T-05</p>
</div>
<div class="col-6">
<p class="font-label-caps text-on-surface-variant small mb-1">GENERATED</
p>
<p class="fw-bold mb-0">02:15 PM</p>
</div>
<div class="col-6">
<p class="font-label-caps text-on-surface-variant small mb-1">PAYMENT</p>
<p class="fw-bold text-success mb-0">Paid</p>
</div>
<div class="col-6">
<p class="font-label-caps text-on-surface-variant small mb-1">GRAND
TOTAL</p>
<p class="fw-bold text-terracotta-rich mb-0">₹1,250.00</p>
</div>
</div>
</div>
</div>
<h5 class="font-label-caps small text-on-surface-variant mb-3 border-bottom
pb-2">BILL ITEMS</h5>
<div class="list-group list-group-flush mb-4">
<div class="list-group-item d-flex justify-content-between align-items-center
px-0 py-3 border-0 border-start border-4 border-terracotta-rich ps-3 mb-2
bg-light rounded-2">
<div>
<div class="fw-bold">Grilled Chicken Salad</div>
<div class="small text-muted">₹450.00 x 2</div>
</div>
<div class="font-otp-display fw-bold text-primary">₹900</div>
</div>
<div class="list-group-item d-flex justify-content-between align-items-center
px-0 py-3 border-0 border-start border-4 border-outline-variant ps-3 mb-2
```

```

bg-light rounded-2">
<div>
<div class="fw-bold">Mango Smoothie</div>
<div class="small text-muted">₹250.00 x 1</div>
</div>
<div class="font-otp-display fw-bold text-primary">₹250</div>
</div>
<div class="list-group-item d-flex justify-content-between align-items-center
px-0 py-3 border-0 border-start border-4 border-outline-variant ps-3 mb-2
bg-light rounded-2">
<div>
<div class="fw-bold">Service Tax (5%)</div>
</div>
<div class="font-otp-display fw-bold text-primary">₹100</div>
</div>
</div>
<div class="pt-4 mt-auto">
<button class="btn btn-terracotta w-100 py-3 rounded-3 shadow-sm d-flex
align-items-center justify-content-center gap-2">
<span class="material-symbols-outlined">print</span> Print Invoice
</button>
</div>
</div>
</div>
<!-- Backdrop Overlay -->
<div class="fixed inset-0 bg-black/30 backdrop-blur-sm z-[1090] d-none
opacity-0 transition-opacity" id="drawerOverlay"
onclick="toggleDrawer(false)"></div>
<!-- Scripts -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/
bootstrap.bundle.min.js"></script>
<script>
function toggleDrawer(isOpen) {
  const drawer = document.getElementById('detailsDrawer');
  const overlay = document.getElementById('drawerOverlay');

  if (isOpen) {
    drawer.classList.remove('translate-x-full');
    drawer.classList.add('translate-x-0');
    overlay.classList.remove('d-none');
    // Trigger reflow for transition
    setTimeout(() => { overlay.classList.add('opacity-100'); }, 10);
  } else {
    drawer.classList.add('translate-x-full');
    drawer.classList.remove('translate-x-0');
    overlay.classList.remove('opacity-100');
    setTimeout(() => { overlay.classList.add('d-none'); }, 300);
  }
}

```

```
}  
}
```

```
// Row clicks also open drawer  
document.querySelectorAll('.table-row-hover').forEach(row => {  
  row.addEventListener('click', (e) => {  
    if (!e.target.closest('button')) {  
      toggleDrawer(true);  
    }  
  });  
});  
</script>  
</body></html>
```