

Admin Flow-5

Now time for admin-inventory

Get

{{BaseURL}}/AdminInventory/inventory?

search=CookING&lowStockOnly=false&pageNumber=1&pageSize=10

Response:

```
{
  "summary": {
    "totalItems": 3,
    "lowStockItems": 0
  },
  "items": {
    "items": [
      {
        "id": 4,
        "itemName": "Cooking Oil",
        "currentQuantity": 30.00,
        "thresholdQuantity": 5.00,
        "unit": "Litre",
        "updatedAt": "2026-06-04T12:30:40.058053"
      },
      {
        "id": 6,
        "itemName": "StrinG two",
        "currentQuantity": 0.00,
        "thresholdQuantity": 0.00,
        "unit": "string",
        "updatedAt": "2026-06-08T20:30:20.673235"
      },
      {
        "id": 5,
        "itemName": "string",
        "currentQuantity": 0.00,
        "thresholdQuantity": 0.00,
        "unit": "string",
        "updatedAt": "2026-06-08T16:06:44.080842"
      }
    ],
    "totalCount": 3,
  }
}
```

```
    "pageNumber": 1,  
    "pageSize": 10  
  }  
}
```

If error :

```
{  
  statuscode:  
  message:  
}
```

Display error notification if error:

To add the item

Post {{BaseURL}}/AdminInventory/inventory

Body

```
{  
  "itemName": "StrinG twO",  
  "currentQuantity": 0,  
  "thresholdQuantity": 0,  
  "unit": "string"  
}
```

If success — 204 no content

If eror

```
{  
  "StatusCode": ,  
  "Message": "I"  
}
```

Show success or if error error message

To update the available quantity:

{{BaseURL}}/AdminInventory/inventory/3/quantity

Body

```
{
```

```
"quantity": 0
}
```

Response:

Success 204 no content

If failure:

```
If error
{
  "StatusCode": ,
  "Message": ""
}
```

Show success or if error error message

Update the threshold wyanitty:

```
{{BaseURL}}/AdminInventory/inventory/3/threshold
Body
{
  "thresholdQuantity": 4
}
```

Response:

Success 204 no content

```
If error
{
  "StatusCode": ,
  "Message": ""
}
```

Show success or if error error message

To delete the item

```
{{BaseURL}}/AdminInventory/inventory/4
```

Success 204 no content

```
If error
{
```

```
"statusCode": ,  
"message": "I"  
}
```


Show success or if error error message


For add or update

update local Signal so that it will reload again

And switch map and debounce and distinct to search


while deleting the item ask alert to continue or not





Unit will field to enter

Edit



Use reusable components:
 Like component for inventory card
 component for pagination
 Component for add item modal
 Component for edit item modal

Enough

Create separate modal
 Separate service

Code:

```
<!DOCTYPE html><html class="light" lang="en" style=""><head>
<meta charset="utf-8">
<meta content="width=device-width, initial-scale=1.0" name="viewport">
<title>Inventory Management - CulinaSync</title>
<script src="https://cdn.tailwindcss.com?plugins=forms,container-queries"></script>
```

```
<link href="https://fonts.googleapis.com/css2?
family=Manrope:wght@400;500;600;700;800&family=Be+Vietnam+Pro:w
ght@400;500;600&family=JetBrains+Mono:wght@700;800&display=
swap" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?
family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap
" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?
family=Material+Symbols+Outlined:wght,FILL@100..700,0..1&display=swap
" rel="stylesheet"><link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/
dist/css/bootstrap.min.css" rel="stylesheet"><script src="https://
cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></
script>
<script id="tailwind-config">
  tailwind.config = {
    darkMode: "class",
    theme: {
      extend: {
        "colors": {
          "surface-dim": "#edd5cf",
          "on-secondary-fixed-variant": "#41484a",
          "status-served": "#2980B9",
          "inverse-primary": "#ffb5a1",
          "on-tertiary-fixed": "#001e2d",
          "outline-variant": "#e0bfb7",
          "terracotta-rich": "#CC4D29",
          "surface-container-lowest": "#ffffff",
          "primary-fixed-dim": "#ffb5a1",
          "tertiary-fixed": "#c5e7ff",
          "on-tertiary": "#ffffff",
          "outline": "#8c716a",
          "surface-container-highest": "#f5ddd7",
          "surface": "#fff8f6",
          "surface-container-low": "#fff1ed",
          "on-tertiary-fixed-variant": "#004c6a",
          "on-surface": "#251915",
          "on-error": "#ffffff",
          "surface-warm": "#FAF9F6",
          "surface-variant": "#f5ddd7",
          "on-primary": "#ffffff",
          "on-error-container": "#93000a",
          "charcoal-deep": "#1A1C1E",
          "surface-bright": "#fff8f6",
          "surface-container": "#ffe9e4",
          "on-surface-variant": "#58413b",
          "on-primary-container": "#ffffff",
          "secondary": "#586062",
```

```
"primary": "#aa3512",
"on-primary-fixed-variant": "#882000",
"tertiary": "#00658b",
"surface-container-high": "#fbe3dd",
"on-secondary": "#ffffff",
"secondary-fixed-dim": "#c1c8ca",
"on-primary-fixed": "#3b0900",
"tertiary-fixed-dim": "#7fd0ff",
"status-preparing": "#F39C12",
"primary-container": "#cc4d29",
"on-secondary-container": "#5d6466",
"secondary-fixed": "#dde4e6",
"inverse-surface": "#3b2d29",
"on-background": "#251915",
"surface-tint": "#ab3513",
"status-ready": "#27AE60",
"error": "#ba1a1a",
"error-container": "#ffdad6",
"background": "#fff8f6",
"accent-gold": "#D4AF37",
"tertiary-container": "#007fae",
"on-tertiary-container": "#ffffff",
"inverse-on-surface": "#ffede8",
"secondary-container": "#dae1e3",
"primary-fixed": "#ffdbd1",
"on-secondary-fixed": "#161d1f"
},
"borderRadius": {
  "DEFAULT": "0.25rem",
  "lg": "0.5rem",
  "xl": "0.75rem",
  "full": "9999px"
},
"spacing": {
  "gutter-md": "1rem",
  "touch-target": "3rem",
  "stack-sm": "0.5rem",
  "stack-lg": "1.5rem",
  "container-margin": "1rem"
},
"fontFamily": {
  "body-sm": ["Be Vietnam Pro"],
  "body-lg": ["Be Vietnam Pro"],
  "otp-display": ["JetBrains Mono"],
  "headline-lg": ["Manrope"],
  "price-display": ["Manrope"],
  "headline-md": ["Manrope"],
```

```

        "label-caps": ["JetBrains Mono"]
    },
    "fontSize": {
        "body-sm": ["14px", {"lineHeight": "20px", "fontWeight": "400"}],
        "body-lg": ["16px", {"lineHeight": "24px", "fontWeight": "400"}],
        "otp-display": ["22px", {"lineHeight": "24px", "letterSpacing":
"0.1em", "fontWeight": "800"}],
        "headline-lg": ["24px", {"lineHeight": "32px", "letterSpacing":
"-0.02em", "fontWeight": "800"}],
        "price-display": ["18px", {"lineHeight": "24px", "fontWeight":
"700"}],
        "headline-md": ["20px", {"lineHeight": "28px", "fontWeight":
"700"}],
        "label-caps": ["12px", {"lineHeight": "16px", "letterSpacing":
"0.05em", "fontWeight": "700"}]
    }
},
},
}
</script>
<style>
    .material-symbols-outlined {
        font-variation-settings: 'FILL' 0, 'wght' 400, 'GRAD' 0, 'opsz' 24;
    }
    .hide-scrollbar::-webkit-scrollbar { display: none; }
    .hide-scrollbar { -ms-overflow-style: none; scrollbar-width: none; }
</style>
</head>
<body class="bg-background text-on-background font-body-lg min-h-screen"
style="overflow: auto;">
<!-- SideNavBar (Fixed Shell) -->
<aside class="fixed left-0 top-0 h-full flex flex-col py-stack-lg z-50 bg-
surface-warm dark:bg-charcoal-deep border-r border-outline-variant w-64
rounded-r-lg shadow-lg">
<div class="px-6 mb-8">
<h1 class="font-headline-md text-headline-md font-bold text-terracotta-
rich">CulinaSync</h1>
<div class="mt-4 flex items-center gap-3">
<div class="w-10 h-10 rounded-full bg-surface-container flex items-center
justify-center text-primary">
<span class="material-symbols-outlined">person</span>
</div>
<div>
<p class="font-body-sm font-bold text-on-surface">Admin Portal</p>
<p class="text-[11px] font-label-caps text-on-surface-variant">Main Branch</
p>
</div>

```

```
</div>
</div>
<nav class="flex-1 space-y-1">
  <!-- Nav Item: Dashboard -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
    <span class="material-symbols-outlined">dashboard</span>
    <span class="font-body-lg text-body-lg">Dashboard</span>
  </a>
  <!-- Nav Item: Tables -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
    <span class="material-symbols-outlined">table_restaurant</span>
    <span class="font-body-lg text-body-lg">Tables</span>
  </a>
  <!-- Nav Item: Orders -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
    <span class="material-symbols-outlined">receipt_long</span>
    <span class="font-body-lg text-body-lg">Orders</span>
  </a>
  <!-- Nav Item: Bills -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
    <span class="material-symbols-outlined">payments</span>
    <span class="font-body-lg text-body-lg">Bills</span>
  </a>
  <!-- Nav Item: Menu -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
    <span class="material-symbols-outlined">restaurant_menu</span>
    <span class="font-body-lg text-body-lg">Menu</span>
  </a>
  <!-- Nav Item: Inventory (ACTIVE) -->
  <a class="flex items-center gap-3 bg-primary-container text-on-primary-
container rounded-lg px-4 py-3 mx-2 font-bold shadow-md" href="#">
    <span class="material-symbols-outlined">inventory_2</span>
    <span class="font-body-lg text-body-lg">Inventory</span>
  </a>
  <!-- Nav Item: Users -->
  <a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
```

```

duration-150" href="#">
<span class="material-symbols-outlined">group</span>
<span class="font-body-lg text-body-lg">Users</span>
</a>
<!-- Nav Item: Settings -->
<a class="flex items-center gap-3 text-on-surface-variant hover:text-primary
rounded-lg px-4 py-3 mx-2 hover:bg-surface-container-highest transition-all
duration-150" href="#">
<span class="material-symbols-outlined">settings_applications</span>
<span class="font-body-lg text-body-lg">Tax Configuration</span>
</a>
</nav>
<div class="px-2 mt-auto">
<a class="flex items-center gap-3 text-on-surface-variant hover:text-error
rounded-lg px-4 py-3 hover:bg-error-container/20 transition-all duration-150"
href="#">
<span class="material-symbols-outlined">logout</span>
<span class="font-body-lg text-body-lg">Log Out</span>
</a>
</div>
</aside>
<!-- TopAppBar & Content Area -->
<main class="pl-64 min-h-screen">
<!-- TopAppBar (Sticky) -->
<header class="flex justify-between items-center h-20 px- gutter-md px-8 w-
full sticky top-0 z-40 bg-surface/90 backdrop-blur-md shadow-sm">
<div class="flex items-center gap-4">
<h2 class="font-headline-md text-headline-md font-bold text-on-
surface">Inventory Management</h2>
</div>
<div class="flex items-center gap-4">
</div>
</header>
<!-- Page Content -->
<div class="p-8 space-y-stack-lg">
<!-- Summary Cards Section -->
<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
<!-- Total Items -->
<div class="bg-surface-container-low p-6 rounded-xl shadow-sm border
border-outline-variant flex items-center justify-between">
<div>
<p class="font-label-caps text-label-caps text-on-surface-variant uppercase
tracking-wider">Total Items</p>
<p class="font-headline-lg text-headline-lg text-on-surface mt-1">42</p>
</div>
<div class="bg-surface-container-highest p-3 rounded-lg text-primary">
<span class="material-symbols-outlined text-3xl">inventory</span>

```

```

</div>
</div>
<!-- Low Stock Alerts -->
<div class="bg-error-container/10 p-6 rounded-xl shadow-sm border border-error/20 flex items-center justify-between transition-all duration-700 border-error/40">
<div>
<p class="font-label-caps text-label-caps text-error uppercase tracking-wider">Low Stock Alerts</p>
<p class="font-headline-lg text-headline-lg text-error mt-1">05</p>
</div>
<div class="bg-error-container p-3 rounded-lg text-error">
<span class="material-symbols-outlined text-3xl">warning</span>
</div>
</div>
</div>
<!-- Main Inventory Table Container -->
<div class="flex items-center gap-2 mb-4">
<button class="px-4 py-1.5 rounded-full bg-primary text-on-primary font-label-caps text-xs">All Items</button>
<button class="px-4 py-1.5 rounded-full bg-surface-container-highest text-on-surface-variant hover:bg-surface-container-high transition-colors font-label-caps text-xs">Low Stock</button>
</div><div class="d-flex justify-content-between align-items-center mb-4"><button class="btn bg-terracotta-rich text-white px-4 py-2 rounded-lg d-flex align-items-center gap-2 shadow-sm" data-bs-target="#addItemModal" data-bs-toggle="modal"><span class="material-symbols-outlined">add</span>Add Item</button></div><section class="bg-surface-container-lowest rounded-xl shadow-sm border border-outline-variant overflow-hidden">
<div class="px-6 py-4 border-b border-outline-variant bg-surface-container flex justify-between items-center">
<div class="flex items-center gap-2 bg-surface rounded-full px-4 py-1.5 border border-outline-variant">
<span class="material-symbols-outlined text-sm text-on-surface-variant">search</span>
<input class="bg-transparent border-none focus:ring-0 text-sm w-48 text-on-surface placeholder:text-on-surface-variant/50" placeholder="Search inventory..." type="text">
</div>
</div>
<div class="overflow-x-auto">
<table class="w-full text-left border-collapse">
<thead class="bg-surface-container-low">
<tr>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant">Item Name</th>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant

```

```

text-center">Current Quantity</th>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant">Unit</th>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant">Threshold</th>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant">Last Updated</th>
<th class="px-6 py-4 font-label-caps text-label-caps text-on-surface-variant text-right">Actions</th>
</tr>
</thead>
<tbody class="divide-y divide-outline-variant">
<!-- Paneer -->
<tr class="hover:bg-surface-container-low/50 transition-colors">
<td class="px-6 py-4 font-bold text-on-surface">Paneer<span class="ml-2 inline-flex items-center gap-1 text-[10px] font-bold text-error uppercase bg-error/10 px-2 py-0.5 rounded border border-error/20">⚠ Low Stock</span></td>
<td class="px-6 py-4"><div class="flex justify-center"><input class="w-20 text-center bg-surface-container-low border-outline-variant focus:border-terracotta-rich focus:ring-1 focus:ring-terracotta-rich rounded-lg py-1.5 font-otp-display text-otp-display" type="number" value="5"></div></td>
<td class="px-6 py-4 text-on-surface-variant">kg</td>
<td class="px-6 py-4 text-on-surface-variant">10 kg</td>
<td class="px-6 py-4 text-sm text-on-surface-variant">2h ago</td>
<td class="px-6 py-4 text-right">
<div class="flex justify-end gap-2"><button class="p-2 text-on-surface-variant hover:text-primary hover:bg-primary-fixed rounded-lg transition-all" data-bs-target="#editItemModal" data-bs-toggle="modal"><span class="material-symbols-outlined">edit</span></button>
<button class="p-2 text-on-surface-variant hover:text-error hover:bg-error-container rounded-lg transition-all"><span class="material-symbols-outlined">delete</span></button>
</div>
</td>
</tr>
<!-- Tomato -->
<tr class="hover:bg-surface-container-low/50 transition-colors">
<td class="px-6 py-4 font-bold text-on-surface">Tomato</td>
<td class="px-6 py-4"><div class="flex justify-center"><input class="w-20 text-center bg-surface-container-low border-outline-variant focus:border-terracotta-rich focus:ring-1 focus:ring-terracotta-rich rounded-lg py-1.5 font-otp-display text-otp-display" type="number" value="12"></div></td>
<td class="px-6 py-4 text-on-surface-variant">kg</td>
<td class="px-6 py-4 text-on-surface-variant">5 kg</td>
<td class="px-6 py-4 text-sm text-on-surface-variant">5h ago</td>
<td class="px-6 py-4 text-right">

```

```

<div class="flex justify-end gap-2">
<button class="p-2 text-on-surface-variant hover:text-primary hover:bg-
primary-fixed rounded-lg transition-all" data-bs-target="#editItemModal"
data-bs-toggle="modal"><span class="material-symbols-outlined">edit</
span></button>
<button class="p-2 text-on-surface-variant hover:text-error hover:bg-error-
container rounded-lg transition-all"><span class="material-symbols-
outlined">delete</span></button>
</div>
</td>
</tr>
<!-- Garlic -->
<tr class="hover:bg-surface-container-low/50 transition-colors">
<td class="px-6 py-4 font-bold text-on-surface">Garlic<span class="ml-2
inline-flex items-center gap-1 text-[10px] font-bold text-error uppercase bg-
error/10 px-2 py-0.5 rounded border border-error/20">⚠ Low Stock</span></
td>
<td class="px-6 py-4"><div class="flex justify-center"><input class="w-20
text-center bg-surface-container-low border-outline-variant focus:border-
terracotta-rich focus:ring-1 focus:ring-terracotta-rich rounded-lg py-1.5 font-
otp-display text-otp-display" type="number" value="2"></div></td>
<td class="px-6 py-4 text-on-surface-variant">kg</td>
<td class="px-6 py-4 text-on-surface-variant">5 kg</td>
<td class="px-6 py-4 text-sm text-on-surface-variant">1d ago</td>
<td class="px-6 py-4 text-right">
<div class="flex justify-end gap-2">
<button class="p-2 text-on-surface-variant hover:text-primary hover:bg-
primary-fixed rounded-lg transition-all" data-bs-target="#editItemModal"
data-bs-toggle="modal"><span class="material-symbols-outlined">edit</
span></button>
<button class="p-2 text-on-surface-variant hover:text-error hover:bg-error-
container rounded-lg transition-all"><span class="material-symbols-
outlined">delete</span></button>
</div>
</td>
</tr>
<!-- Cooking Oil -->
<tr class="hover:bg-surface-container-low/50 transition-colors">
<td class="px-6 py-4 font-bold text-on-surface">Cooking Oil</td>
<td class="px-6 py-4"><div class="flex justify-center"><input class="w-20
text-center bg-surface-container-low border-outline-variant focus:border-
terracotta-rich focus:ring-1 focus:ring-terracotta-rich rounded-lg py-1.5 font-
otp-display text-otp-display" type="number" value="15"></div></td>
<td class="px-6 py-4 text-on-surface-variant">L</td>
<td class="px-6 py-4 text-on-surface-variant">10 L</td>
<td class="px-6 py-4 text-sm text-on-surface-variant">4h ago</td>
<td class="px-6 py-4 text-right">

```

```

<div class="flex justify-end gap-2">
<button class="p-2 text-on-surface-variant hover:text-primary hover:bg-
primary-fixed rounded-lg transition-all" data-bs-target="#editItemModal"
data-bs-toggle="modal"><span class="material-symbols-outlined">edit</
span></button>
<button class="p-2 text-on-surface-variant hover:text-error hover:bg-error-
container rounded-lg transition-all"><span class="material-symbols-
outlined">delete</span></button>
</div>
</td>
</tr>
</tbody>
</table>
</div>
</section><div class="d-flex justify-content-between align-items-center mt-4
px-2"><p class="text-on-surface-variant text-sm mb-0">Showing 1-4 of 42
items</p><div class="flex gap-2"><button class="px-4 py-2 border border-
outline-variant rounded-lg font-body-sm text-on-surface hover:bg-surface-
variant transition-colors">Previous</button><button class="px-4 py-2 bg-
terracotta-rich text-on-primary rounded-lg font-body-sm font-bold shadow-sm
hover:brightness-110 transition-all">Next</button></div></div>
</div>
</main>
<!-- Add Inventory Item Modal -->
<div aria-labelledby="addItemModalLabel" class="modal fade"
id="addItemModal" style="display: none;" tabindex="-1" aria-
hidden="true"><div class="modal-dialog modal-dialog-centered"><div
class="modal-content border-0 rounded-2xl shadow-2xl bg-surface-
container-lowest"><div class="modal-header border-0 p-4 pb-0 d-flex justify-
content-between align-items-center"><h5 class="modal-title font-headline-lg
text-on-surface" id="addItemModalLabel">Add Inventory Item</h5><button
aria-label="Close" class="btn-close shadow-none" data-bs-dismiss="modal"
type="button"></button></div><div class="modal-body p-4"><form
class="row g-3"><div class="col-12"><label class="font-label-caps text-on-
surface-variant mb-2">ITEM NAME</label><input class="form-control bg-
surface-container-low border-outline-variant rounded-lg py-2.5"
placeholder="exg. Basmati Rice" type="text"></div><div class="col-
md-6"><label class="font-label-caps text-on-surface-variant
mb-2">QUANTITY</label><input class="form-control bg-surface-container-
low border-outline-variant rounded-lg py-2.5" placeholder="0"
type="number"></div><div class="col-md-6"><label class="font-label-caps
text-on-surface-variant mb-2">UNIT</label><select class="form-select bg-
surface-container-low border-outline-variant rounded-lg py-2.5"><option
selected="">kg</option><option>L</option><option>pcs</
option><option>box</option></select></div><div class="col-12"><label
class="font-label-caps text-on-surface-variant mb-2">LOW STOCK
THRESHOLD</label><input class="form-control bg-surface-container-low

```

```

border-outline-variant rounded-lg py-2.5" placeholder="Set warning limit"
type="number"></div></form></div><div class="modal-footer border-0 p-4
pt-0 d-flex gap-3"><button class="btn flex-grow-1 border-outline text-on-
surface-variant font-bold py-2.5 rounded-lg" data-bs-dismiss="modal"
type="button">Cancel</button><button class="btn flex-grow-1 bg-terracotta-
rich text-white font-bold py-2.5 rounded-lg shadow-sm" type="button">Save
Item</button></div></div></div></div>
<script>
  function toggleModal(id) {
    const modal = document.getElementById(id);
    if (modal.classList.contains('hidden')) {
      modal.classList.remove('hidden');
      document.body.style.overflow = 'hidden';
    } else {
      modal.classList.add('hidden');
      document.body.style.overflow = 'auto';
    }
  }

  // Add small atmospheric pulse to low stock badges automatically
  document.addEventListener('DOMContentLoaded', () => {
    const warningCards = document.querySelectorAll('.bg-error-container\\
10');
    warningCards.forEach(card => {
      card.classList.add('transition-all', 'duration-700');
      setInterval(() => {
        card.classList.toggle('border-error/40');
      }, 1500);
    });
  });
</script>
<div aria-labelledby="editItemModalLabel" class="modal fade"
id="editItemModal" tabindex="-1" aria-hidden="true" style="display:
none;"><div class="modal-dialog modal-dialog-centered"><div class="modal-
content border-0 rounded-2xl shadow-2xl bg-surface-container-lowest"><div
class="modal-header border-0 p-4 pb-0 d-flex justify-content-between align-
items-center"><h5 class="modal-title font-headline-lg text-on-surface"
id="editItemModalLabel">Edit Inventory Item</h5><button aria-label="Close"
class="btn-close shadow-none" data-bs-dismiss="modal" type="button"></
button></div><div class="modal-body p-4"><form class="row g-3"><div
class="col-12"><label class="font-label-caps text-on-surface-variant
mb-2">CURRENT QUANTITY</label><input class="form-control bg-surface-
container-low border-outline-variant rounded-lg py-2.5" placeholder="Enter
quantity" type="number"></div><div class="col-12"><label class="font-label-
caps text-on-surface-variant mb-2">LOW STOCK THRESHOLD</label><input
class="form-control bg-surface-container-low border-outline-variant rounded-
lg py-2.5" placeholder="Set warning limit" type="number"></div></form></

```

```
div><div class="modal-footer border-0 p-4 pt-0 d-flex gap-3"><button
class="btn flex-grow-1 border-outline text-on-surface-variant font-bold py-2.5
rounded-lg" data-bs-dismiss="modal" type="button">Cancel</button><button
class="btn flex-grow-1 bg-terracotta-rich text-white font-bold py-2.5 rounded-
lg shadow-sm" type="button">Save Changes</button></div></div></div></
div>
```

```
</body></html>
```