## **CN LAB-13**


## **OBSERVATION**

	Date_/_/Page
p/8/n3	203-10
Mah	
	Whose wa program gos weres deletting cool warner
¥	Table of South States of the States
	The state of the s
	Cooli
Box	word was still Second
- bas	umport your valet. Hirays,
	clan Program
	S and the state of
	Water Strong Nor (Strong a , Strong 6) of
-	
	Elting reall , ' ;
	$ \begin{array}{cccc} \text{lnd } h = b_{+} & \text{length } 0^{\circ}; \\ \text{garane } i = i & \text{in } (0, 0, 0) \\ \text{lnd } i = i & \text{length } 0^{\circ}; \end{array} $
	200 (1+1), (1+1)
	Minut do manis) ( 2 ( ))
	result = (a. charpter) == 6. Charpter 2) 20. 1:
	9
	2 return result?
	1)
	Note 212 7 7
	salu Shing Dwi C String dale, Obrug Dey
	o d = dow the
	Some by length ();
	unt n = date lunters co, putil
	unt puck = tay length(s);  String temp = date authring (o, put)  unt n = date length (s);
	of C4 was grover (0) ==1 1,15
	uf C4 mp. dranger (b) =>1,17

+ emp = You date, limp) + date, chart gich) ulso. typ = xor ( new string (new chars picks).

Veplace (4104, 6.4), + mp)+ date. ches - pr (puge) 2 6-pick+>1 us (+mp.chaspy10) = -111) -Amp = yor (Dey, Jmp); else type - yor ( new oleng (new chariput)).

verplace (4701,1011), typ); reltan +mp. statu word Encoole (String date, Dleng bey) Blung ad = (deto + new String (new charleby -D) . Nuplace (4/0",40")); Elting Humaindu - Mad Dus Cad bey); String cooleward = date + vernamely; Syplem - Out, grent iln ("Remainder: "+ remainderis" Syplem Out suntan ( " Enward Date Wate + Remainder) public state read main (String aryses); s Sconners = new Sconner (System. in); Syplim - out fred en (" Ender datemond & key ") String date = S. render.



## **OUTPUT**