Trapping and imaging of single atom in the present of light shift



Yichao Yu
May 26, 2016
Ni Group/Harvard

Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs

Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs



Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs



Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs



Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance



Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance



Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance



Atom	Cs			Na
λ_{trap}	922	935	970	700
β_{cycle}	2	1	0.6	-1

Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance



Atom	Cs			Na
λ_{trap}	922	935	970	700
β_{cycle}	2	1	0.6	-1

Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance



Atom	Cs			Na
λ_{trap}	922	935	970	700
β_{cycle}	2	1	0.6	-1

Light shift

- $\beta = \dfrac{\alpha_e}{\alpha_g}$
- Inefficient cooling; Heating
- Shift imaging light out of resonance

Atom	Cs			Na
λ_{trap}	922	935	970	700
β_{cycle}	2	1	0.6	-1

Cs single atom loading

λ_{trap}	922	935	970
Loading	No	Yes	Yes

Cs single atom imaging



Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom

Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom

Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom

Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom



Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom



Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom





Trap switching

- Alternate between resonant and trap light
- Switching at $1 - 3$MHz
- Being able to load single Na atom