Trapping and imaging of single atoms in the presence of light shift



Yichao Yu
May 26, 2016
Ni Group/Harvard

Group members
Nicholas Hutzler
Lee Liu
Jessie Zhang
PI
Kang-Kuen Ni

Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs
- Doesn't work for Na

Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs
- Doesn't work for Na



Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs
- Doesn't work for Na



Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs
- Doesn't work for Na



Procedure

- MOT Loading
- Trapping
- Imaging
- Works for Cs
- Doesn't work for Na

Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance



Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance





Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance







Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance





Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance







Light shift

- Inefficient cooling; Heating
- Shift imaging light out of resonance

Cs single atom loading

$\lambda_{trap}(nm)$	922	935	970
Loading (%)	0	≈ 50	≈ 50



Cs single atom imaging



Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz



Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz



Cs single atom loading

$\lambda_{trap}(nm)$	922	935	970
Loading (%)	≈ 50	≈ 50	≈ 50

Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz



Cs single atom loading

$\lambda_{trap}(nm)$	922	935	970
Loading (%)	≈ 50	≈ 50	≈ 50

Cs single atom imaging



Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz



Cs single atom loading

$\lambda_{trap}(nm)$	922	935	970
Loading (%)	≈ 50	≈ 50	≈ 50

Cs single atom imaging



Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz





Na Single Atom Loaded!!

Trap modulation

Alternate between trap and resonant (cooling and imaging) light at $1 \sim 3$ MHz

$f_{trap} = 10 \sim 400$ kHz

$\Gamma = 2\pi \times (5 \sim 10)$ MHz





Na Single Atom Loaded!!

Conclusion

- Measured the effect of light shift on loading and imaging of single atom
- Overcome the light shift by alternating trapping and resonant light to achieve loading of single Na atom.
- Generalizable to other species