

Cucumber Report

01-Jan-2024, 10:23:39 pm

Start : Jan 01, 10:23:23.646 pm

End : Jan 01, 10:23:38.343 pm

Duration : 14.697 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 10
FAILED - 2
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate login functionality</u>	14.697 s	2	0	2	0	12	10	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	2	0	2	0	14.697 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect password</u>	6	5	1	0	9.378 s
2	<u>Validate login functionality</u>	<u>Verify user error message when user clicks on submit without entering un or pw</u>	6	5	1	0	5.296 s


Validate login functionality

FAILED	DURATION - 14.697 s	Scenarios		Steps	
/ 10:23:23.646 pm // 10:23:38.343 pm /		Total - 2		Total - 12	
		Pass - 0		Pass - 10	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	



Verify user is not able to login to sauce labs with incorrect password

<div>FAILED</div> <div>DURATION - 9.378 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:23:23.657 pm // 10:23:33.035 pm /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.025 s
2	Then User lands on login page of saucelabs	PASSED	0.215 s
3	When User Enters username "standard_user"	PASSED	0.489 s
4	And User Enters password "incorrectpw"	PASSED	0.410 s
5	And User clicks on Login button	PASSED	0.470 s
6	Then Validate correct error message should come for PW	FAILED	0.006 s
	java.lang.Exception: Rerun Functionality at stepdefinition.Loginstepdefintion.validate_correct_error_message_should_come_for_pw(Loginstepdefintion.java:64) at ?.Validate correct error message should come for PW(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.913 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_password		

#	Step / Hook Details	Status	Duration
			

Verify user error message when user clicks on submit without entering un or pw

<div>FAILED</div> <div>DURATION - 5.296 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 10:23:33.047 pm // 10:23:38.343 pm /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.195 s
3	And User clicks on Login button	PASSED	0.445 s
4	Then Validate correct error message should come	PASSED	0.000 s
5	When User clicks on close button	PASSED	0.000 s
6	Then error message should disappear	FAILED	0.002 s
	java.lang.Exception: Rerun Functionality at stepdefinition.Loginstepdefintion.error_message_should_disappear(Loginstepdefintion.java:82) at ?.error message should disappear(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.812 s
	Verify_user_error_message_when_user_clicks_on_submit_without_entering_un_or_pw		
	