

Cucumber Report

01-Jan-2024, 10:07:37 pm

Start : Jan 01, 10:07:09.501 pm

End : Jan 01, 10:07:36.282 pm

Duration : 26.781 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 0


PASSED - 22
FAILED - 2
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate login functionality</u>	26.781 s	4	2	2	0	24	22	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	4	2	2	0	26.781 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	<u>Verify user is able to login to sauce labs with correct credentials</u>	6	6	0	0	7.809 s
2	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect username</u>	6	6	0	0	6.715 s
3	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect password</u>	6	5	1	0	5.904 s
4	<u>Validate login functionality</u>	<u>Verify user error message when user clicks on submit without entering un or pw</u>	6	5	1	0	6.309 s

Validate login functionality



<div>FAILED</div> <div>DURATION - 26.781 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>		<div>Steps</div> <div>Total - 24</div> <div>Pass - 22</div> <div>Fail - 2</div> <div>Skip - 0</div>		<div></div>	
<div>/ 10:07:09.501 pm // 10:07:36.282 pm /</div>									

Verify user is able to login to sauce labs with correct credentials

<div>PASSED</div>	<div>DURATION - 7.809 s</div>		<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 10:07:09.513 pm // 10:07:17.322 pm /				
Validate login functionality				



#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.027 s
2	Then User lands on login page of saucelabs	PASSED	0.200 s
3	When User Enters username "standard_user"	PASSED	0.462 s
4	And User Enters password "secret_sauce"	PASSED	0.461 s
5	And User clicks on Login button	PASSED	0.422 s
6	Then User should land on home page of saucelabs	PASSED	0.159 s

Verify user is not able to login to sauce labs with incorrect username


<div>PASSED</div>	<div>DURATION - 6.715 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 10:07:17.329 pm // 10:07:24.044 pm /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.237 s
3	When User Enters username "incorrectUn"	PASSED	0.482 s
4	And User Enters password "secret_sauce"	PASSED	0.452 s
5	And User clicks on Login button	PASSED	0.430 s
6	Then Validate correct error message should come for UN	PASSED	0.001 s



Verify user is not able to login to sauce labs with incorrect password

<div>FAILED</div> <div>DURATION - 5.904 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:07:24.051 pm // 10:07:29.955 pm /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.180 s
3	When User Enters username "standard_user"	PASSED	0.483 s
4	And User Enters password "incorrectpw"	PASSED	0.418 s
5	And User clicks on Login button	PASSED	0.398 s
6	Then Validate correct error message should come for PW	FAILED	0.005 s
	java.lang.Exception: Rerun Functionality		

#	Step / Hook Details	Status	Duration
	at stepdefinition.Loginstepdefintion.validate_correct_error_message_should_come_for_pw(Loginstepdefintion.java:64) at ?.Validate correct error message should come for PW(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.807 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_password		
			

Verify user error message when user clicks on submit without entering un or pw

FAILED DURATION - 6.309 s / 10:07:29.973 pm // 10:07:36.282 pm / Validate login functionality		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.170 s
3	And User clicks on Login button	PASSED	0.428 s
4	Then Validate correct error message should come	PASSED	0.001 s
5	When User clicks on close button	PASSED	0.000 s
6	Then error message should disappear	FAILED	0.001 s
	java.lang.Exception: Rerun Functionality at stepdefinition.Loginstepdefintion.error_message_should_disappear(Loginstepdefintion.java:82) at ?.error message should disappear(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.739 s
	Verify_user_error_message_when_user_clicks_on_submit_without_entering_un_or_pw		

#	Step / Hook Details	Status	Duration
			