

Cucumber Report

01-Jan-2024, 10:04:44 pm

Start : Jan 01, 10:04:09.121 pm

End : Jan 01, 10:04:42.663 pm

Duration : 33.542 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 14
FAILED - 4
SKIPPED - 6



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate login functionality</u>	33.542 s	4	0	4	0	24	14	4	6





#	Feature Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	4	0	4	0	33.542 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate login functionality</u>	<u>Verify user is able to login to sauce labs with correct credentials</u>	6	4	1	1	14.824 s
2	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect username</u>	6	4	1	1	6.596 s
3	<u>Validate login functionality</u>	<u>Verify user is not able to login to sauce labs with incorrect password</u>	6	4	1	1	6.457 s
4	<u>Validate login functionality</u>	<u>Verify user error message when user clicks on submit without entering un or pw</u>	6	2	1	3	5.609 s

Validate login functionality


FAILED	DURATION - 33.542 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 24 Pass - 14 Fail - 4 Skip - 6	
/ 10:04:09.121 pm // 10:04:42.663 pm /					

Verify user is able to login to sauce labs with correct credentials



<div><div>FAILED</div><div>DURATION - 14.824 s</div></div>		<div></div>	<div>Steps Total - 6 Pass - 4 Fail - 1 Skip - 1</div> <div></div>
/ 10:04:09.130 pm // 10:04:23.954 pm /			
Validate login functionality			

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.045 s
2	Then User lands on login page of saucelabs	PASSED	0.264 s
3	When User Enters username "standard_user"	PASSED	0.577 s
4	And User Enters password "secret_sauce"	PASSED	0.537 s
5	And User clicks on Login button	FAILED	0.251 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a805e214ec44505af877c44d222b6163, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\Inseng\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53301}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53301/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a805e214ec44505af877c44d222b6163 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:52) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:41) at stepdefinition.Loginstepdefintion.user_clicks_on_login_button(Loginstepdefintion.java:44) at ?.User clicks on Login button(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/ Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:10) * Not displayable characters are replaced by '?'. </pre>		
6	Then User should land on home page of saucelabs	SKIPPED	0.001 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.925 s
	Verify_user_is_able_to_login_to_sauce_labs_with_correct_credentials		

#	Step / Hook Details	Status	Duration
			

Verify user is not able to login to sauce labs with incorrect username

FAILED DURATION - 6.596 s / 10:04:23.980 pm // 10:04:30.576 pm / Validate login functionality		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
---	--	--	---


#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.245 s
3	When User Enters username "incorrectUn"	PASSED	0.578 s
4	And User Enters password "secret_sauce"	PASSED	0.535 s
5	And User clicks on Login button <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9e986affa21b39d63019f155e8e034f, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\inseng\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53337}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53337/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d9e986affa21b39d63019f155e8e034f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</pre>	FAILED	0.236 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:52) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:41) at stepdefinition.Loginstepdefintion.user_clicks_on_login_button(Loginstepdefintion.java:44) at ?.User clicks on Login button(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:16) * Not displayable characters are replaced by '?'. </pre>		
6	Then Validate correct error message should come for UN	SKIPPED	0.000 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.941 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_username		
			



Verify user is not able to login to sauce labs with incorrect password

<div>FAILED</div> <div>DURATION - 6.457 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.000</td></tr><tr><td>2</td><td>0.245</td></tr><tr><td>3</td><td>0.577</td></tr><tr><td>4</td><td>0.525</td></tr><tr><td>5</td><td>0.220</td></tr><tr><td>6</td><td>0.000</td></tr></tbody></table></div>	Step	Duration (s)	1	0.000	2	0.245	3	0.577	4	0.525	5	0.220	6	0.000	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>6</div></div>
Step		Duration (s)															
1		0.000															
2		0.245															
3	0.577																
4	0.525																
5	0.220																
6	0.000																
<div>/ 10:04:30.591 pm // 10:04:37.048 pm /</div>																	
<div>Validate login functionality</div>																	

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.001 s
2	Then User lands on login page of saucelabs	PASSED	0.245 s
3	When User Enters username "standard_user"	PASSED	0.577 s
4	And User Enters password "incorrectpw"	PASSED	0.525 s
5	And User clicks on Login button	FAILED	0.220 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [41b2d3ef174049d10d3847f0e7b2ea94, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\inseng\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53376/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 41b2d3ef174049d10d3847f0e7b2ea94</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:52) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:41) at stepdefinition.Loginstepdefintion.user_clicks_on_login_button(Loginstepdefintion.java:44) at ?.User clicks on Login button(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:23) * Not displayable characters are replaced by '?'. </pre>		
6	Then Validate correct error message should come for PW	SKIPPED	0.000 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.963 s
	Verify_user_is_not_able_to_login_to_sauce_labs_with_incorrect_password		
			

Verify user error message when user clicks on submit without entering un or pw

<div>FAILED</div> <div>DURATION - 5.609 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:04:37.054 pm // 10:04:42.663 pm /				
Validate login functionality				

#	Step / Hook Details	Status	Duration
1	Given User enters the URL	PASSED	0.002 s
2	Then User lands on login page of saucelabs	PASSED	0.754 s
3	And User clicks on Login button	FAILED	0.260 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#login-button1"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [069a35b26bde875ae6d40f03a949d8a8, findElement {using=id, value=login-button1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\inseng\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53414}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53414/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 069a35b26bde875ae6d40f03a949d8a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy24.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:465) at utilities.Utilities.clickOnElement(Utilities.java:52) at pageobjects.LoginPage.clickLoginBtn(LoginPage.java:41) at stepdefinition.Loginstepdefintion.user_clicks_on_login_button(Loginstepdefintion.java:44) at ?.User clicks on Login button(file:///C:/Users/nseng/git/cucumberframework1/CucumberFramework1/src/test/resources/Ecommerce%20Product%20Ordering/LoginToSaucelabs.feature:28) * Not displayable characters are replaced by '?'. </pre>		
4	Then Validate correct error message should come	SKIPPED	0.000 s
5	When User clicks on close button	SKIPPED	0.000 s
6	Then error message should disappear	SKIPPED	0.000 s
	AFTER - hooks.FrameworkHook.dismantleDriver(io.cucumber.java.Scenario)	PASSED	0.871 s
	Verify_user_error_message_when_user_clicks_on_submit_without_entering_un_or_pw		
	