

# Cucumber Report

Jun. 9, 2022, 10:40:56 a.m.

**Start : Jun. 09, 10:40:34.694 a.m.**

**End : Jun. 09, 10:40:54.989 a.m.**

**Duration : 20.295 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 8**


**FAILED - 1**

**SKIPPED - 3**







#	Feature Name	T	P	F	S	Duration
1	Product feature	1	0	1	0	20.295 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Product feature</u>	<u>Add new Product into Application</u>	12	8	1	3	20.287 s


**(F)- Product feature**

<b>FAILED</b>	<b>DURATION - 20.295 s</b>	Scenarios		Steps	
/ 10:40:34.694 a.m. // 10:40:54.989 a.m. /		Total - 1	1	Total - 12	12
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

**(S)- Add new Product into Application**

<div>FAILED</div> <div>DURATION - 20.287 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:40:34.702 a.m. // 10:40:54.989 a.m. /</div>				
<div>Product feature</div>				
<div>@AddNewProduct</div>				

#	Step / Hook Details	Status	Duration
1	Given User is already on the login page	PASSED	0.019 s
2	When User Enters the emailid as "admin@yourstore.com" and password as "admin"	PASSED	0.328 s
3	And User click on the login button	PASSED	3.665 s
4	Then Page title should be "Dashboard / nopCommerce administration"	PASSED	0.028 s
5	When User click on the Catalog Menu	PASSED	2.128 s
6	And User click on the product menu Item	PASSED	3.647 s
7	Then User is on the products page	PASSED	0.020 s
8	Given User click on the Add new button	PASSED	4.446 s
9	Then It should be open Add product page	FAILED	0.048 s
	org.junit.ComparisonFailure: expected:<Add a new pr[o]duct / nopCommerce a...> but was:<Add a new pr[]duct / nopCommerce a...> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at StepDefinations.B_Catalog_Product.it_should_be_open_Add_product_page(B_Catalog_Product.java:56) at ?.It should be open Add product page(file:///D:/Eclipse/Eclipse%20Project/J_Ecommerce_cucumber/.src/test/java/Feature/B_Catalog_Product.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - StepDefinations.CommonClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s

#	Step / Hook Details	Status	Duration
	<div>image</div> 		
10	When User fill up the Add product form	SKIPPED	0.001 s
11	And User click on the product save button	SKIPPED	0.000 s
12	Then Verify the conformation message "The new product has been added successfully."	SKIPPED	0.001 s

(Step) AFTER\_STEP - StepDefinations.  
CommonClass.addScreenshot(io.  
cucumber.java.Scenario)

(S) Add new Product into Application

(F) Product feature

The screenshot displays the nopCommerce administration interface for adding a new product. The sidebar on the left contains a search bar and a list of navigation items: Dashboard, Catalog, Products (selected), Categories, Manufacturers, Product reviews, Product tags, Attributes, Sales, Customers, Promotions, Content management, and Configuration. The main header area shows the user 'John Smith' and a 'Logout' button. The page title is 'Add a new product' with a link to 'back to product list'. Below the title are 'Advanced' and 'Settings' tabs. The 'Product info' section includes three input fields: 'Product name' (with a red asterisk indicating it is required), 'Short description', and 'Full description'. The 'Full description' field is a rich text editor with a toolbar containing options like File, Edit, View, Insert, Format, Tools, and Table. The bottom right corner of the page indicates it is 'POWERED BY TINY'.