

FROM SPURT STUDIOS · FOR SWAROOP B S

Welcome to your cbee handoff

*Everything you need to take cbee Phase 2
from the handoff zip to live on the App Store
and Google Play.*

Apple Developer · Google Play · Cloudflare R2
Privacy policy · Keystore care · Cost monitoring

PREPARED BY SPURT STUDIOS

Bangalore · May 2026

Hi Swaroop,

This is the document to keep on your phone over the next few weeks while you take cbee Phase 2 live. It's the friendlier, simpler version of the full technical docs we shipped — written for reading, not for working in Cursor.

Bhaskar and the Spurt team have built the new version of cbee — the one with the native camera, the Reels feed, and the iOS app, all running on infrastructure that scales without surprise bills. Everything is signed, packaged, and ready for the stores. What's left is the part only you can do, because it requires your name, your card, and accounts under your control.

This Welcome Pack walks you through the three account setups (Apple, Google, Cloudflare) and the publishing path. We've documented everything we learned about the 2026 processes — including the gotchas that catch most first-timers — so you can do this in 3-6 weeks instead of 3-6 months.

What you're holding

This PDF	The reading version. Skim it, then refer back as needed.
welcome_pack/ folder	Markdown source files. Same content, easier to copy/paste from.
docs/handoff/going_live.md	Store-submission walkthrough — for AFTER your accounts are active.
docs/handoff/keystore_handoff.md	Android keystore handoff. Read carefully — losing the keystore is permanent.
docs/operations/cost_model.md	What cbee will cost you to run, at every scale.
Handoff zip	Signed builds, training videos, store-listing kit, full docs.

The high-level plan

Three accounts to set up. All three can run in parallel — start them today, work through one while another is in review.

Account	Cost	Time	Required for
Apple Developer Program	\$99 / year (~₹8,200)	24-48h to 2 weeks	iOS App Store submission
Google Play Console	\$25 one-time (~₹2,100)	1-2 days + 14-day closed testing	Google Play submission
Cloudflare (R2 storage)	\$0 to start	30 minutes total	App's photo + video storage
Privacy policy URL	Free	30 minutes	Required by BOTH stores

Realistic operating cost once you're live: about **₹3,000/month** for the first 6-12 months at small scale. Growing to 10,000 daily users costs roughly **₹13,600/month**. The architecture is designed so the bill grows with usage, no big jumps. Full breakdown in *cost_model.md*.

1. Apple Developer Program

\$99/year, auto-renewing. Typically 24-48 hours to enroll. India enrollment is ONLY available through the Apple Developer app on an iPhone, iPad, or Mac — the web flow doesn't work for Indian addresses.

What you'll need before starting

- An Apple Account with 2-Factor Authentication enabled
- Your legal name matching your government ID exactly (no nicknames)
- A residential address (no P.O. Box)
- A government photo ID — Passport works best; Aadhaar or Driving License also accepted
- A credit/debit card that supports international transactions
- An iPhone, iPad, or modern Mac with Face ID / Touch ID / passcode enabled

The step-by-step

01 Install the Apple Developer app

From the App Store on your iPhone, iPad, or Mac. Search for 'Apple Developer'.

02 Sign in with your Apple Account

Make sure 2-Factor Authentication is on first — visit account.apple.com if needed.

03 Verify your legal name

Apple Account → Personal Information. Name MUST match your government ID exactly. This is the #1 cause of delays.

04 Open Developer app → Account → Enroll

Agree to the Apple Developer Agreement. Continue.

05 Choose 'Individual / Sole Proprietor'

Skip 'Organization' unless you have a registered company and a D-U-N-S Number.

06 Verify your identity

Photograph your government ID under good light. Some accounts also require a selfie. Be patient — quality matters.

07 Wait for review

24-48 hours typical. You'll receive email updates. Don't try to enroll twice.

08 Pay the \$99 annual fee

Auto-renewing subscription. Use a card with international transaction support.

Tutorial resources

These guides cover the screens with screenshots. Watch or skim before starting.

- Apple's official:
<https://developer.apple.com/help/account/membership/enrolling-in-the-app/>
- Updated 2026 walkthrough:
<https://www.webtonative.com/blog/apple-developer-program-enrollment>
- Apple's enrollment page: <https://developer.apple.com/programs/enroll/>

India-specific: Apple's official page explicitly states: "*Enrollment in India is only available through the Apple Developer app.*" Any YouTube tutorial showing the web enrollment flow doesn't apply here. Use only the Developer app on an Apple device.

2. Google Play Console

\$25 USD one-time, no annual renewal. Account approval in 1-3 days. Then — and this is the surprise — if you're a new personal account, you must run a 14-day closed test with 12 active testers before Google will let you publish to production.

What you'll need before starting

- A Google Account with 2-Step Verification enabled
- A credit/debit card with international transactions enabled (RuPay-only cards usually don't work)
- A government photo ID for verification
- A public developer name — your real name or a brand. Visible on every cbee Play Store listing.
- For an Organization account: a D-U-N-S Number (free, takes 1-5 days)

Personal vs Organization — pick once

	Personal Account	Organization Account
Cost	\$25 one-time	\$25 one-time
D-U-N-S Number	Not needed	Required (free, 1-5 days)
14-day closed test	Yes (12 testers, 14 days)	Exempt
Public dev name	Your real legal name	Your registered company
First publish (cold start)	~3 weeks	~2 weeks
Best for	Solo founders, indie projects	Registered companies

Default recommendation: Personal account. The 14-day test is annoying but you can start it the moment your account is approved — Spurt has handed you a signed AAB you can upload to closed testing immediately. The clock ticks while you work on other things.

The 14-day closed test, in plain language

Google introduced this rule in November 2023 (relaxed from 20 testers to 12 in December 2024). It applies only to brand-new personal accounts.

1. Create your cbee app in Play Console.
2. Upload the signed AAB from Spurt to Internal Testing (instant, no review).
3. Upload the same AAB to Closed Testing (Google reviews in 1-3 days).
4. Recruit at least 12 testers — Gmail addresses of friends, family, Spurt team, anyone with an Android phone. Aim for 18-20 to buffer drop-offs.
5. Share the opt-in URL with each tester (Play Console gives you this URL).
6. Each tester clicks the link on their Android phone, taps 'Become a tester,' installs from Play Store.
7. The 14-day timer starts once your release is approved AND 12 testers are opted in.
8. After 14 days: Play Console → Dashboard → Apply for production access. Google reviews in 1-3 days.
9. Publish to production.

2. Google Play — continued

Where to find 12 testers

- Friends, family, Spurt teammates — start here
- Free community:
<https://play.google.com/store/apps/details?id=com.testerscommunity> (Testers Community app)
- Paid services: <https://primetestlab.com>, ~\$15-30 for 12 testers

Account setup walkthrough

- 01 Go to play.google.com/console/signup**
Sign in with the Google Account that will own cbee long-term.
- 02 Accept the developer agreement**
Tick the boxes, click Continue.
- 03 Pay \$25 USD**
Charged in INR + GST, total around ₹2,100-2,400.
- 04 Choose account type**
Yourself (Personal) or An organization. See the comparison table.
- 05 Developer details**
Public developer name (visible on Play Store), public email and phone (verified), private contact info.
- 06 Identity verification**
Within hours-days, Google emails you to upload a photo ID. Comply quickly.
- 07 Account active**
Dashboard accessible at play.google.com/console.
- 08 (Personal only) Start the 14-day closed test**
Set up Internal Testing and Closed Testing tracks. Recruit 12+ testers.

Tutorial resources

Most current videos and guides for the closed-test rule:

- <https://www.youtube.com/watch?v=y50-tgrdOcY> — CodeVenturePro 2025 walkthrough
- <https://www.testerscommunity.com/blog/google-play-closed-testing-setup-step-by-step> — Setup guide with screenshots
- <https://support.google.com/googleplay/android-developer/answer/14151465> — Google's official help (authoritative)

Firebase for Android push notifications

cbec uses push notifications. On Android these go through Firebase Cloud Messaging. Set this up alongside the developer account:

1. Visit <https://console.firebase.google.com> and sign in with the same Google Account
2. Add project: 'cbec-mobile'. Skip Analytics for now.
3. Project settings → Add Android app. Package name: app.cbec.in
4. Download google-services.json
5. Send google-services.json to Bhaskar (goes into the Android codebase)
6. Project settings → Cloud Messaging → copy the Server key, set as FCM_SERVER_KEY in Supabase secrets

3. Cloudflare R2 (media storage)

The cheapest and most important account in the welcome pack. Cloudflare R2 is where cbee's photos and videos will live. It has zero egress fees, which means as cbee grows from 100 users to 100,000, your bandwidth bill doesn't explode.

Why we're doing this

Every time someone watches a reel or scrolls past a photo, data leaves cloud storage. Most providers charge \$0.09 per gigabyte. At cbee scale, that's the difference between paying ₹3,900 a month and ₹2,80,000 a month — literally 70x more, for the exact same service.

Cloudflare R2 doesn't charge for that bandwidth. Storage costs almost nothing (₹1.30 per GB per month). It's the architectural decision that lets cbee scale without surprise bills.

What you'll need before starting

- Your computer with a web browser
- An email address for the Cloudflare account
- A credit/debit card (Cloudflare needs one even on the free tier; no charges unless you exceed limits)
- Access to the cbee.in domain (or whatever you bought) — the ability to update DNS settings at your registrar
- ~30 minutes

The step-by-step

01 Create a Cloudflare account

Visit dash.cloudflare.com/sign-up. Use your cbee admin email. Verify via the confirmation link.

02 Add cbee.in to Cloudflare

Dashboard → 'Add a domain'. Type cbee.in (no www). Choose Free plan. Cloudflare scans your existing DNS — review, click Continue.

03 Update nameservers at your registrar

Cloudflare gives you 2 nameservers. Log into Hostinger/GoDaddy/wherever you bought cbee.in. Replace the existing nameservers with the 2 from Cloudflare. Save. Wait for the email from Cloudflare (usually <1 hour).

04 Enable R2 and create the bucket

Sidebar → R2 Object Storage. First time: enable R2 (add a card; you won't be charged). Click 'Create bucket'. Name it exactly: cbee-media. Region: Asia-Pacific. Click Create.

3. Cloudflare R2 — continued

05 Connect media.cbee.in to the bucket

In the cbee-media bucket → Settings → Public Access → Connect Domain. Type 'media.cbee.in'. Cloudflare auto-creates a DNS CNAME. Wait for the green checkmark.

06 Set the CORS policy

In the bucket → Settings → CORS Policy → Add. Paste the JSON shown in cloudflare_setup.md (allows uploads from the cbee app's origins). Save.

07 Create an API token

Sidebar → R2 → Manage R2 API Tokens → Create. Name: cbee-upload-token. Permissions: 'Object Read & Write'. Specify bucket: cbee-media only. TTL: Forever. Click Create.

08 Save the credentials, share with Bhaskar

Save ALL FOUR values into 1Password / Bitwarden: Access Key ID, Secret Access Key, Endpoint URL, Account ID. The Secret Access Key is shown ONCE — never again. Share securely with Bhaskar.

Two-channel rule for the credentials: use one channel (1Password share, encrypted Google Doc) for the credentials themselves. Use a different channel (voice call, separate messaging app) for any encryption key. Never put the Secret Access Key in WhatsApp, email subject lines, or plain Slack.

What about if I don't own cbee.in?

You can still use R2 — Cloudflare gives you a public URL like *pub-abc123def456.r2.dev*. The cost and performance are identical; it just looks less professional. We strongly recommend buying cbee.in (~₹1,000/year from Hostinger / GoDaddy India / BigRock) — it's a one-time decision that makes everything cleaner. If you go the .r2.dev route now and want to switch later, Bhaskar can run a 1-line SQL update to migrate all URLs.

Tutorial resources

- Cloudflare R2 official docs: <https://developers.cloudflare.com/r2/>
- Pricing calculator: <https://r2-calculator.cloudflare.com/>
- R2 + custom domain setup videos: https://www.youtube.com/results?search_query=cloudflare+r2+custom+domain+setup

4. Privacy policy + keystore

Two more things — a privacy policy you'll need for both stores, and the Android keystore that requires special care.

Privacy policy — the easy version

Both stores require a public URL pointing to a privacy policy. Three options, fastest first:

Option 1 (free, 30 min): Use <https://sites.google.com> to host a simple policy. Title: 'cbee Privacy Policy'. Paste the template from *welcome_pack/apple_developer_setup.md*. Publish at e.g. sites.google.com/view/cbee-privacy.

Option 2 (free, 15 min): Generate a formal one via <https://www.termsfeed.com/privacy-policy-generator/>, host on Google Sites or Notion.

Option 3 (best long-term): Host at cbee.in/privacy. Most professional. Phase 3 task — Google Sites is fine for launch.

The Android keystore

Bhaskar will send you an encrypted file called *cbee-release.jks*. This is the single most important artifact in the entire engagement. Losing it means cbee Android cannot be updated, EVER.

- 1. Receive the encrypted file** from Bhaskar via WhatsApp / Drive / email.
- 2. Receive the GPG passphrase via a DIFFERENT channel** (voice call, separate messaging app). Never both in one place.
- 3. Decrypt and verify** using the procedure in *docs/handoff/keystore_handoff.md*. Compare the SHA-256 fingerprint.
- 4. Store in THREE places:** (1) encrypted disk image or password manager, (2) printed on paper in a locked drawer, (3) encrypted external drive at a different physical location. Test all three annually.

Strongly recommended: Accept **Play App Signing** when you upload to Play Store for the first time. Google takes over the production signing key, and your local keystore becomes a rotatable 'upload key.' If compromised,

you can reset it; without Play App Signing, you cannot. Always opt in.

5. What cbee will cost to run

The architecture is designed so your bill grows smoothly with your user base. No big jumps. No surprise migrations. Detailed breakdown in docs/operations/cost_model.md.

Stage	Daily users	Monthly cost (USD)	Monthly cost (INR)
Launch (Month 1)	0-50	\$34	~₹2,900
Growing (Month 1-6)	50-500	\$34-40	~₹2,900-3,400
Validated (Month 6-12)	1,000	\$46	~₹3,900
Scaling (Year 2)	10,000	\$160	~₹13,600
Successful (Year 3+)	100,000	\$1,225	~₹1,04,000

These numbers include Supabase (\$25/month base), Cloudflare R2 storage and read ops (egress is always free), and amortized Apple Developer Program. At small scale, the bill is essentially the \$25 Supabase subscription. At scale, you're paying for actual user activity.

If anything goes wrong

<i>Apple rejection: missing privacy policy</i>	Host a privacy policy at a public URL. Resubmit.
<i>Apple rejection: demo account doesn't work</i>	Test the credentials yourself first. Update review notes.
<i>Apple rejection: app crashes on launch</i>	Email Bhaskar — he'll reproduce and fix.
<i>Google closed test stuck at <12 testers</i>	Recruit more. Aim for 18-20 to buffer. Use the Testers Community app.
<i>Push notifications don't work</i>	Re-check Firebase setup or APNs key upload to Supabase.
<i>Reels feed shows nothing</i>	Make a video post first! Empty feed has no reels.

<i>Someone reports abusive content</i>	Run the triage SQL in Supabase Studio. See <code>going_live.md</code> .
<i>Bill is higher than expected</i>	Check the R2 + Supabase dashboards. See <code>cost_model.md</code> for triggers.

*You've got this, Swaroop. cbee is a real thing now. Soon it'll be
on real phones,
used by real pet parents in real cities.*

— Bhaskar & the Spurt team