



HTML

CSS

MORE ▾



w3schools.com



Font Awesome Introduction

[Next >](#)

To use some icons, add the following line inside the `<head>` section of your

```
stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">
```

No configuration or installation is required!

To use some icons by using the prefix `fa` and the icon's name.

Example

The following code:

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>

<i class="fa fa-car"></i>
<i class="fa fa-car" style="font-size:48px;"></i>
```

```
<i class="fa fa-car" style="font-size:60px;color:red;"></i>
```



== TRIPLE TREAT ==
BOX
 SAVE UPTO
40%



MEAL
 FOR 4
 ₹ 699*

ORDER NOW

*T&C Apply. Refer website.



designed to be used with inline elements. The `<i>` and `` tags are used for icons.

When you change the font-size or color of the icon's container, the icon itself goes for shadow, and anything else that gets inherited using CSS.

EVERY PROJECT



Icons

The `fa-lg` (33% increase), `fa-2x`, `fa-3x`, `fa-4x`, or `fa-5x` classes are used to increase the icon sizes relative to their container.

Example

The following code:

```
<i class="fa fa-car fa-lg"></i>
<i class="fa fa-car fa-2x"></i>
<i class="fa fa-car fa-3x"></i>
<i class="fa fa-car fa-4x"></i>
<i class="fa fa-car fa-5x"></i>
```

Results in:



re getting chopped off on top and bottom, increase the line-height.

`-li` classes are used to replace default bullets in unordered lists.

le:

```
-ul">
s="fa-li fa fa-check-square"></i>List icons</li>
s="fa-li fa fa-spinner fa-spin"></i>List icons</li>
s="fa-li fa fa-square"></i>List icons</li>
```

- ☒ List icons
- ☐ List icons
- ☐ List icons

Try It Yourself »

Bordered and Pulled Icons

The `fa-border`, `fa-pull-right` or `fa-pull-left` classes are used for pull quotes or article icons.

Example



le:

```
fa-quote-left fa-3x fa-pull-left fa-border"></i>
```

dolor sit amet, consectetur adipisicing elit, sed do
 or incididunt ut labore et dolore magna aliqua. Ut enim ad
 quis nostrud exercitation ullamco laboris nisi ut aliquip
 consequat. Duis aute irure dolor in reprehenderit in
 it esse cillum dolore eu fugiat nulla pariatur.

psum dolor sit amet, consectetur adipisicing elit, sed do eiusmod
 incididunt ut labore et dolore magna aliqua. Ut enim ad minim
 quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea
 equat. Duis aute irure dolor in reprehenderit in voluptate velit esse
 u fugiat nulla pariatur.

>>

Icons


gets any icon to rotate, and the `fa-pulse` class gets any icon to

Example

The following code:

```
<i class="fa fa-spinner fa-spin"></i>
<i class="fa fa-circle-o-notch fa-spin"></i>
<i class="fa fa-refresh fa-spin"></i>
<i class="fa fa-cog fa-spin"></i>
<i class="fa fa-spinner fa-pulse"></i>
```

Results in:



[Try It Yourself »](#)


do not support CSS3 animations.

Rotated and Flipped Icons

and `fa-flip-*` classes are used to rotate and flip icons.

le:

```
fa-shield"></i>
fa-shield fa-rotate-90"></i>
fa-shield fa-rotate-180"></i>
fa-shield fa-rotate-270"></i>
fa-shield fa-flip-horizontal"></i>
fa-shield fa-flip-vertical"></i>
```

Stacked Icons

To stack multiple icons, use the `fa-stack` class on the parent, the `fa-stack-1x` class for the regularly sized icon, and `fa-stack-2x` for the larger icon.

The `fa-inverse` class can be used as an alternative icon color. You can also add larger icon classes to the parent to further control the sizing.

Example

The following code:



```
<span class="fa-stack fa-lg">
  <i class="fa fa-circle-thin fa-stack-2x"></i>
  <i class="fa fa-twitter fa-stack-1x"></i>

  fa-circle-thin<br>

  fa-stack fa-lg">
  fa fa-circle fa-stack-2x"></i>
  fa fa-twitter fa-stack-1x fa-inverse"></i>

  inverse) on fa-circle<br>

  fa-stack fa-lg">
  fa fa-camera fa-stack-1x"></i>
  fa fa-ban fa-stack-2x text-danger" style="color:red;"></i>

camera
```

```
on fa-circle-thin
r (inverse) on fa-circle
n fa-camera
```

Fixed Width Icons

The `fa-fw` class is used to set icons at a fixed width. This class is useful when different icon widths throw off alignment. Especially useful in Bootstrap's navlists and list groups.

Example

```
<div class="list-group">
  <a href="#" class="list-group-item"><i class="fa fa-home fa-fw"></i>
  Home</a>
  <a href="#" class="list-group-item"><i class="fa fa-book fa-fw"></i>
```


Library

```
<a href="#" class="list-group-item"><i class="fa fa-pencil fa-fw">  
</i> Applications</a>  
class="list-group-item"><i class="fa fa-cog fa-fw"></i>
```




works great with all the Bootstrap components.

Next >



COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars
- Parallax



Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List


SHARE



CERTIFICATES

HTML
CSS
JavaScript
PHP
jQuery
Bootstrap
XML

Read More »



[REPORT ERROR](#)[PRINT PAGE](#)[FORUM](#)[ABOUT](#)

Top 10 Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [SQL Tutorial](#)
- [PHP Tutorial](#)
- [jQuery Tutorial](#)
- [Python Tutorial](#)

Top 10 References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [SQL Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [jQuery Reference](#)
- [Python Reference](#)

Top 10 Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)
- [W3.CSS Examples](#)
- [Bootstrap Examples](#)
- [PHP Examples](#)
- [jQuery Examples](#)
- [Angular Examples](#)
- [XML Examples](#)

Web Certificates

- [HTML Certificate](#)
- [CSS Certificate](#)
- [JavaScript Certificate](#)
- [jQuery Certificate](#)
- [PHP Certificate](#)
- [Bootstrap Certificate](#)
- [XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2018 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

