

STANDARD PROCEDURE



Procedure for Incoming Product Quality

Procedure No.	Issue	Rev.	Date	Page
ISP-QA-007	02	03	11-Feb-19	01 of 03

PAGE NO.	Issue	Rev.	REASON FOR CHANGE	DATE
All	01	00	New Document Release	1-Jun-14
All	01	02	Supplier audit criteria & Sub supplier audit is inculded in sr. No. 12	24-Jul-14
All	01	03	Supplier improvement plan added in record reference at sr. no. 13	20-Oct-14
All	02	00	New Document Release	8-May-17
All	02	01	MQS requirment & Initial Flow control for Supplier point added in point no-4 after countermeasure for TVS	12-Oct-17
All	02	02	In Sr.no-1a Note added as per Internal audit observation , No separate inspection is required from Bawal supplied FG parts	24-Jan-19
All 02 03		03	In Sr.no-3a added for special process like plating , phosphating etc Needs to be checked all parameters as per plan or by the adhering the PQCS/Inspection std /drawing etc	11-Feb-19
All	2	04	In Sr. no 11a Tracking Sheet format modified with three sample lots to be taken for effectivenss monitoring	20.1.2021

Prepared By	Checked By	Approved By	Released By

Major Links To:

MD	Director- HR	Director-Purchase , Sales	Director- Finance & Account, FC,IT
Head- HT & Forging	Head- Factory Control	Head - PE	Head- Engineering
Head- Quality Assurance	Head- Purchase	Head- Machine Shop	

1.0 Purpose

To establish a Procedure for Incoming Product Quality in order to ensure that :-

- (a) The Incoming inspection is carried out to ensure that purchased product meets the purchase specifications.
- (b) Supplier monitoring is done thru suitable indicators at a defined frequency.
- (c) Packing of incomig material is as per packaing standards.

2.0 Scope

The scope of the procedure covers the following:-

- (a) Semi-finished product, forging, tooling, die, fixture, gauges, machine spares, consumables & steel raw material coming to plant.
- (b) All Suppliers of semi finished product, forging, tooling, die, fixture, gauge, machine spares, consumables & steel raw material.

3.0 Responsibility

Department Head - QA , Department Head - Purchase Respective Department Heads

Documents Referenced	Number	Records Referenced	Number
Work Instruction for supplier	ISW-QA-002	Supplier Performance Rating	ISF-QA-009
performance rating		Material Receipt Note	ISF-FC-001
List of Approved Suppliers	ISD-PU-002	Supplier Audit Report	ISF-QA-011
Supplier Audit Plan	ISD-QA-004	Incoming Insp. Report (Sozai stage)	ISF-QA-017
		Part Inspection Report	ISF-QA-022
List of Direct Clearing Items	ISD-FC-001	Parts Inspection Report (Metallurgica	I]ISF-QA-018
Rule for Supplier Problem	ISD-QA-017	Production Plan	ISF-FC-002
- Countermeasures		IPP	ISF-QA-026
Procedure for control of NC Products	ISP-HT-001	Deviation Request	ISF-HT-002
		Inspection Standard	ISF-QA-036
		Mass Production QAV - 2 Check She	€ ISF-QA-048
		Supplier Improvement Plan	ISF-QA-056



STANDARD PROCEDURE



Procedure for Incoming Product Quality

Procedure No.	Issue	Rev.	Date	Page
ISP-QA-007	02	03	11-Feb-19	02 of 03

4.0 Procedure

1	Activity RECEIVING INSPECTION FOR SEMI-FINISHED	Input	Output	Responsibilit
1	PRODUCTS, FORGINGS, STEEL RAW MATERIAL			
	Receiving inspection of samples of under development	Material	Incoming	Associate- QA
	Lot/ pilot lot / regular supplies/ After any change for	Receipt Note	Inspection	
	semi finished products, forgings, steel raw material, is	IPP	Report(Sozai	
	done as per respective PQCS / Work instruction /		Stage) / Part	
	Inspection Standard / Drawing for dimensional		Inspection	
	inspection.		Report	
	Note : For the F.G parts (Example : GPDN KTEM, OCSC etc.)	Material	PDI report Bawal	Associate- QA
	receiving from Map-id Bawal , Incoming inspection	Receipt Note		
	will not be carried out at map-id Bangalore , based on the			
	reference of the PDI Report from Map-id Bawal ,			
	Bangalore will clear the lots, (No separate receiving inspection			
	is required			
2	Samples under development/ pilot lots/ regular	Material	Parts	Associate- QA
	supplies/ After any change for semi finished products,	Receipt Note	Inspection	
	forgings, steel raw material are sent to Metallurgical	IPP .	Report	
	Lab for inspection. Metallurgical inspection is carried		(Metallurgical)	
	out as per respective PQCS / Work instruction.			
3	Inspection report is prepared and OK / NG tag is	Incoming	Disposition	Associate- QA
'	provided to the checked item as per inspection status.	Inspection	of Lot	ASSUCIALE- WA
	provided to the encored term as per inspection status.	Report(Sozai	OI LOI	
		Stage)		
	Note - For any analysis are as a 11 - 12 of -			
l	Note: For any special process like Plating Phospating etc Needs to be checked all parameters as per plan or	Incoming Inspection	inspection report	Associate- QA
	as per customer requirmnets by the adhering the PQCS	Report(Sozai		
	/ Work instruction / inspection std / or drwaing for special process			
	The state of the s	Stage)/Inspection		
		std /drawing		
	In case of sample under development/ pilot lots	Inspection	Distribution	Associate- QA
	approved inspection report from QA is sent to Process	Reports	of copies	
	Engineering / Source Department of Sample.			
	In case of regular supplies, if non-conformance is			
	observed, approved inspection report from QA is sent			
	to Purchase Department.	.		NED OA
	MQS Sheet will be shared to Supplier by MDT	Drawing /	MQS	NPD QA
	and Updated MQS will be received . NPD QA has to verify & confirm the same as per Drawing	Critical /Fit/Function List		
	The Day has to verily & committing same as per brawing	List		
	Initial Flow control for Supplier_			
	M-FLOW (QCD) evaluation is carried out at	Development Plan	Evaluation	MDT
	the completion of first three months of mass production.		as per annexure-2	
	the completion of first three months of mass production. Initial flow control period should be fixed		as per annexure-2	
			as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control:-		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated /		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period following conditions are satisfied-		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved		as per annexure-2	
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow	Inspection	as per annexure-2 Disposal	Associate- QA /
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period following conditions are satisfied-1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met	Inspection Reports		Associate- QA /
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier			Associate- QA /
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and			Associate- QA /
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures".	Reports	Disposal	Associate- QA / Associate- Purci
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier			Associate- QA /
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request	Reports Deviation	Disposal	Associate- QA / Associate- Purci
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied-1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming	Reports Deviation	Disposal	Associate- QA / Associate- Purch
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied-1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES &	Reports Deviation	Disposal	Associate- QA / Associate- Purci
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purcl Works Head
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings,	Reports Deviation	Disposal MAPID approval	Associate- QA / Associate- Purcl Works Head Concerned
i	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems ocuuring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purcl Works Head
i	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by indentor from respective departments on the basis of	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purcl Works Head Concerned
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by indentor from respective departments on the basis of requirements specified by them. If found OK / NG,	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purcl Works Head
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA , if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by indentor from respective departments on the basis of	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purch Works Head
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied-1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMABLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by indentor from respective departments on the basis of requirements specified by them. If found OK / NG , MRN is verified and sent to Purchase, Finance through store by concerned deptt. head.	Reports Deviation Request MRN	Disposal MAPID approval Approved MRN	Associate- QA / Associate- Purch Works Head Concerned Department Heads
	Initial flow control period should be fixed period should be 3 months as approriate The following activities to be carried out during initial flow control: Special inspection / process controls that is higher than normal controls these could be either added inspection points or inspections at higher frequency Initial flow control period to be terminated / Approved with conditions by HOD QA, if at the end of initial flow period follwing conditions are satisfied- 1 Cpk > 1.33 2. All problems occurring before SOP are solved and recheck done to confirm that they remain solved 3. Any new problem arising in initial flow period is also solved If any of the conditions are not met then initial flow control period can be extended till time all criteria are met Non-conforming product is handled as per "Procedure for control of Non-conforming products" and countermeasure is taken as per "Rule for Supplier Problem - Countermeasures". If any approval given by MAPID, against the request made by the supplier for shipment of non-conforming products the same will be received duly identified on packing. CONSUMBBLES, TOOLINGS, GAUGES, DIES & FIXTURES Inspection of Machine spares, consumables, toolings, gauges, dies & fixtures is carried out or arranged by indentor from respective departments on the basis of requirements specified by them. If found OK / NG , MRN is verified and sent to Purchase, Finance	Reports Deviation Request	Disposal MAPID approval	Associate- QA / Associate- Purch Works Head



STANDARD PROCEDURE

Procedure for Incoming Product Quality

Procedure No.	Issue	Rev.	Date	Page
ISP-QA-007	02	03	11-Feb-19	03 of 03

Srl.	Activity	Input	Output	Responsibility
9	DIRECT CLEARING ITEMS A list of items prepared by factory control in consultation with various departments, approved by Works Head is maintained by Stores. All items appearing in this list shall be inspected and approved for use by Stores directly.	List of Direct Clearing items	Approved MRN	Head Factory Control
10	If any material is found Non-conforming, the same is handled as per Procedure for control of Non-conforming products. Direct delivery product received from suppplier controlled as per direct on line check system	Inspection Report	Disposal	Concerned Department Heads
	SUPPLIER PERFORMANCE MONITORING			
11	Supplier ppm target for current year (as a quality goal) to be made based on previous year analysis. and make supplier improvement plan for worst 3 suppliers Action taken in supplier improvement plan shall be evaluated and approved at planned intervals and appropriate action needs to be take after advice from evaluator if required	Last year analysis	Supplier ppm target / Supplier improvement plan	Associate RQA
	Examine the Supplier Performance Rating and take action in case of supplier performance rating is unsatisfactory (D grade) as per work instruction for supplier performance rating & update list of approved suppliers accordingly.	Work Inst. For Supplier Perf. rating	Supplier Performance Rating & List of Approved Suppliers	Head Purchase Head QA
11a	Tracking Sheet format modified with three sample lots to be taken for effectiveness monitoring	Monitoring report	ISF-QA-030	Associate RQA
12	Prepare a Supplier Audit Plan for audit at supplier end. as per below criteria:- Grading as per supplier rating A & B = Once /Year C = Twice / Year D = as per sr. no. 11	Supplier Performance Rating	Supplier Audit Plan	Associate - Purchase
	Critical parts are those parts which are manufactured through Heat treatment process, HS marks on part drawing In case of critical parts - Supplier QAV audit needs to be done on yearly basis.	Supplier Audit Plan	Supplier Audit report	Head QA
	Supplier QAV plan to be verified by Mgr RQA on monthly basis	Sub Supplier Audit Plan	verified supplier audit plan	Associate -RQA
	MAP-ID Sub supplier audit done by MAP-ID supplier & MAP-ID supplier submit audit report to MAP-ID purchase on requirement	Sub Supplier Performance Rating	Sub Supplier Audit Plan	Supplier - Purchase
13	Evaluate the supplier Quality system level in terms of closeness to IATF 16949 standards.	Supplier system level	Plan for supplier improvement	Head- Purchase/ Head- QA
	Improvements plan required from suppliers who are not able to achieve the target PPM.			
14	Conduct the audit at supplier end as per Supplier Audit Plan. During audits the progress in terms of quality system development as per plan is also monitored	Supplier Audit Plan	Supplier Audit report	Associate - QA/ Purchase