CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….…… Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(a) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(b) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(c) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(d) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(e) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(f) No leave permission is accorded over phone.
(g) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant

CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….……Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(h) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(i) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(j) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(k) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(l) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(m) No leave permission is accorded over phone.
(n) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant

1.Unique Paths II (Grid with Obstacles)import java.util.*;public class Main {public static int uniquePathsWithObstacles (int[][] grid) {int m = grid.length;int n = grid[0].length;int[][] dp = new int[m][n];for (int i = 0; i < m; i++) {for (int j = 0; j < n; j++) {if (grid[i][j] == 1) {dp[i][j] = 0;}else if (i == 0 && j == 0) {dp[i][j] = 1;}else {int up = (i > 0) ? dp[i - 1][j] : 0;int left = (j > 0) ? dp[i][j - 1] : 0;dp[i][j] = up + left;}}}return dp[m - 1][n - 1];}public static void main(String[] args) {Scanner sc = new Scanner(System.in);int m = sc.nextInt();int n = sc.nextInt();int[][] grid = new int[m][n];for (int i = 0; i < m; i++) {for (int j = 0; j < n; j++) {grid[i][j] = sc.nextInt();}}System.out.println(uniquePathsWithObstacles(grid));}}

2.Game of Life import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int m = sc.nextInt();int n = sc.nextInt();int[][] board = new int[m][n];for(int i=0;i<m;i++){for(int j=0;j<n;j++){board[i][j] = sc.nextInt();}} int[][] dirs = {{-1,-1},{-1,0},{-1,1},{0,-1},{0,1},{1,-1},{1,0},{1,1} };for(int i=0;i<m;i++){for(int j=0;j<n;j++){ int live = 0; for(int[] d : dirs){ int x = i + d[0]; int y = j + d[1]; if(x>=0 && y>=0 && x<m && y<n && Math.abs(board[x][y])==1){live++;}}if(board[i][j]==1 && (live<2 || live>3)){board[i][j] = -1;}else if(board[i][j]==0 && live==3){board[i][j] = 2;}}}for(int i=0;i<m;i++){for(int j=0;j<n;j++){ board[i][j] = board[i][j] > 0 ? 1 : 0;if(j == n-1) System.out.print(board[i][j]);else System.out.print(board[i][j] + " ");}if(i != m-1)System.out.println();}}}

3.Matrix Diagonal Traverseimport java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in); int m = sc.nextInt();int n = sc.nextInt();int[][] mat = new int[m][n];for(int i=0;i<m;i++){for(int j=0;j<n;j++){mat[i][j] = sc.nextInt();}}List<Integer> result = new ArrayList<>for(int d = 0; d < m + n - 1; d++){if(d % 2 == 0){int i = Math.min(d, m - 1);int j = d - i;while(i >= 0 && j < n){result.add(mat[i][j]);i--;j++;}}else {int j = Math.min(d, n - 1);int i = d - j;while(j >= 0 && i < m){result.add(mat[i][j]);i++;j--;}}}for(int i=0;i<result.size();i++){if(i == result.size()-1)System.out.print(result.get(i));else System.out.print(result.get(i) + " ");}}}}

4.Word Search (Matrix DFS) import java.util.*;public class Main {static boolean dfs(char[][] board, String word, int i, int j, int k) {if (k == word.length()) return true;if (i < 0 || j < 0 || i >= board.length || j >= board[0].length || board[i][j] != word.charAt(k)) {return false;}char temp = board[i][j];board[i][j] = '#';boolean found = dfs(board, word, i+1, j, k+1) ||dfs(board, word, i-1, j, k+1) ||dfs(board, word, i, j+1, k+1) ||dfs(board, word, i, j-1, k+1);board[i][j] = temp;return found;}public static void main(String[] args) {Scanner sc = new Scanner(System.in);int m = sc.nextInt();int n = sc.nextInt();sc.nextLine();char[][] board = new char[m][n];for (int i = 0; i < m; i++) {String line = sc.nextLine().replace(" ", "");for (int j = 0; j < n; j++) {board[i][j] = line.charAt(j);}}String word = sc.nextLine();boolean exists = false;for (int i = 0; i < m; i++) {for (int j = 0; j < n; j++) {if (dfs(board, word, i, j, 0)) {exists = true;break;}}}System.out.print(exists ? "true" : "false");}}

5.Maximal Rectangle (Hybrid) import java.util.*;public class Main {public static int largestRectangle(int[] h){Stack<Integer> st = new Stack<>();int max = 0;for(int i=0;i<=h.length;i++){int cur = (i==h.length) ? 0 : h[i];while(!st.isEmpty() && cur < h[st.peek()]){int height = h[st.pop()];int width = st.isEmpty() ? i : i - st.peek() - 1;max = Math.max(max, height * width);}st.push(i);} return max; } public static void main(String[] args){ Scanner sc = new Scanner(System.in); int m = sc.nextInt(); int n = sc.nextInt(); int[][] mat = new int[m][n]; for(int i=0;i<m;i++){ for(int j=0;j<n;j++){ mat[i][j] = sc.nextInt(); } } int[] h = new int[n]; int res = 0; for(int i=0;i<m;i++){ for(int j=0;j<n;j++){ if(mat[i][j] == 0) h[j] = 0; else h[j] += 1; }res = Math.max(res, largestRectangle(h));}System.out.println(res);}}

6.Set Matrix Zeroes (In-Place) import java.util.*;public class Main {public static void main(String[] args){Scanner sc = new Scanner(System.in);int m = sc.nextInt();int n = sc.nextInt();int[][] a = new int[m][n];for(int i=0;i<m;i++){for(int j=0;j<n;j++){a[i][j] = sc.nextInt();}}boolean firstRow = false, firstCol = false;for(int i=0;i<m;i++){if(a[i][0] == 0){firstCol = true;break;}}for(int j=0;j<n;j++){if(a[0][j] == 0){firstRow = true;break;}}for(int i=1;i<m;i++){for(int j=1;j<n;j++){if(a[i][j] == 0){a[i][0] = 0;a[0][j] = 0;}}}for(int i=1;i<m;i++){for(int j=1;j<n;j++){if(a[i][0] == 0 || a[0][j] == 0){a[i][j] = 0;}}}if(firstRow){for(int j=0;j<n;j++){a[0][j] = 0;}}if(firstCol){for(int i=0;i<m;i++){a[i][0] = 0;}}for(int i=0;i<m;i++){for(int j=0;j<n;j++){System.out.print(a[i][j]);if(j != n-1) System.out.print(" ");}if(i != m-1) System.out.println();}}}

7.Valid Sudoku import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int m = sc.nextInt(); int n = sc.nextInt(); char[][] board = new char[m][n];for(int i = 0; i < m; i++){for(int j = 0; j < n; j++){board[i][j] = sc.next().charAt(0);}}Set<String> seen = new HashSet<>();for(int i = 0; i < m; i++){for(int j = 0; j < n; j++){char num = board[i][j];if(num == '.') continue;String row = num + " in row " + i;String col = num + " in col " + j;String box = num + " in box " + ((i/3)*3 + (j/3));if(!seen.add(row) || !seen.add(col) || !seen.add(box)){System.out.print("false");return;}}}System.out.print("true");}}

8.Rotate Image (90 Degree) import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n = sc.nextInt();int[][] mat = new int[n][n];for(int i = 0; i < n; i++){for(int j = 0; j < n; j++){mat[i][j] = sc.nextInt();}}for(int i = 0; i < n; i++){for(int j = i+1; j < n; j++){int temp = mat[i][j];mat[i][j] = mat[j][i];mat[j][i] = temp;}}for(int i = 0; i < n; i++){int left = 0, right = n-1;while(left < right){int temp = mat[i][left];mat[i][left] = mat[i][right];mat[i][right] = temp;left++;right--;}}for(int i = 0; i < n; i++){for(int j = 0; j < n; j++){System.out.print(mat[i][j]);if(j != n-1) System.out.print(" ");}if(i != n-1) System.out.println();}}}

9.Spiral Matrix II import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n = sc.nextInt();int[][] mat = new int[n][n];int top = 0, bottom = n - 1;int left = 0, right = n - 1;int num = 1;while(top <= bottom && left <= right){for(int j = left; j <= right; j++){mat[top][j] = num++;}top++;for(int i = top; i <= bottom; i++){mat[i][right] = num++;}right--;if(top <= bottom){for(int j = right; j >= left; j--){mat[bottom][j] = num++;}bottom--;}if(left <= right){for(int i = bottom; i >= top; i--){mat[i][left] = num++;}left++;}}for(int i = 0; i < n; i++){for(int j = 0; j < n; j++){System.out.print(mat[i][j]);if(j != n-1) System.out.print(" ");}if(i != n-1) System.out.println();}}}

10.Median of Two Sorted Arrays import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n1 = sc.nextInt();int[] a = new int[n1];for(int i = 0; i < n1; i++){a[i] = sc.nextInt();}int n2 = sc.nextInt();int[] b = new int[n2];for(int i = 0; i < n2; i++){b[i] = sc.nextInt();}int[] merged = new int[n1 + n2];int i = 0, j = 0, k = 0;while(i < n1 && j < n2){if(a[i] < b[j]){merged[k++] = a[i++];} else {merged[k++] = b[j++];}}while(i < n1) merged[k++] = a[i++];while(j < n2) merged[k++] = b[j++];int total = n1 + n2;double median;if(total % 2 == 1){median = merged[total/2];} else {median = (merged[total/2 - 1] + merged[total/2]) / 2.0;}System.out.printf("%.5f", median);}}

11.Minimum Number of Refueling Stops (Greedy/Hybrid) import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int target = sc.nextInt();int startFuel = sc.nextInt();int n = sc.nextInt();int[][] stations = new int[n][2];for(int i = 0; i < n; i++){stations[i][0] = sc.nextInt();stations[i][1] = sc.nextInt(); }PriorityQueue<Integer> maxHeap = new PriorityQueue<>(Collections.reverseOrder());int fuel = startFuel;int i = 0, stops = 0;while(fuel < target){while(i < n && stations[i][0] <= fuel){maxHeap.add(stations[i][1]);i++;}if(maxHeap.isEmpty()){System.out.print(-1);return;}fuel += maxHeap.poll();stops++;}System.out.print(stops);}}

12.Burst Balloons (Advanced DP) import java.util.*;public class Main {public static void main(String[] args){Scanner sc = new Scanner(System.in);int n = sc.nextInt();int[] nums = new int[n+2];nums[0] = nums[n+1] = 1;for(int i=1;i<=n;i++){nums[i] = sc.nextInt();}int[][] dp = new int[n+2][n+2];for(int len=1; len<=n; len++){for(int left=1; left<=n-len+1; left++){int right = left + len - 1;dp[left][right] = 0; for(int k=left; k<=right; k++){int coins = nums[left-1] * nums[k] * nums[right+1]+ dp[left][k-1] + dp[k+1][right];dp[left][right] = Math.max(dp[left][right], coins);}}}System.out.println(dp[1][n]);}}

13.Regular Expression Matching import java.util.*;public class Main { public static void main(String[] args) {Scanner sc = new Scanner(System.in);String s = sc.next();String p = sc.next();int m = s.length();int n = p.length();boolean[][] dp = new boolean[m+1][n+1];dp[0][0] = true;for(int j = 2; j <= n; j++){ if(p.charAt(j-1) == '*'){dp[0][j] = dp[0][j-2];} }for(int i = 1; i <= m; i++){for(int j = 1; j <= n; j++){char scur = s.charAt(i-1);char pcur = p.charAt(j-1);if(pcur == scur || pcur == '.'){dp[i][j] = dp[i-1][j-1];}else if(pcur == '*'){dp[i][j] = dp[i][j-2];char prev = p.charAt(j-2);if(prev == scur || prev == '.'){dp[i][j] |= dp[i-1][j];}}}} System.out.print(dp[m][n]);}}

14. Largest Rectangle in Histogram import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n = sc.nextInt();int[] heights = new int[n];for(int i = 0; i < n; i++){heights[i] = sc.nextInt();}Stack<Integer> stack = new Stack<>();int maxArea = 0;for(int i = 0; i <= n; i++){int h = (i == n) ? 0 : heights[i];while(!stack.isEmpty() && h < heights[stack.peek()]){int height = heights[stack.pop()];int width;if(stack.isEmpty()){width = i;} else {width = i - stack.peek() - 1;}maxArea = Math.max(maxArea, height * width);}stack.push(i);}System.out.print(maxArea);}}

15. Edit Distance import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);String a = "", b = "";if(sc.hasNextLine()) a = sc.nextLine().trim();if(a.length() == 0 && sc.hasNextLine()) a = sc.nextLine().trim();if(sc.hasNextLine()) b = sc.nextLine().trim();if(b.length() == 0 && sc.hasNextLine()) b = sc.nextLine().trim();int m = a.length(), n = b.length();int[][] dp = new int[m+1][n+1];for(int i=0;i<=m;i++) dp[i][0] = i;for(int j=0;j<=n;j++) dp[0][j] = j;for(int i=1;i<=m;i++){for(int j=1;j<=n;j++){if(a.charAt(i-1) == b.charAt(j-1))dp[i][j] = dp[i-1][j-1];else dp[i][j] = 1 + Math.min(dp[i-1][j-1],Math.min(dp[i-1][j], dp[i][j-1]));}}System.out.print(dp[m][n]);}}

16. Sliding Window Maximum import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n = sc.nextInt();int k = sc.nextInt();int[] nums = new int[n];for(int i = 0; i < n; i++){nums[i] = sc.nextInt();}Deque<Integer> dq = new ArrayDeque<>();List<Integer> result = new ArrayList<>();for(int i = 0; i < n; i++){if(!dq.isEmpty() && dq.peekFirst() <= i - k){dq.pollFirst();}while(!dq.isEmpty() && nums[dq.peekLast()] < nums[i]){dq.pollLast();}dq.addLast(i);if(i >= k - 1){result.add(nums[dq.peekFirst()]);}}for(int x : result){System.out.print(x + " ");}}}

17. Minimum Window Substring import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);String s = sc.next();String t = sc.next();Map<Character, Integer> need = new HashMap<>();for(char c : t.toCharArray()){need.put(c, need.getOrDefault(c, 0) + 1);}int have = 0;int required = need.size();Map<Character, Integer> window = new HashMap<>();int left = 0;int minLen = Integer.MAX_VALUE;int start = 0;for(int right = 0; right < s.length(); right++){char c = s.charAt(right);window.put(c, window.getOrDefault(c, 0) + 1);if(need.containsKey(c) && window.get(c).intValue() == need.get(c).intValue()){have++;}while(have == required){if(right - left + 1 < minLen){minLen = right - left + 1;start = left;}char leftChar = s.charAt(left);window.put(leftChar, window.get(leftChar) - 1);if(need.containsKey(leftChar) && window.get(leftChar) < need.get(leftChar)){have--;}left++;}}if(minLen == Integer.MAX_VALUE){System.out.print("");} else {System.out.print(s.substring(start, start + minLen));}}}

18. Longest Valid Parentheses import java.util.*;public class Main {public static void main(String[] args){Scanner sc = new Scanner(System.in);String s=sc.next();Stack<Integer> st=new Stack<>();st.push(-1);int max=0;for(int i=0;i<s.length();i++){if(s.charAt(i)=='(') st.push(i);else{st.pop();if(st.isEmpty()) st.push(i);else max=Math.max(max, i-st.peek());}}System.out.println(max);}}

19. Trapping Rain Water (Advanced) import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);int n = sc.nextInt();int[] height = new int[n];for(int i = 0; i < n; i++){height[i] = sc.nextInt();}int left = 0, right = n - 1;int leftMax = 0, rightMax = 0;int water = 0;while(left < right){if(height[left] < height[right]){if(height[left] >= leftMax){leftMax = height[left];} else {water += leftMax - height[left];}left++;} else {if(height[right] >= rightMax){rightMax = height[right];} else {water += rightMax - height[right];}right--;}}System.out.print(water);}}

20. Smallest Window Containing All Characters import java.util.*;public class Main {public static void main(String[] args) {Scanner sc = new Scanner(System.in);String s = sc.next();String t = sc.next();int[] need = new int[128];for(char c : t.toCharArray()){need[c]++;}int left = 0;int count = t.length(); int minLen = Integer.MAX_VALUE;for(int right = 0; right < s.length(); right++){if(need[s.charAt(right)] > 0){count--;}need[s.charAt(right)]--;while(count == 0){minLen = Math.min(minLen, right - left + 1);need[s.charAt(left)]++;if(need[s.charAt(left)] > 0){count++;}left++;}}if(minLen == Integer.MAX_VALUE){System.out.print(-1);} else {System.out.print(minLen);}}}

CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….…… Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(a) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(b) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(c) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(d) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(e) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(f) No leave permission is accorded over phone.
(g) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant

CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….……Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(h) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(i) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(j) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(k) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(l) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(m) No leave permission is accorded over phone.
(n) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant

CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….…… Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(a) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(b) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(c) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(d) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(e) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(f) No leave permission is accorded over phone.
(g) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant

CV RAMAN GROUP OF INSTITUTION, BHUBANESWAR

OFFICE OF THE CHIEF WARDEN

STUDENT LEAVE APPLICATION

Name of the student……..Name of the Hostel…… Room No…….……
Reg No…….……..…Branch…….……Semester…….……Year……..

To,
The chief warden
CVRGI, Bhubaneswar
Sir,

I may be granted…….. day/days leave on/from……..(Time……..) to……. (Time……) for the purpose of ……during leave period. My contact No……. and parent contact No……. Address……

Parents consent taken by WO/CT
HOD/Mentor/Dean 1st year
(only on working day)

Sign WO/CT

Chief Warden, Hostel
sp(only on emergency)

Note:-

(h) Leave application must be submitted a day in advance before 3 pm for proceeding on leave on the following day.
(i) Welfare Officers/Caretakers are authorized to sanction the leave of the student subject to confirmation from student's parents over registered mobile number.
(j) Welfare officers /caretakers authorized to send the students to go on leave on medical ground/when the students are accompanied personally by their parents only.
(k) Welfare officers/caretakers to make sure to struck of the feeding strength of students proceeding only and submit to the canteen accordingly.
(l) Chief warden must be approached personally in case of emergency leave i.e. students required to move out within 2 to 3 hours on the same day.
(m) No leave permission is accorded over phone.
(n) During class hours, students are advised to take signature of HOD/Mentor/Dean (1st year).

Signature of applicant