
Time Series - 4

Thursday, 25 April 2024 9:00 PM









---

① CONFIDANCE INTERVAL:






If the range of values (upper bound - lower bound) gets narrower for the same value of alpha, then:

1 user has participated


A	The model has become more confident about its predictions.	100%
B	The model has become lesser confident about its predictions.	0%
C	The model has become more uncertain about its predictions.	0%


---

② CHANGE POINTS:



- WE CANNOT PREDICT THESE CHANGEPOINTS.








1. Take a window
2. Calculate some sort of cost function.
3. When cost function rapidly changes, we know there is a changepoint.

Cost functions

↳ Mean, Std dv, Slople etc.







Why is the concept of change points more useful for analysis rather than forecasting?

0 users have participated

✓ A	Change points are unpredictable and can only be confirmed in hindsight.	0%
B	Forecasting models automatically detect and adjust for change points.	0%
C	Change points do not affect the accuracy of forecasting models.	0%
D	Forecasting does not require understanding past trends or change points.	0%

What does a seasonal order of (1,0,1,7) in SARIMA model suggest?

0 users have participated

A	There is one seasonal difference, no non-seasonal differences, and the pattern repeats every seven days.	0%
✓ B	There is a first-order seasonal autoregressive term and first-order seasonal moving average term, with a weekly seasonality.	0%
C	The data needs to be differenced seven times to achieve stationarity.	0%
D	The model will forecast seven steps into the future.	0%

1st May → 1