

Mitali Bhatia

D20C 04

Blockchain

Experiment No 04

Creation of Account in MetaMask and Transfer of Amount/Cryptocurrency

Aim : To create accounts in MetaMask and transfer cryptocurrency from one account to another using the Sepolia Test Network.

Requirements :

- Computer or laptop
- Google Chrome or supported web browser
- Internet connection
- MetaMask browser extension
- Two MetaMask accounts
- Sepolia Test Network
- Sepolia test ETH
- Sepolia blockchain explorer

Theory :

1. What is MetaMask?

MetaMask is a cryptocurrency wallet that allows users to create and manage blockchain accounts and interact with blockchain networks. It provides a wallet address that can be used to send and receive cryptocurrency. MetaMask also allows users to manage multiple accounts through a single wallet interface.

2. Account Creation in MetaMask

A MetaMask wallet can contain multiple accounts, with each account having a unique wallet address. The wallet address is used to identify an account and receive cryptocurrency. In this experiment, two MetaMask accounts were created to demonstrate the transfer of SepoliaETH from one account to another.

3. Sepolia Testnet and Test ETH

A testnet is a blockchain network used for testing and learning without using real cryptocurrency. Sepolia is an Ethereum test network where SepoliaETH is used for testing transactions. It allows users to perform blockchain transactions without spending real money.

4. Cryptocurrency Transfer

Cryptocurrency transfer is the process of sending a specific amount of cryptocurrency from one blockchain account to another. The sender enters the receiver's wallet address and the amount to be transferred, and then confirms the transaction.

5. Gas Fee

A gas fee is the transaction fee required to process a transaction on a blockchain network. It is paid to the network for the computational work required to verify and process the transaction.

6. Transaction Verification

After a transaction is submitted, it is processed and confirmed by the blockchain network. The transaction can be verified using a blockchain explorer, which displays details such as the sender, receiver, amount, transaction hash and transaction status.

7. Transaction Hash

A transaction hash is a unique identification value generated for every blockchain transaction. It can be used to locate and verify the transaction on a blockchain explorer and check whether the transaction was successful.


Procedure :

1. Install the MetaMask browser extension.
2. Create **Account 1** in MetaMask.
3. Create **Account 2** in MetaMask.
4. Enable the option to show test networks.
5. Select the **Sepolia Test Network**.
6. Obtain Sepolia test ETH in Account 1 using a testnet faucet.
7. Verify the SepoliaETH balance in Account 1.
8. Switch to Account 2 and copy its public wallet address.
9. Switch back to Account 1 and click **Send**.
10. Select **SepoliaETH** and enter the Account 2 wallet address.


11. Enter **0.001 SepoliaETH** as the transfer amount.
12. Review the recipient address, amount, network and transaction fee.
13. Click **Confirm** to submit the transaction.
14. Verify the transaction on the Sepolia blockchain explorer.
15. Check the sender, receiver, amount, transaction hash and transaction status.
16. Switch to Account 2 and verify that **0.001 SepoliaETH** has been received.

OUTPUT:


Installation of MetaMask Extension




Creation of MetaMask Wallet




MetaMask Account 1




Creation of MetaMask Account 2




Sepolia Test Network Selected



Faucet Transaction Verification



Sepolia Test ETH Received in Account 1



Transaction Confirmation

<

...

Sending

0.001 SepoliaETH

S

From

Account 1



To

Account 2



Network

Sepolia

Network fee

0.0001 S SepoliaETH

Speed

Market ~12 sec

Cancel

Confirm

Successful Transaction on Sepolia Testnet from Account 1 to Account 2

Sepolia Testnet

Search by Address / Txn Hash / Block / Token

[This is a Sepolia Testnet transaction only]

Transaction Hash:

0x2bf4a8ce8b311d18413b13682ce9916df9297897c0b9459cd57509779c154df9

Status:

Success

Block:

11751913 2 Block Confirmations

Timestamp:

24 secs ago Sep-21-2026 03:57:48 PM +UTC

From:

0x9452CD4A478576167d8aFD0e5d493b6a02a9dD0F

To:

0x9f7eB488e6FCB25C772b1dB90b81D22B3d5CfA07

Value:

0.001 ETH

Transaction Fee:

0.000052885368333 ETH

Gas Price:



2.518350873 Gwei (0.000000002518350873 ETH)

More Details:

+ Click to show more

A transaction is a cryptographically signed instruction that changes the blockchain state. Block explorers track the details of all transactions in the network. Learn more about transactions in our [Knowledge Base](#).

Cryptocurrency Received in Account 2



Conclusion :

Thus, the creation and management of two accounts in MetaMask were successfully performed. The Sepolia Test Network was selected and **0.001 SepoliaETH was successfully transferred from Account 1 to Account 2**. The transaction was successfully confirmed on the blockchain, and its sender, receiver, transferred amount, transaction hash and status were verified using the Sepolia blockchain explorer. This experiment demonstrated the basic process of creating blockchain accounts and performing a cryptocurrency transaction using MetaMask.