

5: program to demonstrate different operators

③ Program to demonstrate different operators.

```
public class OperatorDemo1 {
    public static void main (String[] args) {
        int a = 10, b = 3;

        // Arithmetic operators.
        System.out.println("Arithmetic operators:");
        System.out.println("a + b = " + (a + b));
        System.out.println("a - b = " + (a - b));
        System.out.println("a * b = " + (a * b));
        System.out.println("a / b = " + (a / b));
        System.out.println("a % b = " + (a % b));

        // Relational operators.
        System.out.println("\nRelational operators:");
        System.out.println("a > b: " + (a > b));
        System.out.println("a < b: " + (a < b));
        System.out.println("a == b: " + (a == b));
        System.out.println("a != b: " + (a != b));

        // Logical operators.
        boolean x = true, y = false;
        System.out.println("\nLogical operators:");
        System.out.println("x && y: " + (x && y));
        System.out.println("x || y: " + (x || y));
        System.out.println("!x: " + (!x));
    }
}
```

Output:

```
Run OperatorsDemo
"C:\Program Files\Java\jdk-26.0.1\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.1\bin\idea-agent.jar"
Arithmetic Operators:
a + b = 13
a - b = 7
a * b = 30
a / b = 3
a % b = 1

Relational Operators:
a > b : true
a < b : false
a == b : false
a != b : true

Logical Operators:
x && y : false
x || y : true
!x : false

Process finished with exit code 0
```

4. program to represent data types

② program to represent data types.

```
public class DataTypesDemo {  
    public static void main(String[] args) {  
        int number = 42;  
        double pi = 3.14159;  
        boolean isJavaFun = true;  
        char grade = 'A';  
        String message = "Hello World";  
        System.out.println("Integer value: " + number);  
        System.out.println("Double value: " + pi);  
        System.out.println("Boolean value: " + isJavaFun);  
        System.out.println("Character value: " + grade);  
        System.out.println("String value: " + message);  
    }  
}
```

Output:




```
Run  [DataTypesDemo x]  
"C:\Program Files\Java\jdk-26.0.1\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA 2026.3\lib\idea_rt.jar=12739:C:\Program Files\JetBrains\IntelliJ IDEA 2026.3\bin" -classpath C:\Program Files\Java\jdk-26.0.1\bin\java.exe  
Integer value: 42  
Double value: 3.14159  
Boolean value: true  
Character value: A  
String value: Hello, Java World!  
Process finished with exit code 0
```

1: java version screenshot

```
C:\Users\LENOVO>java --version
java 26.0.1 2026-04-21
Java(TM) SE Runtime Environment (build 26.0.1+8-34)
Java HotSpot(TM) 64-Bit Server VM (build 26.0.1+8-34, mixed mode, sharing)
```

2: IntelliJ open with project



3: hellow java world code

Java

① program to print "hellow, Java world!"

```
public class Main {
    public static void main (String[] args) {
        System.out.println("hellow, Java World!");
    }
}
```

Output:

```
Run Main x
"C:\Program Files\Java\jdk-26.0.1\bin\java.exe" "-javaagent:C:\Program Files\JetBrains\IntelliJ ID
hellow ,Java World!
Process finished with exit code 0
```