

27th International Conference on Knowledge-Based and Intelligent Information & Engineering Systems (KES 2023)

A Systematic Review of Social Media Data Mining on Android

Houssem Lahiani^{a,b*}, Mondher Frikha^{a,b}

^aNational School of Electronics and Telecommunications, University of Sfax, Sfax, Tunisia

^bAdvanced Technologies for Image and Signal Processing (ATISP), Sfax, Tunisia

Abstract

Social media platforms generate vast amounts of data that can be mined to gain insights into user behavior, preferences, and opinions. With the widespread adoption of mobile devices and the Android platform, social media data mining on Android has become an important area of research. In this paper, we present a systematic review of existing research related to social media data mining on Android. We conducted a comprehensive literature search and identified relevant research papers published between 2015 and 2022. We analyzed the papers to identify key themes and trends, and we discuss the strengths and weaknesses of current approaches. Our review revealed that most of the research in this area focuses on text data mining, and that machine learning techniques are commonly used for data analysis. We also found that there is a lack of research on image and video data mining, and that privacy and ethical issues are important considerations in this field. Based on our review, we propose future research directions for social media data mining on Android, including the development of more efficient and accurate machine learning algorithms, and the integration of multimedia data analysis. Our paper provides a valuable overview of existing research in this field and offers insights for researchers and practitioners interested in social media data mining on Android.

© 2023 The Authors. Published by Elsevier B.V.

This is an open access article under the CC BY-NC-ND license (<https://creativecommons.org/licenses/by-nc-nd/4.0>)

Peer-review under responsibility of the scientific committee of the 27th International Conference on Knowledge Based and Intelligent Information and Engineering Systems

Keywords: Android; Social media data mining; Image and video mining, systematic review

1. Introduction

Social media platforms have become ubiquitous in our daily lives, with millions of users generating vast amounts of data on a daily basis. As a result, social media has become an important source of information for businesses, governments, and individuals alike. Social media data mining, which involves the extraction of useful knowledge from social media data, has emerged as a popular research area in recent years. However, much of the existing research in this area has focused on the desktop platform, while the mobile platform has received comparatively less

* Corresponding author. Tel.: +0-000-000-0000 ; fax: +0-000-000-0000 .

E-mail address: lahianihoussem@gmail.com

attention. This is surprising given that mobile devices are now the primary means of accessing social media for many users. Previous studies have shown the potential of data mining techniques in improving patient-centered mobile apps (Alizadeh et al., 2017) [4]. However, the effectiveness of such techniques in mining social media data for mobile apps has not been extensively explored. In this systematic review, we aim to fill this gap by examining the current state-of-the-art in social media data mining on Android. The Android operating system has become a popular platform for various research and applications [14,15,20,21]. In this paper, we conduct a systematic review of social media data mining on the Android platform. Our aim is to provide an overview of the current state of research in this area, identify the key challenges and opportunities, and highlight the major research directions. Specifically, we address the following research questions: (1) What are the main sources of social media data on the Android platform? (2) What are the key techniques and tools used for social media data mining on the Android platform? (3) What are the major applications of social media data mining on the Android platform? (4) What are the major challenges and limitations of social media data mining on the Android platform? (5) What are the future research directions in social media data mining on the Android platform?

In recent years, social media platforms have become a rich source of data for researchers and businesses alike, providing insights into user behavior, preferences, and sentiment. With the widespread use of mobile devices, particularly those running on the Android operating system, social media data mining has become more accessible and ubiquitous than ever before [17]. As a result, there has been a surge of research interest in this area, leading to the development of various data mining techniques and applications for the Android platform. To provide a comprehensive overview of the current state of research in social media data mining on Android, we conducted a systematic review of relevant research papers published between 2015 and 2022. Our analysis covers a wide range of topics, including data collection, preprocessing, analysis, and applications. We selected studies from various academic databases and synthesized the findings to provide insights into the current trends, challenges, and opportunities in this field. By doing so, this paper aims to facilitate a deeper understanding of social media data mining on Android and its potential applications. This paper makes several contributions to the existing literature on social media data mining on the Android platform. First, it provides an up-to-date and comprehensive overview of the state of research in this area. Second, it identifies the key challenges and opportunities of social media data mining on the Android platform, which can guide future research efforts. Third, it highlights the major applications of social media data mining on the Android platform, which can inform practitioners and decision-makers in various domains.

2. Literature review

Social media platforms have become an essential tool for communication and information sharing in today's society [16]. As a result, there is a vast amount of data generated and collected through these platforms. This data can be analyzed using data mining techniques to extract valuable insights and knowledge.

The use of Android devices has facilitated the collection and analysis of social media data through various applications. For example, in [1] Yerima et al. developed a modular Android application called MobiQ that collects social data, repeated surveys, GPS, and photographic data for social research projects. Android devices have made it easier to collect and analyze social media data through apps like MobiQ. MobiQ is an Android app that collects social data, GPS, and photographic data for research projects. Users can upload photos and complete questionnaires at regular intervals. MobiQ can collect GPS and call/text frequency data unobtrusively, and data is transmitted to a secure cloud. MobiQ has been pilot tested in a social science research project and can be easily adapted to suit different research questions. In a related context, Sah et al. [6] used data mining to analyze user reviews and ratings of Android apps on Google Play. They employed four algorithms to classify the number of downloads and user ratings. The study collected data from a large sample of mobile apps to extract useful information for developers. The authors focused on analyzing user feedback on Google Play, which is essential given the widespread use of Android devices. By analyzing user feedback, developers can improve their products based on consumer preferences. Moreover, in [2], Supaartagorn created a data mining tool specifically for Android smartphones. It uses a three-tier architecture and offers various data mining techniques. This tool is significant because it addresses the limited accessibility of existing tools on mobile devices. Its performance was evaluated by experts and users, showing high levels of satisfaction. The tool can be used to analyze large datasets, including those from social media

platforms, providing valuable insights for businesses. Its accessibility on Android smartphones makes it convenient for users to collect and analyze data on-the-go. This work highlights the importance of making data mining tools accessible to users in various fields. Additionally, the tool's accessibility on Android smartphones could make it easier for users to collect and analyze data from social media while on-the-go. Overall, this work highlights the importance of making data mining tools more accessible to users in various fields. By developing a tool that can be used on mobile devices like Android smartphones, Supaartagorn has opened up new possibilities for data analysis and knowledge discovery. In [5], Pushpam and Jayanthi give an overview of data mining in social media, including various techniques like Support Vector Machines (SVM), Bayesian Networks (BN), and Decision Trees (DT). They emphasize the importance of selecting an appropriate algorithm for a given application. The authors also note the growing role of Android devices as sources of social media data and suggest future research should optimize data mining algorithms for mobile devices. Overall, this paper provides a valuable overview of social media data mining and highlights the need for continued research in this area. In [10], the Author proposed a method to automatically summarize comparative opinions from large-scale user reviews for Android apps. The proposed method includes a comparative review identification step based on alias and comparative pattern matching, and an opinion summation step based on topic and preference analysis. The authors collected around 5 million reviews of more than 2,000 popular apps in 6 categories from Google Play and showed their method is accurate in identifying opinions and comparisons between apps. This approach can help users choose the most suitable app for their needs. In [3], Kumar et al. explore the use of data mining to identify and mitigate permission-induced risks associated with Android applications on IoT devices. They adopt three data mining techniques: permission ranking, similarity-based permission feature selection, and association rule for permission mining. These techniques are used to reduce the number of permissions required for identifying potential risks associated with Android applications on IoT devices. Overall, this work highlights the important role of Android devices in data mining operations aimed at identifying potential security risks associated with IoT devices. It is possible that similar techniques could be applied to social media contexts, but further research would be needed to determine their specific applications in that area.

In summary, the use of Android devices and data mining techniques has opened up new possibilities for social media analysis and knowledge discovery. Researchers and businesses alike can benefit from the insights gained through such analysis to improve their understanding of user behavior and sentiment towards different topics or products.

3. Data mining process

In recent years, the prevalence of social media platforms on mobile devices, particularly on the Android platform, has led to an explosion of social media data. This data presents both challenges and opportunities for researchers and practitioners interested in extracting insights from social media. The data mining process involves a series of steps, including data collection, data understanding, data preparation, data modeling, and evaluation. In this section, we will discuss each step of the data mining process as it relates to social media data on the Android platform. Specifically, we will describe the different sources of social media data, the methods used to explore and understand the data, the techniques used to preprocess and clean the data, the machine learning and statistical techniques used to model the data, and the methods used to evaluate the performance of the models.

Figure 1 illustrates the data mining process, which involves several key steps from data collection to evaluation.



Fig. 1. The data mining process

3.1. Data collection

In this review, we identified and analyzed several studies that used social media data from the Android platform for their research. The data sources mentioned in these studies varied. Additionally, we found that the methods used to collect and preprocess the data also differed depending on the specific research objectives. For example, some studies used Application Programming Interfaces (APIs) to access data from social media platforms, while others employed web scraping techniques. Furthermore, data preprocessing techniques included tasks such as filtering out spam content, removing duplicates, and performing sentiment analysis. Overall, the diversity in data sources and collection methods highlights the importance of understanding the specific characteristics of the data used in social media research, as well as the implications of different data preprocessing techniques on the analysis and interpretation of results. For example, in the work done in [1], the MobiQ application was used for data collection. The application combines continuous automatic background data collection with user-supplied data. Users can upload photographs for social research projects and complete questionnaires at regular intervals. MobiQ can collect GPS location data and call/text frequency (excluding content) unobtrusively, making use of the sensors in Android devices. Data is transmitted to a secure cloud rather than storing research data on the phone, which offers data security advantages over text- or web-based surveys using phones. Furthermore, in the study conducted by Alshareef and Grigoras in [9] in which a mobile cloud service tested on Android devices and that utilizes social media, particularly Twitter, to improve emergency and risk management, the collection of tweets was done through a specific process. First, only tweets containing English text were collected to ensure consistency in the language used. Additionally, to avoid duplication, only original tweets were included, meaning that no retweets or in-reply tweets were collected. Moreover, tweets without location coordinates were not passed to the next stage, as the location of the tweets is essential in detecting a risk event. By following this collection process, the study ensured the quality and relevance of the collected data for emergency and risk management. Furthermore, In the work done by Aoudi et al. in [8], data collection was carried out on Twitter after the November 2017 earthquake that hit the Iran-Iraq border. A total of 50,000 tweets were collected over a six-day period and cleaned to isolate and study iPhone and Android tweets related to sentiment and emotion detection. The Twitter API was utilized to detect the platform of the user and distinguish between iPhone and Android tweets. The objective of the study was to quantify the observed difference in sentiment between the Android and iPhone tweets using an unsupervised classification approach that utilized the NRC Word-Emotion Association lexicon. This study provides insight into the effectiveness of lexicon-based approaches for sentiment analysis of social media data and the potential differences in sentiment between iPhone and Android users. In [10] the authors collected data from Google Play, which is an official app store for Android devices. They selected around 2,000 popular apps in 6 categories (communication, entertainment, finance, health and fitness, productivity, and social) and collected all the reviews for these apps that were available on Google Play until August 2016. In order to control the scale of the experiment data while maintaining an even distribution on the number of reviews per app, they decided to collect at most 4,000 reviews per app. The total number of reviews collected was around 5 million. However, in [6] The authors mention that they collected data from a large sample of mobile apps, but they do not provide details on how this data was collected. The focus of the study is on the use of data mining techniques to analyze user reviews and ratings, rather than on the methods used for data collection. In [13] to conduct a competitive sentimental analysis of tweets related to Samsung,

Oppo, and Nokia mobile phone brands to understand customer experience and provide insights for these companies, authors used a practical approach to collect data on tweets related to those three popular Android mobile phone brands. While the specific tools or methods used for data collection are not mentioned in their work, it is noted that many tools are available for gathering social media data like NCapture, IBM Social Media Capture Four, Nivivo and XI Social Discovery. The authors collect a large sample of tweets about the three brands. This sample was then stored in local databases for further analysis using computational linguistics, statistics, and computer science approaches such as content analysis, data mining, text mining, and sentimental analysis. In the study by Lohokare et al. in [7], the authors proposed an automated system for data collection to calculate credit scores based on financial transactions and social media data. The system collects data from users' smartphones using a mobile application that captures transactional data from short message service (SMS) notifications and data related to online purchases. Additionally, the system includes data from social media platforms as an important parameter contributing to the credit score. This approach enables the collection of non-financial data, providing a more accurate calculation of credit scores. Although the focus of the study was not solely on social media data mining, the use of a smartphone application and the integration of social media data make it relevant for this review.

3.2. Data Understanding and Preparation

In social media data mining, understanding and preparing the data is a crucial step towards successful analysis. This section explores the process of data exploration and understanding, as well as the methods used for data preprocessing and cleaning.

3.2.1. Data Exploration

Data exploration involves techniques for visualizing and summarizing social media data to gain insights and identify patterns, trends, and anomalies. Several common techniques for data visualization include scatter plots, heat maps, and histograms. These visualizations can help in understanding the distribution, relationships, and characteristics of the data. Summary statistics such as mean, median, and standard deviation provide a quantitative understanding of the data's distribution and variability. These statistics can help in identifying central tendencies, spread, and potential outliers within the data.

3.2.2. Data Preprocessing

Data preprocessing is essential to remove noise and inconsistencies that can affect the quality of the analysis. Social media data, in particular, presents unique challenges due to its unstructured nature. It may contain noise such as spam, irrelevant content, or language-specific features that can negatively impact analysis results. Data preprocessing techniques address various tasks, including handling missing data, removing duplicates, and transforming the data. For example, missing data can be imputed using techniques such as mean imputation or regression imputation. Noise can be mitigated through techniques such as smoothing or outlier detection. The choice of preprocessing techniques is critical in social media data mining. Effective preprocessing helps in extracting valuable information from unstructured or semi-structured data while considering the specific characteristics of the data source and the research goals.

3.2.3. Related Approaches

Several studies have applied data understanding and preparation techniques in the context of social media data mining. For instance, [8] briefly mentions data understanding and preparation in the context of data mining in social media content mining. The authors emphasize the challenges posed by informal, unstructured, and dynamic data containing noise. They acknowledge the differences between iPhone and Android users, highlighting the importance of effective data processing techniques to handle these variations. Similarly, in [6], the authors mention data preprocessing as a necessary step in transforming incomplete and noisy datasets for analysis. They analyze user reviews and ratings of Android apps using a publicly available mobile apps user dataset. They also employ classification techniques to analyze the dataset effectively.

In [10], the authors preprocess collected reviews by removing stop words, stemming the remaining words, and tokenizing each review into a sequence of words. They also employ a set of rules to identify comparative reviews

based on alias matching and comparative pattern matching. Additionally, they manually assess a subset of reviews to evaluate the dataset's quality and their method's accuracy. The paper in [9] briefly mentions classification methods and a sub-documenting method in the context of using social media for emergency and risk management. However, detailed information on these approaches and their practical implementation is lacking, necessitating further research. In [11], the authors investigate the privacy and security of user data on Twitter. They utilize sentiment analysis to classify over two million tweets into neutral, negative, and positive sentiments. The study aims to identify effective mobile operating systems based on social media users' sentiments while considering privacy and security concerns. The findings suggest that users are more concerned about the privacy and security of iOS compared to Android and Windows phone. In [13], the authors collect a large sample of tweets related to Samsung, Oppo, and Nokia mobile phone brands. They preprocess and clean the data by removing duplicates, irrelevant tweets, and non-English tweets. They also employ a lexicon-based technique to detect complex linguistic expressions like sarcasm or irony. The authors acknowledge limitations in their sample, including potential bias towards English-speaking users and Twitter users who are more likely to express their opinions about mobile phone brands. The following table presents a concise overview of key techniques used in this phase, along with their corresponding descriptions.

Table 1. Overview of Data Understanding and Preparation Techniques

Technique	Description
Scatter plots	Visual representation of the relationship between two variables
Heat maps	Visualization of data using color-coded cells to represent values
Histograms	Graphical representation of the distribution of a variable
Mean imputation	Replacing missing values with the mean value of the variable
Regression imputation	Estimating missing values using regression models
Smoothing	Technique to remove noise and outliers by applying filters or moving averages
Outlier detection	Identifying and handling data points that deviate significantly from the expected pattern
Stop words removal	Removing common words with little informational value
Stemming	Reducing words to their base or root form for linguistic consistency
Tokenization	Splitting text into individual tokens, typically words, for further analysis
Lexicon-based analysis	Using predefined word lists or dictionaries to identify sentiment, sarcasm, or specific linguistic features

3.3. Data modeling

Data modeling is a critical step in the analysis of social media data. It involves the use of machine learning and statistical techniques to build models that can accurately represent the patterns and relationships present in the data [18]. In this subsection, we will discuss the different techniques used in data modeling, including classification, clustering, and regression.

3.3.1. Classification Techniques in Data Modeling

Classification involves the categorization of data points into different classes based on predefined criteria. For example, in [11], the authors used the Naive Bayes algorithm to classify tweets into positive, negative, and neutral sentiments. They extracted and pre-processed the tweets before categorizing them based on their sentiment. This subsection explores the application of classification techniques to social media data.

3.3.2. Clustering Techniques in Data Modeling

Clustering is a technique that groups similar data points together based on their features. It helps identify patterns and relationships in the data. This subsection discusses the potential applications and limitations of clustering

techniques in the context of social media data. It also highlights relevant studies, such as the work of the authors in [6], who applied clustering techniques to analyze mobile apps user datasets.

3.3.3. Regression Techniques in Data Modeling

Regression is used to establish a relationship between a dependent variable and one or more independent variables. In the context of social media data modeling, regression techniques can provide insights into the factors influencing certain outcomes or behaviors. This subsection explores the use of regression in analyzing social media data and its potential implications. It includes references to studies like [8], where Poisson regression modeling was used for sentiment analysis of tweets related to iPhone and Android during the Iran-Iraq earthquake.

3.3.4. Other Techniques and Applications in Data Modeling

This subsection highlights various data modeling techniques and their applications in the analysis of social media data. It discusses the work of different authors who have used techniques such as random forest classification (e.g., [3]), sentiment analysis (e.g., [13]), opinion mining, and topic modeling (e.g., [10]). The subsection emphasizes the importance of considering the specific characteristics of social media data and the need for further research in this area. It also mentions the relevance of these techniques for enhancing emergency and risk management with social media and mobile cloud, as described in [9].

To provide a comprehensive overview of the techniques used in data modeling for social media data analysis, the following table summarizes the different techniques along with their brief descriptions:

Table 2. Techniques Used in Data Modeling for Social Media Data Analysis

Technique	Description
Classification	Categorizes data points into different classes based on predefined criteria.
Clustering	Groups similar data points together based on their features.
Regression	Establishes relationships between a dependent variable and one or more independent variables.

3.4. Evaluation

Once the social media data mining models have been developed, it is important to evaluate their performance to ensure that they are accurate and reliable. This requires the use of appropriate evaluation methods, such as cross-validation and model selection. In this subsection, we will describe these methods and how they were used to evaluate the performance of the social media data mining models in the studies reviewed in this paper. We will also discuss the metrics used to measure the performance of the models.

In [2], Supaartagorn developed a data mining tool for Android smartphones and evaluated its performance through a series of tests. The evaluation consisted of functional requirement testing, function testing, usability testing, performance testing, and security testing. Five-point Likert-type questions were used in a questionnaire to assess the satisfaction of both experts and general users. While this evaluation focused on user satisfaction with the tool's performance, it did not specifically address the accuracy or effectiveness of the generated models.

In [6], authors proposed a data mining model for mobile app user dataset analysis and evaluated its performance using various classification techniques. Four classification techniques (Naive Bayes, Support Vector Machine, AdaBoost, and K-Nearest Neighbor) were employed, and performance was assessed based on metrics such as accuracy, precision, recall, and F1-score. The results demonstrated high accuracy rates for all four classification techniques, indicating the effectiveness of the proposed model in analyzing mobile app user datasets.

In [9], the authors presented a mobile cloud service for emergency and risk management using social media applications and conducted two experiments to evaluate its performance. The system's feasibility was tested in the first experiment, while the second experiment evaluated the system's performance using metrics such as accuracy, precision, recall, F1-score, and AUC-ROC. The results indicated that their approach achieved high accuracy and good performance in classifying tweets into different categories relevant to emergency and risk management.

In [8], a study aimed to quantify the difference in sentiment between Android and iPhone tweets related to the Iran-Iraq earthquake using Poisson regression modeling and NRC lexicon. The study found that Android tweets contained more emotive words than iPhone tweets and calculated a percentage increase in positivity for Android tweets compared to iPhone tweets. However, this study evaluated individual words instead of entire tweets, limiting its ability to provide a comprehensive picture of sentiment expressed in social media data.

In [11], authors conducted sentiment analysis of Twitter data related to privacy and security concerns of smartphone users on Android. The effectiveness of the Naive Bayes algorithm used for sentiment analysis was evaluated through training the algorithm and assessing its accuracy by comparing its classification with the actual classification of the tweets. The evaluation showed that the algorithm was effective in classifying tweets into positive, negative, and neutral categories, achieving an accuracy rate of 80%.

In [13], the authors analyzed customer opinions about global Android mobile phone brands using sentiment analysis techniques on social media platforms. The effectiveness of their sentiment analysis approach was evaluated using metrics such as precision, recall, and F1-score. Their approach achieved high accuracy in classifying tweets into different sentiment categories for the mobile phone brands, outperforming other sentiment analysis tools. The authors identified interesting patterns in customer opinions about the brands and emphasized the usefulness of sentiment analysis for understanding customer opinions and improving customer experience.

The following table summarizes key findings and methods from several studies related to data mining and sentiment analysis in the context of mobile devices.

Table 3. Summary of Selected Studies on Data Mining and Sentiment Analysis in Mobile Applications

Study	Evaluation Method	Metrics	Results
[2]	Questionnaire	Satisfaction level (5-point Likert-type questions)	System performance reached an agreeable level
[6]	Classification techniques (Naive Bayes, Support Vector Machine, AdaBoost, K-Nearest Neighbor)	Accuracy, Precision, Recall, F1-Score	Proposed model achieved high accuracy rates for all four classification techniques (highest accuracy rate of 96.5% for Support Vector Machine)
[9]	Experiments	Accuracy, Precision, Recall, F1-Score, AUC-ROC	Approach achieved accuracy of 0.87, precision of 0.88, recall of 0.87, F1-score of 0.87, and AUC-ROC of 0.94 for classifying tweets into four categories
[8]	Poisson regression modeling and NRC lexicon	Word emotions and sentiments	Android tweets contained more emotive words than iPhone tweets, and Android tweeters were 6% more positive in their tweets compared to iPhone tweeters. However, further research is needed to evaluate the effectiveness of this approach in different contexts and with different datasets. Additionally, sentence-level and document-level analysis should be considered for a more accurate picture.

4. Future directions

It is essential to outline future directions for social media data mining on Android. The following areas can be explored:

- **Integration of Advanced Machine Learning Techniques:** While the reviewed studies have employed traditional machine learning algorithms, future research could explore the application of advanced techniques such as deep learning, reinforcement learning, or natural language processing to enhance the accuracy and performance of social media data mining models on Android.
- **Handling Big Data Challenges:** With the exponential growth of social media data, there is a need for scalable solutions to handle big data challenges. Future studies should focus on developing efficient algorithms and techniques to process and analyze large-scale social media datasets on the Android platform.
- **Incorporation of User Context:** Understanding user context is crucial for accurate analysis and interpretation of social media data. Future research could explore the integration of user context, such as location, demographics, and user behavior, to improve the relevance and personalization of social media data mining models on Android.
- **Real-Time Analysis:** Social media data is dynamic and evolving in real-time. Future studies should investigate real-time analysis techniques that enable timely insights and decision-making based on the latest social media trends and events on Android.
- **Ethical Considerations and Privacy Preservation:** As social media data mining involves handling personal information, it is crucial to address ethical considerations and privacy preservation. Future research should explore methods to ensure data privacy and develop ethical frameworks for responsible social media data mining practices on Android.
- **Comparative Studies and Benchmarking:** Conducting comparative studies and benchmarking different social media data mining techniques and models can provide valuable insights into their relative strengths and weaknesses. Future research should aim to establish benchmarks and standardized evaluation frameworks to facilitate fair comparisons and promote advancements in the field.

5. Conclusion

After conducting a systematic review of social media data mining on Android, it is evident that this approach has gained significant popularity in recent years. The review has provided insights into the various methods and tools used for mining social media data on the Android platform, including text analysis, network analysis, and machine learning techniques. These techniques have demonstrated their potential in improving marketing strategies, predicting public opinion, and identifying potential customers. However, it is important to acknowledge the challenges and limitations associated with social media data mining on Android. Privacy concerns, data quality issues, and the need for effective data cleaning and preprocessing have been identified as key challenges. Addressing these challenges is crucial to ensure the reliability and validity of the mined data. Despite the challenges, the systematic review highlights the potential value of social media data mining on Android for both researchers and businesses. The insights derived from social media data can inform decision-making processes, provide valuable market insights, and enable organizations to better understand their target audience. To further advance the field of social media data mining on Android, several future research directions can be explored. Firstly, the application of more advanced machine learning techniques, such as deep learning, can enhance the accuracy and efficiency of data mining processes. These techniques have shown promising results in other domains and can potentially be adapted to social media data mining on Android. Additionally, the development of more effective methods for data cleaning and preprocessing is crucial. These steps play a vital role in ensuring the quality and reliability of the mined data, and further research is needed to improve these processes specifically for social media data on the Android platform. Ethical implications and data protection regulations are also important considerations. Future research should explore the ethical implications of social media data mining on Android, particularly in relation to privacy concerns and compliance with data protection regulations [19]. This will help establish guidelines and frameworks that ensure responsible and ethical practices in social media data mining. Furthermore, exploring the practical applications of social media data mining on Android in domains such as public health, cybersecurity, and disaster management holds significant promise. By leveraging the insights derived from social media data, innovative solutions can be developed to address real-world challenges and enhance decision-making processes in these areas. In conclusion, social media data mining on Android presents a valuable opportunity for researchers and businesses. While challenges and limitations exist, addressing these through further research and development can unlock the full

potential of this approach. By embracing advanced techniques, addressing ethical considerations, and exploring practical applications, the field of social media data mining on Android can continue to evolve and contribute to various domains, ultimately enhancing our understanding of social dynamics and enabling informed decision-making.

References

- [1] Suleiman Y. Yerima, Michael Loughlin, Sakir Sezer, John Moriarty, Mark McCann, Helen McAneney, Leeanne O'Hara, Mark A. Tully, Paul S. Ell, Robert Miller, Geraldine Macdonald (2018) "MobiQ: A modular Android application for collecting social interaction, repeated survey, GPS and photographic data." *SoftwareX*, Volume 7, Pages 143-149.
- [2] Supaartagorn, C. (2015) "Development of a Data Mining Tool on Android Smartphones", *Science & Technology Asia*, 20(3), pp. 47–54. Available at: <https://ph02.tci-thaijo.org/index.php/SciTechAsia/article/view/39807>
- [3] Kumar, Rajesh, Xiaosong Zhang, Riaz Ullah Khan, and Abubakar Sharif. 2019. "Research on Data Mining of Permission-Induced Risk for Android IoT Devices" *Applied Sciences* 9, no. 2: 277. <https://doi.org/10.3390/app9020277>
- [4] Fallah, M., & Niakan Kalhori, S. R. (2017). Systematic Review of Data Mining Applications in Patient-Centered Mobile-Based Information Systems. *Healthcare informatics research*, 23(4), 262–270. <https://doi.org/10.4258/hir.2017.23.4.262>
- [5] C.Amali Pushpam, J.Gnana Jayanthi, (2017). "Overview on Data Mining in Social Media." *International Journal of Computer Sciences and Engineering*, 5(11), 147-157. <https://doi.org/10.26438/ijcse/v5i11.147157>
- [6] Sah, R. D., Dutta, R. R., Mohapatra, A. K., & Padhy, N. (2021) "Sentiment on Google Play Android Apps Analytic User Rating Review Through Data Mining Techniques." In *Proceedings of the International Conference on Innovative Computing & Communication (ICICC)*. <http://dx.doi.org/10.2139/ssrn.3749025>
- [7] J. Lohokare, R. Dani and S. Sontakke, "Automated data collection for credit score calculation based on financial transactions and social media," 2017 International Conference on Emerging Trends & Innovation in ICT (ICEI), Pune, India, 2017, pp. 134-138, doi: 10.1109/ETIICT.2017.7977024
- [8] S. Aoudi and A. Malik, (2018) "Lexicon Based Sentiment Comparison of iPhone and Android Tweets During the Iran-Iraq Earthquake," 2018 Fifth HCT Information Technology Trends (ITT), Dubai, United Arab Emirates, 2018, pp. 232-238, doi: 10.1109/CTIT.2018.8649509.
- [9] H. N. Alshareef and D. Grigoras (2016) "Using Social Media and the Mobile Cloud to Enhance Emergency and Risk Management," 15th International Symposium on Parallel and Distributed Computing (ISPDC), Fuzhou, China, 2016, pp. 92-99, doi: 10.1109/ISPDC.2016.21.
- [10] Li, Y., Jia, B., Guo, Y., & Chen, X. (2017). Mining user reviews for mobile app comparisons. *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 1(3), 1-15.
- [11] M. Alshaikh and M. Zohdy (2020) "Sentiment Analysis for Smartphone Operating System: Privacy and Security on Twitter Data," 2020 *IEEE International Conference on Electro Information Technology (EIT)*, Chicago, IL, USA, pp. 366-369, doi: 10.1109/EIT48999.2020.9208303.
- [12] Twitter4J. (n.d.). Home [Java library for the Twitter API]. Online: <https://twitter4j.org/>
- [13] Ali, U.L., Ali, T., Ahmad, I., Kamal, S. (2019). Tweets Competitive Sentimental Analysis of Android Mobile Brands to Understand Customer Experience. In: Bajwa, I., Kamareddine, F., Costa, A. (eds) *Intelligent Technologies and Applications*. INTAP 2018. Communications in Computer and Information Science, vol 932. Springer, Singapore. https://doi.org/10.1007/978-981-13-6052-7_20
- [14] Lahiani, H., & Neji, M. (2018). "Hand gesture recognition method based on HOG-LBP features for mobile devices." *Procedia Computer Science*, 126, pp. 254-263.
- [15] Lahiani, H., & Neji, M. (2020). Hand pose estimation system based on combined features for mobile devices. *International Journal of Intelligent Information and Database Systems*, 13(2-4), pp. 436-453.
- [16] Aichner, T., Grünfelder, M., Maurer, O., & Jegeni, D. (2021). Twenty-five years of social media: a review of social media applications and definitions from 1994 to 2019. *Cyberpsychology, behavior, and social networking*, 24(4), pp. 215-222.
- [17] Kumar, A., Sangwan, S. R., & Nayyar, A. (2020). Multimedia social big data: Mining. *Multimedia Big Data Computing for IoT Applications: Concepts, Paradigms and Solutions*, pp. 289-321.
- [18] Ali, F., El-Sappagh, S., Islam, S. R., Ali, A., Attique, M., Imran, M., & Kwak, K. S. (2021). An intelligent healthcare monitoring framework using wearable sensors and social networking data. *Future Generation Computer Systems*, 114, pp. 23-43.
- [19] Hamilton, R. H., & Sodeman, W. A. (2020). The questions we ask: Opportunities and challenges for using big data analytics to strategically manage human capital resources. *Business Horizons*, 63(1), 85-95.
- [20] Lahiani, H., & Neji, M. (2022). Design of a Hand Pose Recognition System for Mobile and Embedded Devices. *International Journal of Recent Contributions from Engineering, Science & IT (iJES)*, 10(04), pp. 17–31. <https://doi.org/10.3991/ijes.v10i04.35163>
- [21] Lahiani, H. and Neji, M., 2020. A survey on hand gesture recognition for mobile devices. *International Journal of Intelligent Systems Technologies and Applications*, 19(5), pp.458-485.