







Compositional PCA, class 5.0 Flex\_D03-NF-B10-NFlex-R1-A XT\_1003 NFLEX = 181-28 2.5 ex\_D01-NF-R1 D011-NF18X-R11-B PC2: 29% of variace Flex\_D06-NF XT\_D06=NF16x-R1-48 group 0.0 XXI POCA A TIPEN PIÈ PA Flex XT\_FIEX\_D08-NF-R1 XT Flex\_D09-NF-R1 -2.5Flex D07-NF-R1 XXTDD7ZNFIRMXRA4QB -5.00.0 2.5 -5.0-2.55.0 PC1: 38.5% of variace

Compositional PCA, phylum Flex\_D06-NF-R1 Flex\_D04-NF-R1 2 XT\_DO4\_NFIEX\_R1-A Flex\_D10-NF-R1 XT\_D06=NFIex=R1=B Flex\_D03-NF-R1 XT\_LD WORD THE WARD TO A PC2: 22.8% of variace XF 1968 NF 18X-184-19 group Flex KIEXDOOSHNIEXRIVI-B XT ex\_D01-NF-R1 Flex\_D07-NF-R1 Flex\_D09-NF XT\_D01\_NFlex-R1-B XIT DOOD NITHEX PRILAD XXTDOMZNIE XXRT1&B Flex\_D02-NF-R1 -2XXIDO22NFIREXRABA -2 2 -4 PC1: 61.1% of variace