### Request 1: Get all bus

```
curl --location --request GET 'http://localhost:8080/bus' \
--header 'Content-Type: application/json' \
--data-raw ''
Response 1:
[
    {
        "bus": {
            "busId": 1,
            "routeId": "MumThane1"
        },
        "route": {
            "routeId": "MumThane1",
            "route": "Mumbai Central, Goregaon, Borivale, Thane"
        }
    },
    {
        "bus": {
            "busId": 2,
            "routeId": "MumThane2"
        },
        "route": {
            "routeId": "MumThane2",
            "route": "Mumbai Central, Goregaon, Powai, Thane"
        }
    },
    {
        "bus": {
            "busId": 3,
            "routeId": "MumThane2"
        },
        "route": {
            "routeId": "MumThane2",
            "route": "Mumbai Central, Goregaon, Powai, Thane"
        }
    },
    {
        "bus": {
            "busId": 4,
```

```
"routeId": "MumNaviMum2"
},
"route": {
    "routeId": "MumNaviMum2",
    "route": "Mumbai Central, Bandra, Dadar, Powai, Airoli"
}
}
```

\_\_\_\_\_

```
Request 2: Add Bus
```

```
curl --location --request PUT 'http://localhost:8080/bus' \
--header 'Content-Type: application/json' \
--data-raw '{
    "busId": 1,
    "routeId": "MumThane1"
}'

Response 2:
{
    "busId": 1,
    "routeId": "MumThane1"
}
```

\_\_\_\_\_

### Request 3: Update status

```
curl --location --request POST 'http://localhost:8080/bus/status' \
--header 'Content-Type: application/json' \
--data-raw '{
    "id":"1",
    "currentStatus":"Goregaon, Thane"
}'
```

Response:

{

```
"id": "127.01.2021",
    "currentStatus": "Goregaon, Thane"
}
```

```
Request 4: Get status of Bus using bus ID

curl --location --request GET 'http://localhost:8080/bus/status/1' \
--header 'Content-Type: application/json' \
--data-raw ''

Response:
{
    "id": "127.01.2021",
    "currentStatus": "Goregaon, Thane"
}
```

-----<del>-</del>

### Request 5: Get all roles

```
curl --location --request GET 'http://localhost:8080/role' \
--header 'Content-Type: application/json' \
--data-raw ''
[
    {
        "roleId": 1,
        "roleName": "Admin",
        "roleDescription": "view buses, view routes, edit rotes, edit buses"
    },
    {
        "roleId": 2,
        "roleName": "Driver",
        "roleDescription": "update location, view rote"
    },
    {
        "roleId": 3,
```

```
"roleName": "Passenger",
        "roleDescription": "view buses, view routes"
    }
]
Request 5: Get role by id
curl --location --request GET 'http://localhost:8080/role/1' \
--header 'Content-Type: application/json' \
--data-raw ''
Response:
{
    "roleId": 1,
    "roleName": "Admin",
    "roleDescription": "view buses, view routes, edit rotes, edit buses"
}
Request 6: Create role
curl --location --request PUT 'http://localhost:8080/role' \
--header 'Content-Type: application/json' \
--data-raw '{
    "roleId": 4,
    "roleName": "Test",
    "roleDescription": "view buses, view routes, edit rotes, edit buses"
}'
Response:
{
    "roleId": 4,
    "roleName": "Test",
    "roleDescription": "view buses, view routes, edit rotes, edit buses"
}
```

# Request 7: Get all rotes curl --location --request GET 'http://localhost:8080/route' \

```
--header 'Content-Type: application/json' \
--data-raw ''
Response:
[
    {
        "routeId": "MumDombivali1",
        "route": "Mumbai Central, Goregaon, Powai, Kalyan, Dombivali"
    },
    {
        "routeId": "MumDombivali2",
        "route": "Mumbai Central, Goregaon, Powai, Kalyan, Dombivali"
    },
    {
        "routeId": "MumNaviMum2",
        "route": "Mumbai Central, Bandra, Dadar, Powai, Airoli"
    },
    {
        "routeId": "MumThane1",
        "route": "Mumbai Central, Goregaon, Borivale, Thane"
    },
    {
        "routeId": "MumThane2",
        "route": "Mumbai Central, Goregaon, Powai, Thane"
    }
]
```

```
Request 8: Create route

curl --location --request PUT 'http://localhost:8080/route' \
--header 'Content-Type: application/json' \
--data-raw '{
         "routeId": "MumThane3",
         "route": "Mumbai Central, Goregaon, Powai, Thane"
     }'

Response:
```

```
"route": "Mumbai Central, Goregaon, Powai, Thane"
}
Request9: Get Users
curl --location --request GET 'http://localhost:8080/user' \
--header 'Content-Type: application/json' \
--data-raw ''
Response:
[
    {
        "user": {
            "userId": "1",
            "password": "password",
            "userName": "vedantbhatt",
            "firstName": "vedant",
            "lastName": "bhatt",
            "phone": null,
            "email": null,
            "roleId": 1
        },
        "role": {
            "roleId": 1,
            "roleName": "Admin",
            "roleDescription": "view buses, view routes, edit rotes, edit buses"
        }
    },
    {
        "user": {
            "userId": "2",
            "password": "password",
            "userName": "shahrukh",
            "firstName": "shah rukh",
            "lastName": "khan",
            "phone": null,
            "email": null,
```

"routeId": "MumThane3",

```
"roleId": 1
},
"role": {
    "roleId": 1,
    "roleName": "Admin",
    "roleDescription": "view buses, view routes, edit rotes, edit buses"
}
}
```

## Request 10: Get user by id

```
curl --location --request GET 'http://localhost:8080/user/1' \
--header 'Content-Type: application/json' \
--data-raw ''

Response:
{
    "userId": "1",
    "password": "password",
    "userName": "vedantbhatt",
    "firstName": "vedant",
    "lastName": "bhatt",
    "phone": null,
    "email": null,
    "roleId": 1
}
```

## Request 11: Authenticate

```
curl --location --request POST 'http://localhost:8080/user/authenticate' \
--header 'Content-Type: application/json' \
--data-raw '{
    "userId": "1",
    "password": "password",
```

```
"userName": "vedantbhatt"
}'
Response:
true
```

## Request 12: Save user

```
curl --location --request PUT 'http://localhost:8080/user' \
--header 'Content-Type: application/json' \
--data-raw '{
   "userId": "1",
    "password": "password",
    "userName": "vedantbhatt",
    "firstName": "vedant",
    "lastName": "bhatt",
    "phone": null,
    "email": null,
    "roleId": 1
}'
Response:
{
    "user": {
        "userId": "1",
        "password": "password",
        "userName": "vedantbhatt",
        "firstName": "vedant",
        "lastName": "bhatt",
        "phone": null,
        "email": null,
        "roleId": 1
    },
    "role": {
        "roleId": 1,
```

```
"roleName": "Admin",
       "roleDescription": "view buses, view routes, edit rotes, edit buses"
   }
}
Request 13:
curl --location --request GET 'http://localhost:8080/bus?routeId=MumThane2' \
--header 'Content-Type: application/json' \
--data-raw '{
   "userId": "1",
   "password": "password",
   "userName": "vedantbhatt",
   "firstName": "vedant",
   "lastName": "bhatt",
   "phone": null,
   "email": null,
   "roleId": 1
}'
Response:
[
    {
         "bus": {
             "busId": 1,
              "routeId": "MumThane1"
         },
         "route": {
              "routeId": "MumThane1",
              "route": "Mumbai Central, Goregaon, Borivale, Thane"
         }
    },
    {
         "bus": {
              "busId": 2,
              "routeId": "MumThane2"
         },
         "route": {
```

```
"routeId": "MumThane2",
            "route": "Mumbai Central, Goregaon, Powai, Thane"
        }
    },
    {
        "bus": {
            "busId": 3,
            "routeId": "MumThane2"
        },
        "route": {
            "routeId": "MumThane2",
            "route": "Mumbai Central, Goregaon, Powai, Thane"
        }
    },
    {
        "bus": {
            "busId": 4,
            "routeId": "MumNaviMum2"
        },
        "route": {
            "routeId": "MumNaviMum2",
            "route": "Mumbai Central, Bandra, Dadar, Powai, Airoli"
        }
    }
]
```