

EXPERIMENT - 3

NAME: V.C.Bhavan Bairav

REG NO: 192511369

OUTPUT:

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> create database thing;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> use thing;
Database changed
```

```
mysql> CREATE TABLE STUDENT2(
  ->   RegNo BIGINT PRIMARY KEY,
  ->   SName VARCHAR(30),
  ->   Dept VARCHAR(10),
  ->   Age INT
  -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql>
mysql> INSERT INTO STUDENT2 VALUES
  -> (191711342, 'Arjun', 'CSE', 20),
  -> (191711343, 'Karthik', 'IT', 21),
  -> (191711344, 'Praveen', 'ECE', 22);
Query OK, 3 rows affected (0.01 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql>
mysql> UPDATE STUDENT2
  -> SET SName='Naveen'
  -> WHERE RegNo=191711342;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql>
mysql> SELECT * FROM STUDENT2;
+-----+-----+-----+-----+
| RegNo | SName | Dept | Age |
+-----+-----+-----+-----+
| 191711342 | Naveen | CSE | 20 |
| 191711343 | Karthik | IT | 21 |
| 191711344 | Praveen | ECE | 22 |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> CREATE TABLE FACULTY(
->     FacNo INT PRIMARY KEY,
->     FName VARCHAR(30),
->     Gender CHAR(1),
->     Age INT
-> );
Query OK, 0 rows affected (0.22 sec)

mysql>
mysql> INSERT INTO FACULTY VALUES
-> (101,'Mohan','M',59),
-> (102,'Priya','F',45),
-> (103,'Rani','F',50),
-> (104,'Suresh','M',62);
Query OK, 4 rows affected (0.01 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql>
mysql> DELETE FROM FACULTY
-> WHERE FName='Priya';
Query OK, 1 row affected (0.00 sec)

mysql>
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| FacNo | FName | Gender | Age |
+-----+-----+-----+-----+
| 101   | Mohan | M      | 59  |
| 103   | Rani  | F      | 50  |
| 104   | Suresh | M     | 62  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
3 rows in set (0.00 sec)

mysql> CREATE TABLE FACULTY(
->     FacNo INT PRIMARY KEY,
->     FName VARCHAR(30),
->     Gender CHAR(1),
->     Age INT
-> );
ERROR 1050 (42S01): Table 'faculty' already exists
mysql>
mysql> INSERT INTO FACULTY VALUES
-> (101,'Mohan','M',45),
-> (102,'Priya','F',40),
-> (103,'Rani','F',50),
-> (104,'Suresh','M',62);
ERROR 1062 (23000): Duplicate entry '101' for key 'faculty.PRIMARY'
mysql>
mysql> UPDATE FACULTY
-> SET Age=59
-> WHERE FName='Mohan';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 1  Changed: 0  Warnings: 0

mysql>
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| FacNo | FName | Gender | Age |
+-----+-----+-----+-----+
| 101   | Mohan | M      | 59  |
| 103   | Rani  | F      | 50  |
| 104   | Suresh | M     | 62  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```

3 rows in set (0.00 sec)

mysql> CREATE TABLE FACULTY(
  ->   FacNo INT PRIMARY KEY,
  ->   FName VARCHAR(30),
  ->   Gender CHAR(1),
  ->   Age INT
  -> );
ERROR 1050 (42S01): Table 'faculty' already exists
mysql>
mysql> INSERT INTO FACULTY VALUES
  -> (101,'Mohan','M',59),
  -> (102,'Priya','F',45),
  -> (103,'Rani','F',60),
  -> (104,'Suresh','M',70),
  -> (105,'Kumar','M',60);
ERROR 1062 (23000): Duplicate entry '101' for key 'faculty.PRIMARY'
mysql>
mysql> DELETE FROM FACULTY
  -> WHERE Age>65;
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> SELECT * FROM FACULTY;
+-----+-----+-----+-----+
| FacNo | FName | Gender | Age |
+-----+-----+-----+-----+
| 101   | Mohan | M      | 59  |
| 103   | Rani  | F      | 50  |
| 104   | Suresh | M     | 62  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

```