

Name: V.C.BHAVAN BAIRAV

Reg.NO:192511369

MODEL PRACTICAL EXAM

OUTPUT:

1.SQL JOIN

Input:

SELECT

p.name AS patient_name,

d.name AS doctor_name,

d.specialization,

a.app_date

FROM Patients p

JOIN Appointments a

ON p.patient_id = a.patient_id

JOIN Doctors d

ON a.doctor_id = d.doctor_id

WHERE a.status = 'Completed';

Output:

patient_name	doctor_name	specialization	app_date
Jashwanth	Dr. Priya	Cardiologist	2026-08-25
Leeba	Dr. Arun	Dermatologist	2026-08-28
Rahul Kumar	Dr. Priya	Cardiologist	2026-08-30

2. CREATE VIEW

Input:

```
CREATE VIEW vw_unpaid_bills AS
SELECT
    mb.bill_id,
    p.name AS patient_name,
    d.name AS doctor_name,
    mb.bill_amount
FROM MedicalBills mb
JOIN Appointments a
    ON mb.appointment_id = a.appointment_id
JOIN Patients p
    ON a.patient_id = p.patient_id
JOIN Doctors d
    ON a.doctor_id = d.doctor_id
WHERE mb.payment_status = 'Pending';
```

Output:

				bill_id	patient_name	doctor_name	bill_amount
☐	 Edit	 Copy	 Delete	402	Leeba	Dr. Arun	1800.00
☐	 Edit	 Copy	 Delete	403	Jeeva	Dr. Meena	3000.00
	☐ Check all	With selected:	 Edit	 Copy	 Delete	 Export	
☐ Show all	Number of rows:	25	▼	Filter rows:	Search this table		

3. USER DEFINED FUNCTION

Input:

DELIMITER //


```
CREATE FUNCTION fn_total_patient_spending(p_patient_id INT)
RETURNS DECIMAL(10,2)
DETERMINISTIC
READS SQL DATA
BEGIN
    DECLARE total_spending DECIMAL(10,2);

    SELECT COALESCE(SUM(mb.bill_amount), 0)
    INTO total_spending
    FROM MedicalBills mb
    JOIN Appointments a
        ON mb.appointment_id = a.appointment_id
    WHERE a.patient_id = p_patient_id
        AND mb.payment_status = 'Settled';

    RETURN total_spending;
END //
```

DELIMITER ;

Output:



total_spending	1
	4000.00

4. TRIGGER

Input:

```
DELIMITER //

CREATE TRIGGER trg_prevent_doctor_deletion
BEFORE DELETE ON Doctors
FOR EACH ROW
BEGIN
    IF EXISTS (
        SELECT 1
        FROM Appointments
        WHERE doctor_id = OLD.doctor_id
            AND status <> 'Completed'
            AND app_date >= CURDATE()
    ) THEN
        SIGNAL SQLSTATE '45000'
        SET MESSAGE_TEXT =
            'Cannot delete doctor: active uncompleted appointments exist.';
    END IF;
END //

DELIMITER ;
```

Output:

Error

SQL query: [Copy](#)

```
DELETE FROM Doctors
WHERE doctor_id = 203;
```

MySQL said: 

#1644 - Cannot delete doctor: active uncompleted appointments exist.