

EXPERIMENT – 7

SELECT with various clause – GROUP BY, HAVING, ORDER BY

NAME: V.C.Bhavan Bairav

REG NO: 192511369

OUTPUT:

GROUP BY - HAVING:

1)

```
mysql> select c.course_name,  
->      count(r.reg_no) as total_students  
-> from course c, registration r  
-> where c.course_no = r.course_no  
-> group by c.course_name  
-> having count(r.reg_no) > 1;
```

```
+-----+-----+  
| course_name | total_students |  
+-----+-----+  
| Programming |          3 |  
| Statistics  |          3 |  
| Database    |          2 |  
+-----+-----+  
3 rows in set (0.00 sec)
```

2)

```
mysql> select s.name,  
->         count(r.course_no) as total_courses  
-> from student s, registration r  
-> where s.reg_no = r.reg_no  
-> group by s.name  
-> having count(r.course_no) > 1;
```

name	total_courses
mohan	2
raju	2
ramesh	2
ram	2
siri	2

5 rows in set (0.00 sec)

ORDER BY:

1)

```
mysql> select name,  
->         gender,  
->         mobile_no  
-> from student  
-> order by reg_no asc;
```

name	gender	mobile_no
mohan	m	9876543210
raju	m	9876543211
ramesh	m	9876543212
ram	m	9876543213
siri	f	9876543214

5 rows in set (0.00 sec)

2)

```
mysql> select *  
      -> from faculty  
      -> order by dob asc;
```

fac_no	fac_name	gender	dob	doj	mobile_no	dept_no
F001	mohan	m	1965-04-12	1995-06-10	9876500001	D01
F004	ramesh	m	1968-01-10	1998-09-15	9876500004	D01
F002	raju	m	1975-03-15	2000-05-18	9876500002	D02
F003	sita	f	1980-08-20	2005-07-21	9876500003	D03
F005	san	m	1985-12-25	2010-03-12	9876500005	D02

5 rows in set (0.00 sec)