

LENSKART – PAYMENT SYSTEM MANAGEMENT

1. DATABASE DESIGN

1.1 PAYMENT TABLE

Attribute	Description
Payment_ID	Unique payment ID
Order_ID	Related order ID
Payment_Date	Date of payment
Payment_Method	UPI / Card / Cash on Delivery / Net Banking
Payment_Amount	Amount paid
Payment_Status	Paid / Pending / Failed

2. TABLE CREATION

```
SQL> CREATE TABLE LenskartPayment (  
2     Payment_ID NUMBER PRIMARY KEY,  
3     Order_ID NUMBER,  
4     Payment_Date DATE NOT NULL,  
5     Payment_Method VARCHAR2(30) NOT NULL,  
6     Payment_Amount NUMBER(10,2) NOT NULL,  
7     Payment_Status VARCHAR2(30) NOT NULL,  
8     FOREIGN KEY (Order_ID) REFERENCES LenskartOrder(Order_ID)  
9 );  
  
Table created.
```

3. VALUE INSERTION

```

SQL> INSERT INTO LenskartPayment
2 VALUES (1, 1, TO_DATE('18-09-2026','DD-MM-YYYY'), 'UPI', 2400.00, 'Paid');

1 row created.

SQL>
SQL> INSERT INTO LenskartPayment
2 VALUES (2, 2, TO_DATE('23-09-2026','DD-MM-YYYY'), 'Credit Card', 1800.00, 'Paid');

1 row created.

SQL>
SQL> INSERT INTO LenskartPayment
2 VALUES (3, 3, TO_DATE('20-09-2026','DD-MM-YYYY'), 'Debit Card', 3200.00, 'Failed');

1 row created.

SQL>
SQL> INSERT INTO LenskartPayment
2 VALUES (4, 4, TO_DATE('21-09-2026','DD-MM-YYYY'), 'Cash on Delivery', 2000.00, 'Pending');

1 row created.

SQL>
SQL> INSERT INTO LenskartPayment
2 VALUES (5, 5, TO_DATE('22-09-2026','DD-MM-YYYY'), 'UPI', 900.00, 'Paid');

1 row created.

```

4. DISPLAY SUCCESSFUL PAYMENTS

```

SQL> SELECT *
2 FROM LenskartPayment
3 WHERE Payment_Status = 'Paid';

```

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
1	1	18-SEP-26	UPI	2400
2	2	23-SEP-26	Credit Card	1800
5	5	22-SEP-26	UPI	900

5. DISPLAY FAILED / PENDING PAYMENTS

```
SQL> SELECT *
2 FROM LenskartPayment
3 WHERE Payment_Status IN ('Failed', 'Pending');
```

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
Failed	3	3 20-SEP-26	Debit Card	3200
Pending	4	4 21-SEP-26	Cash on Delivery	2000

6. MODIFY PAYMENT STATUS

```
SQL> UPDATE LenskartPayment
2 SET Payment_Status = 'Paid'
3 WHERE Payment_ID = 4;
```

1 row updated.

```
SQL> UPDATE LenskartPayment
2 SET Payment_Status = 'Paid'
3 WHERE Payment_ID = 3;
```

1 row updated.

```
SQL> UPDATE LenskartPayment
2 SET Payment_Method = 'UPI'
3 WHERE Payment_ID = 2;
```

1 row updated.

7. ANALYZE PAYMENT METHODS

7.1 COUNT TRANSACTIONS BY PAYMENT METHOD

```
SQL> SELECT
2 Payment_Method,
3 COUNT(*) AS Total_Transactions
4 FROM LenskartPayment
5 GROUP BY Payment_Method
6 ORDER BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_TRANSACTIONS
Cash on Delivery	1
Debit Card	1
UPI	3

7.2 TOTAL AMOUNT BY PAYMENT METHOD

```
SQL> SELECT
  2     Payment_Method,
  3     SUM(Payment_Amount) AS Total_Amount
  4 FROM LenskartPayment
  5 GROUP BY Payment_Method
  6 ORDER BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_AMOUNT
Cash on Delivery	2000
Debit Card	3200
UPI	5100

8. PAYMENT TRANSACTION REPORT

```
SQL> SELECT
  2     Payment_ID,
  3     Order_ID,
  4     Payment_Date,
  5     Payment_Method,
  6     Payment_Amount,
  7     Payment_Status
  8 FROM LenskartPayment
  9 ORDER BY Payment_ID;
```

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
Paid	1	1 18-SEP-26	UPI	2400
Paid	2	2 23-SEP-26	UPI	1800
Paid	3	3 20-SEP-26	Debit Card	3200

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
Paid	4	4 21-SEP-26	Cash on Delivery	2000
Paid	5	5 22-SEP-26	UPI	900

9. CUSTOMER-WISE PAYMENT REPORT

```

SQL> SELECT
  2     c.Customer_ID,
  3     c.Customer_Name,
  4     p.Payment_ID,
  5     p.Order_ID,
  6     p.Payment_Method,
  7     p.Payment_Amount,
  8     p.Payment_Status
  9 FROM LenskartCustomer c
 10 JOIN LenskartOrder o
 11 ON c.Customer_ID = o.Customer_ID
 12 JOIN LenskartPayment p
 13 ON o.Order_ID = p.Order_ID
 14 ORDER BY c.Customer_ID;

```

```

CUSTOMER_ID
-----
CUSTOMER_NAME
-----
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          1
Arun Kumar
          1          1 UPI          2400
Paid

```

```

CUSTOMER_ID
-----
CUSTOMER_NAME
-----
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          2
Priya Sharma
          2          2 UPI          1800
Paid

```

```

CUSTOMER_ID
-----
CUSTOMER_NAME
-----
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          3
Rahul Kumar
          3          3 Debit Card          3200
Paid

```

```

CUSTOMER_ID
-----
CUSTOMER_NAME
-----
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
      4
Divya Raj
      4      4 Cash on Delivery      2000
Paid

CUSTOMER_ID
-----
CUSTOMER_NAME
-----
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
      5
Karthik S
      5      5 UPI      900
Paid

```

10.FINAL PAYMENT TABLE

```

SQL> SELECT * FROM LenskartPayment;

PAYMENT_ID  ORDER_ID  PAYMENT_D  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
Paid      1      1 18-SEP-26 UPI      2400

Paid      2      2 23-SEP-26 UPI      1800

Paid      3      3 20-SEP-26 Debit Card      3200

PAYMENT_ID  ORDER_ID  PAYMENT_D  PAYMENT_METHOD  PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
Paid      4      4 21-SEP-26 Cash on Delivery      2000

Paid      5      5 22-SEP-26 UPI      900

```