

1. Which Oracle offering allows a customer to provision Oracle Cloud Infrastructure (OCI) services into their own data centers in a self-contained model, achieving the same architecture, billing, and operational processes as that of the OCI public cloud?

☐ Mark for Review

- ☒ Oracle Dedicated Region Cloud@Customer
- ☐ Oracle Customer Region
- ☐ Oracle Cloud VMware Solution
- ☐ Oracle Private Region

2. Which THREE are benefits of Oracle Cloud VMware Solution?

☐ Mark for Review

(Choose all correct answers)

- ☒ Runs the certified VMware product stack in the cloud.
- ☐ Customers can choose their own data center hardware.
- ☒ Customers can leverage the same set of tools and processes used on-premises.
- ☐ VMware workloads are refactored for migration.
- ☒ Provides full administrative control to customers.

Previous

Page 2 of 55

Next

Summary

Finish Test

3. What is NOT a primary use case for the Oracle Cloud VMware Solution?

- ☐ Cloud Migration
- ☒ Hyper-V Workloads
- ☐ Disaster Recovery
- ☐ Data Center Extension

Previous

Page 3 of 55

Next

Summary

Finish Test

4. Which is NOT a supported workload type for Oracle Autonomous Database?

- ☐ Transaction Processing
- ☐ APEX
- ☐ Data Warehouse
- ☐ JSON
- ☒ MySQL

Previous

Page 4 of 55

Next

Summary

Finish Test

5. Which is NOT a benefit associated with Oracle Autonomous Database?

☐ Mark for Review

- ☐ Self-repairing
- ☐ Self-loading
- ☐ Self-securing
- ☒ Self-driving

Previous

Page 5 of 55

Next

Summary

Finish Test

6. Which TWO types of encryption keys are recognized by the Oracle Cloud Infrastructure (OCI) Vault service?

(Choose all correct answers)

- ☐ Alias keys
- ☐ Auth Tokens
- ☐ Wrapper keys
- ☒ Master Encryption keys
- ☒ Data Encryption keys

Previous

Page 6 of 55

Next

Summary

Finish Test

7. Which security issue CANNOT be identified by using Oracle Cloud Infrastructure (OCI) Vulnerability Scanning Service (VSS)?

- ☒ OS packages that require updates and patches to address vulnerabilities
- ☐ Ports that are unintentionally left open
- ☐ OS configurations that hackers might exploit
- ☐ Cross-Site Scripting (XSS)

Previous

Page 7 of 55

Next

Summary

Finish Test

8. You have a web application that receives 5X more traffic on the weekends than weekdays. You need to automatically match capacity to demand, while keeping the application up and running, and also saving cost.

Which Oracle Cloud Infrastructure (OCI) compute feature can be used to meet these requirements?

- ☐ Parallel Scaling
- ☐ Manual Scaling
- ☐ Vertical Scaling
- ☒ Autoscaling

Previous

Page 8 of 55

Next

Summary

Finish Test

9. You are recently assigned to manage a project to deploy Oracle E-Business Suite on Oracle Cloud Infrastructure (OCI). The application requires a database, several servers, and a shared file system.

Which THREE OCI services are best suited for this project?

(Choose all correct answers)

- ☐ OCI Streaming service
- ☐ Oracle Container Engine for Kubernetes (OKE)
- ☒ File Storage service
- ☒ Virtual Machine (VM) or Bare Metal (BM) compute instances
- ☐ Object Storage service
- ☒ OCI Virtual or Bare Metal DB systems

Previous

Page 9 of 55

Next

Summary

Finish Test

10. Which capability can be used to protect against unexpected hardware or power supply failures within an Oracle Cloud Infrastructure (OCI) availability domain?

- ☐ Compartments
- ☒ Fault Domains
- ☐ Top of Rack Switches
- ☐ Power Distribution Units

Previous Page 10 of 55 Next Summary Finish Test

11. Which TWO correctly describe the attributes of Oracle Cloud Infrastructure (OCI) compartments?
(Choose all correct answers)

- ☒ By default, your tenancy comes with a root compartment.
- ☐ Resources within one compartment cannot interact with resources in other compartments.
- ☐ Compartments can be used to physically separate OCI resources.
- ☒ Compartments can be used to logically separate OCI resources.
- ☐ Compartments cannot have sub compartments.

Previous Page 11 of 55 Next Summary Finish Test

12. Which is NOT a valid log type supported by the Oracle Cloud Infrastructure (OCI) Logging service?

- ☐ Audit Logs
- ☐ Service Logs
- ☐ Custom Logs
- ☒ Visual Logs

Previous Page 12 of 55 Next Summary Finish Test

13. Which Oracle Cloud Infrastructure (OCI) Monitoring service feature uses metrics for monitoring and consists of a trigger action and notification method?

- ☐ Triggers
- ☐ Namespaces
- ☒ Alarms
- ☐ Queries

Previous Page 13 of 55 Next Summary Finish Test

14. Which Oracle Cloud Infrastructure (OCI) service can be configured to send you an alert for high CPU usage?

- ☐ Events
- ☐ Logging
- ☐ Analytics
- ☒ Monitoring
- ☐ Logging Analytics

Previous Page 14 of 55 Next Summary Finish Test

15. You are querying the Oracle Cloud Infrastructure (OCI) monitoring data related to the `oci_computeagent` metric namespace.

Which is NOT a valid dimension name for the `oci_computeagent` metrics?

- ☐ attachmentId
- ☐ availabilityDomain
- ☒ shape
- ☐ faultDomain

Previous

Page 15 of 55

Next

Summary

Finish Test

16. Which is VALID regarding the Oracle Cloud Infrastructure (OCI) Logging service encryption?

- ☐ OCI logs are not encrypted in-flight.
- ☒ OCI logs are encrypted when they are archived.
- ☐ OCI logs are not encrypted with disk-level encryption.
- ☐ OCI logs are not encrypted while in storage.

Previous

Page 16 of 55

Next

Summary

Finish Test

17. Which TWO are valid regarding the Oracle Cloud Infrastructure (OCI) Logging service?

(Choose all correct answers)

- ☐ It enables you to analyze cloud resources using custom metrics.
- ☒ It is a centralized single pane of glass for all logs in a tenancy.
- ☐ It enables you to monitor cloud resources using metrics and alarms.
- ☐ It can index, enrich, and aggregate log data from applications.
- ☒ It can analyze critical diagnostic information that describes how resources are performing and being accessed.

Previous

Page 17 of 55

Next

Summary

Finish Test

18. Which TWO statements correctly describe Oracle Cloud Infrastructure (OCI) Service Level Agreements (SLAs)?

(Choose all correct answers)

- ☐ Defined as a number of nines for a week and a percentage credit.
- ☒ Defined as a number of nines for a month and a percentage credit.
- ☐ Defined as a number of eights for a week and a percentage credit.
- ☒ Financially backed commitment to provide a minimum level of service to customers.
- ☐ Defined as a number of eights for a month and a percentage credit.
- ☐ Financially backed commitment to provide a maximum level of service to customers.

Previous

Page 18 of 55

Next

Summary

Finish Test

19. Which TWO Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN) firewall features can be used for controlling traffic?

(Choose all correct answers)

- ☐ Network Visualizer
- ☒ Network Security Groups
- ☐ VCN Flow Logs
- ☒ Security Lists
- ☐ VNIC Metrics

Previous

Page 19 of 55

Next

Summary

Finish Test

20. Which statement regarding Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN) peering is valid?

- ☐ A VCN peering connection is required for OCI Object Storage.
- ☒ A VCN peering connection is a VPN-based connection.
- ☐ A VCN peering connection is a physical network link between two VCNs within a single OCI region.
- ☐ Peered VCNs can exist in different OCI regions.

Previous

Page 20 of 55

Next

Summary

Finish Test

21. Which TWO are valid regarding Oracle Cloud Infrastructure (OCI) Virtual Cloud Network (VCN) peering?

(Choose all correct answers)

- ☐ Peered VCNs can have overlapping classless inter-domain routing (CIDR).
- ☒ Peered VCNs can exist in the same OCI region.
- ☒ Peered VCNs can exist in different OCI regions.
- ☐ A VCN peering connection is a VPN-based connection.
- ☐ Peered VCNs need to be part of the same OCI tenancy.

Previous

Page 21 of 55

Next

Summary

Finish Test

22. A customer wants a dedicated and secure connection to their on-premises data center from their Oracle Cloud Infrastructure (OCI) resources.

Which TWO OCI services can be used?

(Choose all correct answers)

- ☒ Remote Peering Connection
- ☒ Internet Gateway
- ☐ Site-to-Site VPN
- ☐ FastConnect
- ☐ NAT Gateway

Previous

Page 22 of 55

Next

Summary

Finish Test

23. You have an analytics workload that requires a shared file system to store persistent data.

Which Oracle Cloud Infrastructure (OCI) Storage service is most suited for this requirement?

- ☐ Local NVMe Devices
- ☒ Object Storage
- ☐ Data Transfer Disks
- ☐ File Storage

Previous

Page 23 of 55

Next

Summary

Finish Test

24. Which of these is defined as a qualifier used for filtering group metric data presented in the Oracle Cloud Infrastructure (OCI) Monitoring service?

- ☐ Indicators
- ☐ Namespaces
- ☒ Dimensions
- ☐ Facts

Previous

Page 24 of 55

Next

Summary

Finish Test

25. Which TWO statements correctly describe the Oracle Cloud Infrastructure (OCI) Accelerated Data Science (ADS) SDK?

(Choose all correct answers.)

- ☐ It is a PHP library that makes common tasks faster, easier, and less error prone.
- ☒ It is included as part of the Data Science service.
- ☒ It is a Python library that makes common tasks faster, easier, and less error prone.
- ☐ It is a JavaScript library that makes common tasks faster, easier, and less error prone.
- ☐ It is an additional cost to the Data Science service.

Previous

Page 25 of 55

Next

Summary

Finish Test

26. Which is NOT a valid target for the Oracle Cloud Infrastructure (OCI) Cloud Guard service?

- ☐ Region
- ☒ Tenancy
- ☐ Root Compartment
- ☐ Compartment and its sub-compartments

Previous

Page 26 of 55

Next

Summary

Finish Test

27. Who is responsible for upgrading and patching the Oracle Cloud VMware Solution environment after it has been provisioned?

- ☐ VMware and Oracle
- ☐ Customer
- ☒ Oracle
- ☐ VMware

Previous

Page 27 of 55

Next

Summary

Finish Test

28. Which THREE services integrate with Oracle Cloud Infrastructure (OCI) Key Management?

(Choose all correct answers)

- ☒ Object Storage
- ☒ Block Volume
- ☐ Auto Scaling
- ☐ Functions
- ☒ File Storage
- ☐ Identity and Access Management

Previous

Page 28 of 55

Next

Summary

Finish Test

29. What is the primary use case for using Web Application Firewall in Oracle Cloud Infrastructure (OCI)?

- ☐ Patch management
- ☒ Filter malicious web traffic
- ☐ Hardware-based key storage
- ☐ Network security control

Previous

Page 29 of 55

Next

Summary

Finish Test

30. A developer wants to develop docker-based applications on Oracle Cloud Infrastructure (OCI) and deploy it on a managed service that supports containerized applications.

Which OCI service supports this requirement?

- ☐ Streaming
- ☐ Oracle Cloud VMware Solution
- ☒ Oracle Container Engine for Kubernetes (OKE)
- ☐ API Gateway

Previous

Page 30 of 55

Next

Summary

Finish Test

31. You have an extremely high performance database workload that requires atleast 105 IOPS/GB and 100,000 IOPS per volume.

Which Oracle Cloud Infrastructure (OCI) Block Volume performance level can be used to meet this requirement?

- ☒ Ultra High Performance
- ☐ Balanced
- ☐ Higher Performance
- ☐ Lower cost

Previous

Page 31 of 55

Next

Summary

Finish Test

32. You have backup data that needs to be stored for at least six months. This data is not supposed to be accessed frequently, but needs to be available immediately when needed. You also want to reduce your storage costs.

Which Oracle Cloud Infrastructure (OCI) Object Storage tier can be used to meet these requirements?

- ☐ Standard tier
- ☐ Infrequent access tier
- ☐ Auto-Tiering
- ☒ Archive tier

Previous

Page 32 of 55

Next

Summary

Finish Test

33. Which statement is NOT valid regarding the Oracle Cloud Infrastructure (OCI) Block Volume service?

- ☐ You can expand an existing block volume in place with online resizing.
- ☒ You can decrease the size of a block volume.
- ☐ You can clone an existing block volume to a new, larger volume.
- ☐ You can increase the size of a block volume.

Previous

Page 33 of 55

Next

Summary

Finish Test

34. You store multiple versions of objects in a bucket, but your IT team has asked you to delete any previous object versions 120 days after the object version transitions from the latest version to a previous version.

Which Oracle Cloud Infrastructure (OCI) Object Storage feature can be used for this purpose?

- ☐ Pre-Authenticated Requests
- ☒ Object Lifecycle Management
- ☐ Retention Rules
- ☐ Multipart Uploads

Previous

Page 34 of 55

Next

Summary

Finish Test

35. Which is an important consideration when choosing an Oracle Cloud Infrastructure (OCI) region?

- ☐ Choose a region that is far away from the application to eliminate single point of failure.
- ☐ Choose a region that is in close proximity to end users for best performance.
- ☐ Choose a region that offers the lowest cost.
- ☒ Choose a region that offers a single availability domain for cost saving.

Previous

Page 35 of 55

Next

Summary

Finish Test

36. Which TWO statements are true regarding Oracle Cloud Infrastructure (OCI) Regions?

(Choose all correct answers)

- ☐ Some regions provide multiple subregions.
- ☒ Some regions provide multiple availability domains.
- ☒ Some regions provide a single availability domain.
- ☐ Some regions only provide test/dev environments.
- ☐ Some regions provide a single fault domain.

Previous

Page 36 of 55

Next

Summary

Finish Test

37. Which statement accurately describes an Oracle Cloud Infrastructure (OCI) Region?

- ☐ Each Availability Domain has a single Fault Domain.
- ☒ Each Availability Domain has three Fault Domains.
- ☐ Each Fault Domain has multiple Availability Domains.
- ☐ Each region has a single Fault Domain.

Previous

Page 37 of 55

Next

Summary

Finish Test

38. How will you configure high availability for an application in an Oracle Cloud Infrastructure (OCI) region with a single availability domain?

- ☒ Set up your application across multiple fault domains.
- ☐ Set up your application across multiple compartments.
- ☐ Divide region into multiple subregions.
- ☐ Set up your application across multiple Virtual Cloud Network (VCN).

Previous

Page 38 of 55

Next

Summary

Finish Test

39. Which is NOT a component of the Oracle Cloud Infrastructure (OCI) identity domains?

- ☐ Groups
- ☐ Policies
- ☐ Dynamic Groups
- ☒ Users

Previous

Page 39 of 55

Next

Summary

Finish Test

40. Which of the following is INVALID regarding the Oracle Cloud Infrastructure (OCI) Identity Domains?

- ☐ Identity domains are created inside of a compartment.
- ☐ Each OCI account includes a default identity domain.
- ☐ Customers cannot create additional identity domains.
- ☒ An identity domain represents users and groups in OCI.

Previous

Page 40 of 55

Next

Summary

Finish Test

41. Which component of the Oracle Cloud Infrastructure (OCI) Identity and Access Management (IAM) service can be used for controlling access to resources for authenticated principals?

- ☐ Compartment
- ☒ Policy
- ☐ Network Source
- ☐ Group

Previous

Page 41 of 55

Next

Summary

Finish Test

42. Which statement is VALID for Oracle Cloud Infrastructure Registry (OCIR)?

- ☐ You can create only public Docker repositories in OCIR.
- ☒ A single registry can contain both private and public Docker repositories.
- ☐ A single registry can contain either private or public Docker repositories.
- ☐ You can create only private Docker repositories in OCIR.

Previous

Page 42 of 55

Next

Summary

Finish Test

43. Which Oracle Cloud Infrastructure (OCI) service can be used for running serverless applications?

- ☐ OCI API Gateway
- ☐ Oracle Container Engine for Kubernetes (OKE)
- ☐ Oracle Cloud VMware Solution
- ☒ Oracle Functions

Previous

Page 43 of 55

Next

Summary

Finish Test

44. Which Oracle Cloud Infrastructure (OCI) service allows you to automate provisioning of infrastructure resources using Terraform?

- ☐ Compute
- ☐ Oracle Functions
- ☐ Events
- ☒ Resource Manager

Previous

Page 44 of 55

Next

Summary

Finish Test

45. Which Oracle Cloud Infrastructure (OCI) service allows you to run code without provisioning any underlying infrastructure resources, such as virtual machines?

- ☐ Storage Gateway
- ☐ Oracle Functions
- ☒ Oracle Container Engine for Kubernetes (OKE)
- ☐ Compute
- ☐ API Gateway

Previous

Page 45 of 55

Next

Summary

Finish Test

46. A banking platform has been re-designed to a microservices-based architecture using Docker containers. Which Oracle Cloud Infrastructure (OCI) service should be used for deploying these microservices?

- ☐ Streaming Service
- ☒ Container Engine for Kubernetes (OKE)
- ☐ API Gateway
- ☐ Event Service

Previous

Page 46 of 55

Next

Summary

Finish Test

47. Which is NOT a supported target environment for deploying artifacts using the Oracle Cloud Infrastructure (OCI) DevOps service?

- ☐ Oracle Container Engine for Kubernetes (OKE) Cluster
- ☐ OCI Functions
- ☐ Oracle Cloud VMware Solution
- ☒ OCI Compute Instances

Previous

Page 47 of 55

Next

Summary

Finish Test

48. Your organization has a Spark application that sometimes consumes large amount of compute resources. You need to run this on Oracle Cloud Infrastructure (OCI).

Which OCI service can be used to meet this requirement?

- ☐ Data Catalog
- ☐ Data Integration
- ☒ Data Flow
- ☐ File Storage

Previous

Page 48 of 55

Next

Summary

Finish Test

49. Which THREE are capabilities of the Oracle Cloud Infrastructure (OCI) Data Catalog service?
(Choose all correct answers)

- ☒ It provides a repository of searchable metadata.
- ☒ It enables enrichment of the metadata.
- ☐ It is an alternative to Autonomous Data Warehouse.
- ☐ It has an accelerated library to quickly build analytics models.
- ☐ It runs Spark jobs at scale.
- ☒ It can automate harvesting of data.

Previous

Page 49 of 55

Next

Summary

Finish Test

50. Your client needs to move their Extract-Transform-Load (ETL) process to Oracle Cloud Infrastructure (OCI). They want to take a no-code approach.

Which OCI service would you recommend?

- ☐ Analytics Cloud
- ☒ Data Integration
- ☐ Data Flow
- ☐ Data Science
- ☐ Data Catalog

Previous

Page 50 of 55

Next

Summary

Finish Test

51. Which TWO features can be used to manage cost in an Oracle Cloud Infrastructure (OCI) tenancy?

(Choose all correct answers)

- ☒ Budgets
- ☒ Compartment Quotas
- ☐ Health Checks
- ☐ Service Logs
- ☐ Account Controller

Previous

Page 51 of 55

Next

Summary

Finish Test

52. Which Oracle Cloud Infrastructure (OCI) capability allows you to set up alerts to notify you if a budget forecast exceeds or spending surpasses a certain amount?

- ☐ Cost Analysis
- ☒ Budget
- ☐ Events
- ☐ Monitoring

Previous

Page 52 of 55

Next

Summary

Finish Test

53. Which Oracle Cloud Infrastructure (OCI) service is NOT available as part of Oracle Cloud Free Tier?

- ☐ Monitoring
- ☒ Exadata DB Systems
- ☐ Compute
- ☐ Autonomous Data Warehouse

Previous

Page 53 of 55

Next

Summary

Finish Test

54. Which pricing model is NOT supported by Oracle Cloud Infrastructure (OCI)?

- ☐ Pay-As-You-Go (PAYG)
- ☒ Weekly Universal Credits
- ☐ Bring Your Own License (BYOL)
- ☐ Annual Universal Credits

Previous

Page 54 of 55

Next

Summary

Finish Test

55. Which TWO are valid targets for setting up Oracle Cloud Infrastructure (OCI) budgets?

(Choose all correct answers)

- ☐ Budget tag
- ☐ Tenancy
- ☐ Identity and Access Management (IAM) group
- ☒ Compartment
- ☒ Cost-tracking tag

Previous

Page 55 of 55

Summary

Finish Test

