OPERATING SYSTEMS

Dummy Study Material — 1,000 Numbered Lines

This document is sample content for testing PDF upload, parsing, indexing, and question-answering workflows. It covers common Operating Systems concepts in simple English. Some study points repeat intentionally to reach 1,000 numbered lines.

Topics: OS basics, functions, types, processes, scheduling, synchronization, deadlocks, memory, virtual memory, file systems, I/O, security, Linux, booting, virtualization, and revision questions.

Introduction to Operating Systems

0001. An operating system is system software that manages computer hardware and software resources.

0002. It provides common services for computer programs and helps users interact with a computer.

0003. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0004. The operating system acts as an intermediary between application programs and computer hardware.

0005. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0006. A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0007. System software starts working during the boot process and prepares the computer for use.

0008. Applications request operating system services through system calls and related interfaces.

0009. The kernel is the central component of an operating system and manages core system operations.

0010. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0011. Process management creates, schedules, synchronizes, and terminates processes.

0012. Memory management tracks memory usage and allocates memory to running programs.

0013. File management organizes files and directories and controls access to stored information.

0014. Device management coordinates hardware devices through drivers and operating system services.

0015. Security management protects system resources through authentication and access control.

0016. User interface services allow users to interact through command-line or graphical interfaces.

0017. Networking services support communication between computers and applications.

0018. Error handling detects problems and supports recovery where possible.

0019. Resource allocation decides how available CPU time, memory, and devices are shared.

0020. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0021. A batch operating system executes groups of jobs with limited direct user interaction.

0022. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0023. A multitasking operating system allows multiple tasks to make progress during the same period.

0024. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0025. A multiprocessing operating system uses two or more processors or CPU cores.

0026. A real-time operating system is designed to meet timing requirements for specific operations.

0027. A distributed operating system coordinates resources across multiple connected computers.

0028. A network operating system provides services such as file sharing and user management over a network.

0029. An embedded operating system is built for a device with a specialized purpose.

0030. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0031. A program is a set of instructions stored as a file, while a process is a program in execution.

0032. A process contains execution state, memory information, resources, and a process identifier.

0033. The process control block stores information required by the operating system to manage a process.

0034. Typical process states include new, ready, running, waiting, and terminated.

0035. A context switch saves the state of one process and restores the state of another.

0036. A thread is a unit of execution within a process.

0037. Threads in the same process commonly share code, data, and open resources.

0038. Each thread has its own execution state, stack, and processor register context.

0039. Multithreading can improve responsiveness and allow work to proceed concurrently.

0040. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0041. CPU scheduling selects a ready process or thread to execute on a processor.

0042. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0043. First Come First Served schedules processes in the order they arrive in the ready queue.

0044. Shortest Job First selects the process with the smallest estimated CPU burst.

0045. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0046. Priority scheduling chooses processes according to assigned priority values.

0047. Round Robin gives each ready process a time quantum before moving to another process.

0048. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0049. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0050. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0051. Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0052. A critical section is code that accesses shared data or another shared resource.

0053. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0054. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0055. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0056. A race condition occurs when the result depends on the timing of concurrent operations.

0057. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0058. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0059. Deadlock prevention removes at least one necessary deadlock condition.

0060. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0061. Memory management tracks which portions of main memory are in use and by which processes.

0062. Contiguous memory allocation gives a process one continuous region of physical memory.

0063. External fragmentation occurs when free memory is split into small separated blocks.

0064. Internal fragmentation occurs when allocated memory contains unused space within a block.

0065. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0066. A page table maps virtual page numbers to physical frame numbers and associated control information.

0067. A translation lookaside buffer caches recent address translations to speed up memory access.

0068. Segmentation divides a program's logical address space into variable-sized logical units.

0069. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0070. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0071. A page fault occurs when a process references a page that is not currently available in physical memory.

0072. The operating system handles a page fault by locating or preparing the required page.

0073. Demand paging loads pages when they are first needed rather than loading every page in advance.

0074. FIFO page replacement evicts the page that has been resident for the longest time.

0075. Least Recently Used replaces the page that has not been used for the longest recent period.

0076. Optimal page replacement evicts the page whose next use is farthest in the future.

0077. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0078. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0079. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0080. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0081. A file system defines how files and directories are named, stored, organized, and retrieved.

0082. A file is a named collection of data stored on a storage device.

0083. A directory contains references to files and other directories.

0084. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0085. Sequential access reads or writes data in a linear order.

0086. Direct access allows a program to access a location without reading all preceding data.

0087. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0088. Free-space management tracks storage blocks that are available for future allocation.

0089. File permissions control which users may read, write, or execute a file.

0090. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0091. Input and output management coordinates data transfer between software and peripheral devices.

0092. Device drivers provide operating-system-specific control for particular hardware devices.

0093. Polling repeatedly checks a device status register to determine whether service is needed.

0094. Interrupts allow a device to notify the processor when an event requires attention.

0095. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0096. Buffering temporarily stores data while it moves between components with different speeds.

0097. Caching keeps copies of frequently used data to reduce access latency.

0098. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0099. Blocking I/O waits for an operation to complete before the calling thread continues.

0100. Non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0101. Operating system security protects data, programs, devices, and system configuration.

0102. Authentication verifies the identity of a user, device, or service.

0103. Authorization determines which resources an authenticated identity is allowed to access.

0104. The principle of least privilege grants only the permissions required for a task.

0105. Access control lists can specify permissions for individual users or groups.

0106. Encryption protects confidentiality by transforming readable information into protected data.

0107. Auditing records security-relevant events for review and investigation.

0108. Operating system updates may correct vulnerabilities and improve reliability.

0109. Secure boot can help ensure that trusted software components are used during startup.

0110. Backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0111. Linux is a family of operating systems built around the Linux kernel.

0112. A shell interprets commands and can run programs or scripts.

0113. The pwd command displays the current working directory in many Unix-like shells.

0114. The ls command lists directory contents on Linux and other Unix-like systems.

0115. The cd command changes the current working directory.

0116. The mkdir command creates a directory.

0117. The cp command copies files or directories, subject to the options used.

0118. The mv command moves or renames files and directories.

0119. The rm command removes files and can be destructive when used carelessly.

0120. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0121. Booting is the process of starting a computer and loading the operating system.

0122. Firmware performs initial hardware checks and locates a bootable device.

0123. A bootloader loads the operating system kernel or transfers control to another boot stage.

0124. System services start background tasks required for normal operation.

0125. Performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0126. CPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0127. Throughput measures how much work is completed over a period of time.

0128. Latency measures the time taken for an operation or response.

0129. Logs record events that help administrators troubleshoot failures and unexpected behavior.

0130. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0131. Virtualization allows multiple isolated computing environments to share physical hardware.

0132. A hypervisor creates and manages virtual machines.

0133. A virtual machine usually runs its own operating system kernel.

0134. Containers package applications and dependencies while sharing the host operating system kernel.

0135. Containers can improve portability and consistency between development and deployment environments.

0136. Resource limits can control how much CPU or memory a virtual machine or container may use.

0137. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0138. Virtualization is widely used in cloud computing, development, testing, and server consolidation.

0139. Container images provide reusable templates for creating container instances.

0140. Isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0141. Define an operating system and explain why it is required in a computer system.

0142. List the major functions performed by an operating system.

0143. Compare batch, time-sharing, real-time, distributed, and network operating systems.

0144. Explain the process life cycle with a labelled state-transition diagram.

0145. Differentiate a process from a thread with suitable examples.

0146. Compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0147. Define a critical section and explain the need for mutual exclusion.

0148. List the four necessary conditions for deadlock.

0149. Differentiate paging and segmentation.

0150. Explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0151. Study note: An operating system is system software that manages computer hardware and software resources.

0152. It provides common services for computer programs and helps users interact with a computer.

0153. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0154. The operating system acts as an intermediary between application programs and computer hardware.

0155. Remember that operating systems manage the processor, memory, files, storage devices, and input/output devices.

0156. Review point: A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0157. System software starts working during the boot process and prepares the computer for use.

0158. Applications request operating system services through system calls and related interfaces.

0159. The kernel is the central component of an operating system and manages core system operations.

0160. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0161. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0162. Remember that memory management tracks memory usage and allocates memory to running programs.

0163. File management organizes files and directories and controls access to stored information.

0164. Device management coordinates hardware devices through drivers and operating system services.

0165. Security management protects system resources through authentication and access control.

0166. Review point: User interface services allow users to interact through command-line or graphical interfaces.

0167. Networking services support communication between computers and applications.

0168. Error handling detects problems and supports recovery where possible.

0169. Remember that resource allocation decides how available CPU time, memory, and devices are shared.

0170. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0171. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0172. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0173. A multitasking operating system allows multiple tasks to make progress during the same period.

0174. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0175. A multiprocessing operating system uses two or more processors or CPU cores.

0176. Remember that a real-time operating system is designed to meet timing requirements for specific operations.

0177. A distributed operating system coordinates resources across multiple connected computers.

0178. A network operating system provides services such as file sharing and user management over a network.

0179. An embedded operating system is built for a device with a specialized purpose.

0180. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0181. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0182. A process contains execution state, memory information, resources, and a process identifier.

0183. Remember that the process control block stores information required by the operating system to manage a process.

0184. Typical process states include new, ready, running, waiting, and terminated.

0185. A context switch saves the state of one process and restores the state of another.

0186. Review point: A thread is a unit of execution within a process.

0187. Threads in the same process commonly share code, data, and open resources.

0188. Each thread has its own execution state, stack, and processor register context.

0189. Multithreading can improve responsiveness and allow work to proceed concurrently.

0190. Remember that thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0191. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0192. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0193. First Come First Served schedules processes in the order they arrive in the ready queue.

0194. Shortest Job First selects the process with the smallest estimated CPU burst.

0195. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0196. Review point: Priority scheduling chooses processes according to assigned priority values.

0197. Remember that round Robin gives each ready process a time quantum before moving to another process.

0198. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0199. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0200. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0201. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0202. A critical section is code that accesses shared data or another shared resource.

0203. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0204. Remember that a semaphore is a synchronization primitive used to coordinate access to shared resources.

0205. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0206. Review point: A race condition occurs when the result depends on the timing of concurrent operations.

0207. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0208. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0209. Deadlock prevention removes at least one necessary deadlock condition.

0210. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0211. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0212. Contiguous memory allocation gives a process one continuous region of physical memory.

0213. External fragmentation occurs when free memory is split into small separated blocks.

0214. Internal fragmentation occurs when allocated memory contains unused space within a block.

0215. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0216. Review point: A page table maps virtual page numbers to physical frame numbers and associated control information.

0217. A translation lookaside buffer caches recent address translations to speed up memory access.

0218. Remember that segmentation divides a program's logical address space into variable-sized logical units.

0219. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0220. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0221. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0222. The operating system handles a page fault by locating or preparing the required page.

0223. Demand paging loads pages when they are first needed rather than loading every page in advance.

0224. FIFO page replacement evicts the page that has been resident for the longest time.

0225. Remember that least Recently Used replaces the page that has not been used for the longest recent period.

0226. Review point: Optimal page replacement evicts the page whose next use is farthest in the future.

0227. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0228. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0229. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0230. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0231. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0232. Remember that a file is a named collection of data stored on a storage device.

0233. A directory contains references to files and other directories.

0234. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0235. Sequential access reads or writes data in a linear order.

0236. Review point: Direct access allows a program to access a location without reading all preceding data.

0237. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0238. Free-space management tracks storage blocks that are available for future allocation.

0239. Remember that file permissions control which users may read, write, or execute a file.

0240. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0241. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0242. Device drivers provide operating-system-specific control for particular hardware devices.

0243. Polling repeatedly checks a device status register to determine whether service is needed.

0244. Interrupts allow a device to notify the processor when an event requires attention.

0245. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0246. Remember that buffering temporarily stores data while it moves between components with different speeds.

0247. Caching keeps copies of frequently used data to reduce access latency.

0248. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0249. Blocking I/O waits for an operation to complete before the calling thread continues.

0250. Non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0251. Study note: Operating system security protects data, programs, devices, and system configuration.

0252. Authentication verifies the identity of a user, device, or service.

0253. Remember that authorization determines which resources an authenticated identity is allowed to access.

0254. The principle of least privilege grants only the permissions required for a task.

0255. Access control lists can specify permissions for individual users or groups.

0256. Review point: Encryption protects confidentiality by transforming readable information into protected data.

0257. Auditing records security-relevant events for review and investigation.

0258. Operating system updates may correct vulnerabilities and improve reliability.

0259. Secure boot can help ensure that trusted software components are used during startup.

0260. Remember that backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0261. Study note: Linux is a family of operating systems built around the Linux kernel.

0262. A shell interprets commands and can run programs or scripts.

0263. The pwd command displays the current working directory in many Unix-like shells.

0264. The ls command lists directory contents on Linux and other Unix-like systems.

0265. The cd command changes the current working directory.

0266. Review point: The mkdir command creates a directory.

0267. Remember that the cp command copies files or directories, subject to the options used.

0268. The mv command moves or renames files and directories.

0269. The rm command removes files and can be destructive when used carelessly.

0270. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0271. Study note: Booting is the process of starting a computer and loading the operating system.

0272. Firmware performs initial hardware checks and locates a bootable device.

0273. A bootloader loads the operating system kernel or transfers control to another boot stage.

0274. Remember that system services start background tasks required for normal operation.

0275. Performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0276. Review point: CPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0277. Throughput measures how much work is completed over a period of time.

0278. Latency measures the time taken for an operation or response.

0279. Logs record events that help administrators troubleshoot failures and unexpected behavior.

0280. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0281. Study note: Virtualization allows multiple isolated computing environments to share physical hardware.

0282. A hypervisor creates and manages virtual machines.

0283. A virtual machine usually runs its own operating system kernel.

0284. Containers package applications and dependencies while sharing the host operating system kernel.

0285. Containers can improve portability and consistency between development and deployment environments.

0286. Review point: Resource limits can control how much CPU or memory a virtual machine or container may use.

0287. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0288. Remember that virtualization is widely used in cloud computing, development, testing, and server consolidation.

0289. Container images provide reusable templates for creating container instances.

0290. Isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0291. Study note: Define an operating system and explain why it is required in a computer system.

0292. List the major functions performed by an operating system.

0293. Compare batch, time-sharing, real-time, distributed, and network operating systems.

0294. Explain the process life cycle with a labelled state-transition diagram.

0295. Remember that differentiate a process from a thread with suitable examples.

0296. Review point: Compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0297. Define a critical section and explain the need for mutual exclusion.

0298. List the four necessary conditions for deadlock.

0299. Differentiate paging and segmentation.

0300. Explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0301. Study note: An operating system is system software that manages computer hardware and software resources.

0302. Remember that it provides common services for computer programs and helps users interact with a computer.

0303. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0304. The operating system acts as an intermediary between application programs and computer hardware.

0305. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0306. Review point: A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0307. System software starts working during the boot process and prepares the computer for use.

0308. Applications request operating system services through system calls and related interfaces.

0309. Remember that the kernel is the central component of an operating system and manages core system operations.

0310. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0311. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0312. Memory management tracks memory usage and allocates memory to running programs.

0313. File management organizes files and directories and controls access to stored information.

0314. Device management coordinates hardware devices through drivers and operating system services.

0315. Security management protects system resources through authentication and access control.

0316. Remember that user interface services allow users to interact through command-line or graphical interfaces.

0317. Networking services support communication between computers and applications.

0318. Error handling detects problems and supports recovery where possible.

0319. Resource allocation decides how available CPU time, memory, and devices are shared.

0320. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0321. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0322. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0323. Remember that a multitasking operating system allows multiple tasks to make progress during the same period.

0324. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0325. A multiprocessing operating system uses two or more processors or CPU cores.

0326. Review point: A real-time operating system is designed to meet timing requirements for specific operations.

0327. A distributed operating system coordinates resources across multiple connected computers.

0328. A network operating system provides services such as file sharing and user management over a network.

0329. An embedded operating system is built for a device with a specialized purpose.

0330. Remember that a mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0331. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0332. A process contains execution state, memory information, resources, and a process identifier.

0333. The process control block stores information required by the operating system to manage a process.

0334. Typical process states include new, ready, running, waiting, and terminated.

0335. A context switch saves the state of one process and restores the state of another.

0336. Review point: A thread is a unit of execution within a process.

0337. Remember that threads in the same process commonly share code, data, and open resources.

0338. Each thread has its own execution state, stack, and processor register context.

0339. Multithreading can improve responsiveness and allow work to proceed concurrently.

0340. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0341. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0342. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0343. First Come First Served schedules processes in the order they arrive in the ready queue.

0344. Remember that shortest Job First selects the process with the smallest estimated CPU burst.

0345. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0346. Review point: Priority scheduling chooses processes according to assigned priority values.

0347. Round Robin gives each ready process a time quantum before moving to another process.

0348. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0349. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0350. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0351. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0352. A critical section is code that accesses shared data or another shared resource.

0353. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0354. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0355. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0356. Review point: A race condition occurs when the result depends on the timing of concurrent operations.

0357. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0358. Remember that the four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0359. Deadlock prevention removes at least one necessary deadlock condition.

0360. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0361. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0362. Contiguous memory allocation gives a process one continuous region of physical memory.

0363. External fragmentation occurs when free memory is split into small separated blocks.

0364. Internal fragmentation occurs when allocated memory contains unused space within a block.

0365. Remember that paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0366. Review point: A page table maps virtual page numbers to physical frame numbers and associated control information.

0367. A translation lookaside buffer caches recent address translations to speed up memory access.

0368. Segmentation divides a program's logical address space into variable-sized logical units.

0369. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0370. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0371. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0372. Remember that the operating system handles a page fault by locating or preparing the required page.

0373. Demand paging loads pages when they are first needed rather than loading every page in advance.

0374. FIFO page replacement evicts the page that has been resident for the longest time.

0375. Least Recently Used replaces the page that has not been used for the longest recent period.

0376. Review point: Optimal page replacement evicts the page whose next use is farthest in the future.

0377. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0378. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0379. Remember that locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0380. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0381. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0382. A file is a named collection of data stored on a storage device.

0383. A directory contains references to files and other directories.

0384. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0385. Sequential access reads or writes data in a linear order.

0386. Remember that direct access allows a program to access a location without reading all preceding data.

0387. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0388. Free-space management tracks storage blocks that are available for future allocation.

0389. File permissions control which users may read, write, or execute a file.

0390. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0391. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0392. Device drivers provide operating-system-specific control for particular hardware devices.

0393. Remember that polling repeatedly checks a device status register to determine whether service is needed.

0394. Interrupts allow a device to notify the processor when an event requires attention.

0395. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0396. Review point: Buffering temporarily stores data while it moves between components with different speeds.

0397. Caching keeps copies of frequently used data to reduce access latency.

0398. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0399. Blocking I/O waits for an operation to complete before the calling thread continues.

0400. Remember that non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0401. Study note: Operating system security protects data, programs, devices, and system configuration.

0402. Authentication verifies the identity of a user, device, or service.

0403. Authorization determines which resources an authenticated identity is allowed to access.

0404. The principle of least privilege grants only the permissions required for a task.

0405. Access control lists can specify permissions for individual users or groups.

0406. Review point: Encryption protects confidentiality by transforming readable information into protected data.

0407. Remember that auditing records security-relevant events for review and investigation.

0408. Operating system updates may correct vulnerabilities and improve reliability.

0409. Secure boot can help ensure that trusted software components are used during startup.

0410. Backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0411. Study note: Linux is a family of operating systems built around the Linux kernel.

0412. A shell interprets commands and can run programs or scripts.

0413. The pwd command displays the current working directory in many Unix-like shells.

0414. Remember that the ls command lists directory contents on Linux and other Unix-like systems.

0415. The cd command changes the current working directory.

0416. Review point: The mkdir command creates a directory.

0417. The cp command copies files or directories, subject to the options used.

0418. The mv command moves or renames files and directories.

0419. The rm command removes files and can be destructive when used carelessly.

0420. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0421. Study note: Booting is the process of starting a computer and loading the operating system.

0422. Firmware performs initial hardware checks and locates a bootable device.

0423. A bootloader loads the operating system kernel or transfers control to another boot stage.

0424. System services start background tasks required for normal operation.

0425. Performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0426. Review point: CPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0427. Throughput measures how much work is completed over a period of time.

0428. Remember that latency measures the time taken for an operation or response.

0429. Logs record events that help administrators troubleshoot failures and unexpected behavior.

0430. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0431. Study note: Virtualization allows multiple isolated computing environments to share physical hardware.

0432. A hypervisor creates and manages virtual machines.

0433. A virtual machine usually runs its own operating system kernel.

0434. Containers package applications and dependencies while sharing the host operating system kernel.

0435. Remember that containers can improve portability and consistency between development and deployment environments.

0436. Review point: Resource limits can control how much CPU or memory a virtual machine or container may use.

0437. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0438. Virtualization is widely used in cloud computing, development, testing, and server consolidation.

0439. Container images provide reusable templates for creating container instances.

0440. Isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0441. Study note: Define an operating system and explain why it is required in a computer system.

0442. Remember that list the major functions performed by an operating system.

0443. Compare batch, time-sharing, real-time, distributed, and network operating systems.

0444. Explain the process life cycle with a labelled state-transition diagram.

0445. Differentiate a process from a thread with suitable examples.

0446. Review point: Compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0447. Define a critical section and explain the need for mutual exclusion.

0448. List the four necessary conditions for deadlock.

0449. Remember that differentiate paging and segmentation.

0450. Explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0451. Study note: An operating system is system software that manages computer hardware and software resources.

0452. It provides common services for computer programs and helps users interact with a computer.

0453. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0454. The operating system acts as an intermediary between application programs and computer hardware.

0455. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0456. Remember that a well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0457. System software starts working during the boot process and prepares the computer for use.

0458. Applications request operating system services through system calls and related interfaces.

0459. The kernel is the central component of an operating system and manages core system operations.

0460. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0461. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0462. Memory management tracks memory usage and allocates memory to running programs.

0463. Remember that file management organizes files and directories and controls access to stored information.

0464. Device management coordinates hardware devices through drivers and operating system services.

0465. Security management protects system resources through authentication and access control.

0466. Review point: User interface services allow users to interact through command-line or graphical interfaces.

0467. Networking services support communication between computers and applications.

0468. Error handling detects problems and supports recovery where possible.

0469. Resource allocation decides how available CPU time, memory, and devices are shared.

0470. Remember that accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0471. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0472. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0473. A multitasking operating system allows multiple tasks to make progress during the same period.

0474. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0475. A multiprocessing operating system uses two or more processors or CPU cores.

0476. Review point: A real-time operating system is designed to meet timing requirements for specific operations.

0477. Remember that a distributed operating system coordinates resources across multiple connected computers.

0478. A network operating system provides services such as file sharing and user management over a network.

0479. An embedded operating system is built for a device with a specialized purpose.

0480. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0481. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0482. A process contains execution state, memory information, resources, and a process identifier.

0483. The process control block stores information required by the operating system to manage a process.

0484. Remember that typical process states include new, ready, running, waiting, and terminated.

0485. A context switch saves the state of one process and restores the state of another.

0486. Review point: A thread is a unit of execution within a process.

0487. Threads in the same process commonly share code, data, and open resources.

0488. Each thread has its own execution state, stack, and processor register context.

0489. Multithreading can improve responsiveness and allow work to proceed concurrently.

0490. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0491. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0492. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0493. First Come First Served schedules processes in the order they arrive in the ready queue.

0494. Shortest Job First selects the process with the smallest estimated CPU burst.

0495. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0496. Review point: Priority scheduling chooses processes according to assigned priority values.

0497. Round Robin gives each ready process a time quantum before moving to another process.

0498. Remember that preemptive scheduling can interrupt a running process to give CPU time to another process.

0499. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0500. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0501. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0502. A critical section is code that accesses shared data or another shared resource.

0503. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0504. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0505. Remember that a mutex is a locking mechanism that protects a critical section from simultaneous access.

0506. Review point: A race condition occurs when the result depends on the timing of concurrent operations.

0507. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0508. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0509. Deadlock prevention removes at least one necessary deadlock condition.

0510. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0511. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0512. Remember that contiguous memory allocation gives a process one continuous region of physical memory.

0513. External fragmentation occurs when free memory is split into small separated blocks.

0514. Internal fragmentation occurs when allocated memory contains unused space within a block.

0515. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0516. Review point: A page table maps virtual page numbers to physical frame numbers and associated control information.

0517. A translation lookaside buffer caches recent address translations to speed up memory access.

0518. Segmentation divides a program's logical address space into variable-sized logical units.

0519. Remember that virtual memory allows a process to use an address space larger than its currently resident physical memory.

0520. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0521. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0522. The operating system handles a page fault by locating or preparing the required page.

0523. Demand paging loads pages when they are first needed rather than loading every page in advance.

0524. FIFO page replacement evicts the page that has been resident for the longest time.

0525. Least Recently Used replaces the page that has not been used for the longest recent period.

0526. Remember that optimal page replacement evicts the page whose next use is farthest in the future.

0527. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0528. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0529. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0530. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0531. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0532. A file is a named collection of data stored on a storage device.

0533. Remember that a directory contains references to files and other directories.

0534. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0535. Sequential access reads or writes data in a linear order.

0536. Review point: Direct access allows a program to access a location without reading all preceding data.

0537. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0538. Free-space management tracks storage blocks that are available for future allocation.

0539. File permissions control which users may read, write, or execute a file.

0540. Remember that journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0541. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0542. Device drivers provide operating-system-specific control for particular hardware devices.

0543. Polling repeatedly checks a device status register to determine whether service is needed.

0544. Interrupts allow a device to notify the processor when an event requires attention.

0545. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0546. Review point: Buffering temporarily stores data while it moves between components with different speeds.

0547. Remember that caching keeps copies of frequently used data to reduce access latency.

0548. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0549. Blocking I/O waits for an operation to complete before the calling thread continues.

0550. Non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0551. Study note: Operating system security protects data, programs, devices, and system configuration.

0552. Authentication verifies the identity of a user, device, or service.

0553. Authorization determines which resources an authenticated identity is allowed to access.

0554. Remember that the principle of least privilege grants only the permissions required for a task.

0555. Access control lists can specify permissions for individual users or groups.

0556. Review point: Encryption protects confidentiality by transforming readable information into protected data.

0557. Auditing records security-relevant events for review and investigation.

0558. Operating system updates may correct vulnerabilities and improve reliability.

0559. Secure boot can help ensure that trusted software components are used during startup.

0560. Backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0561. Study note: Linux is a family of operating systems built around the Linux kernel.

0562. A shell interprets commands and can run programs or scripts.

0563. The pwd command displays the current working directory in many Unix-like shells.

0564. The ls command lists directory contents on Linux and other Unix-like systems.

0565. The cd command changes the current working directory.

0566. Review point: The mkdir command creates a directory.

0567. The cp command copies files or directories, subject to the options used.

0568. Remember that the mv command moves or renames files and directories.

0569. The rm command removes files and can be destructive when used carelessly.

0570. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0571. Study note: Booting is the process of starting a computer and loading the operating system.

0572. Firmware performs initial hardware checks and locates a bootable device.

0573. A bootloader loads the operating system kernel or transfers control to another boot stage.

0574. System services start background tasks required for normal operation.

0575. Remember that performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0576. Review point: CPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0577. Throughput measures how much work is completed over a period of time.

0578. Latency measures the time taken for an operation or response.

0579. Logs record events that help administrators troubleshoot failures and unexpected behavior.

0580. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0581. Study note: Virtualization allows multiple isolated computing environments to share physical hardware.

0582. Remember that a hypervisor creates and manages virtual machines.

0583. A virtual machine usually runs its own operating system kernel.

0584. Containers package applications and dependencies while sharing the host operating system kernel.

0585. Containers can improve portability and consistency between development and deployment environments.

0586. Review point: Resource limits can control how much CPU or memory a virtual machine or container may use.

0587. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0588. Virtualization is widely used in cloud computing, development, testing, and server consolidation.

0589. Remember that container images provide reusable templates for creating container instances.

0590. Isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0591. Study note: Define an operating system and explain why it is required in a computer system.

0592. List the major functions performed by an operating system.

0593. Compare batch, time-sharing, real-time, distributed, and network operating systems.

0594. Explain the process life cycle with a labelled state-transition diagram.

0595. Differentiate a process from a thread with suitable examples.

0596. Remember that compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0597. Define a critical section and explain the need for mutual exclusion.

0598. List the four necessary conditions for deadlock.

0599. Differentiate paging and segmentation.

0600. Explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0601. Study note: An operating system is system software that manages computer hardware and software resources.

0602. It provides common services for computer programs and helps users interact with a computer.

0603. Remember that examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0604. The operating system acts as an intermediary between application programs and computer hardware.

0605. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0606. Review point: A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0607. System software starts working during the boot process and prepares the computer for use.

0608. Applications request operating system services through system calls and related interfaces.

0609. The kernel is the central component of an operating system and manages core system operations.

0610. Remember that operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0611. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0612. Memory management tracks memory usage and allocates memory to running programs.

0613. File management organizes files and directories and controls access to stored information.

0614. Device management coordinates hardware devices through drivers and operating system services.

0615. Security management protects system resources through authentication and access control.

0616. Review point: User interface services allow users to interact through command-line or graphical interfaces.

0617. Remember that networking services support communication between computers and applications.

0618. Error handling detects problems and supports recovery where possible.

0619. Resource allocation decides how available CPU time, memory, and devices are shared.

0620. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0621. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0622. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0623. A multitasking operating system allows multiple tasks to make progress during the same period.

0624. Remember that a time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0625. A multiprocessing operating system uses two or more processors or CPU cores.

0626. Review point: A real-time operating system is designed to meet timing requirements for specific operations.

0627. A distributed operating system coordinates resources across multiple connected computers.

0628. A network operating system provides services such as file sharing and user management over a network.

0629. An embedded operating system is built for a device with a specialized purpose.

0630. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0631. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0632. A process contains execution state, memory information, resources, and a process identifier.

0633. The process control block stores information required by the operating system to manage a process.

0634. Typical process states include new, ready, running, waiting, and terminated.

0635. A context switch saves the state of one process and restores the state of another.

0636. Review point: A thread is a unit of execution within a process.

0637. Threads in the same process commonly share code, data, and open resources.

0638. Remember that each thread has its own execution state, stack, and processor register context.

0639. Multithreading can improve responsiveness and allow work to proceed concurrently.

0640. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0641. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0642. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0643. First Come First Served schedules processes in the order they arrive in the ready queue.

0644. Shortest Job First selects the process with the smallest estimated CPU burst.

0645. Remember that shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0646. Review point: Priority scheduling chooses processes according to assigned priority values.

0647. Round Robin gives each ready process a time quantum before moving to another process.

0648. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0649. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0650. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0651. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0652. Remember that a critical section is code that accesses shared data or another shared resource.

0653. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0654. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0655. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0656. Review point: A race condition occurs when the result depends on the timing of concurrent operations.

0657. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0658. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0659. Remember that deadlock prevention removes at least one necessary deadlock condition.

0660. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0661. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0662. Contiguous memory allocation gives a process one continuous region of physical memory.

0663. External fragmentation occurs when free memory is split into small separated blocks.

0664. Internal fragmentation occurs when allocated memory contains unused space within a block.

0665. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0666. Remember that a page table maps virtual page numbers to physical frame numbers and associated control information.

0667. A translation lookaside buffer caches recent address translations to speed up memory access.

0668. Segmentation divides a program's logical address space into variable-sized logical units.

0669. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0670. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0671. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0672. The operating system handles a page fault by locating or preparing the required page.

0673. Remember that demand paging loads pages when they are first needed rather than loading every page in advance.

0674. FIFO page replacement evicts the page that has been resident for the longest time.

0675. Least Recently Used replaces the page that has not been used for the longest recent period.

0676. Review point: Optimal page replacement evicts the page whose next use is farthest in the future.

0677. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0678. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0679. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0680. Remember that working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0681. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0682. A file is a named collection of data stored on a storage device.

0683. A directory contains references to files and other directories.

0684. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0685. Sequential access reads or writes data in a linear order.

0686. Review point: Direct access allows a program to access a location without reading all preceding data.

0687. Remember that file allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0688. Free-space management tracks storage blocks that are available for future allocation.

0689. File permissions control which users may read, write, or execute a file.

0690. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0691. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0692. Device drivers provide operating-system-specific control for particular hardware devices.

0693. Polling repeatedly checks a device status register to determine whether service is needed.

0694. Remember that interrupts allow a device to notify the processor when an event requires attention.

0695. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0696. Review point: Buffering temporarily stores data while it moves between components with different speeds.

0697. Caching keeps copies of frequently used data to reduce access latency.

0698. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0699. Blocking I/O waits for an operation to complete before the calling thread continues.

0700. Non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0701. Study note: Operating system security protects data, programs, devices, and system configuration.

0702. Authentication verifies the identity of a user, device, or service.

0703. Authorization determines which resources an authenticated identity is allowed to access.

0704. The principle of least privilege grants only the permissions required for a task.

0705. Access control lists can specify permissions for individual users or groups.

0706. Review point: Encryption protects confidentiality by transforming readable information into protected data.

0707. Auditing records security-relevant events for review and investigation.

0708. Remember that operating system updates may correct vulnerabilities and improve reliability.

0709. Secure boot can help ensure that trusted software components are used during startup.

0710. Backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0711. Study note: Linux is a family of operating systems built around the Linux kernel.

0712. A shell interprets commands and can run programs or scripts.

0713. The pwd command displays the current working directory in many Unix-like shells.

0714. The ls command lists directory contents on Linux and other Unix-like systems.

0715. Remember that the cd command changes the current working directory.

0716. Review point: The mkdir command creates a directory.

0717. The cp command copies files or directories, subject to the options used.

0718. The mv command moves or renames files and directories.

0719. The rm command removes files and can be destructive when used carelessly.

0720. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0721. Study note: Booting is the process of starting a computer and loading the operating system.

0722. Remember that firmware performs initial hardware checks and locates a bootable device.

0723. A bootloader loads the operating system kernel or transfers control to another boot stage.

0724. System services start background tasks required for normal operation.

0725. Performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0726. Review point: CPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0727. Throughput measures how much work is completed over a period of time.

0728. Latency measures the time taken for an operation or response.

0729. Remember that logs record events that help administrators troubleshoot failures and unexpected behavior.

0730. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0731. Study note: Virtualization allows multiple isolated computing environments to share physical hardware.

0732. A hypervisor creates and manages virtual machines.

0733. A virtual machine usually runs its own operating system kernel.

0734. Containers package applications and dependencies while sharing the host operating system kernel.

0735. Containers can improve portability and consistency between development and deployment environments.

0736. Remember that resource limits can control how much CPU or memory a virtual machine or container may use.

0737. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0738. Virtualization is widely used in cloud computing, development, testing, and server consolidation.

0739. Container images provide reusable templates for creating container instances.

0740. Isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0741. Study note: Define an operating system and explain why it is required in a computer system.

0742. List the major functions performed by an operating system.

0743. Remember that compare batch, time-sharing, real-time, distributed, and network operating systems.

0744. Explain the process life cycle with a labelled state-transition diagram.

0745. Differentiate a process from a thread with suitable examples.

0746. Review point: Compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0747. Define a critical section and explain the need for mutual exclusion.

0748. List the four necessary conditions for deadlock.

0749. Differentiate paging and segmentation.

0750. Remember that explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0751. Study note: An operating system is system software that manages computer hardware and software resources.

0752. It provides common services for computer programs and helps users interact with a computer.

0753. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0754. The operating system acts as an intermediary between application programs and computer hardware.

0755. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0756. Review point: A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0757. Remember that system software starts working during the boot process and prepares the computer for use.

0758. Applications request operating system services through system calls and related interfaces.

0759. The kernel is the central component of an operating system and manages core system operations.

0760. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0761. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0762. Memory management tracks memory usage and allocates memory to running programs.

0763. File management organizes files and directories and controls access to stored information.

0764. Remember that device management coordinates hardware devices through drivers and operating system services.

0765. Security management protects system resources through authentication and access control.

0766. Review point: User interface services allow users to interact through command-line or graphical interfaces.

0767. Networking services support communication between computers and applications.

0768. Error handling detects problems and supports recovery where possible.

0769. Resource allocation decides how available CPU time, memory, and devices are shared.

0770. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0771. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0772. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0773. A multitasking operating system allows multiple tasks to make progress during the same period.

0774. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0775. A multiprocessing operating system uses two or more processors or CPU cores.

0776. Review point: A real-time operating system is designed to meet timing requirements for specific operations.

0777. A distributed operating system coordinates resources across multiple connected computers.

0778. Remember that a network operating system provides services such as file sharing and user management over a network.

0779. An embedded operating system is built for a device with a specialized purpose.

0780. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0781. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0782. A process contains execution state, memory information, resources, and a process identifier.

0783. The process control block stores information required by the operating system to manage a process.

0784. Typical process states include new, ready, running, waiting, and terminated.

0785. Remember that a context switch saves the state of one process and restores the state of another.

0786. Review point: A thread is a unit of execution within a process.

0787. Threads in the same process commonly share code, data, and open resources.

0788. Each thread has its own execution state, stack, and processor register context.

0789. Multithreading can improve responsiveness and allow work to proceed concurrently.

0790. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0791. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0792. Remember that scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0793. First Come First Served schedules processes in the order they arrive in the ready queue.

0794. Shortest Job First selects the process with the smallest estimated CPU burst.

0795. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0796. Review point: Priority scheduling chooses processes according to assigned priority values.

0797. Round Robin gives each ready process a time quantum before moving to another process.

0798. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0799. Remember that non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0800. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0801. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0802. A critical section is code that accesses shared data or another shared resource.

0803. Mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0804. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0805. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0806. Remember that a race condition occurs when the result depends on the timing of concurrent operations.

0807. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0808. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0809. Deadlock prevention removes at least one necessary deadlock condition.

0810. Deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0811. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0812. Contiguous memory allocation gives a process one continuous region of physical memory.

0813. Remember that external fragmentation occurs when free memory is split into small separated blocks.

0814. Internal fragmentation occurs when allocated memory contains unused space within a block.

0815. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0816. Review point: A page table maps virtual page numbers to physical frame numbers and associated control information.

0817. A translation lookaside buffer caches recent address translations to speed up memory access.

0818. Segmentation divides a program's logical address space into variable-sized logical units.

0819. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0820. Remember that page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0821. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0822. The operating system handles a page fault by locating or preparing the required page.

0823. Demand paging loads pages when they are first needed rather than loading every page in advance.

0824. FIFO page replacement evicts the page that has been resident for the longest time.

0825. Least Recently Used replaces the page that has not been used for the longest recent period.

0826. Review point: Optimal page replacement evicts the page whose next use is farthest in the future.

0827. Remember that the optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0828. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0829. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0830. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0831. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0832. A file is a named collection of data stored on a storage device.

0833. A directory contains references to files and other directories.

0834. Remember that file attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0835. Sequential access reads or writes data in a linear order.

0836. Review point: Direct access allows a program to access a location without reading all preceding data.

0837. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0838. Free-space management tracks storage blocks that are available for future allocation.

0839. File permissions control which users may read, write, or execute a file.

0840. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0841. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0842. Device drivers provide operating-system-specific control for particular hardware devices.

0843. Polling repeatedly checks a device status register to determine whether service is needed.

0844. Interrupts allow a device to notify the processor when an event requires attention.

0845. Direct Memory Access transfers data between a device and memory with limited CPU involvement.

0846. Review point: Buffering temporarily stores data while it moves between components with different speeds.

0847. Caching keeps copies of frequently used data to reduce access latency.

0848. Remember that spooling queues jobs for a device that processes requests one at a time, such as a printer.

0849. Blocking I/O waits for an operation to complete before the calling thread continues.

0850. Non-blocking I/O allows a call to return without waiting for the full operation to finish.

Security and Protection

0851. Study note: Operating system security protects data, programs, devices, and system configuration.

0852. Authentication verifies the identity of a user, device, or service.

0853. Authorization determines which resources an authenticated identity is allowed to access.

0854. The principle of least privilege grants only the permissions required for a task.

0855. Remember that access control lists can specify permissions for individual users or groups.

0856. Review point: Encryption protects confidentiality by transforming readable information into protected data.

0857. Auditing records security-relevant events for review and investigation.

0858. Operating system updates may correct vulnerabilities and improve reliability.

0859. Secure boot can help ensure that trusted software components are used during startup.

0860. Backups support recovery from accidental deletion, hardware failure, and some security incidents.

Linux and Command-Line Basics

0861. Study note: Linux is a family of operating systems built around the Linux kernel.

0862. Remember that a shell interprets commands and can run programs or scripts.

0863. The pwd command displays the current working directory in many Unix-like shells.

0864. The ls command lists directory contents on Linux and other Unix-like systems.

0865. The cd command changes the current working directory.

0866. Review point: The mkdir command creates a directory.

0867. The cp command copies files or directories, subject to the options used.

0868. The mv command moves or renames files and directories.

0869. Remember that the rm command removes files and can be destructive when used carelessly.

0870. The ps command displays information about processes on many Unix-like systems.

Booting and System Performance

0871. Study note: Booting is the process of starting a computer and loading the operating system.

0872. Firmware performs initial hardware checks and locates a bootable device.

0873. A bootloader loads the operating system kernel or transfers control to another boot stage.

0874. System services start background tasks required for normal operation.

0875. Performance monitoring helps identify CPU, memory, storage, and network bottlenecks.

0876. Remember that cPU utilization indicates how much processor time is spent doing work rather than remaining idle.

0877. Throughput measures how much work is completed over a period of time.

0878. Latency measures the time taken for an operation or response.

0879. Logs record events that help administrators troubleshoot failures and unexpected behavior.

0880. Regular maintenance can include updates, storage checks, backups, and review of system alerts.

Virtualization and Containers

0881. Study note: Virtualization allows multiple isolated computing environments to share physical hardware.

0882. A hypervisor creates and manages virtual machines.

0883. Remember that a virtual machine usually runs its own operating system kernel.

0884. Containers package applications and dependencies while sharing the host operating system kernel.

0885. Containers can improve portability and consistency between development and deployment environments.

0886. Review point: Resource limits can control how much CPU or memory a virtual machine or container may use.

0887. Snapshots capture a point-in-time state that may support testing or recovery workflows.

0888. Virtualization is widely used in cloud computing, development, testing, and server consolidation.

0889. Container images provide reusable templates for creating container instances.

0890. Remember that isolation boundaries and security configuration remain important for both virtual machines and containers.

Revision and Practice Notes

0891. Study note: Define an operating system and explain why it is required in a computer system.

0892. List the major functions performed by an operating system.

0893. Compare batch, time-sharing, real-time, distributed, and network operating systems.

0894. Explain the process life cycle with a labelled state-transition diagram.

0895. Differentiate a process from a thread with suitable examples.

0896. Review point: Compare FCFS, SJF, Priority, and Round Robin CPU scheduling algorithms.

0897. Remember that define a critical section and explain the need for mutual exclusion.

0898. List the four necessary conditions for deadlock.

0899. Differentiate paging and segmentation.

0900. Explain demand paging and describe how a page fault is handled.

Introduction to Operating Systems

0901. Study note: An operating system is system software that manages computer hardware and software resources.

0902. It provides common services for computer programs and helps users interact with a computer.

0903. Examples of operating systems include Windows, Linux, macOS, Android, and iOS.

0904. Remember that the operating system acts as an intermediary between application programs and computer hardware.

0905. Operating systems manage the processor, memory, files, storage devices, and input/output devices.

0906. Review point: A well-designed operating system aims to provide convenience, efficiency, reliability, and security.

0907. System software starts working during the boot process and prepares the computer for use.

0908. Applications request operating system services through system calls and related interfaces.

0909. The kernel is the central component of an operating system and manages core system operations.

0910. Operating systems can be designed for personal computers, servers, mobile devices, and embedded systems.

Functions of an Operating System

0911. Study note: Process management creates, schedules, synchronizes, and terminates processes.

0912. Memory management tracks memory usage and allocates memory to running programs.

0913. File management organizes files and directories and controls access to stored information.

0914. Device management coordinates hardware devices through drivers and operating system services.

0915. Security management protects system resources through authentication and access control.

0916. Review point: User interface services allow users to interact through command-line or graphical interfaces.

0917. Networking services support communication between computers and applications.

0918. Remember that error handling detects problems and supports recovery where possible.

0919. Resource allocation decides how available CPU time, memory, and devices are shared.

0920. Accounting and monitoring tools record resource usage and system performance information.

Types of Operating Systems

0921. Study note: A batch operating system executes groups of jobs with limited direct user interaction.

0922. A multiprogramming operating system keeps several jobs in memory to improve CPU utilization.

0923. A multitasking operating system allows multiple tasks to make progress during the same period.

0924. A time-sharing operating system allocates short CPU time slices among interactive users or tasks.

0925. Remember that a multiprocessing operating system uses two or more processors or CPU cores.

0926. Review point: A real-time operating system is designed to meet timing requirements for specific operations.

0927. A distributed operating system coordinates resources across multiple connected computers.

0928. A network operating system provides services such as file sharing and user management over a network.

0929. An embedded operating system is built for a device with a specialized purpose.

0930. A mobile operating system manages smartphone or tablet hardware, applications, and user interaction.

Processes and Threads

0931. Study note: A program is a set of instructions stored as a file, while a process is a program in execution.

0932. Remember that a process contains execution state, memory information, resources, and a process identifier.

0933. The process control block stores information required by the operating system to manage a process.

0934. Typical process states include new, ready, running, waiting, and terminated.

0935. A context switch saves the state of one process and restores the state of another.

0936. Review point: A thread is a unit of execution within a process.

0937. Threads in the same process commonly share code, data, and open resources.

0938. Each thread has its own execution state, stack, and processor register context.

0939. Remember that multithreading can improve responsiveness and allow work to proceed concurrently.

0940. Thread synchronization is needed when multiple threads access shared mutable data.

CPU Scheduling

0941. Study note: CPU scheduling selects a ready process or thread to execute on a processor.

0942. Scheduling criteria include CPU utilization, throughput, turnaround time, waiting time, and response time.

0943. First Come First Served schedules processes in the order they arrive in the ready queue.

0944. Shortest Job First selects the process with the smallest estimated CPU burst.

0945. Shortest Remaining Time First is a preemptive version of shortest-job scheduling.

0946. Remember that priority scheduling chooses processes according to assigned priority values.

0947. Round Robin gives each ready process a time quantum before moving to another process.

0948. Preemptive scheduling can interrupt a running process to give CPU time to another process.

0949. Non-preemptive scheduling generally lets a process continue until it blocks or finishes.

0950. Starvation can occur when a process waits indefinitely because other processes are repeatedly preferred.

Process Synchronization and Deadlocks

0951. Study note: Concurrency occurs when multiple processes or threads make progress during overlapping periods.

0952. A critical section is code that accesses shared data or another shared resource.

0953. Remember that mutual exclusion ensures that only one eligible execution flow enters a protected critical section at a time.

0954. A semaphore is a synchronization primitive used to coordinate access to shared resources.

0955. A mutex is a locking mechanism that protects a critical section from simultaneous access.

0956. Review point: A race condition occurs when the result depends on the timing of concurrent operations.

0957. Deadlock is a condition in which processes wait indefinitely for resources held by one another.

0958. The four classic deadlock conditions are mutual exclusion, hold and wait, no preemption, and circular wait.

0959. Deadlock prevention removes at least one necessary deadlock condition.

0960. Remember that deadlock avoidance evaluates resource requests to keep the system in a safe state.

Memory Management

0961. Study note: Memory management tracks which portions of main memory are in use and by which processes.

0962. Contiguous memory allocation gives a process one continuous region of physical memory.

0963. External fragmentation occurs when free memory is split into small separated blocks.

0964. Internal fragmentation occurs when allocated memory contains unused space within a block.

0965. Paging divides virtual memory into fixed-size pages and physical memory into fixed-size frames.

0966. Review point: A page table maps virtual page numbers to physical frame numbers and associated control information.

0967. Remember that a translation lookaside buffer caches recent address translations to speed up memory access.

0968. Segmentation divides a program's logical address space into variable-sized logical units.

0969. Virtual memory allows a process to use an address space larger than its currently resident physical memory.

0970. Page replacement algorithms decide which resident page to evict when another page must be loaded.

Virtual Memory and Page Replacement

0971. Study note: A page fault occurs when a process references a page that is not currently available in physical memory.

0972. The operating system handles a page fault by locating or preparing the required page.

0973. Demand paging loads pages when they are first needed rather than loading every page in advance.

0974. Remember that fIFO page replacement evicts the page that has been resident for the longest time.

0975. Least Recently Used replaces the page that has not been used for the longest recent period.

0976. Review point: Optimal page replacement evicts the page whose next use is farthest in the future.

0977. The optimal algorithm is mainly a theoretical benchmark because future references are generally unknown.

0978. Thrashing occurs when excessive paging leaves little processor time for useful application work.

0979. Locality of reference means programs tend to reuse recently accessed data or access nearby addresses.

0980. Working-set techniques estimate the pages a process needs during a recent interval.

File Systems

0981. Study note: A file system defines how files and directories are named, stored, organized, and retrieved.

0982. A file is a named collection of data stored on a storage device.

0983. A directory contains references to files and other directories.

0984. File attributes may include name, size, timestamps, ownership, permissions, and storage metadata.

0985. Sequential access reads or writes data in a linear order.

0986. Review point: Direct access allows a program to access a location without reading all preceding data.

0987. File allocation methods include contiguous allocation, linked allocation, and indexed allocation.

0988. Remember that free-space management tracks storage blocks that are available for future allocation.

0989. File permissions control which users may read, write, or execute a file.

0990. Journaling file systems record intended changes to help maintain consistency after failures.

Input and Output Management

0991. Study note: Input and output management coordinates data transfer between software and peripheral devices.

0992. Device drivers provide operating-system-specific control for particular hardware devices.

0993. Polling repeatedly checks a device status register to determine whether service is needed.

0994. Interrupts allow a device to notify the processor when an event requires attention.

0995. Remember that direct Memory Access transfers data between a device and memory with limited CPU involvement.

0996. Review point: Buffering temporarily stores data while it moves between components with different speeds.

0997. Caching keeps copies of frequently used data to reduce access latency.

0998. Spooling queues jobs for a device that processes requests one at a time, such as a printer.

0999. Blocking I/O waits for an operation to complete before the calling thread continues.

1000. Non-blocking I/O allows a call to return without waiting for the full operation to finish.